



Dated: 15-07-2020

Bid Document

| 25-07-2020 17:00:00 |
|---|
| 25-07-2020 17:00:00 |
| |
| 25-07-2020 17:30:00 |
| 90 (Days) |
| 30 (Days) |
| Uttar Pradesh |
| Urban Development Department Uttar Pradesh |
| N/a |
| Nagar Palika Parishad Chandausi |
| 1 |
| Cattle Catcher Vehicle |
| No |
| No |
| Experience Criteria, Bidder Turnover, Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| No |
| No |
| |

EMD Detail

| Advisory Bank | IDBI Bank |
|-------------------|-----------|
| EMD Percentage(%) | 0.50 |
| EMD Amount | 8925 |

ePBG Detail

| Required | No |
|----------|----|

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only

manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

executive officer

NAGAR PALIKA PARISHAD CHANDAUSI, Urban Development Department Uttar Pradesh, N/A, (Executive Officer)

Splitting

Bid splitting not applied.

Cattle Catcher Vehicle (1 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|---------------|---|--------|----------------------------------|
| Certification | Vehicle Certification ARAI/VRDE/ICAT | Yes | * |
| | Chassis Certification ARAI/VRDE/ICAT No | - | * |
| | Form 22 A - For compliance with pollution standards, safety standards of components and road worthiness as per CMVR Rules | Yes | * |
| | Registration To Local RTO (Regional Transport Office)/RTA(Regional Transport Authority) By Seller | Yes | * |
| | Availability of test reports for all critical components from the manufacturer or OEM of Hydraulic system etc shall be from any ILAC /NABL accredited / Central Govt Lab To be furnished to buyers on | Yes | * |

| | demand | | |
|--------------------|--------------------------------------|--|--|
| Generic Parameters | Vehicle Engine Capacity (cc) | 2945 | * |
| | Make and Model of Vehicle Chassis | - | * |
| | Pay Load Capacity (Tonne Load) | 4.2 | 4.2 - 50.0 Or higher |
| | Type of chassis for Vehicle | Medium Vehicle Motor(maximum mass exceeding 3.5 tonnes but not exceeding 12 tonnes) | Medium Vehicle Moto maximum mass exceeding 3.5 tonnes but not exceeding 12 tonnes) |
| | Chassis with Built up Cabin | Yes | * |
| | Type of Fuel | Diesel | Diesel |
| | Vehicle Emission Complaince | BS-IV | BS-IV |
| | Max Engine BHP | 83 | More than 83.0 Or higher |
| | Rated RPM at Max Engine BHP | 2300 | More than 2300.0 Or higher |
| | Max Engine Torque N-m | 250 | More than 250.0 Or higher |
| | Rated RPM at max Engine Torque | 250 | More than 250.0 Or higher |
| | Braking Distance (m) | 5 | * |
| | Gradeability of Vehicle (%) | 27 | More than 27.0 Or higher |
| | Engine Aspiration System | Natural | Natural |
| | Fuel Tank Capacity (Ltrs) | 90 | More than 90.0 Or higher |
| | Ground Clearance (mm) | 194 | More than 194.0 Or higher |
| | Floor Area (sq. mm) | 33000 | 33000 |
| | Wheel Base (mm) | 3400 | 3400.0 |
| | Kerb Weight (Kg) | 2715 | More than 2715.0 Or higher |
| | Gross Vehicle Weight (Kg) | 6290 | More than 6290.0 Or higher |
| | Type of Vehicle Tyre | Tube | Tube |
| | Drive Axle | Rear | * |
| | No of Axle (Nos) | 2 | * |
| | No. of Speed/ Forward Gears | 5 | * |

| | Type of Steering | Manual | Manual |
|---------------------------|---|-----------|-------------------------------|
| | Turning Radius (mm) | 6750 | More than 6750.0 Or higher |
| | Type of Front Brakes | Drum | * |
| | Type of Rear Brakes | Drum | * |
| Constructional | Type of Cabin | Fixed | * |
| Parameters | Overall Length (mm) | 5500 | * |
| | Overall Width (mm) | 2100 | * |
| | Overall Height (Cabin) (mm) | 2750 | * |
| | Type and Location of Shock Absorbers | - | * |
| | Size Of BIS marked Front Tyre with Ply Rating | - | * |
| | Size of BIS marked Rear Tyre with Ply Rating | 7.50 X 16 | 7.50x16 |
| | Chain | 5 | * |
| | Material and thickness of Flooring- Mild Steel sheet | 3 | More than 3.0 Or higher |
| | Thickness of chequer sheet on floor | 3 | * |
| | Hydraulic Ram rear end loading and unloading | Yes | * |
| Performance Parameters | Vehicle Mileage (declared by OEM as certified by Test Agency under Rule 115of CMVR 1989) (Km/Ltr) | 5.8 | 5.8 |
| | Warranty Distance (Km) | 100000 | 100000.0 |
| | Warranty Time (Months) | 24 | 24.0 |
| | No of Free Service (Nos) | 3 | 3, 4, 5, 6, 7 Or higher |

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

| S.No. | Consignee/Reporti | Address | Quantity | Delivery Days |
|-------|-------------------|---|----------|---------------|
| 1 | Anuj Kumar | 202412,Nagar palika parishad Chandausi Distt. Sambhal | 1 | 30 |

Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 2. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 3. Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 4. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

This Bid is also governed by the General Terms and Conditions

---Thank You---