

### Bid Document

Bid Details	
Bid End Date/Time	18-07-2020 17:00:00
Bid Opening Date/Time	18-07-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Uttar Pradesh
Department Name	Urban Development Department Uttar Pradesh
Organisation Name	E-municipalities - Eservices To Citizens And Employees Of Urban Local Bodies Of Uttar Pradesh
Office Name	Nagar Panchyat Bikapur
Total Quantity	200
Item Category	Tree Guard
OEM Average Turnover (Last 3 Years)	3 Lakh (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

1. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

## Tree Guard ( 200 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
CONSTRUCTION / SIZE / MATERIAL	<b>Construction Type</b>	Circular Tree Guard of Angle Iron consisting of two semi circular frames made of M.S. angle iron vertical member welded with M.S. wire mesh as per sketch (Fig. 2) uploaded in GeM Portal	Circular Tree Guard of Angle Iron consisting of two semi circular frames made of M.S. angle iron vertical member welded with M.S. wire mesh as per sketch (Fig. 2) uploaded in GeM Portal
	Availability of Sketch (Figures)	Yes	*
	Sketch (Figures) have been seen, studied and understood	Yes	*
	<b>Number of frames required to form Tree Guard</b>	1	1
	<b>Width / Diameter of Frame (D)</b>	450	450.0
	<b>Height (H1) of the frame / Mesh (excluding legs)</b>	1200	1200.0
	<b>Number of Legs in each frame</b>	3	3
	<b>Height (H2) of the Legs (mm)</b>	300	300
	<b>Number of vertical members in each frame</b>	3	3
	<b>Size of Vertical</b>	Angle Iron of 25 x 25 x	Angle Iron of 25 x 25 x

<b>Member (mm x mm x mm)</b>	3 mm	3 mm
<b>Number of cross supports in each frame</b>	3	3
<b>Cross support Size</b>	Flat of 20 x 3 mm	Flat of 20 x 3 mm
<b>Material of the Mesh</b>	M.S. Wire	M.S. Wire
<b>Wire Mesh Diameter / thickness</b>	3.15 mm for M.S. Wire Mesh	3.15 mm for M.S. Wire Mesh
<b>Mesh Aperture Size (mm x mm)</b>	25 x 25	25 x 25
<b>Frame joining to form Tree Guard</b>	For joining angle iron frames together, two holes of size 8 mm dia on each side of the vertical member be drilled on the flange of the angle where wire mesh is not welded.	For joining angle iron frames together, two holes of size 8 mm dia on each side of the vertical member be drilled on the flange of the angle where wire mesh is not welded.
<b>Hole position from the top of the frame (P1)</b>	300	300
<b>"Hole position from the bottom of the frame / mesh, excluding leg portion (P2)"</b>	300	300
Provided Appropriate Nuts & Bolts for Forming Tree Guard	NA	*
<b>Pre-treatment/finish of Tree guard</b>	Red-Oxide Primer	Red-Oxide Primer
Overall Weight	10	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

GeM/DGsnd Drawing document	<a href="#">View</a>
----------------------------	----------------------

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Durgesh Kumar	224204,Nagar Panchayat Bikapur, Ayodhya	200	30

--	--	--	--	--

## **Bid Specific Additional Terms and Conditions**

1. ISO 9001: The bidder must have ISO 9001 certification.
2. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
3. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
4. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
5. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
6. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
7. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**