

### Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 13:00:00
Bid Opening Date/Time	27-07-2020 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Power
Department Name	North Eastern Electric Power Corporation Limited
Organisation Name	North Eastern Electric Power Corporation Limited
Office Name	Tripura Gas Based Power Project
Total Quantity	2
Item Category	Almirah Steel
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### Almirah Steel ( 2 pieces )

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Conformity to Indian Standard IS:3312 latest	No	Yes, No

	<b>No of shelves (Nos)</b>	3	3
	<b>Type of Shelves</b>	Fixed	Fixed
	<b>Locker Provided</b>	No	No
	<b>Locking System with the locker</b>	NO	NO
	Cloth hanging provision in the Almirah	No	*
	<b>Number of Doors (Nos)</b>	2	2
	<b>Door Stiffner upto full door height Provided with the almirah doors</b>	Yes	Yes
	<b>Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement</b>	SLIDING DOORS NO HINGES	1, 2, 3, 4, SLIDING DOORS NO HINGES, N.A
	<b>Number of Glass Sheet fixed in each Almirah door (Nos)</b>	4	4
	<b>Construction</b>	Welded	Welded
	<b>Lock</b>	Three Way bolting device controlled by lock	Three Way bolting device controlled by lock
MATERIAL	<b>Material</b>	M.S sheet conforming to commercial quality CR-1, Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1	M.S sheet conforming to commercial quality CR-1, Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	<b>Material of Almirah Doors</b>	M S Sheet	M S Sheet
	<b>Sheet Thickness of Locker</b>	N.A	N.A
	<b>Length of Glass Sheet <math>\pm 10</math> (mm)</b>	350 mm	350 mm
	<b>Width of Glass Sheet <math>\pm 10</math> (mm)</b>	230 mm	230 mm
	<b>Sheet Thickness of door in mm</b>	0.9 mm	0.9 mm
	<b>Sheet Thickness of sides, back , Top and Bottom</b>	0.9 mm	0.8 mm (Minimum), 0.9 mm
	<b>Sheet Thickness of Shelves</b>	0.9 mm	0.8 mm, 0.9 mm
	<b>Sheet Thickness of Pedestal in mm</b>	0.9 mm	0.9 mm
	<b>Material of Lock</b>	steel	steel
	<b>Material of Keys</b>	steel	steel
DIMENSION	<b>Height (Without Pedestal) (in mm) (+/- 10 mm)</b>	1800	1800
	<b>Width in mm (<math>\pm 7</math> mm)</b>	910	910.0
	<b>Depth in mm (<math>\pm 5</math> mm)</b>	430	430.0
	<b>Inside Height of Locker in mm (<math>\pm 5</math> mm)</b>	N.A	N.A

	<b>Inside Width of Locker in mm (<math>\pm 5</math> mm)</b>	N.A	N.A
	<b>Inside Depth of Locker in mm (<math>\pm 5</math> mm)</b>	N.A	N.A
	<b>Width of Stiffner in mm (<math>\pm 5</math> mm)</b>	115 mm	115 mm
	<b>Thickness of MS Sheet of Stiffner (in mm)</b>	0.9 mm	0.9 mm
	<b>Stiffened Pedestal height in mm (<math>\pm 2</math> mm)</b>	120	120
	<b>Pedestal Width in mm (<math>\pm 2</math> mm)</b>	70	70
COLOUR & FINISH	<b>Finish</b>	powder coated	Synthetic enamel, powder coated
	Colour of Paint	ash gray	*
	Packing:	Bubble Sheet	*
CERTIFICATION	ISI marked	No	*
	CM/L No.	-	*
WARRANTY	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1	1

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Chandra Prasad Saikia	799181,Tripura Gas Based Power Project NEEPCO, Monarchak, PO-Dhanpur, Sonamura, Sepahijala District, Tripura	2	30

#### Bid Specific Additional Terms and Conditions

- 1.Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 2.Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---