

Bid Number: GEM/2020/B/702003

Dated: 08-07-2020

### **Bid Document**

Bid Document			
Bid Details			
Bid End Date/Time	20-07-2020 11:00:00		
Bid Opening Date/Time	20-07-2020 11:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	30 (Days)		
Ministry/State Name	Ministry Of Defence		
Department Name	Department Of Defence		
Organisation Name	Indian Army		
Office Name	******		
Total Quantity	3		
Item Category	Computer Printers		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Bid to RA enabled	No		
Inspection Required	No		

#### **EMD Detail**

Required	No

#### ePBG Detail

Required	No

## Splitting

Bid splitting not applied.

# Computer Printers ( 3 pieces )

## **Technical Specifications**

## \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Specifications	Cartridge Technology	separate toner and drum	Composite Cartridge, separate toner and drum Or higher
	<b>Printing Technology</b>	Laser	Laser
	Type of Printing	Mono	Mono
	Paper Size	A4	A4, A3 Or higher
	Print Speed per minute as per ISO/IEC 24734 in (A4) Size - Mono	20	20, 21, 22, 25, 27, 28, 30, 35, 38, 40, 43, 45, 47, 50, 52, 55, 60, 61, 65, 70, 71, 75, 80, 85, 90, 95, 100, 105, 110, 26, 31, 32, 24, 62, 33, 41, 46, 56, 29, 34 Or higher
	Print Speed per minute as per ISO/IEC 24734 in (A4) - Color	0	4, 7, 8, 10, 12, 15, 16, 18, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105, 110, 26, 27, 31, 38, 4.4, 5, 5.7, 5.8, 6.8, 10.4, 15.5, 21, 24, 33, 46, 34, 19, 0, 14 Or higher
	Resolution (Dpi)	600x600	*
	Memory (MB)	32	*
	Hard Disk Capacity (GB)	0	*
	Processor Speed	500 MHz	*
	<b>Duplexing Feature</b>	No	Yes, No Or higher
	Duplex Print Speed ( IPM)	0	*
	Network Connectivity	No	*
	Network Interface, if available	NA	*
	Wireless Connectivity	No	Yes, No Or higher
	If Yes, Type of Wireless Connectivity	NA	*
	USB Port	Yes	*
	Number of Main Paper Trays	1	1, 2, 3, 4, 5 Or higher
	Each Main Paper Tray Capacity	150	*

Bypass Tray Facility	No	Yes, No Or higher
If Yes, Bypass Tray	0	*
Capacity	U	
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	5000	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology -Cyan	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black	20000	*
Duty Cycle (No of Prints/month)	20000	*
Minimum Operating Temperature (Degree C)	15	*
Maximum Operating Temperature (Degree	32.5	*

C)		
Minimum Operating Humidity (%RH)	10	*
Maximum Operating Humidity (% RH)	80	*
BIS Registration under CRS of Meity	Yes	*
BIS Registration no	-	*
Other Certifications Available	UL,CE	*
Dimensions(In mm x mm x mm )	-	*
Weight (In kg)	-	*
 On site OEM warranty (Years)	3	3, 5, 4 Or higher

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

#### **Additional Specification Documents**

#### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	******	**********JALPAIGURI	3	30

## **Bid Specific Additional Terms and Conditions**

- 1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 2. Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 3. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 4. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 5. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 6. Timely Servicing / rectification of defects during warranty period: After having been notified

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---