Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 13:00:00
Bid Opening Date/Time	20-07-2020 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Culture
Department Name	Na
Organisation Name	Sangeet Natak Akademi
Office Name	Delhi
Total Quantity	1
Item Category	Workstation **(PAC Only)**
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No

ePBG Detail

Required	No

Splitting

Bid splitting not applied.

Workstation (1 pieces) (Under PAC)

Make	hp
Model	hpz4g4w-2102win10p32512pcie4hdd3amdwx32004gbp244

Technical Specifications

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Processor	**Processor Make**	Intel	Intel
	Processor Generation	NA	NA, 10 Or higher
	Number of Cores per Processor	4	4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 Or higher
	Processor Base Frequency (GHz)	2.9	2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3 Or higher
	Processor Turbo Frequency (GHz)	0	*
	Processor Description	Intel Xeon W Series	Intel Xeon W Series, Intel Xeon Bronze Series, Intel Xeon Silver Series, Intel Xeon Gold Series, Intel Xeon Platinum Series Or higher
	Processor Number	Intel Xeon W-2102	Intel Xeon E-2124, Intel Xeon E-2124G, Intel Xeon E-2126G, Intel Xeon E-2134, Intel Xeon E-2136, Intel Xeon E-2144G, Intel Xeon E-2146G, Intel Xeon E-2174G, Intel Xeon E-2186G, Intel Xeon W-2104, Intel Xeon W-2123, Intel Xeon W-2133, Intel Xeon W-2135, Intel Xeon W-2145, Intel Xeon W-2155, Intel Xeon W-2175, Intel Xeon W-2195, Intel Xeon E-2224, Intel Xeon E-2226G, Intel Xeon E-2234, Intel Xeon E-2236, Intel Xeon E-2246G, Intel Xeon E-2276G, Intel Xeon E-2278G, Intel Xeon E-2286G, Intel Xeon E-2288G, Intel

		Xeon E-2176G, Intel Xeon E-2244G, Intel Xeon E-2274G, Intel Xeon W-3223, Intel Xeon W-3225, Intel Xeon W-3235, Intel Xeon W-3245, Intel Xeon W-3245M, Intel Xeon W-3265, Intel Xeon W-3265M, Intel Xeon W-3275, Intel Xeon W-3275M, Intel Xeon W-2235, Intel Xeon W-2255, Intel Xeon W 10855M, Intel Xeon W 10885M, Intel Xeon W 1290P, Intel Xeon W 1290, Intel Xeon W 1270P, Intel Xeon W 1270, Intel Xeon W 1250P, Intel Xeon W 1250 Or higher	
	Number of sockets available on the motherboard	1	*
	Number of Sockets populated with the Processors	1	1, 2 Or higher
	Cache (MB)	8.25	8.25 - 64.0 Or higher
	Out of Band Management	Intel vPro	*
Type	**Form Factor**	Desktop	Desktop
Motherboard	**Chipset Number**	Intel C422	Intel C422, Intel C621, Intel C622, Intel C624, Intel X99, Intel X299 Or higher
	Expansion Slots (PCIe x 1) (Number)	0	*
	Expansion Slots (PCIe x 4) (Number)	2	*
	Expansion Slots (PCIe x 8) (Number)	1	*
	Expansion Slots (PCIe x 16) (Number)	2	*
	Expansion Slots (PCI) (Number)	0	*
Graphics	**Graphics Type**	Dedicated/Discrete	Dedicated/Discrete
	Number of Graphic Cards	1	1, 2, 3, 4 Or higher
	Graphic Card	AMD Radeon Pro	AMD Radeon Pro

	Description	WX3200	WX3200, AMD Radeon Pro WX4100, AMD Radeon Pro WX4170, AMD Radeon Pro WX5100, AMD Radeon Pro WX7100, AMD Radeon Pro WX7130, AMD Radeon Pro WX9100, AMD Radeon Pro WX4150 Or higher
Operating System	**Operating System (Factory Pre-Loaded)**	Windows 10 Professional 64 bit	Windows 10 Professional 64 bit
	Recovery Image Media	CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud	*
	OS Certification	Windows,Ubuntu Linux,Redhat Linux,Suse Linux	*
Applications	Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer)	Avid Media Composer,Dassault Systèmes SolidWorks,Dassault Systèmes CATIA,PTC Creo,Siemens NX	*
Memory	RAM Type	DDR4	*
	RAM Speed (MHz)	2933	*
	Type of Memory	ECC	*
	RAM Size (GB)	32	32, 64, 128, 256, 512, 1024, 2048, 3072, 4096, 48, 96, 192, 384, 768, 1536 Or higher
	Total Numbers of DIMM Slots Available	8	*
	Number of DIMM Slots Populated	2	*
	RAM Expandability upto using spare DIMM Slots (GB)	256	256, 512, 1024, 3072, 4096, 384, 1536, 2048, 768 Or higher
Primary Storage /Boot Drive	**Type of Drives used to populate the internal Bays**	PCIe	PCIe
	Number of Drives	1	*
	RAID for Operating System	NA	NA
	Capacity of each Drive (GB)	512	512, 600, 768, 800, 900, 1000, 1024, 1200,

			1800, 2000, 2048, 4000, 4096, 8000, 6000 Or higher
Secondary Storage	**Type of Drives used to populate the Internal Bays**	SATA,PCIe	SATA, PCIe
	Total number of Internal Bays available for SATA Drive	2	*
	Number of Internal Bays populated with SATA Drive	1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Each SATA Drive Capacity (GB)	4000	4000, 8000, 6000 Or higher
	Speed of each SATA Drive (RPM)	7200	*
	Total SATA Drive Capacity (GB)	4000	4000, 8000, 5000, 6000, 7000, 9000, 12000, 16000, 20000, 24000, 28000, 32000 Or higher
	Total number of Internal Bays available for SAS Drive	0	*
	Number of Internal Bays populated with SAS Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SAS Drive (GB)	0	300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher
	Speed of each SAS Drive (RPM)	0	*
	Total SAS Drive Capacity (GB)	0	300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher
	Total number of Internal Bays available for SSD	0	*
	Number of Internal Bays populated with SSD Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SSD Drive (GB)	0	128, 256, 512, 1024, 2048, 800, 0 Or higher
	Total SSD Capacity (GB)	0	128, 256, 384, 512, 768, 1024, 2048, 4096, 0, 5120 Or higher
	Total number of Internal Bays available for PCIe SSD	1	*

	Number of Internal Bays populated with PCIe Drive	1	1, 2, 3, 4, 5, 6, 7, 8 Or higher
	Capacity of each PCIe Drive (GB)	512	512, 1024, 2048 Or higher
	Total PCIe Drive Capacity (GB)	512	512, 1024, 2048, 4096, 1536 Or higher
	Class of PCIe Drives	Class 40	*
RAID	RAID level	0,1,5,1+0	*
	Number of RAID Controller Ports	6	6, 7, 8, 10 Or higher
	Speed of RAID Controller Ports (Gbps)	6	6, 12 Or higher
	RAID Controller Cache (GB)	0	*
Connectivity	Type of Ethernet Ports	Dual Gigabit NIC 10/100/1000	*
	Number of Ethernet Ports	2	2, 3, 4, 6 Or higher
	Wireless Connectivity	No	Yes, No Or higher
	If Yes, Type of Wireless Connectivity	NA	Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA Or higher
	Bluetooth Connectivity	No	Yes, No Or higher
	If Yes, Version of Bluetooth Available	0	4, 4.1, 4.2, 5, 0 Or higher
Ports	Number of USB Version 2 Point 0 Ports	0	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	10	*
	Number of USB Version 3 point 1, Gen 2 Ports	0	*
	Number of USB Type C Ports	0	*
	Number of VGA Ports	0	*
	Number of HDMI Ports	0	*
	Number of Mini DP Ports	3	*
	Number of DP Ports	1	*
Display	**Display Availability**	Monitor	Monitor
	Display Size (cm)	58- 61	58- 61, 63 - 67, 68- 71,

			72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 - 125, 126 - 130 Or higher
	Display Type	Non Touch	Non Touch, Touch Or higher
	Panel Type	Flat	Flat, Curved Or higher
	Panel Technology	IPS	IPS, OLED Or higher
	Display Resolution (Pixels)	1920x1080	1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x 1440, 3840 x 1600, 5120 x 1440, 7680 x 4320 Or higher
	LED Backlit	Yes	*
	TCO Compliance for Monitor	TCO 07	*
	Colour Gamut	72% Color Gamut	*
	Monitor Stand	Standard	*
Power	Maximum Power (Watts)	465	*
	Minimum Power Efficiency (%)	90	*
	Power Management Unit	Yes	*
	Redundant Power Supply	No	Yes, No Or higher
Input Devices	Mouse Connectivity, If available	Wired	*
	Type of Mouse, If available	Optical Scroll	*
	Keyboard Connectivity, if available	Wired	*
	Type of Keyboard, if available	Standard	*
	Type of Keyboard in case of Mobile Workstation	NA	*
Generic	Optical Drive	DVD R/W	*
	Number of External Bays	2	*
	Security	H/W Based	*
	Docking Station for	No	*

	Mobile Workstation		
	Availability of Bundled Software	Yes	*
	Type of Bundled Software	Remote Collaboration Software & Performance Advisor	*
	Finger Print Reader in case of Mobile Workstation	NA	*
	Carry Case in case of Mobile Workstation	NA	*
Certification	BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer)	Yes	*
	BIS Registration Number and its Validity	R-41000655	*
	ROHS Compliance	Yes	*
	Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer)	UL/EN/CE/IEC-60950 for Safety,CE/FCC for EMC & Immunity,UL,CE,FCC, WEEE for Waste management	*
Operating Conditions	Minimum Operating Temperature (Degree C)	5	*
	Maximum Operating Temperature (DEgree C)	35	*
	Minimum Operating Humidity (%RH)	10	*
	Maximum Operating Humidity (%RH)	85	*
Warranty	Battery Warranty in case of Mobile Workstation	0	*
	On Site OEM Warranty (Year)	3	3, 4, 5 Or higher

 * Specifications highlighted in bold are the Golden Parameters.
 * Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bikram Keshori Singh	110001,Sangeet Natak Akademi Ravindra Bhawan, Feroze Shah Road New Dehi	1	30

Bid Specific Additional Terms and Conditions

1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
2. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
3. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

This Bid is also governed by the General Terms and Conditions

---Thank You---