

Bid Number: GEM/2020/B/695640

Dated: 02-07-2020

Bid Document

Bid Document			
Bid Details			
Bid End Date/Time	21-07-2020 14:00:00		
Bid Opening Date/Time	21-07-2020 14:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	70 (Days)		
Ministry/State Name	Ministry Of Power		
Department Name	Na		
Organisation Name	Nhpc Limited		
Office Name	Chamera Power Station 1		
Total Quantity	1		
Item Category	Multifunction Machines MFM		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Bid to RA enabled	No		
Inspection Required	No		

EMD Detail

Required	No

ePBG Detail

Required	No
· ·	

Splitting

Bid splitting not applied.

Multifunction Machines MFM (1 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Ungrouped	Print Technology	Laser	Laser
	Type of Machine	Multifunction Machine	Multifunction Machine
	Type of Printing	Mono	Mono
	Cartridge Technology	Separate Drum and Toner (Dual Component)	Composite Cartridge, Separate Drum and Toner (Mono Component), Separate Drum and Toner (Dual Component) Or higher
	Developer Unit	Yes	*
	Platen/Flatbed Size	A3	A3 Or higher
	Paper Size (Original/Image)	A3/A3	A3/A3
	RAM size (MB)	2048	1024, 2048, 4096, 6144, 3072, 1536, 1500, 1250, 2560, 7168, 5120, 8192, 16384, 2816, 4000, 2000, 10240 Or higher
	Hard Disk Capacity(GB)	1024	1024, 1000, 2000, 3000 Or higher
	Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Mono	35	35, 36, 38, 40, 43, 45, 46, 47, 50, 52, 55, 60, 61, 65, 70, 71, 75, 80, 90, 95, 100, 105, 110, 51, 56, 41, 120, 130, 160, 57, 85, 81, 53 Or higher
	Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour	0	*
	Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono	19	*
	Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Colour	0	*
	Scanning Feature Availability	Yes	Yes Or higher
	Duplexing Feature	Yes	Yes Or higher

Availability		
Faxing Feature Availability	No	Yes, No Or higher
Speed of Fax, If Fax Feature is available	NA	*
Networking Feature Availability	Yes	Yes Or higher
If yes, Type of Network Interface	Ethernet 10/100/1000	*
Wi-Fi Availability	Yes	Yes Or higher
If yes,Wi-Fi Type	Wi fi 802.11 b/g/n	*
Original Document Feeder Type	DADF/RADF	DADF/RADF Or higher
Feeder Capacity (Number)	100	*
Number of Main Paper Tray	2	2, 3, 4, 5 Or higher
Each Main Paper Tray Capacity (Number)	500	*
Bypass Facility	Yes	Yes Or higher
If Yes, Bypass Tray Capacity	100	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of	30000	*

prints)	[[
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Cyan (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black (Number of Prints)	80000	*
Duty Cycle (No of Prints/month)	150000	*
Minimum Operating Temperature (Degree C)	10	*
Maximum Operating Temperature (Degree C)	32	*
Minimum Operating Humidity (%RH)	15	*
Maximum Operating Humidity (%RH)	85	*
BIS Registration under CRS of Meity	Yes	*
BIS Registration Number	-	*
Other Certifications Available	UL	*
Dimension (mm x mm x mm)	-	*
Weight (Kg)	-	*
On Site OEM Warranty (Year)	1 n Parameters	1, 2, 3, 4, 5 Or higher

^{*} Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Rajesh Kumar	176325,NHPC LIMITED, CHAMERA POWER STATION1, PO-KHAIRI, TEHSIL-DALHOUSIE, DISTT. CHAMBA	1	30

Bid Specific Additional Terms and Conditions

- 1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.
- 2. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---