

Bid Number: GEM/2020/B/693236

Dated: 01-07-2020

Bid Document

Bid Document			
Bid Details			
14-07-2020 11:00:00			
2020-07-14 11:30:00			
90 (Days)			
60 (Days)			
Ministry Of Railways			
Northern Railway			
Stores			
Northern Railway			
10			
Temperature controlled soldering station			
No			
No			
Past Performance,OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
20 %			
No			
No			

EMD Detail

Required	No
1.10401100	

ePBG Detail

Required	l No	
Hiredaniea	1110	

Splitting

Bid splitting not applied.

1. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Temperature Controlled Soldering Station (10 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Temperature controlled soldering station with digital display	LED	LED, LCD
	Sensor type	Ceramic	Platinum, Ceramic
	Heating element	Non integrated	Intergrated with tip, Non integrated
	Off set for temperature	Yes	*
	Station lock (Temperature locking facility)	No	Yes, No
	Maximum Temperature range (in deg C)	450	450, 480, 550
	Power consumption of temperature controlled soldering station (in Watts)	60	60, 75, 95, 150, 200, 255
	No. Of channels	1	1, 2
	Soldering iron for Channel 1 (Power consumption in Watts) Note: Wattage shall be less than power consumption of soldering station	50	50, 65, 70, 80, 90, 120, 150, 200
	Soldering iron for Channel 2 (Power consumption in Watts) If No. of	50	50, 65, 70, 80, 90, 120, 150, 200, NA

	Channel 1 write NA. Note: Wattage shall be less than power consumption of soldering station		
	Temperature Accuracy	+/- 9 deg. C	+/- 9 deg. C, +/- 10 deg. C
	Temperature stability	+/- 2 deg. C	+/- 2 deg. C, +/- 5 deg. C
	Power Supply	230 V +/- 10% 50 Hz AC	*
	ESD Safe	Yes	*
	CE marking	No	Yes, No
	ROHS Marked	Yes	Yes
	Demonstration and training	No	Yes, No
STANDARD ACCESSORIES	One standard bit accessoires shall be supply along with station. (It contains one chissel, one knife bit, one gullwing bit, safety rest, sponge, power cord etc.,)	Yes	*
	Chisel bits for soldering iron	0.8 mm , 1.6 mm, and 2.4 mm (one number from each)	0.8 mm , 1.6 mm, and 2.4 mm (one number from each), 0.8 mm , 1.6 mm, and 2.4 mm (one number from each)
	User manual	Yes	*
WARRANTY	Warranty(In years)	1	1, 2, 3
CERTIFICATION	Availability of type test reports from any Central Govt. laboratory / ILAC approved laboratory / NABL aproved laboratory.	Yes	*
	Test report number - Must declare	-	*
	Test report date - Must declare	-	*
	Name of lab - Must declare	-	*
	Address of lab - Must declare	-	*
	All the test reports and	Yes	*

certificates shall furnish by the seller to purchase authority on demand including calibration report	
---	--

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Mayank Chaudhary	244102,SrDMM Moradabad	10	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components): Only supply of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.