

RA Document

RA Details	
RA Technical End Date/Time	20-07-2020 17:00:00
RA Opening Date/Time	20-07-2020 17:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Gujarat
Department Name	Urban Development And Urban Housing Department Gujarat
Organisation Name	N/a
Office Name	Vapi Municipality
Total Quantity	1
Item Category	Wheeled Skid Steer Loader
Average Turnover (Last 3 Years)	9 Lakh (s)
OEM Average Turnover (Last 3 Years)	74 Lakh (s)
Experience Criteria	2 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	40 %
Inspection Required	No

EMD Detail

Advisory Bank	ICICI
EMD Percentage(%)	3.00
EMD Amount	55500

ePBG Detail

Advisory Bank	IDBI Bank
ePBG Percentage(%)	5.00
Duration of ePBG required (Months).	12

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Chief Officer

VAPI MUNICIPALITY, SAHID DHANSUKHBHAI MARG, DESAI WAD ROAD, VAPI (WEST) DIST VALSAD
(Darpan D Oza)

Splitting

RA splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Wheeled Skid Steer Loader (1 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Generic Parameters	Self Propelled wheeled machine which has front-mounted equipment primarily designed for loading operation (bucket use) and which loads or excavates through forward motion of the machine	Yes	Yes
	Conforming to IS/ISO 7131: 2009	Yes	Yes
	Make	-	*
	Model Number	-	*
	Type of loader	Wheeled	Wheeled
	Attachment	multi-purpose bucket	multi-purpose bucket
	Ignition type	Diesel	Diesel
	Aspiration	Naturally aspirated	Naturally aspirated
	Number Of Cylinders	4	3, 4
	bore (mm)	84	105.0, 84.0
	stroke (mm)	100	118.0, 100.0, 120.0
	displacement (cc)	2216	*
	Net flywheel power at given engine speed (hp)	46	46.0, 75.0
	Maximum Engine torque (Nm)	143	143, 2200
	Engine cooling system	Liquid cooled	Air cooled, Liquid cooled
	Type of fuel	-	*
	Engine location	Rear	*
	Drive system	All-wheel drive	Front-wheel drive, Rear wheel drive, All-wheel drive
	Emission Complainece	BS III	BS III, BS IV
	Gross Power (hp)	49.5	Any applicable numeric value
	Operating Weight (Kg)	2830	Any applicable numeric value
	Arm lifting force	14122	Any applicable numeric

		value
	Operating Speed (kmph)	12 Any applicable numeric value
	Maximum Speed (kmph)	12 Any applicable numeric value
	Operating Load Rating	612 Any applicable numeric value
	Wheel Base (mm)	1070 Any applicable numeric value
	Ground Clearance (mm)	210 Any applicable numeric value
	Operating voltage (Volts)	12 12
	Alternator Supplied Amperage (Amp)	65 *
	Operating mass (kg)	2830 2365.0, 2830.0
	Shipping Mass (kg)	2770 2365.0, 2770.0
Certification Parameters	Vehicle Certification ARAI/VRDE/ICAT	Yes Yes
	If No, mention the name of Vehicle Certification agency	- *
	Vehicle Certification name and date	- *
	Compliance with pollution standards, safety standards of components and road worthiness as per CMVR rules	Yes Yes
	Availability of test report for the product from Any ILAC/NABI accredited/central government lab to be furnished to buyers on demand	Yes Yes
	Responsibility of Registration with RTO	Yes Yes
	IS 11114 : 2006 Earth-moving machinery - Definitions of dimensions and codes: base machine	Yes Yes
	IS 11114 : 2006	Yes Yes

	Earth-moving machinery - Definitions of dimensions and codes: Equipment and attachments		
	IS/ISO 6165 : 2012 Earth moving machinery - basic types - Identification and terms and definitions	Yes	Yes
	IS 13116 : 2006 Earth-moving machinery -Engine Test Code - Net power	Yes	Yes
	ISO 3450: Earth Moving Machinery -Braking systems of Rubber-tyred machines -Systems and Performance requirements and test procedures	Yes	Yes
	IS13116 : 2006 Earth-moving machinery -Engine Test Code - Net power	Yes	Yes
Constructional Parameters	Overall length with attachment	3490	*
	Overall operating height	3900	2110.0, 3900.0
	Bucket capacity	0.4	*
	dump angle (degree)	42	*
	dump height	2260	*
	maximum dump height when clam open	2300	*
	maximum dump height when clam closed	3900	*
	Maximum dump height, side	0	*
	Rollback (specifiy height)	3900	*
	Maximum rollback at ground	30	*
	carry position	-	*
	maximum rollback at carry position	42	*

Minimum turning radius with bucket in carry position	2090	*
digging depth	-10	*
bucket width	1696	*
maximum grading angle	-	*
Operating load	612	2850.0, 612.0
breakout force	18142	*
machine clearance radius	2090	*
TURNING RADIUS FROM CENTER - MACHINE REAR	1650	*
TURNING RADIUS FROM CENTER - INC BUCKET	2090	*
Type of transmission	hydrostatic	Manual shift with flywheel clutch, powershift with torque converter, hydrostatic, electric
Number Of forward speed	1	*
Number Of Reverse speed	1	*
Maximum forward travel speed (kmph)	12	*
Maximum reverse travel speed (kmph)	12	*
Hydraulic pump system type	-	*
Hydraulic pump flow at given pressure (l/h)	-	*
Hydraulic pump flow at given speed (l/h)	4200	*
Maximum normal hydraulic system operating pressure	23000	*
Hydraulic system fluid capacity	69	*
Type of filtration system	-	*
Type of final drive	-	*
Type and actuation system of the service brake	-	*

Type and actuation system of the parking brake	-	*
Type of Driving Axle	Hydrostatic	Hydrostatic
Steering system	All-Wheel Steer	Front-Wheel Steer, Rear Wheel Steer, All-Wheel Steer, Articulated Steer, Wheel-skid Steer
Type of tyre	-	*
Size of tyre	-	*
Tyre tread	-	*
Tyre Ply rating	-	*
Rim Size	-	*
Fuel tank capacity	98	Any applicable numeric value
cooling system fluid capacity	10	*
hydraulic tank fluid capacity	69	*
Engine crankcase capacity	7.5	*
final drive case capacity	38	*
pump drives capacity	70	*
Height to hinge pin, fully raised	3000	*
Overall operating height when fully raised	3900	*
Maximum scarifier lift height	0	*
Net Engine Power	46	46.0, 75.0
Tipping load at maxiimum reach (KN)	1224	Any applicable numeric value
Lift capacity to maximum height	3000	2781.0, 3000.0
Rated operating capacity	612	608.0, 612.0
Breakout force	18142	12.7, 18142.0
raising time	3.61	2.55, 3.61
Lowering time	3.48	*
Dump time	1.9	*

Maximum travel speed (kmph)	12	10.8, 12
Braking performance	-	*
Turning radius	2090	*
Warranty time	12	Any applicable numeric value
Operating hours during warranty period	2000	1000.0, 2000.0
Battery warranty	12	Any applicable numeric value
Number Of Free services	4	4, 5
Transportation charge (Rs)	-	*
Maintenance cost for first 5000 Hrs	-	*
Self-propelled crawler machine which has front-mounted equipment primarily designed for loading operation (bucket use) and which loads or excavates through forward motion of the machine	-	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days	
1	Chetansinh Anupsinh Parmar	396191,Vapi Municipality Sahid Dhansukhbhai Marg Desaiwad Road Vapi (west)	1	30	N/A

Special terms and conditions for category Wheeled Skid Steer Loader

1. Only bid /RA option will be available for buyer as these equipments are not standard and freight Intensive product.
2. Test reports if any, desired by buyer will be provided by seller at the time of supply.
3. Operational and maintenance contract if desired by buyer will be provided as per their requirement.

4. Delivery period will be 90 days (normal).

Bid Specific Additional Terms and Conditions

1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
2. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
3. ISO 9001: The bidder must have ISO 9001 certification.
4. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
5. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
6. Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.
7. Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
8. Bidders can also submit the EMD with Banker's Cheque in favour of Chief Officer Vapi Nagarpalika payable at Vapi.
Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.
9. Bidders can also submit the EMD with Account Payee Demand Draft in favour of Chief Officer Vapi Nagarpalika payable at Vapi.
Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.
10. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
11. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
12. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
13. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
14. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

[This RA is also governed by the General Terms and Conditions](#)

---Thank You---