

Bid Number: GEM/2020/B/706079

Dated: 10-07-2020

#### **Bid Document**

Bid Document				
Bid Details				
Bid End Date/Time	20-07-2020 17:00:00			
Bid Opening Date/Time	20-07-2020 17:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	60 (Days)			
Ministry/State Name	Ministry Of Defence			
Department Name	Department Of Defence			
Organisation Name	Indian Army			
Office Name	******			
Total Quantity	2049			
Item Category	Adjustable single ended open jaw wrench			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Bid to RA enabled	Yes			
Inspection Required	No			

#### **EMD Detail**

Required	No

#### ePBG Detail

Required	No
----------	----

#### Splitting

Bid splitting not applied.

# Adjustable Single Ended Open Jaw Wrench ( 2049 pieces )

#### **Technical Specifications**

### \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Performance Paramteres	Types of Wrenches	Type A	Type A
	Grade of Wrenches	Heavy duty	Heavy duty
	Nominal size of Wrenches (length in mm)	300	300
	The opening of jaws shall be easily and conveniently adjustable at any opening up to the maximum opening of wrench and shall remain in the required position till further adjustment	Yes	*
	The Worm shall rotate freely and the jaw shall slide smoothly for the entire range of the wrench	Yes	*
	Wrenches shall not have forging defects, such as over heating, unfilling, scales, pits, laps and cracks	Yes	*
	Incase of cast iron wrenches, the casting shall be of uniform quality and reasonably smooth finish free from casting defects, such as blow holes, porosity, shrinkage, cold shut and cracks	NA for Heavy duty and Normal duty wrenches	NA for Heavy duty and Normal duty wrenches
	All parts of the wrenches shall be adequately protected against corrosion and rust	Yes	*
	Tolerence on Width across Flats shall be as per IS 6149	Yes	*
	Wrenches (Spanners) shall be finished smooth all over and sharp corners shall be removed	Yes	*

	Wrenches (spanners) and sockets shall be free from burrs, cracks, seams or other	Yes	*
	manufacturing defects	1	*
	Warranty (Years) The adjustable	Yes	*
	wrenches shall be clearly and legibly marked nominal width across flats and manufactures intials or trade mark or both	res	
Standards	Conformity to IS: 6131 (1980) for technical requirements for Hand operated wrenches and IS: 6149 (1984) Adjustable Single- ended open jaw wrenches (Spanners)	Yes	Yes
	BIS marked	No	No
	If BIS marked Yes indicate BIS lisence no other wise indicate NA	-	*
Dimensional and Material Parameters	Material	Chrome-molybdenum steel bars conforming to IS: 963-1958 (for heavy duty wrenches)	Chrome-molybdenum steel bars conforming to IS: 963-1958 (for heavy duty wrenches)
	Material for adjustable Jaws	Steel conforming to Designation 45 C8 of IS : 1875-1978	Steel conforming to Designation 45 C8 of IS : 1875-1978
	Finish/Coating of wrenches	Nickel Chrome plated	Nickel Chrome plated
	Maximum opening of adjustable jaw (mm) + Tolerance(3 mm)	13	13
	Weight of Wrenches in gms	150	300.0, 150.0
Reports	Availbility of test certificate from Government/ NABL/ ILAC accerdited lab to prove confirmity of specifications	No	Yes, No
	Copy of Test report shall be furnished to buyer on demand	NA	NA

- \* Specifications highlighted in bold are the Golden Parameters.
- \* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### **Additional Specification Documents**

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	******	**************************************	2049	30

## **Bid Specific Additional Terms and Conditions**

- 1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- 2. Scope of supply (Bid price to include all cost components): Only supply of Goods
- 3. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---