

Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 17:00:00
Bid Opening Date/Time	20-07-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Uttar Pradesh
Department Name	Urban Development Department Uttar Pradesh
Organisation Name	N/a
Office Name	Nagar Nigam Shahjahanpur
Total Quantity	2
Item Category	Hydraulic Tractor Trailer
Bidder Turnover (Last 3 Years)	2 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

Hydraulic Tractor Trailer (2 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Generic	Type of Trailers	Semi Trailer (Single Axle)	Semi Trailer (Single Axle)
	Type of Platform	Tipping Platform	*
	Capacity of Trailer (Gross Load)(tonnes)	3	3
	Pay load of Trailer	2.5	2.5
	Material used for fabrication of trailer as per Clause-5, Table-1 of IS:8213 (Latest)	Yes	*
	Type of Axle Assembly (The capacity of Single Axle Trailers is not more that 5 Tonnes)	Class-A (Load carrying capacity upto 3 Tonne)	Class-A (Load carrying capacity upto 3 Tonne)
	Overall length of Trailers (shall not exceed 5 m upto 6 tonne load, 6.7m for above 6 tonne load	2.5	2.5
	Overall Width of Trailers between extreme points (meter)	1.5	1.5
	Overall Height of Trailers with tyre inflated from the supporting surface to top of platform (meter)	0.3	0.3
	Overall Height of	1.2	1.2

	Trailers with tyre inflated from the supporting surface to sideboard (meter)		
	Ground Clearance (mm)	350	More than 350.0 Or higher
	Axle Assembly Wheel Track(mm)	1500	1500
	Axle Assembly dimensions as per Table-2 of IS:8213 (Latest)	Yes	*
	Hydraulic Ram of suitable capacity for tipping facility	Yes	*
	Tipping Angle (degree)	42	42.0 - 50.0 Or higher
	Single telescopic cylinder as per IS:12371 (Latest)	Yes	Yes
	Tilting of platform without disturbing the trailer	Yes	*
	Reto Reflective Marking (tapes) as per AIS -090	Yes	*
	Lighting and Lighting -signalling device as per AIS-062	Yes	*
	Trailers shall be fitted with Rear Under Run Protective Device (RUPD) confirming to IS 14812 :2005	Yes	*
	Trailers shall have service and parking brake as per AIS- 043	Yes	*
	The Trailers shall be fitted with pneumatics tyres and rims of suitable size confirming to IS 13154 :1991 and IS 10694 :1988	Yes	*
	Number of Wheels	2	2
	Certification		
	Conformity to standards	IS 8213:2000 (latest) and AIS 112 (latest)	*
	Necessary clearance from RTO to be obtain before supply of Trailer	Yes	*
	RTO approval Number	-	*

	and date		
	Avaliability of Test report from approved Laboratory to prove conforming to specification as per AIS 112	Yes	*
	Test report No And date	-	*
	Name of the testing Laboratory	-	*
Performance	Warranty (in months)	36	36
Construction Parameters	ISI marked ISMC channel used for fabrication of Chassis and frame mounting on chassis	Yes	*
	Type of spring suspension system (as per IS:1135) for load carrying capacity	-	*
	Diameter of the Axle of chassis (Min) (mm)	80	More than 80.0 Or higher
	Nos. Of spring leaves plates fitted (Nos.)	15	More than 15.0 Or higher
	Lashing hooks for towing down load	Yes	*
	No of Hooks	1	More than 1.0 Or higher
	Type of Towing Device	-	*
	Capacity of Towing	2.5	2.5
	Painted Colour on the Trailers as per AIS 112	Red	*
	One coat of Red Oxide and 2 coat of Super Synthetic Enamel Paint	Yes	*
	Painting on outer side of the tank as approved by the buyer	Yes	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Singh	242001,TOWN HALL ROAD, NEAR SHAHEED UDYAN, SHAHJAHANPUR	2	15

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
2. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
4. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
5. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
6. ISO 9001: The bidder must have ISO 9001 certification.
7. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
8. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 5 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---