Bid Number: GEM/2020/B/712385 Dated: 16-07-2020



Bid Document

	ora Document	
Bid Details		
Bid End Date/Time	27-07-2020 20:00:00	
Bid Opening Date/Time	27-07-2020 20:30:00	
Bid Life Cycle (From Publish Date)	90 (Days)	
Bid Offer Validity (From End Date)	15 (Days)	
Ministry/State Name	Ministry Of Home Affairs	
Department Name	Central Armed Police Forces	
Organisation Name	Border Security Force (bsf)	
Office Name	160bn Bsf Digberia Kolkata	
Total Quantity	40	
Item Category	Lithium Base Grease for Automotive Purposes	
MSE Exemption for Years of Experience and Turnover	No	
Startup Exemption for Years of Experience and Turnover	No	
Bid to RA enabled	No	
Inspection Required	No	

EMD Detail

LIRequired	l No

ePBG Detail

Required No	
---------------	--

Splitting

Bid splitting not applied.

Lithium Base Grease For Automotive Purposes (40 kilogram)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Grade	Grade of Lithium Base Grease for Automotive Purposes	Grade 3	Grade 1, Grade 2, Grade 3

Requirement for Lithium Base Grease for Automotive Purposes	"Consistency of worked grease at 25±5°C : Unworked Penetration"	Shall not differ by more than 10 units from 60 strokes	*
	"Consistency of worked grease at 25±5°C : 60 double strokes "	220-250	*
	"Consistency of worked grease at 25±5°C: 10000 strokes"	Shall not differ by more than 20 units from 60 strokes	*
	"Consistency of worked grease at 25±5°C: 100000 strokes"	"Shall not differ by more than 30 units from the 60 double strokes "	*
	"Free organic acidity (as oleic), percent by mass, Max"	0.3	*
	"Free alkalinity (as LiOH) percent by mass, Max"	0.2	*
	Drop point, °C, Min	180	*
	Kinematic viscosity of the extracted mineral oil from the grease at 100°C in mm2/Sec	14	14 - 18
	Copper strip corrosion at 100°C for 24 hours	Negative	*
	"Leakage and deposit forming tendencies (wheel bearing test): Leakage by mass (g), Max"	5	*
	"Leakage and deposit forming tendencies (wheel bearing test): Deposits in the wheel bearing races or rollers "	Shall be free from deposits	*
	"Leakage and deposit forming tendencies (wheel bearing test): Evidence of abnormal changes in the consistency or structure of the material "	To be reported	*
	"Leakage and deposit forming tendencies (wheel bearing test): Indication of dry running of races "	To be reported	*
	"Resistance to water wash at 80°C, percent loss by mass, Max"	10	*
	"Heat stability, percent loss by mass, Max"	6	*
	"Oxidation stability (100 h) drop in pressure kg/cm2, Max "	0.5	*
	Wear scar dia mm, Min	0.6	*
	Roll stability test penetration change percent after 16 hr,Max	25	*
	Corrosion preventive test, rating, Max	Pass	*
	-		

1	-		
	Elastomer NBRL compatibility volume change percent	(-5 to +30)	*
	Molybdenum disulphide content, percent by mass, Min	3	*
	Life performance of wheel bearing hr, Min	40	*
	"Low temperature torque test at -20°C, Max "	15.5	*
Packing , Marking and Labelling	The material shall be packed in metal or any other suitable containers as agreed to between the purchaser and the supplier	MS Barrels	*
	Packing size (Kg)	182	*
	"The containers shall be securely closed and marked with the following: a) Indication of the source of manufacture; b) Name, type and grade of the material; c) Net mass of the material; d) Date of manufacture; e) Recognized trade-mark, if any; and f) Indentification in code or otherwise to enable the lot of consignment or manufacture to be traced back "	YES	*
	The containers may also be marked with the Standard Mark	YES	*
Certification	Conforming to IS:12203 (Latest)	YES	*
	Whether ISI Marked	YES	*
	CM/L Number (Must declare if ISI Marked)	YES	*
	RDSO Approval	YES	*
	RDSO approval certificate to be submitted to the buyer on demand	YES	*
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES	*
	Test Report to be furnished to the Buyer on demand (Must be declared, write NA if Test Report is not available)	YES	*

Additional Specification Documents

^{*} Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	LOKESH KUMAR	752050,160 BN BSF CAMP, VILL- BADATOTA, PO & PS-JATANI, DISTT- KHORDHA, ODISHA	40	15

Bid Specific Additional Terms and Conditions

- 1.Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
- 2.ISO 9001: The bidder must have ISO 9001 certification.
- 3. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 4. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

This Bid is also governed by the General Terms and Conditions

---Thank You---