

Bid Document

| Bid Details | |
|--|---|
| Bid End Date/Time | 25-07-2020 16:00:00 |
| Bid Opening Date/Time | 25-07-2020 16:30:00 |
| Bid Life Cycle (From Publish Date) | 90 (Days) |
| Bid Offer Validity (From End Date) | 60 (Days) |
| Ministry/State Name | Ministry Of Defence |
| Department Name | Department Of Defence Reseach & Development |
| Organisation Name | Office Of Dg R & D (r & M) |
| Office Name | ***** |
| Total Quantity | 2 |
| Item Category | lead acid battery |
| MSE Exemption for Years of Experience and Turnover | No |
| Startup Exemption for Years of Experience and Turnover | No |
| Bid to RA enabled | No |
| Inspection Required | No |

EMD Detail

| | |
|----------|----|
| Required | No |
|----------|----|

ePBG Detail

| | |
|----------|----|
| Required | No |
|----------|----|

Splitting

Bid splitting not applied.

Lead Acid Battery (2 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|----------------|---|--|---|
| Generic | Types of Lead Acid of Battery | Stationary cells and Batteries, Lead Acid Type (With Tubular Positive Plates) conforming to IS:1651/1991 | Small sized Valve Regulated Lead -Acid Batteries (SMF) conforming to JISC: 8702/1998 (Part 1,2 & 3) with latest amendments, Stationary cells and Batteries, Lead Acid Type (With Tubular Positive Plates) conforming to IS:1651/1991, Lead-Acid Storage Batteries for Motor Vehicles conforming to IS:7372/1995 |
| | Nominal Voltage of Battery (volts) | 12.0 Volt | 12.0 Volt |
| | Material of container | Fibre Reinforced Plastics (FRP) | Hard Rubber, Fibre Reinforced Plastics (FRP), Polypropylene |
| | Rated Capacity at C20 discharge (AH) | 180 | 180 |
| | Warranty (Years) | 5 Years | 5 Years |
| | Battery Condition | Dry Charged | * |
| CONSTRUCTIONAL | Dimensions (L x W x H) (mm x mm x mm) | As per relevant IS Specifications | * |
| | Volume of Electrolyte (ml) | - | * |
| | Weight of Dry Battery (Kg) shall be as per relevant IS: Specn., corresponding Ah | Yes. | * |
| | No.of cells per Battery (No.) | 6 Cells for 12 Volt battery | * |
| Certifications | Availability of Test Reports from Central Govt./NABL/ILAC accredited Lab showing conformity to the specifications | Yes | * |
| | Address of the Lab | - | * |
| | Name of the Lab | - | * |
| | Test Report No. | - | * |

| | | |
|---|---|---|
| Test Report Date | - | * |
| Compulsory Registration (CRS) of BIS for safety as per IS 16046 as applicable. Secondary Cells and (Batteries containing Alkaline or other non-acid Electrolytes-Safety Requirements for Portable sealed secondary cells, and for Batteries made from them for use in portable applications | - | * |

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---------------|----------|---------------|
| 1 | ***** | *****BALESWAR | 2 | 30 |

Special terms and conditions for category lead acid battery

1. Battery serial number list shall be furnish by the seller along with the supply of the battery to Buyer

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---