

Bid Number: GEM/2020/B/702971

Dated: 08-07-2020

Bid Document

Did Document				
Bid Details				
Bid End Date/Time	20-07-2020 10:00:00			
Bid Opening Date/Time	20-07-2020 10:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	30 (Days)			
Ministry/State Name	Ministry Of Railways			
Department Name	Na			
Organisation Name	N/a			
Office Name	North Western Railway			
Total Quantity	15			
Item Category	chairs-office			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	No			
Inspection Required	No			

EMD Detail

Required	No
Required	No

ePBG Detail

Required	No

Splitting

Bid splitting not applied.

Chairs-office (15 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other then wood) used in Polythene cane Chair	hot pressed board	hot pressed board
	Material of Fabric Back Cover	polyster	polyster
	Thickness of Plywood used in Backrest IN MM (±1 mm)	12 mm	*
	Frame Material	ERW pipe	ERW pipe
	Density of Polyurethane Foam Used in Seat ±2 (Kg/Cub M)	45 Kg/Cub.M	*
	Material of Fabric of Seat Cover	fabric	fabric
	Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	45 Kg/Cub.M	*
	Thickness of Plywood used in Seat ±1(mm)	12 mm	12 mm
	GSM/Thickness of Fabric ±5 (Gram per Sq Meter)	250 Gram per Sq Meter	250 Gram per Sq Meter
	Arm Material	polypropelene	polypropelene
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	50 mm	50 mm
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	50 mm	50 mm
	Shoe Type	PVC	*
GENERIC	Conformity to Indian Standard IS 3499 (Part-1) Latest	Yes	*

	Chair Type	With Arms	With Arms
	Type of Seat and Backrest	Made of Polythene cane	Made of Polythene cane
	Frame Type	Cantilever	Cantilever
	Castors	Without	Without
DIMENSION	Size of Material (mm)	16 gauge tubular pipe	16 gauge tubular pipe
	Chair Height ±15(mm)	800 mm	800 mm
	Seat Depth ±10(mm)	450 mm	450 mm
	Seat Width ±10 (mm)	550 mm	550 mm
	Seat Height IN MM ±5(mm)	380	380
	Backrest Width ±10(mm)	400 mm	400 mm
	Backrest Height ±10(mm)	300 mm	300 mm
	Arm Length ±5(mm)	200 mm	200 mm
	Arm Width ±2(mm)	25 mm	25 mm
COLOUR & FINISH	Colour of Fabric for Seat and Backrest	blue	*
	Paint Type	powder coated on MS	powder coated on MS
	Colour of Paint	As per Buyer's choice	*
CERTIFICATION	Polythene cane conforming to Type-1 of IS 5378 /1994	YES	*
	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA certification	YES	YES
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES
WARRANTY	Warranty period in number of years	5 n Parameters	5

^{*} Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Ashvini Kumar Meena	302017,North Western Railway Head Quarters, Near Jawahar Circle, Jagatpura, Jaipur-17	15	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---