

Bid Number: GEM/2020/B/691757

Dated: 30-06-2020

Bid Document

DI	a Document
В	Bid Details
Bid End Date/Time	21-07-2020 11:00:00
Bid Opening Date/Time	2020-07-21 11:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence Reseach & Development
Organisation Name	Office Of Dg (ace)
Office Name	******
Total Quantity	1
Item Category	Workstation
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes
Inspection Required	No

EMD Detail

Described	N -
Required	No

ePBG Detail

Required	No

Splitting

Bid splitting not applied.

Workstation (1 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Processor	Processor Make	Intel	Intel
	Processor Generation	NA	NA Or higher
	Number of Cores per Processor	12	12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 Or higher
	Processor Base Frequency (GHz)	2.2	2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3 Or higher
	Processor Turbo Frequency (GHz)	3.2	*
	Processor Description	Intel Xeon Silver Series	Intel Xeon Silver Series, Intel Xeon Gold Series, Intel Xeon Platinum Series Or higher
	Processor Number	Intel Xeon Silver 4214	Intel Xeon Gold 5120, Intel Xeon Gold 6126, Intel Xeon Gold 6130F, Intel Xeon Gold 6132, Intel Xeon Gold 6132, Intel Xeon Gold 6136, Intel Xeon Gold 6138, Intel Xeon Gold 6140, Intel Xeon Gold 6142, Intel Xeon Gold 6142, Intel Xeon Gold 6142, Intel Xeon Gold 6146, Intel Xeon Gold 6148, Intel Xeon Gold 6150, Intel Xeon Gold 6152, Intel Xeon Gold 6154, Intel Xeon Gold 6154, Intel Xeon Platinum 8160, Intel Xeon Platinum 8164, Intel Xeon Platinum 8168, Intel Xeon Platinum 8170, Intel Xeon Platinum 8176, Intel Xeon Platinum 8180, Intel Xeon Silver 4214, Intel Xeon Silver 4216, Intel Xeon Gold 5220, Intel Xeon Gold 6230,

			Intel Xeon Gold 6240, Intel Xeon Gold 6242, Intel Xeon Gold 6244, Intel Xeon Gold 6248, Intel Xeon Gold 6252, Intel Xeon Gold 6252, Intel Xeon Gold 6254, Intel Xeon Platinum 8253, Intel Xeon Platinum 8260, Intel Xeon Platinum 8260L, Intel Xeon Platinum 8260M, Intel Xeon Platinum 8270, Intel Xeon Platinum 8276, Intel Xeon Platinum 8276L, Intel Xeon Platinum 8276M, Intel Xeon Platinum 8280, Intel Xeon Platinum 8280L, Intel Xeon Platinum 8280M, Intel Xeon Gold 6238, Intel Xeon Gold 6240Y, Intel Xeon Gold 6240Y, Intel Xeon Gold 6246, Intel Xeon Flatinum 8260Y, Intel Xeon Platinum 8260Y, Intel Xeon Flatinum 8260Y, Intel Xeon Platinum 8158 Or higher
	Number of sockets available on the motherboard	2	*
	Number of Sockets populated with the Processors	2	2 Or higher
	Cache (MB)	16.5	16.0 - 64.0 Or higher
	Out of Band Management	Intel vPro	*
Туре	Form Factor	Desktop	Desktop
Motherboard	Chipset Number	Intel C621	Intel C621, Intel C622, Intel C624, Intel X99, Intel X299 Or higher
	Expansion Slots (PCle x 1) (Number)	1	*
	Expansion Slots (PCle x 4) (Number)	1	*
	Expansion Slots (PCle x 8) (Number)	1	*
	Expansion Slots (PCle x	2	*

	16) (Number)		
	Expansion Slots (PCI) (Number)	1	*
Graphics	Graphics Type	Dedicated/Discrete	Dedicated/Discrete
	Number of Graphic Cards	1	1, 2, 3, 4 Or higher
	Graphic Card Description	nVIDIA Quadro P1000 4GB	nVIDIA Quadro P1000 4GB, nVIDIA Quadro P2000 5GB, nVIDIA Quadro P3000 6GB, nVIDIA Quadro RTX 3000 6GB, nVIDIA Quadro P4000 8GB, nVIDIA Quadro RTX 4000 8GB, nVIDIA Quadro P5000 16GB, nVIDIA Quadro RTX 5000 16GB, nVIDIA Quadro P6000 24GB, nVIDIA Quadro GP100 16GB, nVIDIA Quadro RTX 6000 24GB, nVIDIA Quadro RTX 8000 48GB, nVIDIA Quadro GV100 32GB, nVIDIA Tesla V100 SXM2 32GB, NVIDIA Quadro P2200 5GB GDDR5 Or higher
Operating System	Operating System (Factory Pre-Loaded)	Windows 10 Professional 64 bit	Windows 10 Professional 64 bit
	Recovery Image Media	CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud	*
	OS Certification	Windows,Ubuntu Linux,Redhat Linux	*
Applications	Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer)	Adobe After Effects CS/CC,Adobe Illustrator CC,Adobe Media Encoder CS/CC,Adobe Photoshop CS/CC,Adobe Premiere Pro CS/CC,Adobe SpeedGrade CC,Autodesk AutoCAD,Autodesk Inventor,Autodesk Maya,Autodesk MotionBuilder,Autodesk Mudbox,Avid Media Composer,ANSYS	*

		Workbench,Sonar Cakewalk,Maxon Cinema 4D,Landmark DecisionSpace,G1 Autodesk Revit,Autodesk 3ds Max,Unreal Engine 4 by Epic Games	
Memory	RAM Type	DDR4	*
	RAM Speed (MHz)	2933	*
	Type of Memory	ECC RDIMM	*
	RAM Size (GB)	128	128, 256, 512, 1024, 2048, 3072, 4096, 192, 384, 768, 1536 Or higher
	Total Numbers of DIMM Slots Available	12	*
	Number of DIMM Slots Populated	8	*
	RAM Expandability upto using spare DIMM Slots (GB)	64	64, 128, 256, 512, 1024, 3072, 4096, 384, 1536, 2048, 768 Or higher
Primary Storage /Boot Drive	Type of Drives used to populate the internal Bays	SSD	SSD
	Number of Drives	1	*
	RAID for Operating System	NA	NA
	Capacity of each Drive (GB)	512	512, 600, 768, 800, 900, 1000, 1024, 1200, 1800, 2000, 2048, 4000, 4096, 8000, 6000 Or higher
Secondary Storage	Type of Drives used to populate the Internal Bays	SATA,SSD	SATA, SSD
	Total number of Internal Bays available for SATA Drive	4	*
	Number of Internal Bays populated with SATA Drive	1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Each SATA Drive Capacity (GB)	4000	4000, 8000, 6000 Or higher
	Speed of each SATA Drive (RPM)	7200	*
	Total SATA Drive	4000	4000, 8000, 5000,

	Capacity (GB)		6000, 7000, 9000, 12000, 16000, 20000, 24000, 28000, 32000 Or higher
	Total number of Internal Bays available for SAS Drive	0	*
	Number of Internal Bays populated with SAS Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SAS Drive (GB)	0	300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher
	Speed of each SAS Drive (RPM)	0	*
	Total SAS Drive Capacity (GB)	0	300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher
	Total number of Internal Bays available for SSD	1	*
	Number of Internal Bays populated with SSD Drive	1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SSD Drive (GB)	512	512, 1024, 2048, 800 Or higher
	Total SSD Capacity (GB)	512	512, 768, 1024, 2048, 4096, 5120 Or higher
	Total number of Internal Bays available for PCle SSD	0	*
	Number of Internal Bays populated with PCIe Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8 Or higher
	Capacity of each PCIe Drive (GB)	0	128, 256, 512, 1024, 2048, 0 Or higher
	Total PCIe Drive Capacity (GB)	0	128, 256, 512, 1024, 2048, 4096, 0, 1536 Or higher
	Class of PCle Drives	NA	*
RAID	RAID level	0,1,5,1+0	*
	Number of RAID Controller Ports	10	10 Or higher
	Speed of RAID Controller Ports (Gbps)	6	6, 12 Or higher
	RAID Controller Cache (GB)	0	*

Connectivity	Type of Ethernet Ports	Single Gigabit NIC 10/100/1000	*
	Number of Ethernet Ports	2	2, 3, 4, 6 Or higher
	Wireless Connectivity	No	Yes, No Or higher
	If Yes, Type of Wireless Connectivity	NA	Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA Or higher
	Bluetooth Connectivity	No	Yes, No Or higher
	If Yes, Version of Bluetooth Available	0	4, 4.1, 4.2, 5, 0 Or higher
Ports	Number of USB Version 2 Point 0 Ports	0	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	8	*
	Number of USB Version 3 point 1, Gen 2 Ports	0	*
	Number of USB Type C Ports	2	*
	Number of VGA Ports	0	*
	Number of HDMI Ports	0	*
	Number of Mini DP Ports	4	*
	Number of DP Ports	0	*
Display	Display Availability	Monitor	Monitor
	Display Size (cm)	58- 61	58- 61, 63 - 67, 68- 71, 72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 - 125, 126 - 130 Or higher
	Display Type	Non Touch	Non Touch, Touch Or higher
	Panel Type	Flat	Flat, Curved Or higher
	Panel Technology	IPS	IPS, OLED Or higher
	Display Resolution (Pixels)	1920 x 1200	1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x 1440, 3840 x 1600, 5120 x 1440, 7680 x 4320 Or higher

	LED Backlit	Yes	*
	TCO Compliance for Monitor	TCO 07	*
	Colour Gamut	72% Color Gamut	*
	Monitor Stand	Height Adjustable	*
Power	Maximum Power (Watts)	950	*
	Minimum Power Efficiency (%)	-	*
	Power Management Unit	Yes	*
	Redundant Power Supply	No	Yes, No Or higher
Input Devices	Mouse Connectivity, If available	Wired	*
	Type of Mouse, If available	Optical Scroll	*
	Keyboard Connectivity, if available	Wired	*
	Type of Keyboard, if available	Standard with Rupee Symbol	*
	Type of Keyboard in case of Mobile Workstation	NA	*
Generic	Optical Drive	-	*
	Number of External Bays	2	*
	Security	S/W Based	*
	Docking Station for Mobile Workstation	No	*
	Availability of Bundled Software	Yes	*
	Type of Bundled Software	Standard Performance Improvement Software	*
	Finger Print Reader in case of Mobile Workstation	NA	*
	Carry Case in case of Mobile Workstation	NA	*
Certification	BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer)	Yes	*

	On Site OEM Warranty (Year)	3	3, 4, 5 Or higher
Warranty	Battery Warranty in case of Mobile Workstation	0	*
	Maximum Operating Humidity (%RH)	85	*
	Minimum Operating Humidity (%RH)	10	*
	Maximum Operating Temperature (DEgree C)	35	*
Operating Conditions	Minimum Operating Temperature (Degree C)	5	*
	Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer)	-	*
	ROHS Compliance	Yes	*
	BIS Registration Number and its Validity	-	*

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	******	************PUNE	1	60

Bid Specific Additional Terms and Conditions

- 1. The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST. Applicable Concessional rate of GST: 5.00%
 - Notification No.and date: 45/2017 & 47/2017 dated 14/11/2017
- 2. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

- have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 3. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 4. Preference to Make In India products (for bids greater than 200 Crore) (can also be used in Bids less than 200 Crore but only after exemption by competent authority as defined in Deptt of Expenditure OM dated 28.5.2020): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 5. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 6. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 7. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---