

```

/**
 * @file Hall.jsx
 * @author Joey Damico
 * @date September 25, 2019
 * @summary React JSX Component Class that is for Hall Interlocking
 *
 * Extends the React Component Class and is the UI part of the Hall
Interlocking,
 * this class controls all the drawings of routes, and also gives a
visual representation
 * of that status of the interlocking
 */

// Import React Component
import React, { Component } from 'react';
// Import CSS style sheet
import '../css/Southern_Tier_Line/hall.css';

// Import Images
// Switch Images
import CX_225 from '../public/images/CX_225.png';
import CX_225_Lined_Top from '../public/images/
CX_225_Lined_Top.png';
import CX_225_Lined_Bottom from '../public/images/
CX_225_Lined_Bottom.png';
import CX_225_Lined_Both from '../public/images/
CX_225_Lined_Both.png';
import CX_225_R from '../public/images/CX_225_R.png';
import CX_225_R_Lined from '../public/images/
CX_225_R_Lined.png';
import CX_225_Lined_Top_Occupied_Bottom from '../public/
images/CX_225_Lined_Top_Occupied_Bottom.png';
import CX_225_Occupied_Top_Lined_Bottom from '../public/
images/CX_225_Occupied_Top_Lined_Bottom.png';
import CX_225_Occupied_Top from '../public/images/
CX_225_Occupied_Top.png';
import CX_225_Occupied_Bottom from '../public/images/
CX_225_Occupied_Bottom.png';
import CX_225_Occupied_Both from '../public/images/
CX_225_Occupied_Both.png';
import CX_225_R_Occupied from '../public/images/
CX_225_R_Occupied.png';

// Signal Images
import SIG_W from '../public/images/SIG_W.png';
import SIG_W_Clear from '../public/images/SIG_W_Clear.png';
import SIG_W_Stop from '../public/images/SIG_W_Stop.png';
import SIG_E from '../public/images/SIG_E.png';
import SIG_E_Clear from '../public/images/SIG_E_Clear.png';
import SIG_E_Stop from '../public/images/SIG_E_Stop.png';

```

```

// Color Constants For Drawing Routes
const Empty = '#999999';
const Green = '#75fa4c';
const Red = '#eb3323';

/**
 * The React JSX Component Class for the Hall Interlocking
 *
 * This class is a JSX React Component for the Hall Interlocking, this
will control all the UI for the comonent,
 * and the click events that will pass reference between the backend
and the user. This also controls drawing the
 * route drawings to show if a route(s) is setup in the interlocking
or if the route is occupied
 */
class Hall extends Component {
  /**
   * State
   * @summary Object that holds the state or status information for
the component
   *
   * This object holds all the information for the interlocking that
is required to display the routes
   * correctly
   *
   * Anything that has "this.props." is passed down from the CTC
interlocking class
   */
  state = {
    // Switch Status
    sw_1: this.props.status.sw_1,
    // Image File for the switch - Will change depending on route
    sw_1_src: CX_225,
    // Colors for tail tracks - Will change depending on route
    tail_yard: Empty,
    tail_west: Empty,
    tail_2_east: Empty,
    tail_1_east: Empty,
    // Image File for the signals - Will change depending on route
    sig_2w_src: SIG_W,
    sig_4w_src: SIG_W,
    sig_2e_src: SIG_E,
    sig_4e_src: SIG_E,
    // Information For Interlocking Routes
    occupied_1: this.props.status.occupied_trk_1,
    occupied_2: this.props.status.occupied_trk_2,
    route_1: this.props.status.routed_trk_1,
    route_2: this.props.status.routed_trk_2,
  }
}

```

```

        routes: this.props.status.routes
    };

    /**
     * componentWillReceiveProps()
     * @summary Function that updates the state of the component
     *
     * The data that is being changed is passed down from the CTC
classes in the simulation backend
     *
     * @param nextProps, the new data to set the component state too
     */
    componentWillReceiveProps(nextProps){
        this.setState({
            sw_1: nextProps.status.sw_1,
            occupied_1: nextProps.status.occupied_trk_1,
            occupied_2: nextProps.status.occupied_trk_2,
            route_1: nextProps.status.routed_trk_1,
            route_2: nextProps.status.routed_trk_2,
            routes: nextProps.status.routes
        });
    }
    // ---- END componentWillReceiveProps() ----

    /**
     * render()
     * @summary standard React function that draws the interlocking to
the screen
     */
    render() {
        // Clear all the drawings from the interlocking so if a train
clears the route is gone
        this.reset_drawings();
        // Set the switch images based off the state of each crossover
        this.set_switch_img();
        // Draw all the current routes in the interlocking
        this.set_route_drawings();

        // Returns the HTML to draw the interlocking and it's current
state to the screen
        return (
            <div>
                { /* Tags */ }
                <div className="hall_title">CP HALL</div>
                <div className="hall_milepost">MP 64.7JS</div>
                { /* West Side Tail Tracks */ }
                <div className="hall_yard" style={{background:
this.state.tail_yard}}></div>
                <div className="hall_west" style={{background:
this.state.tail_west}}></div>
            </div>

```

```

        { /* Switches */
        <div className="hall_SW_1"
onClick={this.props.throw_sw_1}><img src={this.state.sw_1_src}/></div>
        { /* East Side Tail Tracks */
        <div className="hall_2_east" style={{background:
this.state.tail_2_east}}></div>
        <div className="hall_1_east" style={{background:
this.state.tail_1_east}}></div>
        { /* Signals */
        <div className="hall_sig_4w"
onClick={this.props.click_sig_4w}><img src={this.state.sig_4w_src}/></
div>
        <div className="hall_sig_2w"
onClick={this.props.click_sig_2w}><img src={this.state.sig_2w_src}/></
div>
        <div className="hall_sig_4e"
onClick={this.props.click_sig_4e}><img src={this.state.sig_4e_src}/></
div>
        <div className="hall_sig_2e"
onClick={this.props.click_sig_2e}><img src={this.state.sig_2e_src}/></
div>
        </div>
    );
}
// ---- END render() ----

```

```

/**
 * @summary Sets the drawing for the route through the
interlocking
 *
 * Function takes what routes are currently set in the
Interlocking class and displays that route in the UI, the drawing
 * will change depending on if the interlocking is occupied or not
 */
set_route_drawings() {
    let color_1 = Empty;
    let color_2 = Empty;

    // Setting the color of the tracks depending on if the
interlocking in occupied or not
    if (this.state.route_1) {
        color_1 = Green;
    }
    if (this.state.route_2) {
        color_2 = Green;
    }
    if (this.state.occupied_1) {
        color_1 = Red;
    }
    if (this.state.occupied_2) {

```

```

        color_2 = Red;
    }

    // Loop through all the routes
    for (let i = 0; i < this.state.routes.length; i++) {
        if (this.state.routes[i] === "W_1_1__1_howells_hall" ||
this.state.routes[i] === "E_1_1__1_hall_hudson") {
            // Tail Tracks
            this.state.tail_1_east = color_1;
            this.state.tail_1_west = color_1;

            // The Route Is Occupied
            if (this.state.occupied_1) {
                // Switches
                // Crossovers that could change based off of Track
#2

                // Track #2 Routed
                if (this.state.route_2) {
                    this.state.sw_1_src =
CX_225_Lined_Top_Occupied_Bottom;
                }
                // Track #2 Occupied
                else if (this.state.occupied_2) {
                    this.state.sw_1_src = CX_225_Occupied_Both;
                }
                // Nothing Track #2
                else {
                    this.state.sw_1_src = CX_225_Occupied_Bottom;
                }

                // Signals
                this.state.sig_2w_src = SIG_W_Stop;
                this.state.sig_2e_src = SIG_E_Stop;
            }
            // The Route Is NOT Occupied
            else {
                // Switches
                // Crossovers that could change based off of Track
#2

                // Track #2 Routed
                if (this.state.route_2) {
                    this.state.sw_1_src = CX_225_Lined_Both;
                }
                // Track #2 Occupied
                else if (this.state.occupied_2) {
                    this.state.sw_1_src =
CX_225_Occupied_Top_Lined_Bottom;
                }
                // Nothing Track #2
                else {

```

```

        this.state.sw_1_src = CX_225_Lined_Bottom;
    }

    // Signals
    // West Bound Signals
    if (this.state.routes[i] === "W_1_1__|
__1_howells_hall") {
        this.state.sig_2w_src = SIG_W_Clear;
        this.state.sig_2e_src = SIG_E_Stop;
    }
    // East Bound Signals
    else {
        this.state.sig_2w_src = SIG_W_Stop;
        this.state.sig_2e_src = SIG_E_Clear;
    }
    }
    else if (this.state.routes[i] === "W_2_2__|__2_yard_hall"
|| this.state.routes[i] === "E_2_2__|__2_hall_hudson") {
        // Tail Tracks
        this.state.tail_2_east = color_2;
        this.state.tail_yard = color_2;

        // The Route Is Occupied
        if (this.state.occupied_2) {
            // Switches
            // Crossovers that could change based off of Track
            #1
            // Track #1 Routed
            if (this.state.route_1) {
                this.state.sw_1_src =
CX_225_Occupied_Top_Lined_Bottom;
            }
            // Track #1 Occupied
            else if (this.state.occupied_1) {
                this.state.sw_1_src = CX_225_Occupied_Both;
            }
            // Nothing Track #1
            else {
                this.state.sw_1_src = CX_225_Occupied_Top;
            }

            // Signals
            this.state.sig_4w_src = SIG_W_Stop;
            this.state.sig_4e_src = SIG_E_Stop;
        }
        // The Route Is NOT Occupied
        else {
            // Switches
            // Crossovers that could change based off of Track

```

#1

```

        // Track #1 Routed
        if (this.state.route_1) {
            this.state.sw_1_src = CX_225_Lined_Both;
        }
        // Track #1 Occupied
        else if (this.state.occupied_1) {
            this.state.sw_1_src =
CX_225_Lined_Top_Occupied_Bottom;
        }
        // Nothing Track #1
        else {
            this.state.sw_1_src = CX_225_Lined_Top;
        }

        // Signals
        // West Bound Signals
        if (this.state.routes[i] === "W_2_2__|
__2_yard_hall") {
            this.state.sig_4w_src = SIG_W_Clear;
            this.state.sig_4e_src = SIG_E_Stop;
        }
        // East Bound Signals
        else {
            this.state.sig_4w_src = SIG_W_Stop;
            this.state.sig_4e_src = SIG_E_Clear;
        }
    }
}
else if (this.state.routes[i] === "W_2_1__|
__1_howells_hall") {
    // Tail Tracks
    this.state.tail_2_east = color_2;
    this.state.tail_west = color_2;

    // The Route Is Occupied
    if (this.state.occupied_2) {
        // Switches
        this.state.sw_1_src = CX_225_R_Occupied;

        // Signals
        this.state.sig_2w_src = SIG_W_Stop;
        this.state.sig_4w_src = SIG_W_Stop;
        this.state.sig_2e_src = SIG_E_Stop;
        this.state.sig_4e_src = SIG_E_Stop;
    }
    // The Route Is NOT Occupied
    else {
        // Switches
        this.state.sw_1_src = CX_225_R_Lined;
    }
}

```

```

        // Signals
        this.state.sig_2w_src = SIG_W_Stop;
        this.state.sig_4w_src = SIG_W_Clear;
        this.state.sig_2e_src = SIG_E_Stop;
        this.state.sig_4e_src = SIG_E_Stop;
    }
}
else if (this.state.routes[i] === "E_1_2__|
__2_hall_hudson") {
    // Tail Tracks
    this.state.tail_2_east = color_1;
    this.state.tail_west = color_1;

    // The Route Is Occupied
    if (this.state.occupied_1) {
        // Switches
        this.state.sw_1_src = CX_225_R_Occupied;

        // Signals
        this.state.sig_2w_src = SIG_W_Stop;
        this.state.sig_4w_src = SIG_W_Stop;
        this.state.sig_2e_src = SIG_E_Stop;
        this.state.sig_4e_src = SIG_E_Stop;
    }
    // The Route Is NOT Occupied
    else {
        // Switches
        this.state.sw_1_src = CX_225_R_Lined;

        // Signals
        this.state.sig_2w_src = SIG_W_Stop;
        this.state.sig_4w_src = SIG_W_Stop;
        this.state.sig_2e_src = SIG_E_Clear;
        this.state.sig_4e_src = SIG_E_Stop;
    }
}
}
}
// ---- END set_route_drawings() ----

/**
 * set_switch_img()
 * @summary Changes image sources for the switches, depending on
switch status
 *
 * This function uses the data passed in through status from the
CTC classes and
 * shows if the switches are reversed or not on the screen, by
changing the image

```



```

    * source files, to the correct .png file respectively
    */
set_switch_img() {
    if (this.state.sw_1) {
        this.state.sw_1_src = CX_225_R;
    }
    else {
        this.state.sw_1_src = CX_225;
    }
}
// ---- END set_switch_img() ----

/**
 * @summary Function to reset the signal images and track colors
 *
 * This function is need, because if the player was to remove a
route,
 * or when the train clears the interlocking nothing will clear
the route
 * the is displaying on the screen, even if it's gone in the
backend
 */
reset_drawings() {
    this.state.tail_1_east = Empty;
    this.state.tail_2_east = Empty;
    this.state.tail_west = Empty;
    this.state.tail_yard = Empty;

    this.state.sig_2w_src = SIG_W;
    this.state.sig_4w_src = SIG_W;
    this.state.sig_2e_src = SIG_E;
    this.state.sig_4e_src = SIG_E;
}
//---- END reset_drawings() ----
}

// Export the interlocking to be drawn on the screen
export default Hall;

```