
LAV Filter 源代码分析 3: LAV Video (1)

2013年10月27日 20:58:00 阅读数:6500

LAV Video 是使用很广泛的DirectShow Filter。它封装了FFMPEG中的libavcodec,支持十分广泛的视频格式的解码。在这里对其源代码进行详细的分析。

LAV Video 工程代码的结构如下图所示



直接看LAV Video最主要的类CLAVVideo吧,它的定义位于LAVVideo.h中。

LAVVideo.h

```
[cpp] 📳 📑
      /* 雷霄骅
      * 中国传媒大学/数字电视技术
2.
      * leixiaohua1020@126.com
3.
4.
5.
     /*
6.
             Copyright (C) 2010-2013 Hendrik Leppkes
7.
     * http://www.1f0.de
8.
9.
     * This program is free software; you can redistribute it and/or modify
10.
11.
      * it under the terms of the GNU General Public License as published by
     st the Free Software Foundation; either version 2 of the License, or
12.
13.
      * (at your option) any later version.
14.
       * This program is distributed in the hope that it will be useful,
15.
      * but WITHOUT ANY WARRANTY; without even the implied warranty of
16.
      * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
17.
      * GNU General Public License for more details.
18.
19.
      * You should have received a copy of the GNU General Public License along
20.
21.
       ^{st} with this program; if not, write to the Free Software Foundation, Inc.,
      * 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.
22.
23.
24.
25.
      #pragma once
26.
27.
      #include "decoders/ILAVDecoder.h"
28.
      #include "DecodeThread.h"
29.
      #include "ILAVPinInfo.h"
30.
31.
      #include "LAVPixFmtConverter.h"
32.
      #include "LAVVideoSettings.h"
33.
      #include "H264RandomAccess.h"
     #include "FloatingAverage.h"
34.
35.
     #include "ISpecifyPropertyPages2.h"
36.
37.
      #include "SynchronizedQueue.h"
38.
39.
      #include "subtitles/LAVSubtitleConsumer.h"
40.
      #include "subtitles/LAVVideoSubtitleInputPin.h"
```

```
#include "BaseTrayIcon.h"
 42.
 43.
       #define LAVC VIDEO REGISTRY KEY L"Software\\LAV\\Video"
 44.
       #define LAVC VIDEO REGISTRY KEY FORMATS L"Software\\LAV\\Video\\Formats"
 45.
       #define LAVC VIDEO REGISTRY KEY OUTPUT L"Software\\LAV\\Video\\Output"
 46.
 47.
       #define LAVC VIDEO REGISTRY KEY HWACCEL L"Software\\LAV\\Video\\HWAccel"
 48.
 49.
       #define LAVC_VIDEO_LOG_FILE
                                        L"LAVVideo.txt"
 50.
 51.
       #define DEBUG FRAME TIMINGS 0
 52.
       #define DEBUG_PIXELCONV_TIMINGS 0
 53.
       #define LAV_MT_FILTER_QUEUE_SIZE 4
 54.
 55.
 56.
       typedef struct {
 57.
         REFERENCE_TIME rtStart;
         REFERENCE TIME rtStop;
 58.
 59.
       } TimingCache:
       //解码核心类
 60.
       //Transform Filter
 61.
       [uuid("EE30215D-164F-4A92-A4EB-9D4C13390F9F")]
 62.
       class CLAVVideo : public CTransformFilter, public ISpecifyPropertyPages2, public ILAVVideoSettings, public ILAVVideoStatus, public I
 63.
       LAVVideoCallback
 64.
 65.
       public:
 66.
        CLAVVideo(LPUNKNOWN pUnk, HRESULT* phr);
 67.
         ~CLAVVideo();
 68.
 69.
         static void CALLBACK StaticInit(BOOL bLoading, const CLSID *clsid);
 70.
 71.
         // IUnknown
 72.
         // 查找接口必须实现
         DECLARE IUNKNOWN:
 73.
         STDMETHODIMP NonDelegatingQueryInterface(REFIID riid, void** ppv);
 74.
 75.
 76.
         // ISpecifyPropertyPages2
         // 属性页
 77.
 78.
         // 获取或者创建
 79.
         STDMETHODIMP GetPages(CAUUID *pPages);
 80.
         STDMETHODIMP CreatePage(const GUID& guid, IPropertyPage** ppPage);
 81.
 82.
         // ILAVVideoSettings
 83.
 84.
         STDMETHODIMP SetRuntimeConfig(BOOL bRuntimeConfig);
 85.
         STDMETHODIMP SetFormatConfiguration(LAVVideoCodec vCodec, BOOL bEnabled);
         STDMETHODIMP (BOOL) GetFormatConfiguration(LAVVideoCodec vCodec);
 86.
         STDMETHODIMP SetNumThreads(DWORD dwNum);
 87.
         STDMETHODIMP (DWORD) GetNumThreads();
 88.
 89.
         STDMETHODIMP SetStreamAR(DWORD bStreamAR):
         STDMETHODIMP_(DWORD) GetStreamAR();
 90.
         STDMETHODIMP SetPixelFormat(LAVOutPixFmts pixFmt. BOOL bEnabled):
 91.
 92.
         STDMETHODIMP_(BOOL) GetPixelFormat(LAVOutPixFmts pixFmt);
 93.
         {\tt STDMETHODIMP\ SetRGBOutputRange(DWORD\ dwRange);}
 94.
         STDMETHODIMP_(DWORD) GetRGBOutputRange();
 95.
         STDMETHODIMP SetDeintFieldOrder(LAVDeintFieldOrder fieldOrder);
 96.
 97.
         STDMETHODIMP (LAVDeintFieldOrder) GetDeintFieldOrder();
 98.
         STDMETHODIMP SetDeintForce(BOOL bForce);
 99.
         STDMETHODIMP_(BOOL) GetDeintForce();
100.
         STDMETHODIMP SetDeintAggressive(BOOL bAggressive);
         STDMETHODIMP (BOOL) GetDeintAggressive();
101.
102.
         STDMETHODIMP (DWORD) CheckHWAccelSupport(LAVHWAccel hwAccel);
103.
104.
         STDMETHODIMP SetHWAccel(LAVHWAccel hwAccel);
105.
         STDMETHODIMP (LAVHWAccel) GetHWAccel():
106.
         STDMETHODIMP SetHWAccelCodec(LAVVideoHWCodec hwAccelCodec, BOOL bEnabled);
107.
         STDMETHODIMP_(BOOL) GetHWAccelCodec(LAVVideoHWCodec hwAccelCodec);
108.
         STDMETHODIMP SetHWAccelDeintMode(LAVHWDeintModes deintMode);
109.
         STDMETHODIMP_(LAVHWDeintModes) GetHWAccelDeintMode();
110.
         STDMETHODIMP SetHWAccelDeintOutput(LAVDeintOutput deintOutput);
         STDMETHODIMP_(LAVDeintOutput) GetHWAccelDeintOutput();
111.
112.
         STDMETHODIMP SetHWAccelDeintHQ(BOOL bHQ);
113.
         STDMETHODIMP_(BOOL) GetHWAccelDeintHQ();
         STDMETHODIMP SetSWDeintMode(LAVSWDeintModes deintMode);
114.
         STDMETHODIMP (LAVSWDeintModes) GetSWDeintMode();
115.
         STDMETHODIMP SetSWDeintOutput(LAVDeintOutput deintOutput);
116.
117.
         STDMETHODIMP (LAVDeintOutput) GetSWDeintOutput();
118.
119.
         STDMETHODIMP SetDeintTreatAsProgressive(BOOL bEnabled);
         {\tt STDMETHODIMP\_(BOOL)~GetDeintTreatAsProgressive();}
120.
121.
122.
         STDMETHODIMP SetDitherMode(LAVDitherMode ditherMode);
123.
         STDMETHODIMP_(LAVDitherMode) GetDitherMode();
124.
125.
         STDMETHODIMP SetUseMSWMV9Decoder(B00L bEnabled);
126.
         STDMETHODIMP_(BOOL) GetUseMSWMV9Decoder();
127.
128.
         STDMETHODIMP SetDVDVideoSupport(BOOL bEnabled);
129.
         STDMETHODIMP (BOOL) GetDVDVideoSupport();
130.
```

```
131.
132
               STDMETHODIMP (DWORD) GetHWAccelResolutionFlags();
133.
134.
               STDMETHODIMP SetTrayIcon(BOOL bEnabled);
135.
               STDMETHODIMP (BOOL) GetTrayIcon();
136.
137.
               {\tt STDMETHODIMP\ SetDeinterlacingMode(LAVDeintMode\ deintMode);}
138.
               STDMETHODIMP_(LAVDeintMode) GetDeinterlacingMode();
139.
140.
               // ILAVVideoStatus
141.
               STDMETHODIMP (const WCHAR *) GetActiveDecoderName() { return m Decoder.GetDecoderName(); }
142.
143.
               // CTransformFilter
144.
               // 核心的
145.
               HRESULT CheckInputType(const CMediaType* mtIn);
146.
               HRESULT CheckTransform(const CMediaType* mtIn, const CMediaType* mtOut);
               HRESULT DecideBufferSize(IMemAllocator * pAllocator, ALLOCATOR_PROPERTIES *pprop);
147
148.
               HRESULT GetMediaType(int iPosition, CMediaType *pMediaType);
149
150.
               HRESULT SetMediaType(PIN DIRECTION dir, const CMediaType *pmt);
151.
               HRESULT EndOfStream();
152.
               HRESULT BeginFlush();
153.
               HRESULT EndFlush():
154.
               HRESULT NewSegment(REFERENCE TIME tStart, REFERENCE TIME tStop, double dRate);
155.
               //处理的核心
               //核心一般才有IMediaSample
156.
157.
               HRESULT Receive(IMediaSample *pIn):
158.
               HRESULT CheckConnect(PIN DIRECTION dir. IPin *pPin):
159.
160.
               HRESULT BreakConnect(PIN DIRECTION dir);
161.
               HRESULT CompleteConnect(PIN DIRECTION dir, IPin *pReceivePin);
162.
163.
               int GetPinCount():
164.
               CBasePin* GetPin(int n);
165.
166.
               STDMETHODIMP JoinFilterGraph(IFilterGraph * pGraph, LPCWSTR pName);
167.
168.
               // ILAVVideoCallback
169.
               STDMETHODIMP AllocateFrame(LAVFrame **ppFrame);
               STDMETHODIMP ReleaseFrame(LAVFrame **ppFrame);
170.
171.
               STDMETHODIMP Deliver(LAVFrame *pFrame):
               STDMETHODIMP (LPWSTR) GetFileExtension();
172.
               STDMETHODIMP (BOOL) FilterInGraph(PIN DIRECTION dir. const GUID &clsid) { if (dir == PINDIR INPUT) return FilterInGraphSafe(m pInpu
173.
            t, clsid); else return FilterInGraphSafe(m_pOutput, clsid); }
174
               STDMETHODIMP_(DWORD) GetDecodeFlags() { return m_dwDecodeFlags; }
175.
               STDMETHODIMP_(CMediaType&) GetInputMediaType() { return m_pInput->CurrentMediaType(); }
176.
               STDMETHODIMP GetLAVPinInfo(LAVPinInfo &info) { if (m_LAVPinInfoValid) { info = m_LAVPinInfo; return S_OK; } return E_FAIL; }
177.
               STDMETHODIMP_(CBasePin*) GetOutputPin() { return m_pOutput; }
178.
               STDMETHODIMP_(CMediaType&) GetOutputMediaType() { return m_pOutput->CurrentMediaType(); }
179.
               STDMETHODIMP\ DVDStripPacket(BYTE \ p,\ long \&\ len)\ \{\ static\_cast < CDeCSSTransformInputPin \ *> (m\_pInput) -> StripPacket(p,\ len);\ return\ S\_return\ S\_return\
           OK; }
180.
              STDMETHODIMP (LAVFrame*) GetFlushFrame():
181.
               STDMETHODIMP ReleaseAllDXVAResources() { ReleaseLastSequenceFrame(); return S OK; }
182.
183.
           public:
             // Pin Configuration
184.
               const static AMOVIESETUP MEDIATYPE
185.
                                                                          sudPinTvpesIn[]:
              const static int
                                                                          sudPinTypesInCount;
186.
187.
               const static AMOVIESETUP MEDIATYPE
                                                                          sudPinTypesOut[];
188.
              const static int
                                                                          sudPinTypesOutCount;
189.
190.
           private:
191.
               HRESULT LoadDefaults();
192.
               HRESULT ReadSettings(HKEY rootKey);
193.
               HRESULT LoadSettings();
194.
               HRESULT SaveSettings():
195.
196.
               HRESULT CreateTrayIcon();
197.
198.
              HRESULT CreateDecoder(const CMediaType *pmt):
199.
               HRESULT GetDeliveryBuffer(IMediaSample** ppOut, int width, int height, AVRational ar, DXVA2 ExtendedFormat dxvaExtFormat, REFERENCE
200.
           TIME avgFrameDuration);
201.
              HRESULT ReconnectOutput(int width, int height, AVRational ar, DXVA2 ExtendedFormat dxvaExtFlags, REFERENCE TIME avgFrameDuration,
           BOOL bDXVA = FALSE):
202.
203.
               HRESULT SetFrameFlags(IMediaSample* pMS, LAVFrame *pFrame);
204.
205.
               HRESULT NegotiatePixelFormat(CMediaType &mt, int width, int height);
206.
               BOOL IsInterlaced():
207.
208.
               HRESULT Filter(LAVFrame *pFrame);
209.
210.
              HRESULT DeliverToRenderer(LAVFrame *pFrame):
211.
               HRESULT PerformFlush():
212.
               HRESULT ReleaseLastSequenceFrame():
213.
214.
215.
               HRESULT GetD3DBuffer(LAVFrame *pFrame);
216.
               HRESULT RedrawStillImage();
217.
               HRESULT SetInDVDMenu(bool menu) { m_bInDVDMenu = menu; return S_OK; }
```

SIDMETHUDIMP SETHWACCELRESOLUTIONFLAGS(DWURD dwResFlags);

```
219.
          enum {CNTRL_EXIT, CNTRL_REDRAW};
220.
          HRESULT ControlCmd(DWORD cmd) {
221.
            return m_ControlThread->CallWorker(cmd);
222.
223.
224.
       private:
225.
          friend class CVideoOutputPin;
226.
          friend class CDecodeThread;
227.
          friend class CLAVControlThread;
228.
          friend class CLAVSubtitleProvider;
229.
          friend class CLAVSubtitleConsumer;
230.
          //解码线程
          CDecodeThread
231.
                               m_Decoder;
232.
         CAMThread
                               *m_ControlThread;
233.
234.
          REFERENCE TIME
                               m rtPrevStart;
          REFERENCE TIME
235.
                               m rtPrevStop:
236.
237.
          B00L
                               m bForceInputAR:
238.
         B00L
                               m bSendMediaType;
239.
          B<sub>0</sub>0L
                               m_bFlushing;
240
241.
          HRESULT
                                m hrDeliver;
242.
243.
          CLAVPixFmtConverter m_PixFmtConverter;
          std::wstring
244.
                               m_strExtension;
245.
246.
                               m_bDXVAExtFormatSupport;
247.
          DWORD
                                m_bMadVR;
248.
          DWORD
                               m_b0verlayMixer;
249.
          DWORD
                               m dwDecodeFlags;
250.
251.
                               m bInDVDMenu;
          B00L
252.
                                *m_pFilterGraph;
253.
          AVFilterGraph
254.
          AVFilterContext
                                *m pFilterBufferSrc;
255.
          AVFilterContext
                                *m_pFilterBufferSink;
256.
257.
          LAVPixelFormat
                                m_filterPixFmt;
258.
          int
                                m_filterWidth;
259.
          int
                                m_filterHeight;
260.
          LAVFrame
                                m_FilterPrevFrame;
261.
262.
                               m_LAVPinInfoValid;
263.
                               m LAVPinInfo;
          LAVPinInfo
264.
          CLAVVideoSubtitleInputPin *m pSubtitleInput;
265.
266.
          CLAVSubtitleConsumer *m SubtitleConsumer;
267.
268
                               *m pLastSequenceFrame;
269.
270.
          AM\_SimpleRateChange \quad m\_DVDRate;
271.
272.
          B00L
                               m_bRuntimeConfig;
273.
          struct VideoSettings {
274.
            BOOL TrayIcon;
275.
            DWORD StreamAR;
            DWORD NumThreads;
276.
277.
            BOOL bFormats[Codec_VideoNB];
278.
            BOOL bMSWMV9DMO;
279.
            BOOL bPixFmts[LAVOutPixFmt_NB];
280.
            DWORD RGBRange;
281.
            DWORD HWAccel:
            BOOL bHWFormats[HWCodec NB];
282.
283.
            DWORD HWAccelResFlags;
284.
            DWORD HWDeintMode;
285
            DWORD HWDeintOutput;
286.
            BOOL HWDeintHQ;
287.
            DWORD DeintFieldOrder;
288.
            LAVDeintMode DeintMode;
289.
            DWORD SWDeintMode;
290.
            DWORD SWDeintOutput;
291.
            DWORD DitherMode;
292.
           BOOL bDVDVideo;
293.
          } m settings;
294.
295.
          {\tt CBaseTrayIcon *m\_pTrayIcon;}
296.
297.
       #ifdef DEBUG
298.
        FloatingAverage<double> m_pixFmtTimingAvg;
299.
        #endif
300.
       };
4
```

同时该类中包含了函数Receive(IMediaSample *pln);,是发挥解码功能的函数,其中pln是输入的解码前的视频压缩编码数据。

下面来看看Receive()函数:

```
[cpp] 📳 📑
      //处理的核心
 1.
 2.
      //核心一般才有IMediaSample
 3.
      HRESULT CLAVVideo::Receive(IMediaSample *pIn)
 4.
      {
 5.
        CAutoLock cAutoLock(&m_csReceive);
 6.
      HRESULT hr = S_OK;
 8.
        AM_SAMPLE2_PROPERTIES const *pProps = m_pInput->SampleProps();
        if(pProps->dwStreamId != AM_STREAM_MEDIA) {
 9.
10.
         return m_pOutput->Deliver(pIn);
11.
12.
        AM_MEDIA_TYPE *pmt = NULL;
13.
        //获取媒体类型等等
14.
15.
        if (SUCCEEDED(pIn->GetMediaType(&pmt)) && pmt) {
      CMediaType mt = *pmt;
16.
17.
          DeleteMediaType(pmt);
18.
      if (mt != m_pInput->CurrentMediaType() || !(m_dwDecodeFlags & LAV_VIDEO_DEC_FLAG_DVD)) {
19.
            DbgLog((LOG_TRACE, 10, L"::Receive(): Input sample contained media type, dynamic format change..."));
20.
           m_Decoder.EndOfStream();
21.
            hr = m_pInput->SetMediaType(&mt);
22.
          if (FAILED(hr)) {
23.
             DbgLog((LOG_ERROR, 10, L"::Receive(): Setting new media type failed..."));
24.
             return hr;
25.
            }
      }
26.
        }
27.
28.
        m_hrDeliver = S OK;
29.
30.
31.
        // Skip over empty packets
32.
       if (pIn->GetActualDataLength() == 0) {
33.
         return S_0K;
34.
35.
        //解码
36.
       hr = m_Decoder.Decode(pIn);
37.
        if (FAILED(hr))
38.
      return hr;
39.
     if (FAILED(m hrDeliver))
40.
41.
          return m hrDeliver;
42.
43.
        return S OK;
44. }
```

由代码我们可以看出,实际发挥出解码功能的函数是hr = m_Decoder.Decode(pln);。

下面我们来看看CDecodeThread类的Decode()方法:

```
//解码线程的解码函数
 2.
      STDMETHODIMP CDecodeThread::Decode(IMediaSample *pSample)
 3.
 4.
        CAutoLock decoderLock(this);
 5.
 6.
       if (!CAMThread::ThreadExists())
          return E UNEXPECTED;
 7.
 8.
        // Wait until the queue is empty
 9.
       while(HasSample())
10.
11.
          Sleep(1);
12.
13.
        // Re-init the decoder, if requested
14.
       // Doing this inside the worker thread alone causes problems
15.
        // when switching from non-sync to sync, so ensure we're in sync.
16.
        if (m_bDecoderNeedsReInit) {
17.
          CAMThread::CallWorker(CMD_REINIT);
          while (!m_evEOSDone.Check()) {
18.
19.
            m_evSample.Wait();
20.
            ProcessOutput();
21.
          }
22.
       }
23.
24.
        m evDeliver.Reset();
25.
        m evSample.Reset():
26.
        m evDecodeDone.Reset();
27.
        pSample->AddRef();
28.
29.
30.
        // Send data to worker thread, and wake it (if it was waiting)
31.
        PutSample(pSample);
32.
33.
        // If we don't have thread safe buffers, we need to synchronize
34.
        // with the worker thread and deliver them when they are available
35.
        // and then let it know that we did so
36.
       if (m bSyncToProcess) {
37.
          while (!m_evDecodeDone.Check()) {
           m evSample.Wait();
38.
39.
            ProcessOutput():
       }
40.
41.
42.
43.
        ProcessOutput();
44.
45.
        return S_0K;
46. }
```

这个方法乍一看感觉很抽象,好像没看见直接调用任何解码的函数。如果LAVVideo的封装的ffmpeg的libavcodec的话,应该是最终调用avcodec_decode_video2()才对啊。。。先来看看CDecodeThread这个类的定义吧!

DecodeThread.h

[cpp] 📳 📑

```
[cpp] 📳 📑
      /* 雷霄骅
2.
      * 中国传媒大学/数字电视技术
3.
      * leixiaohua1020@126.com
4.
5.
     /*
6.
             Copyright (C) 2010-2013 Hendrik Leppkes
 7.
      * http://www.1f0.de
8.
9.
     * This program is free software; you can redistribute it and/or modify
10.
      st it under the terms of the GNU General Public License as published by
11.
      * the Free Software Foundation; either version 2 of the License, or
12.
       * (at your option) any later version.
13.
14.
15.
       ^{st} This program is distributed in the hope that it will be useful,
16.
      * but WITHOUT ANY WARRANTY; without even the implied warranty of
       * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
17.
18.
      * GNU General Public License for more details.
19.
20.
      * You should have received a copy of the GNU General Public License along
21.
      * with this program; if not, write to the Free Software Foundation, Inc.,
      * 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.
22.
23.
24.
25.
      #pragma once
26.
27.
      #include "decoders/ILAVDecoder.h'
28.
     #include "SynchronizedQueue.h"
29.
30.
      class CLAVVideo;
31.
32.
      class CDecodeThread : public ILAVVideoCallback, protected CAMThread, protected CCritSec
33.
      public:
```

```
35.
         CDecodeThread(CLAVVideo *pLAVVideo):
 36.
         ~CDecodeThread():
 37.
 38.
         // Parts of ILAVDecoder
 39.
         STDMETHODIMP (const WCHAR*) GetDecoderName() { return m pDecoder ? m pDecoder->GetDecoderName() : NULL; }
 40.
         STDMETHODIMP_(long) GetBufferCount() { return m_pDecoder ? m_pDecoder->GetBufferCount() : 4; }
 41.
         STDMETHODIMP_(BOOL) IsInterlaced() { return m_pDecoder ? m_pDecoder -> IsInterlaced() : TRUE; }
 42.
         STDMETHODIMP GetPixelFormat(LAVPixelFormat *pPix, int *pBpp) { ASSERT(m pDecoder); return m pDecoder-
       >GetPixelFormat(pPix, pBpp); }
 43.
         STDMETHODIMP_(REFERENCE_TIME) GetFrameDuration() { ASSERT(m_pDecoder); return m_pDecoder->GetFrameDuration(); }
 44.
         {\tt STDMETHODIMP\ HasThreadSafeBuffers()\ \{\ \textbf{return}\ m\_pDecoder\ ?\ m\_pDecoder\ -> HasThreadSafeBuffers()\ :\ S\_FALSE;\ \}}
 45.
 46.
 47.
         STDMETHODIMP CreateDecoder(const CMediaType *pmt, AVCodecID codec);
 48.
         STDMETHODIMP Close();
         //解码线程的解码函数
 49.
         STDMETHODIMP Decode(IMediaSample *pSample);
 50.
         STDMETHODIMP Flush();
 51.
         STDMETHODIMP EndOfStream():
 52.
 53.
 54.
         STDMETHODIMP InitAllocator(IMemAllocator **ppAlloc);
 55.
         STDMETHODIMP PostConnect(IPin *pPin);
 56.
 57.
         STDMETHODIMP_(BOOL) IsHWDecoderActive() { return m_bHwDecoder; }
 58.
 59.
         // ILAVVideoCallback
 60.
         STDMETHODIMP AllocateFrame(LAVFrame **ppFrame);
 61.
         STDMETHODIMP ReleaseFrame(LAVFrame **ppFrame);
         STDMETHODIMP Deliver(LAVFrame *pFrame);
 62.
         STDMETHODIMP (LPWSTR) GetFileExtension();
 63.
         STDMETHODIMP (BOOL) FilterInGraph(PIN DIRECTION dir, const GUID &clsid);
 64.
         STDMETHODIMP_(DWORD) GetDecodeFlags();
 65.
 66.
         STDMETHODIMP_(CMediaType&) GetInputMediaType();
 67.
         STDMETHODIMP GetLAVPinInfo(LAVPinInfo &info):
 68.
         STDMETHODIMP_(CBasePin*) GetOutputPin();
 69.
         STDMETHODIMP_(CMediaType&) GetOutputMediaType();
 70.
         STDMETHODIMP DVDStripPacket(BYTE*& p, long& len);
 71.
         STDMETHODIMP_(LAVFrame*) GetFlushFrame();
 72.
         STDMETHODIMP ReleaseAllDXVAResources();
 73.
 74.
           //包含了对进程的各种操作,重要
 75.
 76.
         DWORD ThreadProc();
 77.
 78.
         STDMETHODIMP CreateDecoderInternal(const CMediaType *pmt, AVCodecID codec);
 79.
 80.
         STDMETHODIMP PostConnectInternal(IPin *pPin):
 81.
         STDMETHODIMP DecodeInternal(IMediaSample *pSample);
 82.
 83.
         STDMETHODIMP ClearQueues();
         STDMETHODIMP ProcessOutput();
 84.
 85.
 86.
         bool HasSample();
 87.
         void PutSample(IMediaSample *pSample);
 88.
         IMediaSample* GetSample();
 89.
         void ReleaseSample();
 90.
 91.
         bool CheckForEndOfSequence(IMediaSample *pSample);
 92.
 93.
       private:
       //各种对进程进行的操作
 94.
 95.
         enum {CMD CREATE DECODER, CMD CLOSE DECODER, CMD FLUSH, CMD EOS, CMD EXIT, CMD INIT ALLOCATOR, CMD POST CONNECT, CMD REINIT};
         //注意DecodeThread像是一个处于中间位置的东西
 96.
         //连接了Filter核心类CLAVVideo和解码器的接口ILAVDecoder
 97.
 98.
         CLAVVideo
                      *m_pLAVVideo;
 99.
         ILAVDecoder *m_pDecoder;
100.
101.
         AVCodecID
                      m Codec;
102.
103.
                       m bHWDecoder;
104.
                      m_bHWDecoderFailed;
105.
                      m bSyncToProcess;
106.
         B00L
         B00L
                       m bDecoderNeedsReInit;
107.
         CAMEvent
108.
                      m evInput:
         CAMEvent
                      m evDeliver:
109.
         CAMEvent
110.
                      m evSample:
111.
         CAMEvent
                       m evDecodeDone;
112.
         CAMEvent
                      m evEOSDone;
113.
114.
         CCritSec m_ThreadCritSec;
         struct {
115.
116.
           const CMediaType *pmt;
117.
           AVCodecID codec;
118.
           IMemAllocator **allocator;
119.
           IPin *pin:
120.
         } m ThreadCallContext;
121.
         CSynchronizedQueue<LAVFrame *> m_Output;
122.
123.
         CCritSec
                      m SampleCritSec:
         IMediaSample *m NextSample;
124.
```

```
125.
126. IMediaSample *m_TempSample[2];
127. IMediaSample *m_FailedSample;
128.
129. std::wstring m_processName;
130. };
```

从名字上我们可以判断,这个类用于管理解码的线程。在这里我们关注该类里面的两个指针变量:

CLAVVideo *m_pLAVVideo; ILAVDecoder *m_pDecoder;

其中第一个指针变量就是这个工程中最核心的类CLAVVideo,而第二个指针变量则是解码器的接口。通过这个接口就可以调用具体解码器的相应方法了。(注:在源代码中发现,解码器不光包含libavcodec,也可以是wmv9等等,换句话说,是可以扩展其他种类的解码器的。不过就目前的情况来看,lavvideo似乎不如ffdshow支持的解码器种类多)

该类里面还有一个函数:

ThreadProc()

该函数中包含了对线程的各种操作,其中包含调用了ILAVDecoder接口的各种方法:

```
[cpp] 📳 🔝
 1.
      //包含了对进程的各种操作
2.
      DWORD CDecodeThread::ThreadProc()
3.
      HRESULT hr;
4.
5.
        DWORD cmd:
6.
        BOOL bEOS = FALSE:
7.
8.
        BOOL bReinit = FALSE;
9.
10.
        SetThreadName(-1, "LAVVideo Decode Thread");
11.
12.
        HANDLE hWaitEvents[2] = { GetRequestHandle(), m_evInput };
13.
        //不停转圈,永不休止
14.
        while(1) {
15.
         if (!bEOS && !bReinit) {
16.
          // Wait for either an input sample, or an request
17.
            WaitForMultipleObjects(2, hWaitEvents, FALSE, INFINITE);
18.
19.
          //根据操作命令的不同
      if (CheckRequest(&cmd)) {
20.
21.
            switch (cmd) {
              //创建解码器
22.
23.
            case CMD_CREATE_DECODER:
24.
25.
               CAutoLock lock(&m_ThreadCritSec);
26.
27.
                hr = CreateDecoderInternal(m_ThreadCallContext.pmt, m_ThreadCallContext.codec);
28.
29.
30.
               m_ThreadCallContext.pmt = NULL;
31.
32.
            break;
33.
            case CMD CLOSE DECODER:
34.
           {
                 //关闭
35.
36.
               ClearQueues();
               SAFE_DELETE(m_pDecoder);
37.
38.
               Reply(S_0K);
39.
40.
            break:
41.
            case CMD FLUSH:
42.
43.
                 //清楚
44.
              ClearQueues();
               m pDecoder->Flush();
45.
46.
              Reply(S_0K);
47.
48.
             break:
49.
            case CMD EOS:
50.
               bEOS = TRUE;
51.
52.
               m evEOSDone.Reset();
53.
               Reply(S_0K);
54.
55.
             break;
56.
            case CMD_EXIT:
57.
58.
59.
               Reply(S OK);
60.
              return 0;
61.
62.
             break:
            case CMD INIT ALLOCATOR:
63.
           {
64.
```

```
CAutoLock Lock(&m_ThreadCritSec);
 66.
                 hr = m_pDecoder->InitAllocator(m_ThreadCallContext.allocator);
 67.
                  Reply(hr);
 68.
 69.
                 m_ThreadCallContext.allocator = NULL;
 70.
 71.
               break;
             case CMD POST CONNECT:
 72.
 73.
 74.
                 CAutoLock lock(&m ThreadCritSec):
 75.
                 hr = PostConnectInternal(m_ThreadCallContext.pin);
 76.
                 Reply(hr);
 77.
 78.
                 m_ThreadCallContext.pin = NULL;
 79.
 80.
               break;
 81.
             case CMD_REINIT:
 82.
              {
 83.
 84.
                  CMediaType &mt = m pLAVVideo->GetInputMediaType();
 85.
                  CreateDecoderInternal(&mt, m_Codec);
                 m TempSample[1] = m NextSample;
 86.
                  m NextSample = m FailedSample;
 87.
                 m FailedSample = NULL;
 88.
                  bReinit = TRUE:
 89.
 90.
                 {\tt m\_evEOSDone.Reset();}
 91.
                 Reply(S OK);
                 m_bDecoderNeedsReInit = FALSE;
 92
 93.
 94.
               break;
 95.
             default:
 96.
               ASSERT(0);
 97.
 98.
 99.
100.
        if (m_bDecoderNeedsReInit) {
101.
             m evInput.Reset();
102.
             continue:
103.
104.
            if (bReinit && !m_NextSample) {
105.
106.
             if (m_TempSample[0]) {
107.
               m_NextSample = m_TempSample[0];
108.
               m_TempSample[0] = NULL;
109.
             } else if (m_TempSample[1]) {
110.
               m_NextSample = m_TempSample[1];
111.
                m_TempSample[1] = NULL;
112.
              } else {
113.
               bReinit = FALSE;
114.
               m_evEOSDone.Set();
115.
               m evSample.Set();
116.
               continue:
117.
             }
118.
            //获得一份数据
119.
           IMediaSample *pSample = GetSample();
120
121.
            if (!pSample) {
122.
             // Process the EOS now that the sample queue is empty
123.
             if (bEOS) {
124.
              bEOS = FALSE;
125.
               m_pDecoder->EndOfStream();
126.
               m_evEOSDone.Set();
127.
               m_evSample.Set();
128.
129.
             continue;
130.
       }
131.
            //解码
           DecodeInternal(pSample);
132.
133.
       // Release the sample
134.
135.
            //释放
136.
           SafeRelease(&pSample);
137.
138.
       // Indicates we're done decoding this sample
139.
            m_evDecodeDone.Set();
140.
141.
            // Set the Sample Event to unblock any waiting threads
142.
           m_evSample.Set();
143.
144.
145.
         return 0:
146.
```

版权声明:本文为博主原创文章,未经博主允许不得转载。 https://blog.csdn.net/leixiaohua1020/article/details/13022201

个人分类: LAV Filter

文章标签: LAVFilter 源代码 解码 ffmpeg directshow

所属专栏: 开源多媒体项目源代码分析

此PDF由spygg生成,请尊重原作者版权!!!

我的邮箱:liushidc@163.com