

Selamat! Anda lulus!

Nilai
diterima 100%

Nilai Pengiriman
Terbaru 100%

UNTUK LULUS 80% atau
lebih tinggi

Pergi ke item
berikutnya

1.

1 / 1 poin

Which of the following accurately describes the state-action value function $Q(s, a)$?

- ☒ It is the return if you start from state s , take action a (once), then behave optimally after that.
- ☐ It is the return if you start from state s and repeatedly take action a .
- ☐ It is the return if you start from state s and behave optimally.
- ☐ It is the immediate reward if you start from state s and take action a (once).

Benar

Great!

2.

1 / 1 poin

You are controlling a robot that has 3 actions: \leftarrow (left), \rightarrow (right) and STOP. From a given state s , you have computed $Q(s, \leftarrow) = -10$, $Q(s, \rightarrow) = -20$, $Q(s, \text{STOP}) = 0$.

What is the optimal action to take in state s ?

- ☒ STOP
- ☐ \leftarrow (left)
- ☐ \rightarrow (right)
- ☐ Impossible to tell


Benar

Yes, because this has the greatest value.

3.

1 / 1 poin

For this problem, $\gamma = 0.25$. The diagram below shows the return and the optimal action from each state. Please compute $Q(5, \leftarrow)$.



- ☒ 0.625
- ☐ 0.391
- ☐ 1.25
- ☐ 2.5

Benar

Yes, we get 0 reward in state 5. Then $0 * 0.25$ discounted reward in state 4, since we moved left for our action. Now we behave optimally starting from state 4 onwards. So, we move right to state 5 from state 4 and receive $0 * 0.25^2$ discounted reward. Finally, we move right in state 5 to state 6 to receive a discounted reward of $40 * 0.25^3$. Adding these together we get 0.625.