


MA 1024 Conference 7

.

Example 1 (Triple Integral in Rectangular Coordinates, General Solids)

Evaluate $\int \int \int_E xyz \, dV$, where E is the solid for which $0 \leq z \leq 1$, $0 \leq y \leq z$, $0 \leq x \leq y$.




$$E = \{(x, y, z) \mid (x, y) \in D, \ u_1(x, y) \leq z \leq u_2(x, y)\}$$

$$\iiint_E f(x, y, z) \, dV = \iint_D \left[\int_{u_1(x, y)}^{u_2(x, y)} f(x, y, z) \, dz \right] dA$$

Example 2 (Triple Integral in Rectangular Coordinates, General Solids)

Evaluate $\int \int \int_E z \, dV$, where E is the solid tetrahedron bounded by the four planes $x = 0$, $y = 0$, $z = 0$, and $x + y + z = 1$.




$$E = \{(x, y, z) \mid (y, z) \in D, \ u_1(y, z) \leq x \leq u_2(y, z)\}$$

$$\iiint_E f(x, y, z) \, dV = \iint_D \left[\int_{u_1(y, z)}^{u_2(y, z)} f(x, y, z) \, dx \right] dA$$

Example 3 (Triple Integral in Rectangular Coordinates, General Solids)

Set up the triple integral to find the mass of the tetrahedron with vertices $(0, 0, 0)$, $(1, 1, 0)$, $(1, 0, 0)$, and $(1, 0, 1)$ with the density function $\rho(x, y, z) = yx$.



$$E = \{(x, y, z) \mid (x, z) \in D, \ u_1(x, z) \leq y \leq u_2(x, z)\}$$

$$\iiint_E f(x, y, z) \, dV = \iint_D \left[\int_{u_1(x, z)}^{u_2(x, z)} f(x, y, z) \, dy \right] dA$$

Example 4 (Triple Integral in Rectangular Coordinates, General Solids)

Evaluate $\int \int \int_E \sqrt{x^2 + z^2} \, dV$, where E is the region bounded by the paraboloid $y = x^2 + z^2$ and the plane $y = 4$.

Example 5 (Triple Integral in Cylindrical Coordinates)

Evaluate $\int \int \int_E x^2 + y^2 \, dV$, where $E = \{(x, y, z) \mid -2 \leq x \leq 2, -\sqrt{4-x^2} \leq y \leq \sqrt{4-x^2}, \sqrt{x^2+y^2} \leq z \leq 2\}$.

Equations Relating Rectangular (x, y, z) and Cylindrical (r, θ, z) Coordinates

$$\begin{aligned}x &= r \cos \theta, & y &= r \sin \theta, & z &= z, \\r^2 &= x^2 + y^2, & \tan \theta &= y/x\end{aligned}$$

Example 6 (Triple Integral in Spherical Coordinates)

Use spherical coordinates to evaluate $\int \int \int_E \frac{e^{-(x^2+y^2+z^2)}}{\sqrt{x^2+y^2+z^2}} dV$, where E is the hemisphere bounded by $z = \sqrt{9 - x^2 - y^2}$ and $z = 0$.

Equations Relating Spherical Coordinates to Cartesian and Cylindrical Coordinates

$$\begin{aligned} r &= \rho \sin \phi, & x &= r \cos \theta = \rho \sin \phi \cos \theta, \\ z &= \rho \cos \phi, & y &= r \sin \theta = \rho \sin \phi \sin \theta, \\ \rho &= \sqrt{x^2 + y^2 + z^2} = \sqrt{r^2 + z^2}. \end{aligned} \tag{1}$$

