


# MA 3231 Assignment 1

1. Let  $x_1$  be the number of tons of bands and  $x_2$  the number of tons of coil. Let  $z$  be profit in dollars.

maximize     $z = 25x_1 + 30x_2$   
 subject to     $\frac{1}{200}x_1 + \frac{1}{140}x_2 \leq 40$   
 $x_1 \leq 6000$   
 $x_2 \leq 4000$   
 $x_1, x_2 \geq 0$



Notice:

$x_1$  yields  $25 \cdot 200 = \$5000/\text{hr}$  profit  
 $x_2$  yields  $30 \cdot 1500 = \$4500/\text{hr}$  profit  
 Exhaust  $x_1$  production first and then switch to  $x_2$ .

$$\therefore (x_1, x_2) = (6000, 1400)$$

$$z = \$192,000$$

$$z(6000, 0) = 150,000$$


$$z(0, 4000) = 120,000$$

$$z(6000, 1400) = 195,000$$

$$z(16000/7, 4000) \approx 125,714$$

By checking  $z$  at the corners confirms  $z$  is maximized in the feasible region by  $x_1 = 6000$ ,  $x_2 = 1400$  with a maximum value of  $\$192,000$ .

2. Zet  $x_1$ : Ithaca - Newark, Y class  
 $x_2$ : ' , B class  
 $x_3$ : ' , C class  
 $x_4$ : Newark - Boston, Y class  
 $x_5$ : ' , B class  
 $x_6$ : ' , C class  
 $x_7$ : Ithaca - Boston, Y class  
 $x_8$ : ' , B class  
 $x_9$ : ' , C class  
 $Z$ : ticket revenue (\$)



maximize  $Z = 300x_1 + 200x_2 + 100x_3 + 160x_4 + 130x_5 + 80x_6$   
 $+ 360x_7 + 280x_8 + 140x_9$

subject to  $x_1 \leq 4, x_2 \leq 8, x_3 \leq 22,$   
 $x_4 \leq 8, x_5 \leq 13, x_6 \leq 20,$   
 $x_7 \leq 3, x_8 \leq 10, x_9 \leq 18,$   
 $x_1 + x_2 + x_3 + x_7 + x_8 + x_9 \leq 30,$   
 $x_7 + x_8 + x_9 + x_4 + x_5 + x_6 \leq 30,$   
 $x_i \geq 0 \text{ for } i = 1, 2, \dots, 9$

3. minimize  $Z = x_1 - 2x_2 - 3x_3$

subject to  $x_1 + 2x_2 + x_3 \leq 14$

$$x_1 + 2x_2 + 4x_3 \geq 12$$

$$x_1 - x_2 + x_3 = 2$$

$$x_3 \geq 3$$

$$x_1, x_2, x_3 \geq 0$$

To convert the equality constraint  $x_1 - x_2 + x_3 = 2$  to an inequality constraint redefine  $x_3 - x_4 := x_3$ ,  $x_3 \geq 0$ ,  $x_4 \geq 0$ . Then,  
 $x_1 - x_2 + x_3 - x_4 \leq 2$   
 $x_1 - x_2 + x_3 - x_4 \geq 2$   
Negate the second inequality.

Standard Form:

maximize  $Z = -x_1 + 2x_2 + 3x_3 - 3x_4$

subject to  $x_1 + 2x_2 + x_3 - x_4 \leq 14$

$$-x_1 - 2x_2 - 4x_3 + 4x_4 \leq -12$$

$$x_1 - x_2 + x_3 - x_4 \leq 2$$

$$-x_1 + x_2 - x_3 + x_4 \leq -2$$

$$-x_3 + x_4 \leq -3$$

$$x_1, x_2, x_3, x_4 \geq 0$$

## Standard Form (Alternative)

Maximize  $\bar{z} = -x_1 + 2x_2 + 3x_3$


subject to  $x_1 + 2x_2 + x_3 \leq 14$   
 $-x_1 - 2x_2 - 4x_3 \leq -12$   
 $x_1 - x_2 + x_3 \leq 2$   
 $-x_1 + x_2 - x_3 \leq -2$   
 $-x_3 \leq -3$   
 $x_1, x_2, x_3 \geq 0$

4. maximize  $Z = 2x_1 + 3x_2$


subject to

$$\begin{aligned}x_1 + 3x_2 &\leq 4 \\2x_1 + 2x_2 &\leq 2 \\3x_1 + 3x_2 &\leq 2 \\2x_1 + x_2 &\leq 3 \\x_1, x_2 &\geq 0\end{aligned}$$

feasible region



$Z$  is maximized in the feasible region by  
 $x_1 = 0, x_2 = 2/3$  and  
 $Z(0, 2/3) = 2$



5. Maximize  $Z = 5x_1 + 3x_2 + 2x_3$

Subject to  $4x_1 + 5x_2 + 2x_3 + x_4 + x_5 = 20$   
 $3x_1 + 4x_2 - x_3 + x_4 + x_6 = 30$   
 $x_1, x_2, x_3, x_4, x_5, x_6 \geq 0$

Start with the initial feasible solution  $x = (0, 0, 0, 0, 20, 30)$  and try  $x_1$  as the entering variable.

$$x_5 = 20 - 4x_1$$

$$4 \cdot 4 + 2 \cdot 2$$

$$x_6 = 30 - 3x_1$$

$$5 \cdot 4 =$$

$$Z = 5x_1$$


Set  $x_1 = 20/4 = 5$  as  $x_5$  leaves,  $x = (5, 0, 0, 0, 0, 15)$ ,  $Z = 25$ .  
Using  $x_1 = (20 - 5x_2 - 2x_3 - x_4 - x_5)/4$ ,

$$Z = 25 - \frac{13}{4}x_2 - \frac{1}{2}x_3 - \frac{5}{2}x_4 - \frac{5}{4}x_5$$

Since all coefficients are negative,  $x_1 = 5, x_2 = x_3 = x_4 = 0$  is the optimal solution and  $Z = 25$ .

6. Maximize  $Z = 7x_1 + 8x_2$

Subject to  $4x_1 + x_2 \leq 100$   
 $x_1 + x_2 \leq 80$   
 $x_1 \leq 40$   
 $x_1, x_2 \geq 0$



Let  $x_3, x_4, x_5 \geq 0$  such that

$$4x_1 + x_2 + x_3 = 100$$

$$x_1 + x_2 + x_4 = 80$$

$$x_1 + x_5 = 40$$

Then  $x_4$  leaves and  
 $x = (0, 80, 20, 0, 40)$ ,  $Z = 640$ .

Using  $x_2 = 80 - x_1 - x_4 = 80 - x_1$ ,

Start at  $x = (0, 0, 100, 80, 40)$ ,  $Z = 0$ .

Enter  $x_2$ :

$$x_3 = 100 - x_2$$

$$x_4 = 80 - x_2$$

$$x_5 = 40$$

Increasing  $x_1$  decreases  $Z$ .  
Conclude  $x_1 = 0, x_2 = 80$  is  
optimal with  $Z = 640$ .

$$Z = 7x_1 + 640 - 8x_1 = 640 - x_1$$