

1 Supplementary Material




Figure 1: Estimated trait values for seed mass (a-c) and LNC (d-f) traits, correlated against species level cue responses to forcing (a & d), chilling (b & e), and photoperiod cues (c & f). Parameters were estimated using our joint trait-phenology model, with the grey line depicting the mean linear relationship between estimated trait effects and the slope of the cue response. The pink shading represents the distribution of the posterior estimates. Our model of seed mass estimated a negative correlation between height values and the response to forcing, chilling, and photoperiod cue responses (a - c). The estimated LNC values positively correlating with the response in forcing, chilling, and photoperiod (d - f). The species used in our illustrative examples in S?? are highlighted in each panel, with the relative small seeded species, *Populus tremula* shown in green, and the large seeded species, *Aesculus hippocastanum* shown in purple in panels a to c. In panels d to f, the species with low LNC, *Alnus glutinosa* is shown in green, and the species with high LNC, *Quercus ilex* shown in purple.

Table 1: Summary of dataset

traitname	unitname	no.obs	no.spp	database	datasetid	reference
Height	m	26	8	bien	10_bien	http://datadryad.org/resource/doi:10.50
Height	m	2	2	bien	12_bien	http://datadryad.org/resource/doi:10.50
Height	m	27	19	bien	14_bien	http://datadryad.org/resource/doi:10.50
Height	m	18	16	bien	18_bien	
Height	m	90	19	bien	20_bien	http://www.leda-traitbase.org/LEDApo
Height	m	10	10	bien	21_bien	
Height	m	21	14	bien	22_bien	Moles, Angela
Height	m	47036	19	bien	24_bien	Reams, Greg
Height	m	5	5	bien	25_bien	Grime, Hodgson, & Hunt
Height	m	8	5	bien	26_bien	
Height	m	18	1	bien	3_bien	http://datadryad.org/resource/doi:10.50
Height	m	120	1	bien	5_bien	http://datadryad.org/resource/doi:10.50
Height	m	20	1	bien	7_bien	http://datadryad.org/resource/doi:10.50
Height	m	2	1	try	156_try	Bond-Lamberty et al. (2002)
Height	m	275	3	try	186_try	unpub.
Height	m	28	19	try	20_try	Wright et al. (2004)
Height	m	2	2	try	236_try	Prentice et al. (2011)
Height	m	21	21	try	251_try	Schweingruber & Landolt (2005)
Height	m	35	2	try	275_try	unpub.
Height	m	5	5	try	28_try	Moles et al. (2004)
Height	m	1	1	try	54_try	Cavender-Bares et al. (2006)
Height	m	11	10	try	86_try	Diaz et al. (2004)
LNC	mg/g	287	12	try	130_try	Craine et al. (2009)
LNC	mg/g	44	2	try	154_try	Wilson et al. (2000)
LNC	mg/g	7	4	try	180_try	Wenxuan et al. (2012)
LNC	mg/g	7	3	try	181_try	Yahan et al. (2011)
LNC	mg/g	65	32	try	20_try	Wright et al. (2004)
LNC	mg/g	3	2	try	236_try	Prentice et al. (2011)
LNC	mg/g	120	20	try	240_try	Vergutz et al. 2012
LNC	mg/g	24	8	try	286_try	Atkin et al. (2015)
LNC	mg/g	72	22	try	342_try	Maire et al. (2015)
LNC	mg/g	2	1	try	37_try	Cornelissen et al. (2003)
LNC	mg/g	3216	37	try	412_try	unpub.
LNC	mg/g	6	2	try	443_try	Wang et al. 2017
Seed mass	mg	3	3	bien	12_bien	http://datadryad.org/resource/doi:10.50
Seed mass	mg	4	2	bien	17_bien	http://ucjeps.berkeley.edu/EFT.html
Seed mass	mg	250	37	bien	19_bien	http://www.kew.org/data/sid
Seed mass	mg	12	12	bien	2_bien	http://datadryad.org/resource/doi:10.50
Seed mass	mg	12	7	bien	9_bien	http://datadryad.org/resource/doi:10.50
SLA	mm ² mg-l	44	2	try	154_try	Wilson et al. (2000)
SLA	mm ² mg-l	204	3	try	186_try	unpub.
SLA	mm ² mg-l	93	33	try	20_try	Wright et al. (2004)
SLA	mm ² mg-l	2	2	try	236_try	Prentice et al. (2011)
SLA	mm ² mg-l	102	18	try	25_try	Kleyer et al. (2008)
SLA	mm ² mg-l	83	2	try	275_try	unpub.
SLA	mm ² mg-l	40	2 11	try	286_try	Atkin et al. (2015)
SLA	mm ² mg-l	86	23	try	342_try	Maire et al. (2015)
SLA	mm ² mg-l	615	14	try	37_try	Cornelissen et al. (2003)
SLA	mm ² mg-l	6307	37	try	412_try	unpub.
SLA	mm ² mg-l	6	2	try	443_try	Wang et al. 2017
SLA	mm ² mg-l	20	2	try	50_try	Shipley et al. (2002)
SLA	mm ² mg-l	42	2	try	54_try	Cavender-Bares et al. (2006)
SLA	mm ² mg-l	1	1	try	65_try	unpub.




Figure 2: Comparisons of estimated cue responses of a species with an trait value associated with acquisitive growth strategies, shown in green, or conservative growth strategies, shown in purple. Associations between seed mass and forcing, chilling, and photoperiod are depicted on panels a to c and associations between LNC and each cue in panel d to f. The green points represent the budburst data for *Populus tremula*, a relatively small seeded species, while the green points are budburst data of the large seeded species, *Aesculus hippocastanum*. Dark bands represent the 50% credible interval for the posterior cue estimates for the full model. Opaque bands represent the 50% credible interval for the posterior cue estimates with a trait effect of zero. The negative value of the seed mass model's slope for each cue produces a more negative effect on the day of budburst when seed mass is included in the model. This suggests that trees that produce large seeds advance their budburst dates at a higher rate to increasing cues (a-c). The effect of seed mass however, is relatively small compared to that observed from other traits. Estimates of the cue responses in our LNC model were all positive and produced more positive slopes in the full model. This indicates that high SLA values are less responsive in their budburst to increasing forcing, chilling, and photoperiod values (d to f). The greater effect of slopes on taller trees and high SLA species is an artifact of the trait value itself being larger and not a reflection on the magnitude of the response.

Table 2: Height model estimates

Variable	mean	sd	X2.5.	X50.	X97.5.	Rhat
mu_grand	12.62	1.83	8.95	12.63	16.21	1.00
muPhenoSp	32.13	2.69	26.94	32.12	37.43	1.00
muForceSp	-10.81	2.81	-16.34	-10.77	-5.33	1.00
muChillSp	-4.42	4.05	-12.71	-4.35	3.34	1.00
muPhotoSp	1.44	2.23	-2.98	1.44	5.77	1.00
betaTraitxForce	0.18	0.19	-0.21	0.18	0.56	1.00
betaTraitxChill	-0.51	0.28	-1.04	-0.52	0.06	1.00
betaTraitxPhoto	-0.30	0.16	-0.62	-0.30	0.02	1.00
sigma_sp	5.91	0.76	4.61	5.84	7.58	1.00
sigma_study	7.51	1.20	5.49	7.38	10.24	1.00
sigma_traity	5.39	0.02	5.36	5.39	5.43	1.00
sigmaPhenoSp	15.17	2.07	11.23	15.11	19.42	1.00
sigmaForceSp	4.95	1.18	2.99	4.84	7.56	1.00
sigmaChillSp	8.63	2.19	5.25	8.33	13.72	1.00
sigmaPhotoSp	3.45	0.93	1.87	3.36	5.51	1.00
sigmapheno_y	14.22	0.25	13.74	14.22	14.72	1.00

Table 3: SLA model estimates

Variable	mean	sd	X2.5.	X50.	X97.5.	Rhat
mu_grand	16.54	1.57	13.51	16.53	19.54	1.01
muPhenoSp	31.39	2.51	26.51	31.35	36.45	1.00
muForceSp	-10.95	2.67	-16.44	-10.89	-5.87	1.01
muChillSp	-16.49	4.62	-26.03	-16.33	-7.86	1.01
muPhotoSp	0.97	2.56	-4.29	1.02	5.74	1.02
betaTraitxForce	0.15	0.15	-0.13	0.15	0.45	1.01
betaTraitxChill	0.34	0.25	-0.12	0.33	0.84	1.01
betaTraitxPhoto	-0.19	0.14	-0.47	-0.19	0.10	1.02
sigma_sp	7.78	0.97	6.12	7.70	9.89	1.00
sigma_study	3.27	0.96	1.82	3.12	5.49	1.00
sigma_traity	6.17	0.05	6.07	6.16	6.26	1.00
sigmaPhenoSp	13.96	2.10	10.03	13.91	18.20	1.00
sigmaForceSp	4.91	1.13	3.07	4.79	7.43	1.00
sigmaChillSp	10.48	2.29	6.60	10.28	15.35	1.00
sigmaPhotoSp	3.72	0.89	2.24	3.64	5.75	1.00
sigmapheno_y	14.21	0.26	13.71	14.21	14.72	1.00

Table 4: Seed mass model estimates

Variable	mean	sd	X2.5.	X50.	X97.5.	Rhat
mu_grand	1.84	0.48	0.90	1.84	2.77	1.00
muPhenoSp	31.43	2.70	26.33	31.40	36.84	1.00
muForceSp	-8.04	1.57	-11.19	-8.03	-4.98	1.00
muChillSp	-9.36	2.79	-15.05	-9.28	-4.02	1.00
muPhotoSp	-1.44	1.27	-3.90	-1.47	1.06	1.00
betaTraitxForce	-0.29	0.67	-1.58	-0.29	1.03	1.00
betaTraitxChill	-1.08	1.09	-3.20	-1.09	1.07	1.00
betaTraitxPhoto	-0.59	0.58	-1.74	-0.59	0.54	1.00
sigma_sp	1.62	0.19	1.30	1.60	2.03	1.00
sigma_study	0.97	0.10	0.77	0.97	1.16	1.00
sigma_traity	0.25	0.01	0.23	0.25	0.27	1.00
sigmaPhenoSp	14.93	2.29	10.62	14.89	19.61	1.00
sigmaForceSp	4.92	0.99	3.18	4.85	7.06	1.00
sigmaChillSp	10.65	2.53	6.44	10.37	16.20	1.00
sigmaPhotoSp	3.76	0.91	2.23	3.67	5.80	1.00
sigmapheno_y	14.16	0.25	13.69	14.15	14.64	1.00

Table 5: LNC model estimates

Variable	mean	sd	X2.5.	X50.	X97.5.	Rhat
mu_grand	22.65	1.41	19.90	22.65	25.44	1.00
muPhenoSp	31.21	2.51	26.35	31.15	36.32	1.00
muForceSp	-19.42	5.45	-30.39	-19.50	-8.61	1.01
muChillSp	-26.48	7.09	-40.56	-26.52	-12.15	1.00
muPhotoSp	-10.07	4.89	-19.99	-10.02	-0.60	1.01
betaTraitxForce	0.48	0.23	0.02	0.48	0.95	1.01
betaTraitxChill	0.70	0.30	0.09	0.70	1.30	1.00
betaTraitxPhoto	0.33	0.20	-0.06	0.33	0.73	1.01
sigma_sp	5.12	0.61	4.05	5.07	6.44	1.00
sigma_study	3.54	0.97	2.07	3.40	5.78	1.00
sigma_traity	5.13	0.06	5.02	5.13	5.25	1.00
sigmaPhenoSp	14.07	1.96	10.46	13.96	18.13	1.00
sigmaForceSp	4.51	1.03	2.70	4.42	6.76	1.00
sigmaChillSp	8.92	2.02	5.73	8.63	13.60	1.00
sigmaPhotoSp	3.85	0.88	2.37	3.77	5.80	1.00
sigmapheno_y	14.22	0.26	13.73	14.21	14.73	1.00