Stitch Language Final Report

Daniel Cole (System Architect), Megan Skrypek (Tester), Rashedul Haydar (Manager), Tim Waterman (Language Guru) dhc2131, ms4985, rh2712, tbw2105

December 22, 2015

Introduction

Most "modern" programming languages trace their origins back decades to before the advent of cheap, general purpose multicore CPUs. They were designed for a distinctly mono-threaded environment. While libraries and enhancements to mainstay languages such as C/C++ and Java have added multithreading capabilities, it remains in many ways bolted on kludge. While newer frameworks such as Node.js provide more integrated support for asynchronous operations, they lack the depth of support and power of a fully compiled language. With Stitch, we aim to build a language that has the power and flexibility of a fully compiled C style language, while having native threading support for modern multithreaded applications. Our goal was to create a translator from Stitch to C.

Stitch is inspired by C, which has a very well known syntax, and has been one of the most widely used languages since it was released over forty years ago. Stitch is a general purpose language that supports all standard mathematical and logical operations. Like C, Stitch is strongly typed, and whitespace does not matter. Stitch supports the standard C primitive types int, double, char.

Stitch is able to provide an easy to use, clear paradigm for multithreaded operations by strictly limiting when and how they can be invoked. This is done through the stitch loop. The body of this loop is automatically split into multiple threads, and the program will not continue until all threads have returned. Using a simple loop paradigm, similar to well known control structures like while and for loops, allows for an easy learning curve, and clear easy to read code. It also allows the complier to easily see what code needs to be run in a threaded manner, and to efficiently generate the threaded code.

The underlying method by which Stitch runs multithreaded code is C's pthread library. The Stitch complier will wrap the body of the stitch loop in a function. This function will be executed in parallel using pthreads. Variable scoping inside the threads is also handled by the complier. Each thread is passed a C struct that contains all non-local variables needed by the block of code that is being multithreaded. This prevents clobbering issues without needing to resort to mutex locks. The only exceptions to this rule are accumulators, which are very limited in scope, and arrays, which can be sliced and piecewise accessed by different threads concurrently.

Language Tutorial

Running The Stitch Compiler:

When inside the ocaml folder, type \$ make all in order to generate the stitch executable. Running \$./singer filename.stch from the home directory will output a C program called filename.stch.c which gets compiled in singer with the appropriate C libraries and runtime headers into an executable of the same file name. Singer needs to be in the home directory in order to access the compiler executable and runtime headers correctly, if it needs to be moved then those directory accesses need to be updated. The file being compiled by singer also needs to be in the home directory.

Hello World

This is the popular "hello world" program written in Stitch. As can be seen below, it's almost identical to how it would be written in C, except without the #include statement and the syntax of the print function.

```
1 int main()
2 {
3    print("hello world");
4    return 0;
5 }
```

Matrix multiplication

If you want to use the multithreaded feature of Stitch, then simply use the stitch loop. Matrix multiplication is shown using the stitch loop below.

```
1 int main() {
 2
 3
       int a[5][5] = \{ \{1, 2, 3, 4, 5\}, 

    \begin{cases}
      1, 2, 3, 4, 5 \\
      1, 2, 3, 4, 5 \\
      4, 5, 5
    \end{cases}

 4
 5
                  {1, 2, 3, 4, 5},
{1, 2, 3, 4, 5}};
 6
 7
 8
 9
       \mathbf{int} \ b[5][5] = \{ \{1, 1, 1, 1, 1\},\
10
                  \{2, 2, 2, 2, 2, 2\},\
                  \{3, 3, 3, 3, 3\},\
11
12
                  \{4, 4, 4, 4, 4, 4\},\
13
                  \{5, 5, 5, 5, 5\}\};
14
15
       int c[5][5];
16
17
       int i = 0;
       int j = 0;
18
19
       int k = 0;
20
21
       stitch i from 0 to 5 by 1: {
22
23
         for (j = 0; j < 5; j = j + 1) {
24
            for (k = 0; k < 5; k = k + 1) {
25
26
               c\,[\,i\,]\,[\,j\,] \,=\, c\,[\,i\,]\,[\,j\,] \,+\, a\,[\,i\,]\,[\,k\,] \,\,*\,\, b\,[\,k\,]\,[\,j\,]\,;
27
28
29
         }
      }
30
31
      for (j = 0; j < 5; j = j + 1) {
32
33
         for (k = 0; k < 5; k = k + 1) {
34
35
36
             print(c[j][k]);
37
         }
38
39
40
41
       return 0;
42 }
```

Language Reference Manual



Project Plan

Planning

We arranged weekly meetings with our language advisor Professor Edwards to discuss progress and issues that we countered. The immediate feedbacks we received from him were extremely helpful in the development of the language, especially when we were heading in the wrong directions. We had weekly meetings as well where all of us got together and worked on the project. During the meetings we split up the work, often two people working together on the same thing. Initially this worked really well since all of us were new with OCaml.

Style Guide

While programming our compiler we tried to follow these general guidelines:

- Ocaml style guidelines, such as indentation and formatting
- Tried to keep lines limited to 80 characters, if this wasn?t possible due to unreadability, then we used 120 characters as the hard limit.
- Unlike Ocaml, we named variables in all lowercase and used underscores as a delimiter
- Used 4-space indentation for each program

Project Timeline

September 30 Proposal submitted

October 26 LRM submitted, scanner and parser with 1 shift/reduce error

November 16 Working scanner, parser, ast without arrays/stitch loops,

'Hello, Word' works

November 30 Finished semantic analyzer and cast

December 8 Finished c code generator with arrays added

December 14 Stitch loops working

December 21 Final Presentation

December 22 Code cleanup and Final Report submitted

Team Roles and Responsibilities

Rashedul Haydar - Manager

Tim Waterman - Language Guru Dan Cole - System Architect

Megan Skrypek - Tester

While we had assigned roles, the responsibilities became much more fluid as the project progressed. During the initial planning phase we all discussed the structure and components of the language. In the final stages of the project, Dan and Tim worked on the semantic analyzer and the C generator components, while Megan and Rashedul worked on the tests used for the test suite and finalizing the LRM and the final report. After the initial, non-semantic 'Hello World', Dan wrote most of the semantic analyzer. Dan did most of the initial work on the C Generator, drawing from the work done of the pretty printer. Tim added pretty much everything having to do with arrays, Dan took care of built in functions, as well as the initial stitch loop generation. Tim did most of the pthread code generation, with Dan helping a bit with the architecture of collecting and storing the stitch local variables.

Software Development Environment

- Version Control
 - Git
- Languages
 - OCaml (4.02.3) for parser, scanner, ast, semantic analysis
 - GCC for compiling generated C code
 - bash for test suite and singer
 - Python (2.7.5) for image curve generator
 - LATEX for reports and documentation
- \bullet Text Editors
 - VIM
 - Sublime

Project Log

```
commit 14fcbbf36913eeba32454705951f590629df1ae1
Merge: f86f952 cd73bf1
Author: Daniel Cole <takeitfromthedan@gmail.com>
       Mon Dec 21 12:27:34 2015 -0500
    Merge branch 'master' of https://github.com/danhcole/4115
   _lang
commit f86f952f4ed913c92bc2b3d96d028ec7d1b554e7
Author: Daniel Cole <takeitfromthedan@gmail.com>
       Mon Dec 21 12:27:29 2015 -0500
    updated demo and presentation
commit cd73bf1546f50a0d761cd73c237e5adc6cd58935
Author: Tim Waterman < watermantium@gmail.com>
       Mon Dec 21 12:14:34 2015 -0500
Date:
    Getting everything up pre-demo
commit 7726285bd6845f42de94c180d981660829932ac7
Author: Daniel Cole <takeitfromthedan@gmail.com>
Date:
       Mon Dec 21 12:11:17 2015 -0500
    updated presentation and demo
commit 219855f53fdf111f06eb251c678126fe991525fe
Author: Daniel Cole <takeitfromthedan@gmail.com>
Date:
       Mon Dec 21 12:08:27 2015 -0500
    updated presntation
commit e34dfe37af0d6b8e38d138b08e95f0495c3ced2f
Author: Rashedul Haydar <rh2712@columbia.edu>
Date: Mon Dec 21 11:09:20 2015 -0500
    generated C for matrix multiplication added
```

commit e28346bb1af89c7959e2ea6309c3d4922651b9fc Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Mon Dec 21 10:56:32 2015 -0500

added matrix multiplication code

commit 6b9558e962acaa2f7a2ceb2dc585a72fce937bcb Author: Tim Waterman <watermantium@gmail.com>

Date: Mon Dec 21 02:13:42 2015 -0500

Got demo to work with no C code cheats

commit 833ab002702eb5b56b652087165fb424dbae01cb Author: Tim Waterman <watermantium@gmail.com>

Date: Mon Dec 21 01:27:49 2015 -0500

Starting testing with + accumulators

commit b8434f0eb623b9ffee29834955d6df9bd966c057 Author: Tim Waterman <watermantium@gmail.com>

Date: Mon Dec 21 00:14:15 2015 -0500

Stitch loop scoping issues worked out

commit 5c465f254dd3266f7dbe482ae6c451ccc9524c67 Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Dec 20 23:57:31 2015 -0500

Made a better matrix mult test; updated sems

commit 6d19c76c540b35ba8814c9f3b703fa7d1d21a485 Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Dec 20 21:50:28 2015 -0500

Added matmult output

commit 55d411d2608ceb6180e82de2e2401e7c34a48a90 Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Dec 20 21:48:56 2015 -0500

Matrix multiplication test working

commit 7bd1175b3e6aa95bc47918a6811abbdea525ce94 Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Dec 20 21:34:36 2015 -0500

Working on scoping issues

commit b1ba4625bbd4613eefc6ed4871e364a22cf7e29c

Merge: a978103 5a49906

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 20:35:05 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit a9781034f1f1dd44de3ac97fe08fcf570818e847 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 20:35:00 2015 -0500

added open_r and open_w

commit 5a49906dd846b14931a3e2c4aef86a73a58b0590 Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Dec 20 20:32:14 2015 -0500

Finished matrix init -> stitch

 $commit \ c909820ba855fce2ca8a62a94dd186aa51d80197$

Merge: 62cbf0a eca869c

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 20:19:10 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit eca869cb0f88e9615b4e4cdad106c259a07fd181 Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Dec 20 20:19:04 2015 -0500

Fixed 1D array init passing

commit 62cbf0a8d1c68cbbd8a7c67a1ce79ce00330a8c1 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 20:19:02 2015 -0500

minor fix

 $commit \ 6455582 \, db \, 726 \, d6 \, f5 \, dd \, 7e2 \, dc \, 7d \, f0 \, a96 \, c0031 \, e9b \, 53$

Merge: 3d2ceff c16ede4

Author: Tim Waterman < watermantium@gmail.com>

Date: Sun Dec 20 19:57:53 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

 $\begin{array}{lll} commit & 3\,d\,2ceffe122c54c3b87f5d878060b7644319a2cb\\ Author: & Tim\ Waterman\ <\!watermantium@gmail.com\!> \end{array}$

Date: Sun Dec 20 19:57:51 2015 -0500

Finished stch_stmt checking

 $\begin{array}{lll} commit & c16ede42f887a33020826c38f19451e1a7a8e96c \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Sun Dec 20 19:56:27 2015 -0500

fixed paren issues

commit 1d273b474db7be10ec9c9ec3095e752ab28149a3

Merge: 4c6e669 8bd704e

Author: Tim Waterman < watermantium@gmail.com>

Date: Sun Dec 20 19:50:10 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit 4c6e669fa31ea9667d8a96b9670393b6c4e63fed Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Dec 20 19:50:08 2015 -0500

Added some more generator testing

 $commit\ 8\,bd704ed2da598867247fe681028b4bc72469083$

Author: ms4985 <ms4985@columbia.edu> Date: Sun Dec 20 19:43:46 2015 -0500

removed func3

commit 39eafcbec26b5abdf473b24a59bc6f7e56ed34bc

Merge: 78c76df 03244dd

Author: ms4985 <ms4985@columbia.edu> Date: Sun Dec 20 19:42:43 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

 $commit \ 78\,c76\,dfd0801089\,d8f41\,cb25fb7708\,bd5d824ffb$

Merge: 38d630a d30b9bf

Author: ms4985 <ms4985@columbia.edu> Date: Sun Dec 20 19:42:36 2015 -0500

removed fib1

 $commit \ \ 03244\,dde 2357d2cf 0763b 0c 043d3ae 3f7d54e 9ec$

Merge: 02836f8 d30b9bf

Author: Tim Waterman < watermantium@gmail.com>

Date: Sun Dec 20 19:41:43 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

 $\begin{array}{lll} commit & 02836\,f8476fb79c41b6b85fba37f56e69919eae5 \\ Author: & Tim & Waterman < watermantium@gmail.com > \end{array}$

Date: Sun Dec 20 19:41:41 2015 -0500

Fixed array passing bug

commit 38d630a36e0cbbce22473bd3a30475b78f4e98c5

Author: ms4985 <ms4985@columbia.edu> Date: Sun Dec 20 19:41:21 2015 -0500

added tests

commit d30b9bf0e270d8143e2113eaefbd791ebbd8ef2c Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 19:39:52 2015 -0500

minor fix on 4

commit f515cf5f229418bef8d9530c1f65ef907ad88c38

Merge: 7fb08e9 200acf2

Author: Tim Waterman < watermantium@gmail.com>

Date: Sun Dec 20 19:27:28 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit 7fb08e934101b3837ee3d105ac06d42357ae54a9 Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Dec 20 19:27:18 2015 -0500

2D arrays are working

commit 200 acf257512624f312e6bd58b5b74ccf6a4d1ee

Merge: c36a877 aaae5ce

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 19:07:28 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115 $_{-lang}$

commit c36a8772a17c1a1774704f8b9b2aa472199d955a Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 19:07:21 2015 -0500

recursion wont work

 $\begin{array}{lll} commit & aaae5ce4829084dcf6751e96cfd8360031d7a5e2 \\ Author: & Rashedul & Haydar < rh2712@columbia.edu> \end{array}$

Date: Sun Dec 20 18:38:27 2015 -0500

added _ntests/array3.stch, array4.stch, and matrixinit2.stch

 $commit \ 9957 \, b7448 \, d9e6 fa 3427 \, d38785 ee8a 6a7 \, da5b 6634$

Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Sun Dec 20 17:47:41 2015 -0500

added _tests/fib1.stch

 $commit \ 9847733 \, e91 \, ccd9d62bd444f8085ba6821f5b057a$

Merge: 588cc44 515be64

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 17:43:42 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit 588cc44363e5e2809436a3b4baf4dfa90efe1f39 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 17:43:39 2015 -0500

fixed recursion

commit 515 be640f660365dd4ef70a62865a9f9bb9e7322 Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Dec 20 17:43:14 2015 -0500

Can print locals in stitch loops

 $commit \ 0 fcd 77 f0c 164 c463 a 99 f1 166662419 b 806 c35141$

Merge: 89b2f31 aceffe8

Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Sun Dec 20 17:36:47 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit 89b2f31208a2116d9b3af94c7da2537a77580f42 Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Sun Dec 20 17:36:34 2015 -0500

added _/tests/func4 and func5.stch

commit aceffe8260737f1a83e5ce8c40f0efda6fe3fbe1

Merge: 02d3734 3c88e1c

Author: Tim Waterman < watermantium@gmail.com>

Date: Sun Dec 20 17:34:58 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit 02d37343356e0b50624e7996a9b83e2d3d961eda Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Dec 20 17:34:51 2015 -0500

More code gen

commit 3c88e1c76fa14e81cc087364f249c83e50143ace

Author: ms4985 <ms4985@columbia.edu> Date: Sun Dec 20 17:34:19 2015 -0500

renamed gcd added stitch4 output txt

 $commit\ 8\,c3fbe3a7588c1715967ac2e278e3273988016f9$

Merge: 5f94a5a fa7c23e

Author: Tim Waterman < watermantium@gmail.com>

Date: Sun Dec 20 17:23:19 2015 -0500

Fixing the merge

 $\begin{array}{lll} commit & 5f94a5a12f071674e2943f908bbc0d6f2ef3cf55 \\ Author: & Tim & Waterman < watermantium@gmail.com > \end{array}$

Date: Sun Dec 20 17:21:18 2015 -0500

Stitch statement parsing overhaul

commit fa7c23ed6dbfc50cca96c6bc445591c2fd7d9f43 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 16:58:46 2015 -0500

fixed .gitignore; char can now cast to int

commit 2e19c6d01c184a93898a82205a152202a2018bdd

Author: ms4985 <ms4985@columbia.edu> Date: Sun Dec 20 16:55:05 2015 -0500

fixed escaped characters

commit 50a5d3ee12a1a96f4d5db00ea87fa9e26017f428 Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Sun Dec 20 16:49:34 2015 -0500

updated all tests to have correct return statements

 $commit \ \ 0354 \, d0 \, c3 \, b716 \, d48 \, a1 \, d5 \, d6 \, ee \, a3 \, f619 \, d12 \, e726 \, c6 \, ea$

Merge: 7413e98 3fe7525

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 16:33:15 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit 7413e982270eb9db48be5ca875d06a15445df65b Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 16:32:57 2015 -0500

check for return on non-void function

 $\begin{array}{ll} commit & 3 \\ fe7525 \\ d89 \\ f8244769 \\ ddcc90 \\ b9679 \\ dc962286068 \\ Author: & Rashedul & Haydar \\ < \\ rh2712 \\ @columbia.edu > \\ \end{array}$

Date: Sun Dec 20 16:01:57 2015 -0500

added _ntests/vardecl1.stch, cant identifier starting with _ or a number

commit 1446057a4c0c33c04434dd7ca02b9257908a0a92

Merge: 29c3e59 1895079

Author: Tim Waterman < watermantium@gmail.com>

Date: Sun Dec 20 15:33:05 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit 29c3e594d2e8672ea9c39be374bb5732efdd314b Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Dec 20 15:32:59 2015 -0500

Fixed issue with var being removed too late from stitch

commit 1895079fa4b0a460c0d2166d24d01f3984784322 Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Sun Dec 20 15:25:49 2015 -0500

added _tests/for1.stch

commit 350b17670a0b795902fc008094bc429d8aadf3b3

Merge: c79809b 1c46608

Author: Tim Waterman < watermantium@gmail.com>

Date: Sun Dec 20 15:15:51 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

 $\begin{array}{lll} commit & c79809b7070dc507bd5c00756504e8cddcf12562 \\ Author: & Tim & Waterman < watermantium@gmail.com > \end{array}$

Date: Sun Dec 20 15:15:46 2015 -0500

Adding gen stuff

commit 1c46608678604b7a6c09626205e00d62ee22f28c Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 15:05:06 2015 -0500

fixed function ordering problem

commit ccae33c4a21f924abac64ed695b8e6298581147f Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Dec 20 14:59:01 2015 -0500

Working on stitch loop verification

commit c447d69eb709f5becdfff2f0d500e609603df306 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 14:39:08 2015 -0500

updated presentation and demo

commit 492a1ce0c48c369b9681892acd891d6bb950395e

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 13:56:02 2015 -0500

added presentation pdf

commit 655acdd240fe5ef42ebb6b6f3859f9f9807d0b6a Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 13:55:24 2015 -0500

updated file 2 test

 $commit \ \ 3954666f247f91a72988b0b63b457b63a66dbce9$

Merge: 6a93ff4 2a5a23a

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 20 13:54:58 2015 -0500

merge conflict

 $\begin{array}{lll} commit & 6\,a93ff45d27458df206a0dea2cb3cbfe64a61820 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Sun Dec 20 13:53:42 2015 -0500

updated presnetation, file tests

commit 2a5a23a7d8781a1aced8576bfac4da22477cfae0

Author: ms4985 <ms4985@columbia.edu> Date: Sun Dec 20 02:18:58 2015 -0500

added more tests

commit 0d603b1e8406269ede1fc9a6ea4d6b714a4fa53d Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sat Dec 19 23:06:32 2015 -0500

file IO works

commit 2557e441e0b3a4cc0c92b1d6a08ca9cadfb19c8a Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Sat Dec 19 21:26:09 2015 -0500

added _ntests/arith3.stch, checks that you cant add chars to

ints. Added $_$ ntests/func2.stch, funcs w/o return type cause error.

 $\begin{array}{ll} commit & 0\,cd0268a41ddbcc67a8f5bb21ffc17ef5f168fc3 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Sat Dec 19 19:14:51 2015 -0500

updated gitignore

 $commit \ e2b2651405022319038790b7ad8ef7e4fa22db72$

Merge: 58aa1b4 443c22f

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sat Dec 19 19:13:18 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit 58aa1b46b935835ab04af99604a6dc27c602fe35 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sat Dec 19 19:13:15 2015 -0500

added FILE type

commit 443c22fd1528c3b2999c3d0a55d94f12f474443d Author: Tim Waterman <watermantium@gmail.com> Date: Sat Dec 19 19:08:05 2015 -0500

More things now get screened before the struct

 $commit \ aae 955 dc 54 a 062 02 de 85586 105 c8 ec 2938 e 24 a 8 e$

Merge: eff5c5e d82e06d

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sat Dec 19 18:43:23 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

 $\begin{array}{lll} commit & eff5c5ea368de4d4899219c3aa1b13a52c74bb02 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Sat Dec 19 18:43:05 2015 -0500

added 2nd image for presentation, added new if test

commit d82e06d6b78ffba3105b7e9d97e94d9b18eb5e48 Author: Tim Waterman <watermantium@gmail.com>

Date: Sat Dec 19 18:42:36 2015 -0500

Local stitch variables should not be put inside the struct now

commit 97eb3628befb3c8785eaf214599c6554fec22d84 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sat Dec 19 18:14:55 2015 -0500

added presentation files

commit 067fe06aebdbd31d572c7e9a9471a21dfe4b2c91 Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Sat Dec 19 17:21:07 2015 -0500

no more CONST and NULLin our language, also added global variable negative test

 $\begin{array}{ll} commit & 66\,b262cfb5e01506bc9a449168e25e623b254d75 \\ Author: & Rashedul & Haydar < rh2712@columbia.edu> \end{array}$

Date: Sat Dec 19 16:39:59 2015 -0500

break works, tested in _tests/break1.stch

 $\begin{array}{lll} commit & 3736\,ed\,bef0\,dc\,5ff3\,df0\,6\,cf3\,93\,1f1\,7a\,9ee\,6\,30\,5\,6f0\\ Author: & Tim\ Waterman\ <\!watermantium@gmail.com\!> \end{array}$

Date: Sat Dec 19 16:08:16 2015 -0500

Closer to getting array passing

commit 8f9e8967ffe7a06afa88f83b89ca0d90453f793a Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sat Dec 19 15:50:30 2015 -0500

fixed unmatched accumulator tokens

commit 83bd3d36ae7130ec9160026054692aea835c8c2f

Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Sat Dec 19 15:49:03 2015 -0500

added mod operator to ops1.stch, checked logical operators in ops2.stch

commit 32662a7565735324058e8c84c7b2ed6405d0d3df

Merge: a5c3d93 7280502

Author: Tim Waterman < watermantium@gmail.com>

Date: Sat Dec 19 15:31:00 2015 -0500

Merging changes

commit a5c3d9353644b6884ab83be67ab67a370004ff81 Author: Tim Waterman < watermantium@gmail.com>

Date: Sat Dec 19 15:30:51 2015 -0500

Arrays are passing through

commit 7280502f0656cc75d20a6793279e7ff3e722897b

Merge: 40f096c a51ed05

Author: ms4985 <ms4985@columbia.edu> Date: Sat Dec 19 15:24:34 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115 $_{-lang}$

commit 40f096ce70eae7a48b09365befa0659c2d428d65

Author: ms4985 <ms4985@columbia.edu> Date: Sat Dec 19 15:24:24 2015 -0500

added negative print test

 $\begin{array}{ll} commit & a51ed052e8f8ddc8c70f0c7523e9e0464d4727c5 \\ Author: & Rashedul & Haydar < rh2712@columbia.edu> \end{array}$

Date: Sat Dec 19 15:21:23 2015 -0500

added _ntests/float1.stch, fails with multiple decimals in floating points

 $commit \ 60e63537836e38c965420a8279f50bfa699b3f80$

Author: Tim Waterman < watermantium@gmail.com>

Date: Sat Dec 19 14:22:24 2015 -0500

Passing arrays into multithreaded apps working 50%

commit dc56ccfb9de14951ef1a494f96db0088c21d75bf Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 18 18:24:25 2015 -0500

added accumulator types intap, intam floatap floatam

commit df57730b475a7471e135f494c4a9afd1cc3b8ec5 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 18 14:32:14 2015 -0500

fixed a testing issue

 $commit \ 11079547757834808d3e19b46d78deb6ae0b7877$

Merge: b738f24 9fcef18

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 18 13:44:47 2015 -0500

fixed merge conflict in stitch3-out.txt

commit b738f24919d8724e864fa1f58955760b32668df7 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 18 13:43:47 2015 -0500

potential merge conflict

commit 9fcef180124171ce21c9d27bf58f191538457163 Author: Tim Waterman <watermantium@gmail.com>

Date: Fri Dec 18 11:09:03 2015 -0500

Passing variables into stitch

commit 3d587d1264a84e7a586ce82829da6d95dcb2bad8 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 18 00:21:10 2015 -0500

fixed ordering on stitch2func matching

commit 96864c17443d2f972286b0a3724af83ffcd965bd Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 17 23:48:53 2015 -0500

really added tests

commit 95cfc40432d3caf3e740a466bf44427c9b54b5ae Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 17 23:46:55 2015 -0500

nested stitch loops work; added stitch tests 3-6

 $\begin{array}{lll} commit & 2900\,c7f1c23a728b60e616407df48721046b868a \\ Author: & Tim & Waterman < watermantium@gmail.com > \end{array}$

Date: Thu Dec 17 23:17:24 2015 -0500

Stitch test 2 output fixed

commit a3537de8df1f2357baa55e2d8157d733785d79bf Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 17 23:16:59 2015 -0500

fixed invalid return, fixed non-block stitch issues

commit 1aa8fd9f41f3b8cfc60d4d0716404e6b3bfa80aa Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Dec 17 23:10:00 2015 -0500

Working on multiple stitch loops

commit 081dc99c0659dd4a6f652a32d0e57f5bc6918f95 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 17 23:09:40 2015 -0500

updated stitch2_out

commit 24a32f26e74a09b81f22ad720380f362d98200a1

Merge: f7318f8 93e2ac7

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 17 23:03:58 2015 -0500

merge fix

commit f7318f8d4fd5ef755a7d7e7c753c5a0a861ee2a2 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 17 23:02:52 2015 -0500

updated tests

 $\begin{array}{lll} commit & 93\,e2ac70401a32852dbf28a6c4aa45e2ba4508db \\ Author: & Tim & Waterman \\ <& watermantium@gmail.com > \end{array}$

Date: Thu Dec 17 23:02:27 2015 -0500

Added multiple threadpools

commit ec977e821cfb62b6fb0bd8eae89fc4b289637494 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 17 22:45:44 2015 -0500

removed struct/access; cleaned up old code

commit 503f05282e3f4493873eccbb92a2277b35046d97 Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Dec 17 22:37:57 2015 -0500

Fixed stitch loops with fnames

 $\begin{array}{lll} commit & 847\,bb3dc7381561e48c479054c71257c41b266e3 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Thu Dec 17 22:34:10 2015 -0500

stch func naming works

 $\begin{array}{lll} commit & d12ff2fa167e3016acb45fa3d5cf6377fd27bab6 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Thu Dec 17 22:25:49 2015 -0500

updating stch func gen

 $\begin{array}{lll} commit & d4acce8abd070fe0795ca20a08ecea821828dab6 \\ Author: & Tim & Waterman < watermantium@gmail.com > \end{array}$

Date: Thu Dec 17 22:24:53 2015 -0500

Reworked structs to access stitch variables

 $\begin{array}{lll} commit & 5408089\,ef6734ef9c\,569f425\,aa\,10f316\,a1\,b\,54045\\ Author: & Tim\ Waterman\ <\!watermantium@gmail.com\!> \end{array}$

Date: Wed Dec 16 14:08:58 2015 -0700

Its going through syntactically, need to get variables passed in from headers

 $\begin{array}{lll} commit & 64\,e35\,c5bfd99f33d705cd78041d642907d736c9d\\ Author: & Tim\ Waterman\ <\!watermantium@gmail.com\!> \end{array}$

Date: Wed Dec 16 13:51:47 2015 -0700

Changing names correctly sometimes. Still not general enough

 $\begin{array}{lll} commit & 747815\,f55365\,df192317f9c8a91e4697001cf050\\ Author: & Tim\ Waterman\ <\!watermantium@gmail.com\!> \end{array}$

Date: Tue Dec 15 10:35:39 2015 -0500

Adjusted the variables in the generated for loops to be general

Date: Tue Dec 15 10:26:29 2015 -0500

Added thread blocking. Im an idiot

 $\begin{array}{ll} commit & 5faf89299826880b76d63d469365b98e1a370395 \\ Author: & Tim & Waterman < watermantium@gmail.com > \end{array}$

Date: Mon Dec 14 23:59:11 2015 -0500

Done for tonight

commit 91111abcda95102d45379e3d55fce9ba2d9b3f89 Author: Tim Waterman <watermantium@gmail.com>

Date: Mon Dec 14 23:50:07 2015 -0500

Still working on accessing passed in vars

commit ed3d01241778a94fcc5fb2912f542c84030f7fce Author: Tim Waterman <watermantium@gmail.com>

Date: Mon Dec 14 23:29:43 2015 -0500

Need to figure out how to change the names of the variables in the stitch loops statement list

 $\begin{array}{lll} commit & a051d852d2ab208436e673a6ec66e1a2e8f2a3af \\ Author: & Tim & Waterman < watermantium@gmail.com > \end{array}$

Date: Mon Dec 14 22:46:43 2015 -0500

Started to get threaded stitch working. Threadcount is a little worky

 $\begin{array}{lll} commit & 4\,b\,5\,10\,1d\,bf2\,4f50\,9911\,5\,cf3a9a3\,4\,b\,6\,10f20\,818e0\,2\\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com> \end{array}$

Date: Sun Dec 13 19:04:34 2015 -0500

stitch body now turns into a function, still need to get the nameing down

commit d523668973ee4357d92582fe0aa1abf91f3f8991 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sat Dec 12 20:50:04 2015 -0500

redid the way that stitch funcs are passed, still need to generate the functions in the $c_{\rm gen}$

 $commit \ 06ff 138f 3564f 568a 93df 0d64a 531eabb 7542268$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Sat Dec 12 14:20:03 2015 -0500

Update README.md

commit d45dd0e7e39b0075f69b07dfac6e04547537ad11 Author: Tim Waterman <watermantium@gmail.com>

Date: Fri Dec 11 23:44:27 2015 -0500

Started stitch -> for code generation

 $commit \ 77bd9795055f04e9afc69cbd2b7f99577716da07$

Merge: 05e6fbb bce1cd4

Author: Tim Waterman < watermantium@gmail.com>

Date: Fri Dec 11 21:43:51 2015 -0500

Merging with dans changes

commit 05e6fbb5b5b9300a1abcd9b06e7100b22b1f83be Author: Tim Waterman <watermantium@gmail.com>

Date: Fri Dec 11 21:43:48 2015 -0500

Started work on for loop generation

commit bce1cd4399d50deff099affeee6f48fba0719002 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 11 21:21:47 2015 -0500

little to no progress on the stch funcs

commit 4ed3f45d1f620971673d20dcfab4ac7545eece87 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 11 20:20:06 2015 -0500

still working on stitch funcs

 $commit \ a 23221534f8b6f860e571e88a4793dff2df32f70$

Merge: 1ed3d07 1dff7ec

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 11 17:23:56 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

 $\begin{array}{lll} commit & 1\,ed3d07b8e35de80116f300f5d6f2c9fb57c3571 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Fri Dec 11 17:23:53 2015 -0500

added stch_funcs

commit 1dff7ec6565c32c511260eb196435f15968e7d29 Author: Tim Waterman <watermantium@gmail.com> Date: Fri Dec 11 11:53:23 2015 -0500

Finished matrix init. Need to remove debug statements later

 $commit \ 9c032762654796bff9347609ac1f218cb6ad8f47$

Merge: a905ad3 952e6d6

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 10 19:47:33 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115 $_{-lang}$

commit a905ad3de0802fe63588b511849e7475713dfa96 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 10 19:47:28 2015 -0500

updated some tests, fixed list rev issue

commit 952e6d66e6601f9263c9cc39d1a95c190cca605d Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Dec 10 19:46:54 2015 -0500

Matrix init working 90%. Working on typechecking

commit 7163ee62b65f8b609cb7ad5face70e4bc61a5d38 Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Thu Dec 10 19:43:00 2015 -0500

added negate2 and negate3.stch

 $commit \ 148 \, ca 6 \, dc \, 15 \, be 4 eb 4 ea e 58 \, d0 \, 11 e 4 c \, 78 \, d2 e 4105729$

fixed rec1 test

commit 3e1db6e827105d913f01ef45877adc34db0f83f8 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 10 19:24:40 2015 -0500

removed microc binary

commit ab1a394db56d434412ecd96343a0c8a30b2b4564 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec $10\ 19:23:47\ 2015\ -0500$

fixed snafu

 $commit \ 744381 \, b \, 513 \, e \, 3b \, a \, 3f \, a \, 008 \, c \, 3e \, 99 \, b \, b \, 76901 fed \, 54b \, 68$

Author: ms4985 <ms4985@columbia.edu> Date: Thu Dec 10 19:16:44 2015 -0500

added stitch and rec tests

commit a052841944b13bebaa4b6cd148d9efc5cbd409f8 Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Thu Dec 10 19:16:01 2015 -0500

added more tests

commit 4c9136b74b462cffa92ad6245ae75e5c0e9d20ca Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 10 19:12:56 2015 -0500

working on stitch loops

commit f3cca0c68daf4fe582005673f22ca4c393c45cd4 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 10 18:42:04 2015 -0500

updated stitch test

 $commit \ bb 69889b8a08cb305318f24ab411627cb6bdc818$

Merge: 4fc0380 9d063bc

Author: ms4985 <ms4985@columbia.edu> Date: Thu Dec 10 18:39:12 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115 $_{-lang}$

commit 4fc038006a974131c958da7ac365a53c4e54aa7c

Author: ms4985 < ms4985@columbia.edu>

Date: Thu Dec 10 18:39:00 2015 -0500

added stitch loop test

commit 9d063bc7cbea95c3489fd2e65f78f4fb26105509 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 10 18:38:29 2015 -0500

stitch loops redone in cast/analyzer/generator

 $commit \ e42 e03 b0 b7 c0 c8 e89 400 d1 f2 ecb d35 d9 b415 da56$

Merge: 4a3e470 20b60c4

Author: Tim Waterman < watermantium@gmail.com>

Date: Thu Dec 10 16:50:20 2015 -0500

"Merging with the syntax changes"

commit 4a3e4705a2f8cb2eb032cb79fe769ce545e03ebf Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Dec 10 16:49:59 2015 -0500

Added matrix checking. Now only init is missing

 $commit \ \ 20\,b60\,c4d0\,df664954390\,b5fda8bb422fada8255e$

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 10 14:18:26 2015 -0500

fix minor formatting

 $commit \ a449e53de6a31c9e6cf93e14dc00732152145260$

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 10 14:11:11 2015 -0500

fix conflict

 $commit \ a0 e0 63 6 fc ff bb 96 6 df 1f 9 ef 0f 80 19 a 9 e 97 da 48 a 7 \\$

Merge: f85e09e 209b7ed

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 10 14:08:03 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115

_lang

commit f85e09eeeb95251cfda76330ac68dd55a716df6a Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 10 14:07:13 2015 -0500

bit of code cleanup in the sem-an, make it a bit more readable

commit 209b7edfb790ec5b8e94cfe3e40b6c121f2e8906 Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Dec 10 13:47:37 2015 -0500

Array assignment in. 1D arrays should work 100% now

 $commit \ 121\,ba6810a11910ca7f1ca581c9f45773ad98edb$

Merge: d55cb3b 0948ea2

Author: Tim Waterman < watermantium@gmail.com>

Date: Thu Dec 10 13:16:10 2015 -0500

Fixed merging issues

commit d55cb3b258de506e980ff64067fa72bb39726d1e Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Dec 10 13:12:07 2015 -0500

Fixing matching issue with arrays; error messages not accurate

commit 0948ea2b5805d2856e43f584aa6df84dd89d124c Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Wed Dec 9 18:09:11 2015 -0500

questions about matching

 $\begin{array}{lll} commit & 10\,cd1cb8fba3f2dfcbed3e071a71e9d21d096bf6 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Wed Dec 9 17:17:09 2015 -0500

test suite now echos total number of tests and how many passed

 $commit \ 68326\,e9c504acff661b2ad5bb384d5b3bc4b2d2e$

Merge: cd26dcf ae9e8b6

Author: Tim Waterman < watermantium@gmail.com>

Date: Wed Dec 9 16:21:40 2015 -0500

Pushing the negative array tests after merge

commit cd26dcf1753f24f1ba0ce9216aee5f0bc43bf0ce Author: Tim Waterman <watermantium@gmail.com>

Date: Wed Dec 9 16:21:30 2015 -0500

Pushing array negative tests

commit ae9e8b6eba22a76202dfcc73b03e546af22ad511 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Tue Dec 8 18:47:54 2015 -0500

minor commenting

 $\begin{array}{lll} commit & 28\,ec92\,af50354d748234b76847a993123e5a9e6a \\ Author: & Tim & Waterman < watermantium@gmail.com > \end{array}$

Date: Tue Dec 8 16:35:29 2015 -0500

Added size checking for array init

Date: Tue Dec 8 15:55:32 2015 -0500

Array initialization working

 $commit \quad b116aa4bd0ee75feec5a11df97bbe1ddd93c0112$

Merge: e052491 aadd3b9

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Tue Dec 8 14:14:47 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115 $_{\rm lang}$

 $commit \ e052491cdb41118329d8f028314fb300d3c2c5de$

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Tue Dec 8 14:14:40 2015 -0500

added exit() + tests; added commenting tests

 $\begin{array}{lll} commit & aadd 3b 987c 848a 1fc 97d 17524376ff 6d 3519bed 6\\ Author: & Tim & Waterman < watermantium@gmail.com > \end{array}$

Date: Tue Dec 8 14:05:32 2015 -0500

Added array indexing to the print statement

commit 17e1a695296b3dd1cb19110b1a1d4a81678a3f64 Author: Tim Waterman <watermantium@gmail.com>

Date: Tue Dec 8 13:57:00 2015 -0500

Added in array indexing expressions. Need to add them to print

commit 93272f2330e441ac28906db16dab3067503dacd6 Author: Tim Waterman <watermantium@gmail.com>

Date: Mon Dec 7 23:04:52 2015 -0500

Added more array items. Working on 1D array init

commit 05ca28f77603d036ed9b4adf9023c473926e9fff Author: Tim Waterman <watermantium@gmail.com>

Date: Mon Dec 7 21:18:18 2015 -0500

Added two dimension array decls, working all the way through

commit 39a8a4d403c7083a6049569b97a7f7ae9ae4dd88

Merge: 73 bc7ff 3527842

Author: Tim Waterman < watermantium@gmail.com>

Date: Mon Dec 7 19:06:26 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115 _lang

commit 73bc7ff3374bf6492fd0cc24ce4f342e03ac1914 Author: Tim Waterman <watermantium@gmail.com>

Date: Mon Dec 7 19:06:15 2015 -0500

```
One dimensional array declarations working, parse->print
commit \ \ 3527842 \, aa 87c 500 70 f6b 76d dafc 6768 e548479 e7
Author: Daniel Cole <takeitfromthedan@gmail.com>
Date:
        Mon Dec 7 17:17:26 2015 -0500
    file cleanup for negative tests
commit \ 9\,b\,0\,8\,3\,ee\,0\,ff\,0\,2\,1\,6\,0\,8\,9\,2\,1\,8\,0\,0\,c\,4\,a\,3\,5\,5\,de\,2\,f\,9\,0\,1\,d\,b\,6\,d\,c
Author: Daniel Cole <takeitfromthedan@gmail.com>
Date: Mon Dec 7 17:17:12 2015 -0500
    updated negative tests
commit 6470897bd762270847c1f1768906851d6d57b5f8
Author: Daniel Cole <takeitfromthedan@gmail.com>
Date: Mon Dec 7 17:03:00 2015 -0500
    test suite works with negative testing (goes in _ntests);
   updated headers
commit \ 8f0482eb4b19acd7a8a4c8e6e758a2541703a7b4
Author: Daniel Cole <dhc2131@columbia.edu>
Date: Mon Dec 7 16:24:01 2015 -0500
    Update README.md
commit \ 5 \, ca 219 aa 8 fa 3b 010b 76 f1 308 7198 ee 7ba f5 4a 2ae
Author: Daniel Cole <takeitfromthedan@gmail.com>
Date:
        Sun Dec 6 17:28:30 2015 -0500
    error() added Stitch. Added hello2 test to confirm this
commit cf3e7898576149a1d37a52f30a36cc898e13a460
Author: Daniel Cole <takeitfromthedan@gmail.com>
Date:
        Sun Dec 6 17:08:57 2015 -0500
    print works
commit bbd481ecf6e544fb3d6796b30f75ef1c6dc22f93
```

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Dec 6 16:35:05 2015 -0500

print works for int, float, char, string, id; does not work for other expr

 $commit \ 6 f 5 2 d 3 d b 9 d f 1 2 d 4 2 5 a e b 0 a 7 6 8 6 5 7 9 7 6 6 a f b d e 6 7 6$

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sat Dec 5 17:37:09 2015 -0500

print works for ints now, updated all tests accordingly

commit 8049b3dc74d171068c6b6c79cafaf272c7013caf

Author: Tim Waterman < watermantium@gmail.com>

Date: Fri Dec 4 22:02:46 2015 -0500

Quick fix for if statements. Need to rethink how we print

commit d8cb215629af8f4eb180de00cfb578b91f9ebd0d

Author: Tim Waterman < watermantium@gmail.com>

Date: Fri Dec 4 21:41:55 2015 -0500

Fixed the stitch compiler chain, started adding print

commit 25791cdb3d156e9bc3e21b729222013338243af5

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 4 13:49:11 2015 -0500

working on c_call - find_func_sig working (?)

 $commit \ d514d8c32ea80308150b8391a8c3d9d1a2be49c0$

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 4 13:41:01 2015 -0500

working on c_call - find_func_sig

 $commit \quad 8\,dfea1a4056bce6cfa0077746ce7a0cd9cc048ae$

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 4 13:34:03 2015 -0500

working on c_call - need to finish func args

commit c6afbb284ad07a4782191f0ee2d6a57776e7a0ce Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 4 11:47:27 2015 -0500

added better error for check_assign2, tweeked cleanup of test suite

commit 01a92d5332fd6be8b381c92124d059797149c379 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Dec 4 01:40:21 2015 -0500

fixed assign

Date: Thu Dec 3 21:27:09 2015 -0500

Debugging variable issues

commit b41f84754f9e2e01e7ccf665bf95488a7692ae30 Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Dec 3 20:51:12 2015 -0500

For loops correctly accept expr_opt

commit c07013b4c847fdc45bca258c705c3fb517d1c495 Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Dec 3 20:49:53 2015 -0500

Added testing file

 $\begin{array}{lll} commit & 2\,cdd1126\,be26fd365d05714654f86f9c8b04ad47 \\ Author: & Tim & Waterman < watermantium@gmail.com > \end{array}$

Date: Thu Dec 3 20:38:05 2015 -0500

Generator issues, but everything seems to compile

 $\begin{array}{lll} commit & 308\,b52d1d7fe1fd1c8c85d53786d07ff0b151928 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Thu Dec 3 20:27:00 2015 -0500

fixed gen

commit 479c8701c4df07f1f37653b9d5013ef21b2c2fa5 Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Dec 3 20:15:58 2015 -0500

Started the C code generation file

 $commit \ \ 9a6bcf3ecd6ea00a525d4dd2bbff7411896e1a16$

Merge: e6246b0 95fde55

Author: Tim Waterman < watermantium@gmail.com>

Date: Thu Dec 3 19:53:26 2015 -0500

Fixed merge bullshit

Author: Tim Waterman < watermantium@gmail.com>

Date: Thu Dec 3 19:51:26 2015 -0500

Stitch thing working

 $commit \ 95fde 554d 5d 23170047438 a 8f47c 2abb 8340d b 65$

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec $3\ 19:49:55\ 2015\ -0500$

sm-an works again

 $commit \ cdb0b1ac080b6b897e0c89f335f18195c543576b$

Author: Tim Waterman < watermantium@gmail.com>

Date: Thu Dec 3 19:36:34 2015 -0500

Makefile and compiler edit

commit 7f15f7f49eef9ef9d18ae1eb0e82ea2fdad05a7d

Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Thu Dec 3 19:35:03 2015 -0500

added check-for

commit 61f94774363231958a4dd178850459c9a0348f27

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 3 19:31:19 2015 -0500

working on program

commit 93ea0d82be4bb0d166e65b30b108a98b91633070 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 3 18:39:29 2015 -0500

making progress

commit ebfa2ec2e5af5e9ad9956b2fa564fb6dd5d3d508 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 3 18:21:14 2015 -0500

w

commit 67e40f8420c6d7f8df9cff3f0763d905713d371d Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 3 17:49:37 2015 -0500

 \mathbf{W}

commit a07af01a4af200d1773db6ba89bad67b1eae974c Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec $3\ 17:40:53\ 2015\ -0500$

fixed

commit 86db74aff9b3f8ce04b91284c85e3150ad368362

Merge: d7f53b2 07a24c3

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 3 17:25:06 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit d7f53b2e53407b5cea1a5ddbf94e457d7ad3bea5 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Dec 3 17:24:58 2015 -0500

working on sm

commit 07a24c353a57e3e50d5cc91e356faa2408a2bdc2 Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Dec 3 16:49:28 2015 -0500

Checked if expressions, while semantic checking done

commit 09a146ab66b698bcedab996f2481847d5beeb315 Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Dec 3 16:33:34 2015 -0500

If semantic checking checks for int type expr

commit a367ac78d4acbd95110ad958d4fa8d41180055cf Author: Tim Waterman <watermantium@gmail.com>

Date: Wed Dec 2 20:05:25 2015 -0500

Semantic checker compiling with the pieces we have, a lot has been commented out

commit c68b1dfa5fb2bf8e469f1c6f6b0ec972aeddb2f3 Author: Tim Waterman <watermantium@gmail.com> Date: Wed Dec 2 19:11:00 2015 -0500

Fixed optional error

 $commit \ 19\,d4e043bfae7acee69c090495e91220219bc6bf$

Merge: af3a9ec ca26c84

Author: Tim Waterman < watermantium@gmail.com>

Date: Wed Dec 2 17:57:32 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

 $\begin{array}{lll} commit & af3a9ec4dbb6806eba0b31d7063d677efa905844 \\ Author: & Tim & Waterman < watermantium@gmail.com > \end{array}$

Date: Wed Dec 2 17:57:23 2015 -0500

Fixed compile stuff

 $commit \ ca26c84fd8e274c1db816d3db9330c39a52b473c$

Merge: f8be026 83f1175

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Wed Dec 2 17:48:48 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit f8be0264b1d229d54bd13b82deb87814179af5c7 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Wed Dec 2 17:48:40 2015 -0500

updated makefile

 $commit \ 83f1175e536b841796b971324361aa78659fc6ac$

Merge: 53282cb 153fff7

Author: ms4985 < ms4985@columbia.edu>Date: Wed Dec 2 16:13:04 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

 $commit \ 53282\,cb6ab31b0a1ae299be89a8c8b160f8fe299$

Author: ms4985 <ms4985@columbia.edu> Date: Wed Dec 2 16:12:58 2015 -0500

fixed up sem tests

commit 153fff71062d4532dd8d2dade9aad2d58401fc34 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Wed Dec 2 16:10:39 2015 -0500

updated comments

 $\begin{array}{lll} commit & 3acc1a9c8200480e57791b250e92c44de5a0e42a \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Wed Dec 2 15:02:22 2015 -0500

commented sem_an, still need to do check_for, fix $check_var_decl$

commit 50f444b4ee818db79e5af2f86d10c33fc219b1a2 Author: Tim Waterman <watermantium@gmail.com>

Date: Wed Dec 2 14:37:09 2015 -0500

Added back access operator and struct keyword

commit 24723bb66ce7c484bbd1d3eec2c582d1e76ff049 Author: Tim Waterman <watermantium@gmail.com>

Date: Tue Dec 1 23:39:09 2015 -0500

Arrays now can assign individual elements

commit 87bdbbe5804eb72d1c4d4f0a6cb00dbf21e9f92c Author: Tim Waterman <watermantium@gmail.com>

Date: Tue Dec 1 23:10:06 2015 -0500

Initial array declaration passing parser tests

commit a6f399113c32bac2915678d66ea64a3f5d878973 Author: Tim Waterman <watermantium@gmail.com>

Date: Tue Dec 1 12:55:27 2015 -0500

Fixed pretty printing of chars from ast

commit 53166 bf86b82e5994464cfc71b9ff1a69e52c094

Author: ms4985 < ms4985@columbia.edu>Date: Tue Dec 1 11:05:06 2015 -0500

added the actual semantic checks to test

 $commit \ b44f18dd7fa5e2c32d5fede5298f184de76f9ab4$

Author: ms4985 <ms4985@columbia.edu> Date: Tue Dec 1 10:59:14 2015 -0500

added simple semantic analysis tests

commit 07a81ef1ecfb6d069966a363d0dbcba5dd35b9c4 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Mon Nov 30 12:11:38 2015 -0500

semantic analizer compiles, still need gen code

commit 5e1fba16104839ac3964bbf7cb73198416e61192 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Mon Nov 30 12:04:15 2015 -0500

finished sm-an

commit 2aefc5892f392b9d6833fbd1932ac183f03e6423 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Nov 29 17:08:26 2015 -0500

need to still add init_env and chck_program

commit c1d8dff46a438722f3d181b29451d32b899a7713 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Nov 29 16:46:31 2015 -0500

working on sem_an

commit 3df7000bffe087e4d01d21b3b7dd4dd19ed00965 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Tue Nov 24 13:20:22 2015 -0500

working on sem-an

commit 135caf8726134865d43f8ed6a65ebdcad98b313e Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Tue Nov 24 13:05:15 2015 -0500

started on semantic analysis

commit bd34b67afac6cf13c42b59d984e32bb1deab2bd4 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Nov 22 20:21:05 2015 -0500

created cast, added type dataType refactored the ast for consistancy

commit 79b9ebc687898a82a6f012cd69d9e65632251bec Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Nov 22 19:21:01 2015 -0500

started on env and complier

commit 2eb53e0ac96e5fc98d4a7728c7247578b730b7ad Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Nov 19 18:06:00 2015 -0500

updated .gitignore, added makefile for stch_headers library

 $\begin{array}{lll} commit & 34301\,c36c591a75e5ee0ae8c7682d13091966a9d\\ Author: & Tim\ Waterman\ <\!watermantium@gmail.com\!> \end{array}$

Date: Thu Nov 19 18:04:48 2015 -0500

Added new loop tests

 $\begin{array}{lll} commit & 7\,bb3f01fb70b60d35bb1d748605e20737757b1cf \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Thu Nov 19 17:57:16 2015 -0500

added function test 6 - check for empty return

commit b491f3d154bda7dbf9d91620a46491ee8c12f9e3 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Nov 19 17:56:10 2015 -0500

fixed some stuff

 $\begin{array}{lll} commit & 8171503\,e3921b3e15907bf06770c9bf47f0ad811\\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com> \end{array}$

Date: Thu Nov 19 13:41:46 2015 -0500

removed gen code diffing from test suite

 $commit \ 2fbbb1d5a434528ff40a6205f50ef1d616a53901$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Thu Nov 19 13:14:49 2015 -0500

Update README.md

commit bf76fbf0e0040e5ae8e3dbb170d3b2e3f9a8a9d8 Author: Tim Waterman <watermantium@gmail.com> Date: Tue Nov 17 21:20:24 2015 -0500

Fixed shift/reduce error caused by stitch loop. All tests still work

commit c2892cf56d57fe0aca1aaaa17a69766431094100 Author: Rashedul Haydar <rhaydar8@gmail.com>

Date: Tue Nov 17 15:46:25 2015 -0500

updated meeting notes

 $commit \quad 33 \\ fa \\ 100 \\ ab \\ 446 \\ 78 \\ da \\ 625 \\ a69 \\ ea \\ 7c9 \\ acb \\ 64cfefdc4d$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Tue Nov 17 15:07:03 2015 -0500

Update meetingNotes.md

commit 4c46e088822371df43782b93cd61bacf62a02c5a Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Tue Nov 17 12:01:17 2015 -0500

added two new tests

commit b5d767afb03ba0b1d3e058b49e528a1f9d7b7aab Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Nov 15 21:40:38 2015 -0500

added fucn1 targets

 $\begin{array}{lll} commit & efc 6214 ac 58989 d432 b07 dc 0b 42 a 950321 ad 25 bf \\ Author: & Daniel & Cole & <takeitfrom the dan@gmail.com> \end{array}$

Date: Sun Nov 15 21:35:15 2015 -0500

fixed newline issue, removed .dSYM

commit 876191de3d0b7a13324b69c837228ac13289cde0 Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Nov 15 21:30:47 2015 -0500

AST changes to allow vdecls

commit 6edbc79588c29679de29a66d52a2ea9ae9ceb71d

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Nov 15 21:29:58 2015 -0500

updated gitignore

 $commit \ a 656 e 75075 fea 22 e 29 fbc 0855 eb 76 f9 caa 6 ce 17 f$

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Nov 15 21:25:02 2015 -0500

tester now recompiles everything

commit 856235421 ca473 adb5e661 a6ffbea7565b862 aa7

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Nov 15 21:15:15 2015 -0500

added new tests (spoiler, we pass)

commit 7cfbd96c49b9a5b7d7e06e45f40cbbf2123ee99e

Author: Tim Waterman < watermantium@gmail.com>

Date: Sun Nov 15 20:48:02 2015 -0500

Changed ast to use printf

commit 1740 d751c0d627fb4018e5887b1d7d7f3eb1849a

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Nov 15 20:45:22 2015 -0500

added dummy files for _log and _bin

commit 892 ca104b7aacf09a887b6d892666e9e0cf1d0cb

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Nov 15 20:27:58 2015 -0500

fixed int x = 3 error

commit 27f59871b4707649cb1b6deee7c9ccc421c781b7

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sat Nov 14 00:07:56 2015 -0500

test suite now works, also folded in color, etc. from parse

tester

commit e9cf2179c20fafba171fe9cc4389213cf41c2370 Author: Tim Waterman <watermantium@gmail.com>

Date: Fri Nov 13 12:16:20 2015 -0500

Fixed tester cases, shift reduce still happening

 $\begin{array}{lll} commit & 7fb2182fa4c9569011cfade64c772468633cb984 \\ Author: & Tim & Waterman < watermantium@gmail.com > \end{array}$

Date: Fri Nov 13 00:19:56 2015 -0500

Made ptest more extendable with functions

 $\begin{array}{lll} commit & 000\,a738da56f1e36a2b1fa686672388d86370d9f\\ Author: & Tim\ Waterman\ <\!watermantium@gmail.com\!> \end{array}$

Date: Thu Nov 12 23:42:58 2015 -0500

Colorized output of ptest suite

commit 682a5728a1d43a323c2900ecbfc990ba34edccd6 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Nov 12 22:50:04 2015 -0500

fixed 8 SR errors

commit 490aa2fdb761d84878860fc2056e84f7d37ff937 Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Nov 12 22:43:02 2015 -0500

Ptests report what they are; while/stitch added

commit d24d0d3645b6fa931632aabd38e5b89473ed35d8

Author: ms4985 <ms4985@columbia.edu> Date: Thu Nov 12 22:18:06 2015 -0500

added test doc

commit c6dee2286fb8c13976c8d4c7c342a762811a9b5d Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Nov 12 22:17:41 2015 -0500

hello, world

commit ef6c05f24695a445c963fd69a6f9ca89848a4eb6 Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Nov 12 22:02:01 2015 -0500

Parser test script updated

commit 71d238926bffe47ecf9d150e01ac641de54fad5c Author: Tim Waterman < watermantium@gmail.com>

Date: Thu Nov 12 21:55:39 2015 -0500

Stitch includes headers

 $\begin{array}{lll} commit & f4bf3f3c98f8526dbb90b8c8a924059df688f941 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com> \end{array}$

Date: Thu Nov 12 21:48:51 2015 -0500

functions working

 $commit \ a9a66840ce6149982bbfc426a2444bb3430fc506$

Merge: 80823a2 a41a639

Author: ms4985 <ms4985@columbia.edu> Date: Thu Nov 12 21:45:24 2015 -0500

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit 80823 a 268592ff0e7ef847970d3fd349e7f9eca6

Author: ms4985 <ms4985@columbia.edu> Date: Thu Nov 12 21:45:10 2015 -0500

added more tests

commit a41a639f64cd7ce4928e429964cdd38bc2875bd2 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Nov 12 21:28:45 2015 -0500

minor fix

 $commit \ \ 2788f4c6905199da5809b05604683aead1f52021$

Author: ms4985 <ms4985@columbia.edu> Date: Thu Nov 12 21:28:13 2015 -0500

added test suite for parser

commit a7c5865238d584ddfa294f3e74a949e71bae8c52 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Nov 12 20:48:20 2015 -0500

working on functions

commit 7e594a1be51209e15a2036e42d675c57abeaadcd

Merge: 337987d 453f44c

Author: Tim Waterman < watermantium@gmail.com>

Date: Thu Nov 12 20:47:42 2015 -0500

Fixed stitch.ml issue

commit 337987 de8088fb08547c57def1e1a38a4445acec Author: Tim Waterman < watermantium@gmail.com>

Date: Thu Nov 12 20:45:13 2015 -0500

Stitch.ml taking in filename

commit 453f44c460ce2284d3bbb6746969955484a8de44 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Nov 12 19:30:40 2015 -0500

unordered vdecl statments works

commit c611d232489da46e7980218d78a36d28d3a82786 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Nov 12 19:05:52 2015 -0500

restructured vdelcs

 $\begin{array}{lll} commit & d7a3b80647b4b5ee1f8422d2df0c0619842556bd \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Thu Nov 12 18:14:18 2015 -0500

```
added stitch to pretty print
commit 372687d8979d718aa95c77d80043ca6167bc15dc
Author: Rashedul Haydar <rhaydar8@gmail.com>
       Tue Nov 10 19:09:15 2015 -0500
Date:
    fixed formatting
commit ed6e4eb55757b017f2314121e009a6b463e05127
Author: Rashedul Haydar <rhaydar8@gmail.com>
        Tue Nov 10 19:08:04 2015 -0500
Date:
    added notes from 11/10 meeting
commit \ cd71c4551c3dcca992c8a558a43e3fc41aa24e57
Author: Daniel Cole <takeitfromthedan@gmail.com>
Date:
       Tue Nov 10 16:15:16 2015 -0500
    compiler compiles (with nothing in it_
commit 6d743a00b1cbf24b92b34eaddef8c9cd6d69a2c3
Author: Daniel Cole <takeitfromthedan@gmail.com>
Date: Tue Nov 10 15:37:34 2015 -0500
    2 more errors fixed
commit 6dba4d67453ecb49007b733ad32ae9412fe3698e
Author: Daniel Cole <takeitfromthedan@gmail.com>
Date:
       Tue Nov 10 15:21:01 2015 -0500
    updated
commit 31538c38a2cd5f4537ff694a536f0f4173f4d0eb
Author: Daniel Cole <takeitfromthedan@gmail.com>
Date:
       Tue Nov 10 13:44:33 2015 -0500
    fixed some issues
commit 68c76a75ffef4e3ba3ac323f3b44c2b23a38c76e
Author: Daniel Cole <takeitfromthedan@gmail.com>
```

Date: Tue Nov 10 12:28:33 2015 -0500

added Makefile

 $\begin{array}{lll} commit & d4b388634339bf16d57a8819d4e803545fb5db20 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Tue Nov 10 11:43:35 2015 -0500

test update 2

commit 87a91772064c8e9c6b0ebf32bd65ddd22ee14b44 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Tue Nov 10 11:42:21 2015 -0500

test update 1

commit 7adba58bdd0c1a33c393b8b8636759ab57e7d0f1 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Tue Nov 10 01:47:55 2015 -0500

updated test script

commit a26d8ff170dbf9f72e9930afe0920464f4505be4 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Tue Nov 10 01:42:58 2015 -0500

test suite added

commit 23eb1db66e5506a86aaebc06a0b94b2b909d2b18 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Tue Nov 10 01:40:37 2015 -0500

tests

 $commit \ 450976 \, a82 \, bf9 \, a87 \, cb \, 4686 f4827 f8 fc4 d6197 d8 \, aa$

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Mon Nov 9 18:06:59 2015 -0500

Delete hello1_target.c

 $commit \ 85e07a535c066c960b7da02da713c58b11574e25$

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Mon Nov 9 18:06:45 2015 -0500

Delete stch_headers.h

commit 3615729f345a3aa9049607c163c6021dc038740b Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Mon Nov 9 18:05:53 2015 -0500

started work on testing

commit 736cb3ac8ed69d787e37299afdbdafce2eec822e Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Mon Nov 9 17:07:46 2015 -0500

hw test target

 $commit \ 78\,e30\,de0\,b\,28\,a\,2\,dec1\,a\,3\,2\,3\,eee\,3\,6\,7\,b\,00\,6\,4\,3\,6\,cf5\,0\,b\,4$

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Mon Nov 9 15:52:21 2015 -0500

Update stch_compiler.ml

 $commit \ \ 387\,cf 5404148\,befd486\,af 3268fd 9\,ce 394376\,c 4\,c 5$

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Mon Nov 9 15:22:54 2015 -0500

Create stch_compiler.ml

commit 997ff10affded68449ea05e3cedbeb290ea17acc

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Mon Nov 9 15:21:47 2015 -0500

Create hello2.stch

commit ac2ab8a9a9cf0b094acf5e897812d75fefdd6d30

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Mon Nov 9 15:16:28 2015 -0500

Create hello1.stch

commit 3baf3d29959ee88b8bb4afa3542c351947e17965 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Mon Nov 9 10:54:22 2015 -0500

stch c headers and func defs added

 $commit \ c86292b09b0ddc5ba33a71cd86471c4a318ecfa2$

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Sun Nov 8 20:06:36 2015 -0500

Update stch_headers.h

 $commit \ d23f256f266c4573c5f9bc83bc4ad0416b76c20f$

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Sun Nov 8 20:01:46 2015 -0500

runtime questions for 4/10

 $commit \ 6\,b47151d175862256a05adf28b96b690a706a13e$

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Thu Nov 5 17:47:35 2015 -0500

Update stch_headers.h

commit 47eea775ef5cd9719b20b540683f9cfffe16173b

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Thu Nov 5 13:16:49 2015 -0500

Started work on header

This header file will be auto-included at the beginning of any c file generated by the Stitch compiler.

It should include all includes, defines, and structs needed by every Stitch—C program. Program specific functions will be generated separately.

commit bad6110bf902b80c6d6dab96e9361b3a422edd31

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Thu Nov 5 12:13:16 2015 -0500

removed bitwise, unary operators

commit a7ae8c95120edee5c1a3fec12c7ffb9d57ea9606

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Thu Nov 5 12:12:01 2015 -0500

removed bitwise, unary operators

 $commit \ 2568 \, ef7 fd2 a 282 c838 dc9605768 a 21 a 04510 d1f1$

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Thu Nov 5 12:08:32 2015 -0500

removed bitwise, unary operators

 $commit \ \ 3febda 5584311329ff4ce362a669b3e513a34cd5$

Author: Rashedul Haydar <rhaydar8@gmail.com>

Date: Wed Nov 4 21:43:15 2015 -0500

added my notes from meeting

commit 279 aade3 ad61 b3 cb653 b32 e5 b98 b92 e5 ca6f2058

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Tue Nov 3 15:23:42 2015 -0500

Update meetingNotes.md

 $commit \ \ 29e5576bae82533f51bcb7939d5e901f503beeb8$

Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Sun Nov 1 15:39:23 2015 -0500

arrays work without any shift/reduce errors

commit 30551 c08218c896be4888779dec8455f7e716122

Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Sun Nov 1 14:51:48 2015 -0500

fixed typos in arrays

 $commit \ c1f2800dd4f252149b00288c921c8001775dbcd7$

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Sun Nov 1 14:46:50 2015 -0500

started to add arrays

 $commit \ 10725757 \, d0c9b2e95172 eac8f86fbd58b6c0ef52$

Author: ms4985 <ms4985@columbia.edu> Date: Thu Oct 29 19:36:02 2015 -0400

took out Call from ast

commit 54c7cd249affffb534054d1115ad9569c7eddaa8 Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Thu Oct 29 19:10:10 2015 -0400

fixed parser, no more shift/reduce errors. need to add arrays still.

commit 633eb9c0ea5b060e4dd6e1c724148f39d811370b Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Oct 29 18:50:49 2015 -0400

updated typenames, updated gitignore, added singer

 $commit \ ff 2e 47b f 4b 1b e 678470743b 896 ea fac ff 701d 0a 8$

Merge: f04092d 53193cf

Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Thu Oct 29 18:43:20 2015 -0400

Merge branch 'master' of http://github.com/danhcole/4115_lang

 $\begin{array}{lll} commit & f04092d2d0feb89c8ecb6fe910ba5b3d51d70eb2 \\ Author: & Rashedul & Haydar < rh2712@columbia.edu> \end{array}$

Date: Thu Oct 29 18:42:47 2015 -0400

got rid of ftype

 $commit \ 53193 \, cf 3451 f 67 ded c 5 d 2 f a 74150 d d c 9 d d 73 f 433$

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Thu Oct 29 12:52:43 2015 -0400

Create testDoc.md

 $commit \ 700\,b222ad81847077ae826d37ae73fa846c97584$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Thu Oct 29 12:27:32 2015 -0400

updated meeting times, added link to LRM

commit afaada4a0582941f3997cd30c996616e7515f81a Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Oct 29 12:24:59 2015 -0400

fixed gitignore, started basic compiler toolchain

commit ef0afdbc41a3fac03b12d60fdfc00721247efb97 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Wed Oct 28 18:09:16 2015 -0400

added .gitignroe, trying to keep things clean

 $commit \ 79\,b78\,ad499571f143162585822d321307965a471$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Tue Oct 27 17:11:03 2015 -0400

Update meetingNotes.md

 $\begin{array}{lll} commit & 3\,c0d24d7c9a0be915a8ec0c0a1bd4f6f5702a959 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Tue Oct 27 14:14:01 2015 -0400

fixed dotproduct

 $\begin{array}{lll} commit & b969752 af73 c8f4 f775615 c75 be 026381 f13 eb2 c \\ Author: & Daniel & Cole & <takeit from the dan@gmail.com> \end{array}$

Date: Tue Oct 27 13:03:53 2015 -0400

dotproduct updated

 $commit \ \ 311db285615ede90022bd1da46c685d6c74510d7$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Tue Oct 27 11:57:14 2015 -0400

removed .* operator

 $commit \ 0f4f13a52d9a05594e2403db0f54f5deada242e7$

Merge: 6ee4639 313a484

Author: Tim Waterman < watermantium@gmail.com>

Date: Mon Oct 26 14:03:45 2015 -0400

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit 6ee4639e42850fdd4d23f866123e48f0c4c227df Author: Tim Waterman <watermantium@gmail.com>

Date: Mon Oct 26 14:03:01 2015 -0400

Fixed myAdd, working on matrix mult

commit 313a4846a39797db7f10fb758665416f029c29c8 Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Sun Oct 25 16:57:29 2015 -0400

most of the parser is done, have 4 shift/reduce errors

 $commit \ cec 57449b85e151ac636ce3d91cc114b1290e2b0$

Author: ms4985 <ms4985@columbia.edu> Date: Sun Oct 25 16:48:54 2015 -0400

backtracked

 $commit \ \ 29e73d01c4d40260d8799672a57ea411d15a8c9a$

Author: ms4985 <ms4985@columbia.edu> Date: Sun Oct 25 16:46:47 2015 -0400

assign now takes a vdecl

 $commit \hspace{0.2cm} 3ac86e93cbb8bbf670cebbc8f20add795b066151$

Author: ms4985 <ms4985@columbia.edu> Date: Sun Oct 25 16:36:15 2015 -0400

added a vdecl struct to account for multiple typenames

commit f8932cf5aa574b393f11f22a8784f028ddd86b01

Author: ms4985 <ms4985@columbia.edu>

Date: Sun Oct 25 16:00:05 2015 -0400

added stitch stmt

 $commit \ 24\,be4c050448c6e1c3149884483d1457bc44f6e5$

Author: ms4985 <ms4985@columbia.edu> Date: Sun Oct 25 15:38:44 2015 -0400

minor fix

 $commit \ 02441\,f86411db60084a486b1f8aa22a40a93ef90$

Author: ms4985 <ms4985@columbia.edu> Date: Sun Oct 25 15:37:09 2015 -0400

minor fix

 $commit \ ddfcd2 f74 fb474922 dd7 fbb90 dde18 a55 f037 da4$

Author: ms4985 <ms4985@columbia.edu> Date: Sun Oct 25 15:36:33 2015 -0400

fixed unary types

 $commit \ db 2373159 a 068 a 8f 3175 c d8 e 16127 de 19a4c 2732$

Author: ms4985 <ms4985@columbia.edu> Date: Sun Oct 25 15:29:31 2015 -0400

added data types and fixed fn names

 $commit \ ce 4 ebcb 7 a 3 c 699 e 7 a 4396707 dc 4b7609890920 e 2$

Author: ms4985 <ms4985@columbia.edu> Date: Sun Oct 25 14:47:55 2015 -0400

added stitch ops

 $\begin{array}{lll} commit & e4778813c18a3a4dcfc6729cf6d3695519d9347f\\ Author: & Rashedul & Haydar < rh2712@columbia.edu> \end{array}$

Date: Sun Oct 25 14:19:03 2015 -0400

added all associative operators

commit 353fa76c5504261f3eb526528e3e1173ebfbde7f

Author: Rashedul Haydar <rhaydar8@gmail.com>

Date: Sun Oct 25 13:51:47 2015 -0400

updated parser

commit 186cf5ccc8d56277996cc438e599d84a218ed3e9 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Oct 25 13:20:03 2015 -0400

actually save the updated scanner first ...

commit 06fecf11ab9e99ecc1a918dc07bc44975545211e Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Oct 25 13:19:13 2015 -0400

updated scanner

 $\begin{array}{lll} commit & 4\,cd70880397079e114f45268e920d021621c8643 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Sat Oct 24 17:31:53 2015 -0400

minor scanner fix

 $commit \ 25\,ba2f17e58d1733dc6dcd274d18276c557ed694$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Sat Oct 24 17:25:02 2015 -0400

Update README.md

commit a5a2637934fa321c1cc7ead3489eaf6ff5daaca3 Author: Tim Waterman <watermantium@gmail.com>

Date: Sat Oct 24 13:28:02 2015 -0400

Adding N to each element - finished

commit 0d507d027e00a643f846030c150c5673d3769769 Author: Tim Waterman <watermantium@gmail.com>

Date: Sat Oct 24 12:57:02 2015 -0400

Pthread skeleton working

commit e906286b4ce487ee70979398308967083254cfba Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sat Oct 24 12:21:46 2015 -0400

updated scanner

 $commit \ 2\,c3592\,b\,23232\,c5\,ac1\,e6\,e369\,d98\,cace990\,ecf9\,aa7$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Fri Oct 23 19:50:00 2015 -0400

Update dotproduct.stch

 $commit \ af 945319fb 88f0 158beb 1 da 35b 902f7b 23d7cb 56$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Fri Oct 23 19:46:46 2015 -0400

Update dotproduct.stch

 $commit \ 7d705960d1fe7c9c208f5969ab35a72dd6cf194c$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Fri Oct 23 19:45:12 2015 -0400

Create dotproduct.stch

commit 09c1e8527116e18d64f6db1545948cdeaee90dc3

Author: Daniel Cole <dhc2131@columbia.edu> Date: Fri Oct 23 19:28:15 2015 -0400

Update ideas.md

commit c83c68aec8a2565f0b5ada270bcacc21c87e0a50

Merge: edbe1d9 308e8b5

Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Oct 23 18:01:54 2015 -0400

Merge branch 'master' of https://github.com/danhcole/4115 _lang

commit edbe1d939afbb7c1a7350c7c5b4e70794d584a14 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Fri Oct 23 18:01:46 2015 -0400

scanner mostly done, parser started

 $commit \ \ 308e8b521e95b896cc172b621e0ec776a3d5921a$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Thu Oct 22 18:17:55 2015 -0400

Update ideas.md

 $commit\ 4e97fbf8cd985882cacfd187ac9cd89dadeca68f$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Thu Oct 22 12:48:32 2015 -0400

Update ideas.md

 $commit \ 74380 \, b1 db 70 f1 ac 201 a4 defd 9970 df7 b7 fb7 b5 b5$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Thu Oct 22 12:36:40 2015 -0400

Create ideas.md

commit ddf5d1e7fd533e11d0de8bf86cd7ff120fbf1f87 Author: Tim Waterman <watermantium@gmail.com>

Date: Wed Oct 21 17:04:20 2015 -0400

Added microc sample code

 $commit \ ef 9f 52 ca 748 e 31 a e d f 7 cb 00 b 69 c 27f 1566 d 96 c 0b$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Tue Oct 20 15:34:04 2015 -0400

Update meetingNotes.md

 $commit \ c1a12e6d4897d9d6b115897ce809c1490f2e4187$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Sun Oct 18 16:04:56 2015 -0400

Update TODO.md

commit 83422 c57 deb7 b0 f60 b9 ee1 b6 c70 c104590 a2 bc36

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Sun Oct 18 16:03:38 2015 -0400

Rename TODO to TODO.md

 $commit \quad ffe0d8f1291fed06c4a2c13f45b0186d5ec956d9$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Sun Oct 18 16:03:21 2015 -0400

10/20

 $commit \ 1d46f16bf292decf7f4a1a0175863557880a1fe3$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Sun Oct 18 15:55:04 2015 -0400

questions for 10/20

commit 21154b8fc5419395982feb757cd854945c85f80a Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Oct 18 15:45:36 2015 -0400

Examples changed

 $commit \ 57c0774b562cae68ce2f3ada374ac46fb4415c60$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Sun Oct 18 15:44:13 2015 -0400

Update examples.stch

 $commit \ \ 49217 \, d102 \, ca937 \, c72 \, e7ace9 \, e915 \, c16 \, a5 \, affb \, 2501 \, ctruly \, affb \, a$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Sun Oct 18 15:07:01 2015 -0400

Create examples.stch

commit 117b5f74a9449bd7a7475330a508bb9d6278b69e

Author: Daniel Cole <dhc2131@columbia.edu> Date: Sun Oct 18 15:02:24 2015 -0400

Update LoopExample.stch

commit 0931cc4540a6940cd9eb78e4b6a8ef497f190de1

Author: Daniel Cole <dhc2131@columbia.edu> Date: Fri Oct 16 00:16:23 2015 -0400

Update LoopExample.stch

 $commit \ 9a681ac387d7e8bc22cb499d5c847537f76651f6$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Fri Oct 16 00:05:35 2015 -0400

Update meetingNotes.md

commit 69795 aec00ccef4cb233ae3763959a945bf7e682 Author: Tim Waterman <watermantium@gmail.com>

Date: Thu Oct 15 22:48:25 2015 -0400

Some early thoughts on syntax stuff

 $commit \ ccb5b7c49431e859085a857bd0ad6e7cc75f2e0d$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Thu Oct 15 17:23:26 2015 -0400

Update meetingNotes.md

commit a4ddfb53c3ec166017acbc2046707e5c1d423f39 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Thu Oct 15 17:22:19 2015 -0400

cleaned up notes, reorg.

 $commit \ \ 337e1fc431a6d35c40877fc4870a39ab63825a99$

Author: Daniel Cole <dhc2131@columbia.edu> Date: Thu Oct 15 10:18:30 2015 -0400

Update MeetingNotes.txt

commit 5f9c8b7e5eeb4eadd07ef9adae9adaf9b0c85dc4 Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Wed Oct 14 20:46:55 2015 -0400

converted to txt file, rtf was being weird

commit 23d0ffc8bae17563caedde534f5000a6aa677049 Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Wed Oct 14 20:41:21 2015 -0400

added ReferenceManual folder

commit e8080df7a4f04e2f1c815d793e6af917697fce7f Author: Rashedul Haydar <rh2712@columbia.edu>

Date: Wed Oct 14 20:38:26 2015 -0400

added MeetingNotes.txt

 $\begin{array}{lll} commit & 8437\,e3700\,a5150\,c23251534466f2fcd9a17fccd1 \\ Author: & Rashedul & Haydar < rh2712@columbia.edu> \end{array}$

Date: Wed Oct 14 20:35:46 2015 -0400

added MeetingNotes.rtf

commit 2b813a4768920b48f359dcfed3783c8f9cfd0729 Author: Tim Waterman <watermantium@gmail.com>

Date: Mon Oct 12 00:25:18 2015 -0400

Started matrix mult. Pthread structure is done. Need to finish later

commit d536c21195dfd58aec354876d08fa33c469f8b88 Author: Rashedul Haydar <rhaydar8@gmail.com>

Date: Sun Oct 11 21:24:26 2015 -0400

Updated First step section

commit d9e2dd310598b609ae5b671838e7201575e431c3

Author: ms4985 <ms4985@columbia.edu> Date: Thu Oct 8 18:31:02 2015 -0400

 $Create \ openMP_example_link$

commit cd0e4e90156605fd5823f613e808c8ab21425fa3

Author: Daniel Cole <dhc2131@columbia.edu>

Date: Tue Oct 6 14:52:46 2015 -0400

Create meetingNotes.md

 $\begin{array}{lll} commit & 28\,c98405\,da3a936dc96c30\,cb28ae1695a7ce265a \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Wed Sep 30 15:49:06 2015 -0400

remade pdf

commit 096049cfc34a57a32fb1e15c5dda0dbe1050c23f Author: Rashedul Haydar <rhaydar8@gmail.com>

Date: Wed Sep 30 15:44:49 2015 -0400

Corrected typos

commit 2a108e23e604dc41ea2503829faf1893e680958b Author: Rashedul Haydar <rhaydar8@gmail.com>

Date: Wed Sep 30 15:43:38 2015 -0400

Corrected typo and added roles

commit 3af13488ec582d1d724f881e3fa2880850f7e505 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Mon Sep 28 08:41:56 2015 -0400

updated pdf

commit 5cd818cf0dc19a72e27a3313ce775f56968290f2 Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Sep 27 23:24:55 2015 -0400

Ex3 edited

 $\begin{array}{lll} commit & bb8f808bd5b0f476e1367b25cac299a8ec765f85 \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Sun Sep 27 17:13:15 2015 -0400

fixed examples, need example program

commit fd87df4bae7efa64a7559c26b64c4eeae810e2db Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Sep 27 12:39:23 2015 -0400

minor changes

commit b2b4242a0aca8edb1b53aa81270aa0595c3cc385 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Sep 27 12:13:58 2015 -0400

added para RE async keywork

 $\begin{array}{lll} commit & 92\,a02644f4372f4e83d60e3b5814b2069a9ff94d \\ Author: & Daniel & Cole & <takeitfromthedan@gmail.com > \end{array}$

Date: Sun Sep 27 12:01:27 2015 -0400

added code example

 $commit \ \ ae 8 de 78 c1 fd 46 f0 e9 7 b3 30 a8 d2 b0 ffb fa 94732 eb$

Merge: 1dc3887 10c6456

Author: Tim Waterman < watermantium@gmail.com>

Date: Sun Sep 27 11:52:01 2015 -0400

Merge branch 'master' of https://github.com/danhcole/4115_lang

commit 1dc3887de4b592953bd64898d30061ae630d86f9 Author: Tim Waterman <watermantium@gmail.com>

Date: Sun Sep 27 11:51:49 2015 -0400

Code snippet added

commit 10c64566f531bf806d9f08c51054fb95d5737a61 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Sun Sep 27 11:51:47 2015 -0400

small changes to .tex

commit f9c5317d8450c748a4cf81ca45cfd28f1a3f1d28 Author: Rashedul Haydar <rhaydar8@gmail.com>

Date: Sat Sep 26 21:52:32 2015 -0400

Fixed typos

commit 6da5e19dfaab76bbd201fb71df4558cf991fa18b Author: Daniel Cole <takeitfromthedan@gmail.com>

Sat Sep 26 21:42:24 2015 -0400

added rough draft of the proposal language

 $commit \ e13d614a71d90849f35c1ba97f016a8781adc514$ Author: Daniel Cole <takeitfromthedan@gmail.com>

Wed Sep 16 14:41:38 2015 -0400

Markdown is hard

commit 813e51459a7a552d72a5e584887e1b93f9199eb6 Author: Daniel Cole <takeitfromthedan@gmail.com>

Date: Tue Sep 15 12:58:54 2015 -0400

1st meeting time

commit 30e38166da5a57f2c946d66312df0bb68760033cAuthor: Daniel Cole <takeitfromthedan@gmail.com>

Date: Tue Sep 15 11:52:48 2015 -0400

updated w/ links to last semesters projects

commit 9ea75aaf3e11cdbeaf823e997ade807c76afe94c Author: Daniel Cole <takeitfromthedan@gmail.com> Date:

Tue Sep 15 09:49:18 2015 -0400

minor update to readme

commit 62b7ea6a2e751c08874c7212167b3a6287b173c5 Author: Daniel Cole <takeitfromthedan@gmail.com>

Tue Sep 15 09:46:55 2015 -0400

added link to class page


commit e63c1d0b41a77938f668162dc8ba785e47458a62

Author: Daniel Cole <dhc2131@columbia.edu> Date: Tue Sep 15 09:25:17 2015 -0400

Initial commit

Architectural Design

Block Diagram



Interface Description

Scanner

stch_scanner.mll

The scanner is written in OCamlLex. It takes input from the source file, and tokenizes it into keywords, identifiers, and literals. It scans over and removes both single line and multi-line comments, as well as all whitespace not in string literals. Any token that is not a keyword, or does not meet the criteria for an identifier or literal will throw a scanner error.

Parser/AST stch_parser.mly stch_ast.ml

The parser is written in OCamlYacc. It takes the tokens from the scanner, and using the grammar defined in the parser and the datatypes defined in the AST, generates an abstract syntax tree. The rules in the parser insure that code that passes this step is syntactically correct, although not necessarily semantically correct. Any error at this stage will throw a syntax error. The AST file also contains pretty printing functions for all datatypes defined therin.

Semantic Checking/CAST stch_ast.mll stch_semantic.ml stch.cast.mli

Stitch first runs the AST through the semantic analyzer. This pass insures that the code is semantically valid. The output of the semantic analyzer is another AST, a C language AST. The major difference here is that the CAST carries with it a Stitch Environment, which has, most importantly, a list of declared functions, and a symbol table, which contains all declared identifiers and their type. Stitches symbol table also contains information on the expression that the identifier references, which is used in the C code generation to build pthread related code.

Code Generation c_generator.ml

The CAST, which as already been semantically analyzed is now pretty printed. The bulk of the work to add multithreading is done here. The C generator performs multiple passes on the CAST. First any non-main functions are printed. Then any stitch loops are analyzed, and their statements are turned into a function. Finally, main is printed. This insures proper scoping of functions, and that all functions declared before main can be called in any Stitch block. To convert stitch loops to multithreaded pthread code, the C generator first takes the body of the loop and transforms it into a function. The generator also builds a custom struct for each stitch loop, that contains all in-scope, non-local variables that the loop will need access too. It then generates the pthread specific code, as well as a for loop that creates and runs the threads. The function containing the code body, as well as the structure containing all needed variables is passed into the pthread.

Test Plan

GCD

```
1 int gcd(int a, int b) {
    while (a != b) {
3
       if (a > b) {
4
       a = a - b;
5
     else {
6
      b = b - a;
8
9 }
10 return a;
11 }
12
13 int main() {
14 \quad \mathbf{int} \quad \mathbf{x} = 1;
15
    int y = 10;
16
17
    int z = gcd(x,y);
18
19
     print(z);
20
21
     return 0;
22 }
```

Listing 1: Stitch

GCD

```
1 #include "stch_headers.h"
 3
 4 int gcd(int b, int a)
 6 while ((a != b)) {
 7 \text{ if } ((a > b))
 8 {
 9 \ a = (a - b);
10 }
11 else

\begin{array}{ll}
12 & \{ \\
13 & b = (b - a); \\
\end{array}

14 }
15 }
16 return a;
17 }
18
19
20
21
23 int main()
24 {
25 \quad \mathbf{int} \quad \mathbf{x} = 1;
26 int y = 10;

27 int z = gcd(x, y);

28 printf("%d\n", z);
29 return 0;
30 }
```

Listing 2: C

Stitch loop Matrix Multiplication

```
1 int main() {
 3
     int i = 0;
 4
     int test = 6;
 5
 6
     int a [6][6];
 7
     int k = 0;
8
9
     int j = 0;
10
     for (k = 0; k < 6; k = k + 1) {
      for (j = 0; j < 6; j = j + 1) {
11
12
         a[k][j] = 0;
13
14
15
16
     stitch i from 0 to 6 by 1: {
17
18
       int j;
19
       for (j = 0; j < 6; j = j + 1) {
20
         a[i][j] = a[i][j] + 10;
21
22
     }
23
24
       for (j = 0; j < 6; j = j + 1) {
         for (k = 0; k < 6; k = k + 1) {
25
26
           print(a[j][k]);
27
28
29
30
     return 0;
31
32 }
```

Listing 3: Stitch

Stitch loop Matrix Multiplication

```
1 #include "stch_headers.h"
 3
 4
 5 struct stch_rangeInfo_0 {
 6 int begin;
 7 int end;
 8 int stepSize;
9 int k;
10 int (* a)[6];
11 int test;
12
13
14 };
15
16 void *_0 (void *vars) {
17 int i = 0;
18 for(i = ((struct stch_rangeInfo_0 *)vars)->begin; i < ((struct
       stch_rangeInfo_0 *) vars) \rightarrow end; i++) {
19 {
20 int j;
21 for (j = 0 ; j < 6 ; j = j + 1) {
22 ((struct stch_rangeInfo_0 *)vars)->a[i][j] = ((struct stch_rangeInfo_0 *)vars
       )->a[i][j] + 10;
23 }
24 }
25
26 }
27 return (void*)0;
28 }
29
30 int main()
31 {
32 \text{ int } i = 0;
33 \text{ int } \text{test} = 6;
34 int a [6] [6];
35 \text{ int } k = 0;
36 \text{ int } j = 0;
37 for (k = 0 ; (k < 6) ; k = (k + 1)) {
38 for (j = 0 ; (j < 6) ; j = (j + 1)) {
39 \ \mathbf{a} [\mathbf{k}] [\mathbf{j}] = 0;
40 }
41 }
42
43 pthread_t *threadpool_0 = malloc(NUMTHREADS * sizeof(pthread_t));
44 struct stch_rangeInfo_0 *info_0 = malloc(sizeof(struct stch_rangeInfo_0) *
```

```
NUMTHREADS);
45 int thread_0 = 0;
46 for (i = 0; i < 6; i = i+6/NUMTHREADS) {
47 \text{ info}_0[\text{thread}_0].\text{begin} = i;
48 \text{ info}_0[\text{thread}_0].k = k;
49 \text{ info}_{0} [\text{thread}_{0}].a = a;
50 \text{ info}_0[\text{thread}_0]. \text{test} = \text{test};
52 if ((i + 2*(6/NUMTHREADS)) > 6) {
53 \text{ info}_0[\text{thread}_0].\text{end} = 6;
54 i = 6;
55 }
56 else {
57 info_0 [thread_0].end = i + 6/NUMTHREADS;
58 }
59 int e = pthread_create(&threadpool_0[thread_0], NULL, _0, &info_0[thread_0]);
60 if (e!= 0) {
61 perror ("Cannot create thread!");
62 free(threadpool_0); //error, free the threadpool
63 exit(1);
64 }
65 \text{ thread}_{-}0++;
66 }
67
68 //loop and wait for all the threads to finish
69 for (i = 0; i < NUMTHREADS; i++)
70 pthread_join(threadpool_0[i], NULL);
71 }
72 //now we loop and resolve any accumulators
73 for (i = 0; i < NUMTHREADS; i++) {
74
75 }
76
77 for (j = 0 ; (j < 6) ; j = (j + 1)) {
78 for (k = 0 ; (k < 6) ; k = (k + 1)) {
79 printf("%d\n", a[j][k]);
80 }
81 }
82 return 0;
83 }
```

Listing 4: C

Test Suite Log

Full test code supplied in appendix

```
*************

* Positive Tests *

************

Starting Test ./_tests/accum1.stch
```

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting \ Test \ ./\ _tests/arith1.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting\ Test\ ./\ _tests/arith2.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting \ Test \ ./ \ _tests/array1.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting \ Test \ ./ \ _tests/arrayassign.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting \ Test \ ./ \ _tests/break1.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting \ Test \ ./ \ _tests/collatz.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting\ Test\ ./\ _tests/collatz2.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

Starting Test $./_{tests/comment1.stch}$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

Starting Test ./ $_tests/comment3.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting \ Test \ ./ \ _tests/escape.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

Starting Test $./_{tests/exit1.stch}$

COMPILE SUCCESSFUL!

DIFFing Output

```
TEST SCCESSFUL!
```

Starting Test $./_{tests/file1.stch}$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

Starting Test ./ $_tests/file2.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting\ Test\ ./\ _tests/for1.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

Starting Test ./_tests/func1.stch

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting\ Test\ ./\ _tests/func2.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting \ Test \ ./ \ _tests/func4.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

Starting Test ./_tests/func5.stch

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

Starting Test $./_{tests/gcd.stch}$

COMPILE SUCCESSFUL!

DIFFing Output

 $Starting\ Test\ ./\ _tests/hello1.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting\ Test\ ./\ _tests/hello2.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting\ Test\ ./_tests/if1.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

Starting Test ./ $_tests/if2.stch$

COMPILE SUCCESSFUL!

DIFFing Output

Starting Test ./ $_tests/if3.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting\ Test\ ./\ _tests/main.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting\ Test\ ./\ _tests/matmult.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting \ Test \ ./ \ _tests/matrix1.stch$

COMPILE SUCCESSFUL!

DIFFing Output

 $Starting \ Test \ ./ \ _tests/matrixinit.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting \ Test \ ./ \ _tests/matrixstitch.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

Starting Test ./_tests/negate.stch

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

Starting Test $./_{tests/ops1.stch}$

 $COMPILE\ SUCCESSFUL!$

DIFFing Output

 $Starting\ Test\ ./\ _tests/ops2.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

Starting Test ./_tests/sem2.stch

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting \ Test \ ./ \ _tests/stitch1.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting\ Test\ ./_tests/stitch2.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

Starting Test ./_tests/stitch3.stch

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting \ Test \ ./ \ _tests/stitch4.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting\ Test\ ./_tests/stitch5.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting \ Test \ ./ \ _tests/stitch6.stch$

COMPILE SUCCESSFUL!

DIFFing Output

TEST SCCESSFUL!

 $Starting\ Test\ ./\ _tests/stitch7\,.\,stch$

COMPILE SUCCESSFUL!
DIFFing Output
TEST SCCESSFUL!

* Negative Tests * *********************************
Starting Negative Test ./_ntests/arith3.stch
TEST SCCESSFUL!
Starting Negative Test ./_ntests/array2.stch
TEST SCCESSFUL!
Starting Negative Test ./_ntests/array3.stch
TEST SCCESSFUL!
Starting Negative Test ./_ntests/array4.stch
TEST SCCESSFUL!
Starting Negative Test ./_ntests/arrayinit1.stcl

 $Starting\ Negative\ Test\ ./ \ _ntests/arrayinit 2. stch$ TEST SCCESSFUL! Starting Negative Test ./ $_ntests/char1.stch$ TEST SCCESSFUL! $Starting\ Negative\ Test\ ./ \verb|-ntests|/comment2.stch|$ TEST SCCESSFUL! Starting Negative Test ./_ntests/comment4.stch TEST SCCESSFUL! Starting Negative Test ./_ntests/error.stch TEST SCCESSFUL! Starting Negative Test ./_ntests/exit2.stch TEST SCCESSFUL! Starting Negative Test ./ $_ntests/file1.stch$ TEST SCCESSFUL!

Starting Negative Test ./_ntests/float1.stch TEST SCCESSFUL! Starting Negative Test ./_ntests/func1.stch TEST SCCESSFUL! Starting Negative Test ./_ntests/func2.stch TEST SCCESSFUL! $Starting\ Negative\ Test\ ./ _ntests/globalvar1.stch$ TEST SCCESSFUL! Starting Negative Test ./ $_ntests/if1.stch$ TEST SCCESSFUL! Starting Negative Test ./ $_ntests/if2.stch$ TEST SCCESSFUL! $Starting\ Negative\ Test\ ./\ _ntests/matrixinit.stch$ TEST SCCESSFUL!

Starting Negative Test ./_ntests/matrixinit2.stch TEST SCCESSFUL! $Starting\ Negative\ Test\ ./ \ _ntests / negate 2. stch$ TEST SCCESSFUL! Starting Negative Test ./_ntests/negate3.stch TEST SCCESSFUL! Starting Negative Test ./_ntests/print.stch TEST SCCESSFUL! Starting Negative Test ./ ntests/sem1.stch TEST SCCESSFUL! $Starting\ Negative\ Test\ ./_ntests/sem3.stch$ TEST SCCESSFUL! $Starting\ Negative\ Test\ ./_ntests/stitch1.stch$ TEST SCCESSFUL!

Starting Negative Test ./_ntests/stitch4.stch

TEST SCCESSFUL!

Starting Negative Test ./_ntests/unfunc.stch

TEST SCCESSFUL!

Starting Negative Test ./_ntests/vardecl1.stch

TEST SCCESSFUL!

Starting Negative Test ./_ntests/void1.stch

TEST SCCESSFUL!

Passed 71 / 71 tests

Test Description

We started with a basic hello world program and then started adding cases such as basic arithmetic, comparison and logical operations, conditionals, comments, functions etc. Once we were able to get the basics passing the test suite, we moved on to semantic checking, arrays (1D and 2D), file I/O, and stitch loops. We added negative tests for certain features for a more comprehensive testing suite.

Positive Tests

- Basic arithmetic
- Comparison ops
- Logical ops, negate
- Conditional statements
 - Nested variable declarations
 - Nested conditional statements
- Comments- single and multiple lines
- Functions- single, multiple, gcd
- Break, exit
- Type checking
- 1D arrays, initializing and assigning
- 2D arrays (matrices), initializing and assigning
- File I/O
- Stitch Loops
- Matrix multiplication
- Escaped characters
- Accumulators

Negative Tests

- Arithmetic with mismatched types
- Type checking with void
- Negate with floats, chars
- Global variables
- Comments
- Functions
 - Initializing variables as arguments
 - No return type
 - Declaring functions inside functions
 - Calling undeclared functions
- Arrays
 - Initializing, accessing, size parameter as expression
- Matrices
 - Initializing, accessing
- Print/error with wrong type
- File I/O
- Invalid conditionals
- Stitch Loops
 - Undeclared iterator variable
 - No curly braces around statement block

Test Automation

The test suite stch_testSuite.sh first makes the compiler, then iterates through each test in the positive tests folder, calling the tool chain ?Singer?. ?Singer? runs the compiler on the test program, generating the c code, and compiling the c program with the appropriate runtime headers and c libraries. The test suite then checks if the file compiled, and prints the appropriate response to the screen and the log. It compares the difference between the output generated by the executable and the expected output, and prints the result to the screen and to the log. The negative tests are iterated through in a similar way, however the test only passes if the compilation fails. Finally, the test suite cleans up all the target programs, generated output, and executables.

Tests were added by all members of our team as they were needed. The test script is located in the appendix.

Lessons Lerned

Rashedul Haydar

For a semester long project it?s very important to try to get at least parts of the project done each week. Thankfully, we planned enough to have progress each week on the project. Having the weekly meetings with our advisor really pushed us to get something done every week. Even with the incremental progress, the last two weeks of the project was still crazy.

Megan Skrypek

I learned how important planning and communication is in tackling a large project like this. Having weekly meetings to work on components of the project as well as discuss future plans really helped us manage our time. Working on key components as a team really helped every member understanding the overall flow of the project, instead of only handling individual components. Some advice for future teams would be to start as early as possible, if you get stuck in the beginning it is very difficult to finish on time since each piece of the compiler builds on one another.

Daniel Cole

First and foremost, this was an amazing learning opportunity. Beyond learning the PLT related topics of complier design, I learned group management, how to work on large scale, long term projects, how to integrate code written by multiple people, and how to partition tasks. One of the big challenges was the long scale of the project. Keeping everything moving, and everyone motivated when the deadline was far away was not always easy. The periodic milestones, as well as the weekly checkins help immensely.

Because so much of our language focused on the C code generation, when we got to that point, (from the end of November on), it became much harder to split up the work, as most work at this point was dependent on previous work, and had to be completed in sequence. For instance, matrices needed arrays done first, and the Stitch loop bodies needed the Stitch functions done first. Along with other classwork, this was the biggest issue we had with balancing the workload.

I'd also like to confirm pretty much everything you said at the beginning of the semester, especially regarding OCaml. It wasn't until around the time I finished up the semantic analyzer that I fully appreciated why you had us work in this language. While it won't be my first choice for most projects going forwards, for this type of thing, it is 100% the best language I can imagine.

Tim Waterman

\mathbf{Code}

$stch_scanner.mll$

```
1 (*
 2 Stitch Scanner
 3 December 2015
 4 Authors: Dan Cole, Rashedul Haydar & Megan Skrypek
 6 *)
 7
 8 { open Stch_parser }
10 rule token = parse
      [' ', '\t', '\r', '\n'] { token lexbuf }
11
        "//"
"/*"
';'
12
                                sline_comment lexbuf }
13
                                block_comment lexbuf }
14
                             SEMI }
                             COLON }
15
         , , ,
                             SQUOTE }
16
                             DQUOTE }
17
         , ,, ,
18
                             LPAREN
                             RPAREN }
19
20
                             LSQUARE }
21
                             RSQUARE }
                             LBRACE }
RBRACE }
22
23
24
                             COMMA }
25
                             TIMES }
26
                             DIVIDE }
27
         , \overset{\cdot}{+}\,,
                             ADD }
         28
                             SUBTRACT }
29
         ,%,
                             MOD }
30
         '=
                            ASSIGN }
        "=="
31
                              { EQUAL }
                           { NEGATE }
32
         , į ,
        "!="
                             \left\{\begin{array}{c} \mathrm{NE} \ \right\} \\ \left\{ \begin{array}{c} \mathrm{AND} \end{array} \right\}
33
34
        "&&"
        "||"
'>'
35
                              { OR }
36
                           { GT }
                             \{ GE \}
37
        ">="
         ,<,
                           { LT }
38
                             { LÉ }
        "<="
39
        " i f "
40
                              { IF }
                             { ELSE } { WHILE
        " else"
41
        "while"
42
                                WHILE }
        "for"
43
                              { FOR }
        " stitch"
44
                                { STITCH }
        "from"
45
                                FROM }
                               TO }
46
         "to"
        "by"
47
                                BY }
        "break"
                              BREAK }
48
        "return"
49
                                { RETURN }
        "void"
                                TVOID }
50
                                TINT }
TFLOAT }
51
        "int"
        "float"
52
53
        "char"
                              { TCHAR }
        "int_ap"
                                { TINTAP }
```

```
55
   "int_am"
                          { TINTAM }
      "float_ap"
                         { TFLOATAP } { TFLOATAM }
56
      "float_am"
57
      "FILE" { TFILE }

['-' '+']?['0' - '9']+ as i_litr { INT(int_of_string i_litr) }

['-' '+']?['0'-'9']?'.'['0'-'9']* as f_litr { FLOAT(float_of_string f_litr) }
      "FILE"
58
59
     61
62
63
64
      eof { EOF }
65
66
     - as char { raise (Failure("illegal character " ^ Char.escaped char))}
67
68
    and sline\_comment = parse
69
                     { token lexbuf }
70
                     { sline_comment lexbuf }
71
72
     and block_comment = parse
      "*/" { token lexbuf }
73
                     { block_comment lexbuf }
```

stch_parser.mly

```
1 (*
 2 Stitch Parser
 3 December 2015
 4 Authors: Dan Cole, Rashedul Haydar, Megan Skrypek, & Tim Waterman
6 *)
8 \% \{ open Stch_ast \% \}
10 %token SEMI SQUOTE DQUOTE COLON LPAREN RPAREN LSQUARE RSQUARE LBRACE RBRACE
11 %token COMMA TIMES DIVIDE ADD SUBTRACT MOD
12 %token ASSIGN EQUAL NEGATE NE
13 %token AND OR
14 %token GT GE LT LE
15 %token FROM TO BY
16~\%token IF ELSE WHILE FOR STITCH BREAK RETURN TVOID TINT TFLOAT TCHAR TINTAM
       TFLOATAP TFLOATAM TFILE
17 %token VOID
18 %token <int> INT
19 %token <char> CHAR
20 %token <string> ESCAPE
21 \text{ \%token } < \text{float} > \text{FLOAT}
22 %token <string> STRING
23 %token <string> ID
24 %token EOF
25
26 %nonassoc NOELSE
27 %nonassoc ELSE
28 %right ASSIGN
29 %left OR
30 %left AND
31 %left EQUAL NE
32 %left LT GT LE GE
33 %left ADD SUBTRACT
34 %left TIMES DIVIDE MOD
35 %right NEGATE
37 %start program
38~\% type~< Stch\_ast.program > program
40 %%
41
42 program:
    /*decls EOF {$1}*/
                         { [], [] }
     | program stmt | SEMI { ($2 :: fst $1), snd $1 }
     | program fdecl { fst $1, ($2 :: snd $1) }
45
46
47 fdecl:
48
     type_name ID LPAREN formals_opt RPAREN LBRACE stmt_list RBRACE
49
     \{ \{ fdecl\_type = \$1; \}
50
       fdecl_name = $2;
51
       fdecl\_formals = \$4;
52
       body = List.rev \$7; }
```

```
54 type_name:
     TINT
                  Tint }
56
     TFLOAT
                  Tfloat }
57
     TCHAR
                  Tchar }
     TVOID
                  Tvoid }
58
     TINTAP
59
                  Tintap }
60
     TINTAM
                 { Tintam }
                  { Tfloatap } { Tfloatam }
61
     TFLOATAP
62
     TFLOATAM
63 | TFILE
                 { Tfile }
64
65 formals_opt:
   /* nothing */ { [] } | formal_list { List.rev $1 }
66
67
68
69 formal_list:
                      { [$1] }
70 vdecl
71 | formal_list COMMA vdecl { $3 :: $1 }
72
73 vdecl:
74
      type_name ID
75
      {{
       vdecl_type = $1;
vdecl_name = $2;
76
77
78
79
80 arraydecl:
81
     type_name ID LSQUARE expr_opt RSQUARE
82
83
       arraydecl_type = $1;
84
        arraydecl_name = $2;
85
        arraydecl_size = $4;
86
87
88 matrixdecl: /* two dimensional array implementation */
      type_name ID LSQUARE expr_opt RSQUARE LSQUARE expr_opt RSQUARE
89
90
      {{
91
        matrixdecl_type = $1;
        matrixdecl_name = $2;
92
        matrixdecl_rows = $4;
94
        matrixdecl_cols = \$7;
95
     }}
96
97
98 stmt_list:
101
102 stmt:
                                    { Expr($1) }
{ Vdecl($1) }
103 expr SEMI
104 | vdecl SEMI
105 /* One dimensional array stuff */
106 | arraydecl SEMI { ArrayDecl($1) }
107 | arraydecl ASSIGN LBRACE actuals_opt RBRACE SEMI
108 { ArrayInit($1, $4) }
109 /* Two dimensional array statements */
110 | matrixdecl SEMI
                                 { MatrixDecl($1) }
111 | matrixdecl ASSIGN LBRACE matrix_rev_list RBRACE SEMI
```

```
{ MatrixInit($1, $4) }
                                           { Return($2) }
113 | RETURN expr_opt SEMI
                                             { Block (List.rev $2) }
     LBRACE stmt_list RBRACE
114
     IF LPAREN expr RPAREN stmt %prec NOELSE { If($3, $5, Block([])) } IF LPAREN expr RPAREN stmt ELSE stmt { If($3, $5, $7) }
115
116
     FOR LPAREN expr_opt SEMI expr_opt SEMI expr_opt RPAREN stmt
117
118
      { For ($3,$5,$7,$9) }
119
     WHILE LPAREN expr RPAREN stmt
                                            \{ While(\$3, \$5) \}
120
     STITCH expr FROM expr TO expr BY expr COLON stmt
      { Stitch ($2,$4,$6,$8,$10) }
121
122
     vdecl ASSIGN expr SEMI
                                           { Assign($1, $3) }
123 | BREAK SEMI
                                    { Break }
124
125 expr_opt:
    /*nothing*/ { Noexpr }
126
127 | expr
              { $1 }
128
129 expr:
130 /*Primitives*/
    | INT { Int($1) }
131
             { Float($1) }
     FLOAT
     CHAR { Char($1) }
ESCAPE { Escape($1)}
133
134
     ID { Id($1)}
135
136 | STRING { String($1) }
138 | ID LSQUARE expr RSQUARE ASSIGN expr { Array_Item_Assign($1, $3, $6) }
                                       { Array_Index_Access($1, $3) }
139 | ID LSQUARE expr RSQUARE
140 /*Matrix */
141 | ID LSQUARE expr RSQUARE LSQUARE expr RSQUARE ASSIGN expr
142
      { Matrix_Item_Assign($1, $3, $6, $9) }
143 | ID LSQUARE expr RSQUARE LSQUARE expr RSQUARE
144
     { Matrix_Index_Access($1, $3, $6) }
    /*Arithmetic*/
145
      expr ADD
146
                  expr { Binop(\$1, Add, \$3) }
      expr SUBTRACT expr { Binop($1, Subtract, $3) }
147
                   expr { Binop($1, Times, $3) }
expr { Binop($1, Divide, $3) }
      expr TIMES
148
149
      expr DIVIDE
      expr MOD expr { Binop($1, Mod, $3) }
150
151 /*Comparison*/
152
      expr EQUAL expr
                           Binop($1, Equal, $3) }
                           Binop($1, Ne, $3) }
Binop($1, Lt, $3) }
153
      expr NE
                  expr
154
      expr LT
                  expr
      expr LE
                           Binop($1, Le, $3)
155
                  expr
156
      expr GT
                  expr
                           Binop($1, Gt, $3) }
                          { Binop($1, Ge, $3) }
      expr GE
157
                  expr
158 /*Logical*/
159
      expr OR expr
                          { Binop($1, Or, $3) }
                          { Binop($1, And, $3) }
160 | expr AND expr
161 /*Unary*/
162 | NEGATE expr
                       { Negate($2)}
163 /* Miscellanenous*/
164 | ID LPAREN actuals_opt RPAREN { Call($1, $3) }
165 | LPAREN expr RPAREN { $2 }
166 | ID ASSIGN expr
                      { Assign2($1, $3) }
167
168 /*List items for matrix initialization*/
169 matrix_rev_list:
```

stch_ast.ml

```
1 (*
2 Stitch AST
3 December 2015
4 Authors: Dan Cole, Rashedul Haydar, Tim Waterman, & Megan Skrypek
6 Our Stitch Abstract Syntax Tree
7 *)
8
9 type op = Add | Subtract | Times | Divide | Mod | Equal | Ne | Lt | Le | Gt | Ge
           | Or | And
10
11 type dataType = Tint | Tfloat | Tchar | Tvoid | Tstring | Tintap | Tintam | Tfloatap
       | Tfloatam | Tfile
12
13 type vdecl = {
14 vdecl_type
                     : dataType;
     vdecl_name
                     : string;
16 }
17
18 (* Expressions *)
19 \text{ type expr} =
       Int of int
20
21
       Float of float
22
       Char of char
23
       Escape of string
24
       Id of string
25
       String of string
26
       Binop of expr * op * expr
27
       Negate of expr
       Call of string * expr list
28
       Assign2 of string * expr
30
       Array_Item_Assign of string * expr * expr
31
       Array\_Index\_Access\ of\ string\ *\ expr
32
       Matrix_Item_Assign of string * expr * expr * expr
33
       {\tt Matrix\_Index\_Access} \ \ {\tt of} \ \ {\tt string} \ * \ {\tt expr} \ * \ {\tt expr}
34
       Access of string * string
35
     Noexpr
36
37 (* Array Declarations *)
38 type arraydecl = {
      arraydecl_type : dataType;
40
       arraydecl_name : string;
41
       arraydecl_size : expr;
42
43
    }
44
45 (* Matrix Declarations *)
    type matrixdecl = {
      matrixdecl_type : dataType;
47
48
       matrixdecl_name : string;
49
       matrixdecl_rows : expr;
50
       matrixdecl_cols : expr;
51
    }
52
```

```
54 (* Statements *)
55 \text{ type stmt} =
56
         Block of stmt list
57
         Vdecl of vdecl
58
         Expr of expr
         Return of expr
60
         If of expr * stmt * stmt
61
         For of expr * expr * expr * stmt
62
         While of expr * stmt
63
         Stitch of expr * expr * expr * expr * stmt
64
         Assign of vdecl * expr
65
         ArrayDecl of arraydecl
66
         ArrayInit of arraydecl * expr list
67
         MatrixDecl of matrixdecl
68
         MatrixInit of matrixdecl * expr list list
69
70
71 type fdecl = \{
         fdecl_type : dataType;
fdecl_name : string;
72
73
74
         fdecl_formals : vdecl list;
75
         body: stmt list;
76
77
78 type program = stmt list * fdecl list
80 (* Pretty printer, used for testing, and in parts of the c_generator *)
81 let string_of_dataType = function
    Tint -> "int"
82
         Tfloat -> "float"
83
         Tchar -> "char"
84
85
         Tvoid -> "void"
86
         Tstring -> "char *"
         Tintap -> "int"
87
         Tintam -> "int"
88
         Tfloatap -> "float"
89
         Tfloatam -> "float"
Tfile -> "FILE *"
90
91
92
93 let rec string_of_expr = function
94
         Int(l) \rightarrow string\_of\_int l
         Float(1) -> string_of_float 1
Char(1) -> "\'" ^ String.make 1 1 ^ "\'"
Escape(1) -> "\'" ^ 1 ^ "\'"
95
96
97
98
         Id(s) \rightarrow s
         String(s) -> "\"" ^ s ^ "\""
99
100
       \mid \ \operatorname{Binop}\left(\, \operatorname{e1}\,,\ \operatorname{o}\,,\ \operatorname{e2}\,\right) \ -\!\!\!>
            string_of_expr el ^ " " ^
101
102
            (match o with
       Add -> "+" | Subtract -> "-" | Times -> "*" | Divide -> "/"
103
            | Equal -> "==" | Ne -> "!="
104
            | Lt -> "<" | Le -> "<=" | Gt -> ">" | Ge -> ">=" | Or -> "||" | And -> "&&" | Mod -> "%" ) ^ " " ^
105
106
        string_of_expr e2
Negate(e) -> "!" ^ string_of_expr e
107
108
       | Call(f, el) -> (match f with "print" -> "printf" | _ -> f) ^ "(" ^ String.concat ", " (List.map string_of_expr el) ^ ")"
109
       | Assign2(i, e) -> i ^ " = " ^ string_of_expr e ^ ";\n"
```

```
111 | Array_Item_Assign(id, ind, e) -> id ^ "[" ^ string_of_expr ind ^"] = "
              string_of_expr e
        | Array_Index_Access(id, index) -> id ^ "[" ^ string_of_expr index ^ "]" |
| Matrix_Item_Assign(id, row, col, ex) -> id ^ "[" ^ string_of_expr row ^ "][" string_of_expr col ^ "] = " ^ string_of_expr ex |
| Matrix_Index_Access(id, row, col) -> id ^ "[" ^ string_of_expr row ^ "][" ^ string_of_expr col ^ "]" |
| Access(f, s) -> f ^ "." ^ s |
| Nowerr -> ""
112
                                                                                     string_of_expr row ^ "][" ^
113
114
115
116
         | Noexpr -> ""
117
118 let string_of_vdecl vdecl = string_of_dataType vdecl.vdecl_type ^ " " ^ vdecl.
           vdecl_name
119
120 let string_of_arraydecl arraydecl = string_of_dataType arraydecl.arraydecl_type ^ "
           " ^ arraydecl.arraydecl_name ^ "["
           string_of_expr arraydecl.arraydecl_size ^ "]"
122
123 let string_of_matrixdecl m = string_of_dataType m.matrixdecl_type ^ " " ^ m.
           matrixdecl_name ^ "[" ^
           string_of_expr m.matrixdecl_rows ^ "][" ^ string_of_expr m.matrixdecl_cols ^ "]"
124
125
126 let string_of_arraylist el = "{" ^ String.concat ", " (List.map string_of_expr el) ^
127
128 let rec string_of_matrixlist (seed: string) el = match el with
           [] -> seed ^ "}"
           | head::tail -> string_of_matrixlist (seed ^ string_of_arraylist head ^ ",\n")
130
131
132 let rec string_of_stmt = function
           Block(stmts) ->
133
           "{\n" ^ String.concat "" (List.map string_of_stmt stmts) ^ "}\n" Expr(expr) -> string_of_expr expr ^ ";\n";
134
135
           Vdecl(v) \rightarrow string\_of\_dataType \ v.vdecl\_type \ ^" \ " \ ^v.vdecl\_name \ ^"; \ "";
136
           Return(expr) -> "return " ^ string_of_expr expr ^ ";\n";
If(e, s, Block([])) -> "if (" ^ string_of_expr e ^ ")\n" ^ string_of_stmt s
137
138
          If (e, s1, s2) -> "if (" ^ string_of_expr e ^ ")\n" string_of_stmt s1 ^ "else\n" ^ string_of_stmt s2
139
140
          For(e1, e2, e3, s) ->
    "for (" ^ string_of_expr e1 ^ "; " ^ string_of_expr e2 ^ "; " ^
    string_of_expr e3 ^ ") " ^ string_of_stmt s
While(e, s) -> "while (" ^ string_of_expr e ^ ") " ^ string_of_stmt s
141
142
143
144
         Stitch (e1, e2, e3, e4, s) ->
"stitch " ^ string_of_expr e1 ^ " from " ^ string_of_expr e2 ^ " to " ^
string_of_expr e3 ^ " by " ^ string_of_expr e4 ^ " : " ^ string_of_stmt s
145
146
147
           148
149
           ArrayInit(arraydecl, el) -> string_of_arraydecl arraydecl ^ " = " ^ string_of_arraylist el ^ ";\n"
150
           {\tt MatrixDecl\,(m)} \; -\!\!\!> \; {\tt string\_of\_matrixdecl\,\,m} \; \hat{\ } \; "; \backslash \, n"
151
        | MatrixInit(mdecl, li) -> string_of_matrixdecl mdecl ^ " = " ^ string_of_matrixlist "{" li ^ ";\n"
152
        | Break -> "break;"
153
154
155 let string_of_fdecl fdecl =
        string\_of\_dataType \ fdecl\_type \ ^" \ " \ ^fdecl\_fdecl\_name \ ^" (" \ ^String\_concat \ ", " \ (List\_map \ string\_of\_vdecl \ fdecl\_formals) \ ^") \ ^n \ ^n \ ^n
        String.concat "" (List.map string_of_stmt fdecl.body)
```

```
158 "}\n"
159
160 let string_of_program (stmts, funcs) =
161 String.concat "" (List.map string_of_stmt stmts) ^ "\n" ^
162 String.concat "\n" (List.map string_of_fdecl funcs)
```

stch_semantic.ml

```
1 (*
2 Semantic Analyzer
3 December 2015
4 Authors: Dan Cole & Tim Waterman
6 Takes the AST and runs semantic analysis on it, turning it into
7 a C<sub>-</sub>AST
8 *)
9
10 open Stch_ast
11 open Stch_cast
12 exception Error of string
14 (* Globals for procedurally generating suffix for stitch items *)
15 type stch_name_gen = { mutable name : int }
16 let sn = \{name = 0;\}
17
18 (* symbol table -> string *)
19 let string_of_symTable (syms: symTable) = let str = "SymTable: \n" î
           String.concat "\n" (List.map (fun (typ, name, _) -> "[" ^
Stch_ast.string_of_dataType typ ^ " " ^ name ^ "]") syms.vars) ^ "\n"
    in print_endline str
22
24 (* find a variable (and associated type) in the symbol table *)
25 let rec find_variable (scope: symTable) name =
26
     \operatorname{try}
27
       List.find (fun (\_, s, \_) \rightarrow s = name) scope.vars
28
     with Not-found -> match scope.parent with
     Some(parent) -> find_variable parent name
| _ -> raise (Error("Bad ID " ^ name)) (* in general, any type mismatch raises an
29
        error *)
31
32 (* check to see if a function has been defined *)
33 let rec find_func (funcs: c_fdecl list) fname =
   \operatorname{try}
35
       List.find (fun fn -> fn.fdecl_name = fname) funcs
     with Not-found -> raise (Error ("Function call not recognized: " ^ fname))
37
38 (* type check binary operations *)
39 (* for now, Stitch does not support type coercion, so binops must be int/int or flt/
       flt *)
40 let check_binop (lhs: dataType) (rhs: dataType) (env: stch_env) : (Stch_ast.dataType
       ) =
     match (lhs, rhs) with
       (Tint, Tint)
                        -> Tint
       (Tfloat, Tfloat) -> Tfloat
43
     | (_, _) -> raise (Error("Incompatable data types for binop"))
45
46 (* check variable decleration, returns a C_Vdecl *)
47 let check_vdecl (decl: vdecl) (env: stch_env) =
    let invalid = List.exists (fun (_, s, _) -> s = decl.vdecl_name) env.scope.vars in
49
       if invalid then
       raise (Error("Variable already declared"))
50
51 else
```

```
env.scope.vars <- (decl.vdecl_type, decl.vdecl_name, C_Noexpr)::env.scope.vars
52
53
          let v = { Stch_cast.vdecl_type = decl.vdecl_type;
54
                Stch_cast.vdecl_name = decl.vdecl_name } in
55
            C_Vdecl(v)
57 (* same as check_vdecl, except that it returns a triple of vdecl, datatype, name *)
58 let check_vdecl_t (decl: vdecl) (env: stch_env) =
     let invalid = List.exists (fun (_, s, _) -> s = decl.vdecl_name) env.scope.vars in
       if invalid then
60
61
         raise (Error("Variable already declared"))
62
        else
63
          env.scope.vars <- (decl.vdecl_type, decl.vdecl_name, C_Noexpr)::env.scope.vars
64
          let v = { Stch_cast.vdecl_type = decl.vdecl_type;
65
                Stch_cast.vdecl_name = decl.vdecl_name } in
66
            v, v.vdecl_type, v.vdecl_name
67
68 (* type check an expression and put into c_ast *)
69 let rec check_expr (e: expr) (env: stch_env) : (Stch_cast.c_expr * Stch_ast.dataType
       ) =
70
     match e with
71
     (* primitives get a free pass *)
       Int(1) \rightarrow C_{Int}(1), Tint
72
       Float(1) -> C_Float(1), Tfloat
73
                 -> C_Char(1), Tchar
74
       Char(1)
       Escape(1) -> C_Escape(1), Tchar
String(1) -> C_String(1), Tstring
75
76
77
      (* For ID's, check to see if the variable has been declared, if it has, get the
         name and type *)
78
      | Id(1) ->
79
       let var = try find_variable env.scope l
80
          with Not_found -> raise (Error ("Undefined Identifier" ^ 1))
81
82
            let (typ, vname, _) = var in
83
            C_Id(vname, typ), typ
84
      (* other exprs need to call their respective check functions *)
85
       Binop(lhs, o, rhs) -> binop_ret lhs o rhs env
86
       Negate(1) -> check_negate 1 env
        Call(f, b) -> check_call f b env
87
88
       Assign2(lhs, rhs) -> check_assign2 lhs rhs env
89
       Array\_Index\_Access (name, index) \, -\!\!\!> \, check\_array\_index \ name \ index \ env
90
        Array_Item_Assign(name, index, ex) -> check_array_item_assign name index ex env
        Matrix_Index_Access(name, row, col) -> check_matrix_index name row col env
91
92
       Matrix_Item_Assign(name, row, col, ex) -> check_matrix_item_assign name row col
         ex env
93
       Noexpr -> C_Noexpr, Tvoid
94
       _ -> C_Noexpr, Tvoid (* Can remove when everything else is added *)
95
96
     (* check negation. As of now, only ints and floats can be negated *)
97
     and check_negate (e: expr) (env: stch_env) =
98
       let exp = check_expr e env in
99
       match snd exp with
100
          Tint -> C_Negate((fst exp)), Tint
101
         Tfloat -> C-Negate((fst exp)), Tfloat
        _ -> raise (Error("Cannot negate type " ^ string_of_dataType (snd exp)))
102
103
     (* check the binop return type*)
104
```

```
and binop_ret (lhs: expr) (o: op) (rhs: expr) (env: stch_env) : (Stch_cast.c_expr
105
          * Stch_ast.dataType) =
        let \ (lhs \ , \ t1) = check\_expr \ lhs \ env
106
107
        and (rhs, t2) = check_expr rhs env in
108
109
        match o with
110
          Add -> C_Binop(lhs, o, rhs), check_binop t1 t2 env
          Subtract \ -\!\!\!> \ C\_Binop(lhs \ , \ o \ , \ rhs) \ , \ check\_binop \ t1 \ t2 \ env
111
112
          Times -> C_Binop(lhs, o, rhs), check_binop t1 t2 env
          Divide -> C_Binop(lhs, o, rhs), check_binop t1 t2 env
113
114
          Mod -> C_Binop(lhs, o, rhs), check_binop t1 t2 env
115
          Equal -> C_Binop(lhs, o, rhs), check_binop t1 t2 env
116
          Ne \rightarrow C_Binop(lhs, o, rhs), check_binop t1 t2 env
117
          Lt -> C_Binop(lhs, o, rhs), check_binop t1 t2 env
          Le -> C_Binop(lhs, o, rhs), check_binop t1 t2 env
118
          Gt -> C\_Binop(lhs, o, rhs), check\_binop t1 t2 env
120
          Ge \rightarrow C_Binop(lhs, o, rhs), check_binop t1 t2 env
121
          Or \ -\!\!\!> \ C\_Binop\left(\,lhs\;,\;\;o\;,\;\;rhs\,\right)\;,\;\;check\_binop\;\;t1\;\;t2\;\;env
122
          And -> C_Binop(lhs, o, rhs), check_binop t1 t2 env
123
124
      (* check assign2 (i.e. expr assign) *)
125
      and check_assign2 (lhs: string) (rhs: expr) (env: stch_env) : (Stch_cast.c_expr *
          Stch_ast.dataType) =
126
        let (t1, -, -) = find\_variable env.scope lhs
        and (rhs, t2) = check_expr rhs env in
127
128
        if t1 = t2 || (t1 = Tintap \&\& t2 = Tint) then
129
          C_Assign2(lhs, rhs), t2
130
        else if t1 = Tint \&\& t2 = Tchar then
         C_Assign2(lhs, rhs), t1
131
132
        else
          raise (Error ("Type mismatch on variable assignment" ^ lhs ^
133
134
            "\nExpected: " ^ string_of_dataType t1 ^ " Got: " ^ string_of_dataType t2))
135
136
      (* Checking array access by index. Index should be an int, we just need to make
          sure that the
137
        array exists. We could also conceviably rewrite this later to do bounds checking
138
      and check_array_index (n: string) (index: expr) (env: stch_env) =
139
        let var = find_variable env.scope n in
140
        let (typ, vname, _) = var in
        let (e, t) = check\_expr index env in match t with
141
          Tint -> C_Array_Index(vname, e, typ), typ
142
          - -> raise (Error ("Cannot index into an array with type " ^
143
              string_of_dataType t))
144
      (* Checking matrix access by indices. They should both be ints, row and col.
145
146
        Also we need to check that the variable exists first
147
148
      and check_matrix_index (n: string) (row: expr) (col: expr) (env: stch_env) =
149
        let var = find_variable env.scope n in
150
        let (typ, vname, _) = var in
        let (erow, trow) = check_expr row env in
151
152
        let (ecol, tcol) = check_expr col env in match (trow, tcol) with
153
          (Tint, Tint) -> C_Matrix_Index(vname, erow, ecol, typ), typ
          | --> raise(Error("Cannot index into an array with types" ^ string_of_expr
154
              row ^ ", "
155
                     string_of_expr col))
156
```

```
157
158
      (* Checking the array assignment to a specific index. Will validate the lhs as a
          valid access, and
159
        then will make sure the rhs has the proper type for assignment
160
161
      and check_array_item_assign (name: string) (index: expr) (rhs: expr) (env:
          stch_env) =
162
        let var = find_variable env.scope name in
163
        let (typ, vname, _) = var in
        let (e, t) = check_expr index env in
164
165
          if t <> Tint then
166
            raise(Error("Cannot index into an array with type " ^ string_of_dataType t))
167
          else
168
            let (erhs, trhs) = check_expr rhs env in
169
            (* Hacky for now, allowing anything to store into a int or char array *)
170
              if trhs \Leftrightarrow typ && (typ \Leftrightarrow Tint && typ \Leftrightarrow Tchar )then
                raise(Error("Type mismatch on array item assignment"))
171
172
              else
173
                C_Array_Item_Assign(vname, e, erhs), typ
174
175
      and check_matrix_item_assign (name: string) (row: expr) (col: expr) (rhs: expr) (
          env: stch_env) =
176
        let var = find_variable env.scope name in
177
        let (vtyp, vname, _) = var in
        let (erow, trow) = check_expr row env in
178
179
        let (ecol, tcol) = check_expr col env in
          if trow \Leftrightarrow Tint || tcol \Leftrightarrow Tint then
180
181
            raise (Error ("Cannot index into a matrix with non-int values"))
182
          else
            let (erhs, trhs) = check_expr rhs env in
183
184
              if trhs <> vtyp then
185
                raise(Error("Type mismatch on matrix item assignment"))
186
187
                C_Matrix_Item_Assign(vname, erow, ecol, erhs), vtyp
188
189
      (* check function call *)
190
      and check_call (f: string) (el: expr list) (env: stch_env) =
191
        let l_expr_typ = List.map (fun e -> check_expr e env) el in
        let func_ret = find_func env.funcs f in
192
        let \ args\_l = find\_func\_sig \ f \ l\_expr\_typ \ func\_ret \ in
193
194
          C_Call(func_ret.fdecl_name, args_l), func_ret.fdecl_type
195
196
      (* function signature verify *)
      and find_func_sig (f: string) (opts: (c_expr * dataType) list) (func_ret: c_fdecl)
197
          = match f with
198
        (* special handling for built-in functions
199
           Not all built-ins need this (eg exit()) *)
200
         "print" -> (let arg = List.hd opts in
201
                match (snd arg) with
202
                   Tint -> (fst arg)::[]
203
                    Tfloat -> (fst arg)::[]
                    Tchar -> (fst arg)::[]
204
                   Tstring -> (fst arg)::[]
205
                   Tintap -> (fst arg)::[]
206
207
                   Tintam -> (fst arg)::[]
                   _ -> raise (Error("Invalid print type: " ^ string_of_dataType (snd
208
                     arg))))
        | "error" -> (let arg = List.hd opts in
209
```

```
210
                 match (snd arg) with
211
                    Tint -> (fst arg)::[]
212
                    Tfloat -> (fst arg)::[]
213
                    Tchar -> (fst arg)::[]
214
                    Tstring -> (fst arg)::[]
                   _ -> raise (Error("Invalid error type: " ^ string_of_dataType (snd
215
                      arg))))
216
        (* All other functions *)
217
        | -> try
218
            let formals = func_ret.fdecl_formals in
219
              let cexpr = List.map2 (fun (opt: c_expr * dataType) (formal: c_vdecl) ->
220
                let opt_typ = snd opt in
221
                 let formal_type = formal.vdecl_type in
222
                   if opt_typ = formal_type then
223
                     fst opt
224
                   else
225
                     C_Noexpr) opts formals in
226
                 \texttt{let matched} = \texttt{List.exists} \ (\texttt{fun e} \to \texttt{e} = \texttt{C-Noexpr}) \ \texttt{cexpr in}
227
                 if matched then
                  find_func_sig f opts func_ret
228
229
                 else
230
                   cexpr
231
          with Invalid_argument(x) ->
232
            raise (Error ("Wrong number of args in function call " ^ f))
233
234 (* Helper function for array initialization. This function will recursively traverse
         a list of
235
      expressions and try to type match them with the type of the array they're being
          added into.
236
     This function is called from check_array_init further down in the code
237 *)
238 let rec check_init_vals (name: arraydecl) (el: expr list) (t: dataType) (env:
        stch_env) =
239
      match el with
240
         [] -> name
        | head::tail -> let (ex, typ) = check_expr head env in
241
242
          if typ = t then
243
            check_init_vals name tail typ env
244
          else
            raise(Error("Types of array initialization do not match"))
245
246
247 (* Checking the types for matrix initialization *)
248 let rec check_matrix_rows (name: matrixdecl) (el: expr list) (t: dataType) (env:
        stch_env) =
249
      match el with
250
        | [] -> name
251
         head::tail \rightarrow let (exp, typ) = check_expr head env in
252
          if typ = t then begin
253
           check_matrix_rows name tail typ env
254
          end
255
          else
            raise (Error ("Types of matrix init do not match"))
256
257
258 (* Check that all the matrix rows are the proper length *)
259 let rec check_matrix_vals (name: matrixdecl) (el: expr list list) (ncols: int) (t:
        dataType) (env: stch_env) =
260
      match el with
    | [] -> name
261
```

```
262
               | head::tail ->
263
                    if ncols <> List.length head then begin
264
                       raise (Error ("Rows are not matching length in matrix decl"))
265
266
                   else
267
                       let m = check_matrix_rows name head t env in
268
                       check_matrix_vals m tail ncols t env
269
270 (* Generate the names for the struct and the anonymous pthread functions *)
271 let gen_name (sn : stch_name_gen) =
        let i = sn.name in
               sn.name \leftarrow i+1; "_" \hat{string_of_int} i
273
274
275 let get_id_from_expr (ex: expr) = match ex with
276
        Id(1) \rightarrow 1
           | _ -> " _null"
277
278
279 (* typecheck a statement *)
280 let rec check_stmt (s: Stch_ast.stmt) (env: stch_env) = match s with
281
           Block(ss) ->
282
               let scope' = { parent = Some(env.scope); vars = []; } in
283
                   let env' = \{ env with scope = scope' \} in
284
                   let ss = List.map (fun s -> check_stmt s env') ss in
285
                   scope '.vars <- List.rev scope '.vars;</pre>
                   C_Block(scope', ss)
286
287
               Vdecl(v) -> check_vdecl v env
288
               Expr(e) \rightarrow let(e,t) = check_expr(e) = check_e
289
               ArrayDecl(a) -> check_array_decl a env
290
               ArrayInit(a, el) -> check_array_init a el env
291
               MatrixDecl(m) -> check_matrix_decl m env
292
               MatrixInit (mdecl, el) -> check_matrix_init mdecl el env
293
               Return(e) -> check_return e env
294
               If(e, s1, s2) \rightarrow check_if e s1 s2 env
295
               For(e1, e2, e3, s) \rightarrow check\_for e1 e2 e3 s env
               While(e, s) -> check_while e s env
296
297
               Stitch(e1, e2, e3, e4, s) \rightarrow check\_stitch e1 e2 e3 e4 s env
298
           (* stmt assign needs to be fixed *)
299
               Assign(v, e) -> check_assign v e env
300
           | Break -> C_Break
301
302
           (* check assign (i.e. stmt assign) *)
303
           and check_assign (lhs: vdecl) (rhs: expr) (env: stch_env) =
304
               let (v, t1, -) = check\_vdecl\_t lhs env
305
                   and (rhs, t2) = check\_expr rhs env in
306
               if t1 = t2 || (t1 = Tintap \&\& t2 = Tint) then
307
                   C_Assign(v, rhs)
308
           else
               raise (Error("Type mismatch on variable assignment " ^ string_of_vdecl lhs))
309
310
311
           (* typecheck return (not return type, but keyword 'return') *)
312
           and check_return (e: expr) (env: stch_env) =
313
               if env.in_func then
314
               let (e,t) = check_expr e env in
315
                    if t = env.retType then
316
                       C_Return(t, e)
317
318
                       raise (Error("Incompatable return type. Expected type " ^
319
                           string_of_dataType env.retType
```

```
320
              ", found type " ^
321
              string_of_dataType t))
322
       else
323
         raise (Error("Invalid 'return' call"))
324
325
     and check_array_decl (a: arraydecl) (env : stch_env) =
326
327
       (* create a variable declaration out of the array declaration so we can check
           for it *)
       let ve = { Stch_ast.vdecl_type = a.arraydecl_type;
328
329
              Stch_ast.vdecl_name = a.arraydecl_name} in
330
331
       (* check to see if the variable is not already declared *)
332
       let invalid = List.exists (fun (_, s, _) -> s = ve.vdecl_name) env.scope.vars in
333
       if invalid then
334
         raise (Error("Variable " ^ ve.vdecl_name ^ " already declared"))
335
        else
336
       (* if it isn't, put it in the scope, and make a new c_arraydecl
337
         after you typematch the size expression *)
338
339
       (* If we have an arraydecl, we want the CEXPR in the symtable to be an index
           operation, so we can
340
         get the size information when we are passing the symtable to the code
              generator
341
         This is a bit hacky, but it should work for what we need it to
342
       *)
         let (ex, ty) = check_expr a.arraydecl_size env in
343
344
         env.scope.vars <- (ve.vdecl_type, ve.vdecl_name, C_Array_Index(ve.vdecl_name,
             ex, ve.vdecl_type))::env.scope.vars;
345
         let (ex, typ) = check_expr a.arraydecl_size env in
346
         match typ with
            Tfloat -> raise (Error("Invalid array size type, expects int"))
347
348
              Tchar -> raise (Error("Invalid array size type, expects int"))
              Tstring -> raise (Error("Invalid array size type, expects int"))
349
            Tvoid -> raise (Error("Invalid array size type, expects int"))
350
          (* else it's a void or an int, and it's allowed *)
351
352
            -> let v = { Stch_cast.arraydecl_type = ve.vdecl_type;
353
                      Stch_cast.arraydecl_name = ve.vdecl_name;
                      Stch_cast.arraydecl_size = a.arraydecl_size} in C_ArrayDecl(v)
354
355
356
     (* checking the array initialization. This will be done in 3 steps
357
       1. Check to see if the array can be declared as a new variable
358
       2. Make sure that all the args in the list are the same type
       3. Make sure that the type in the list matches the type
359
360
       4. Make sure that the size of the list matches the size of the decl (low
           priority for now)
361
     *)
362
     and check_array_init (a: arraydecl) (el: expr list) (env: stch_env) =
363
       (* first step: check that we have a valid array decl *)
364
       let invalid = List.exists (fun (_,s,_) -> s = a.arraydecl_name) env.scope.vars
           in
365
          if invalid then
            raise (Error ("Variable " ^ a.arraydecl_name ^ " already declared"))
366
367
          else begin
368
            let (ex, ty) = check_expr a.arraydecl_size env in
369
            env.scope.vars <- (a.arraydecl_type, a.arraydecl_name,
370
               C_Array_Index(a.arraydecl_name, ex, a.arraydecl_type))::env.scope.vars;
371
```

```
372
            (* now that we know it 's valid, check the types of the list *)
373
            let s = a.arraydecl\_size in
374
            let i = string\_of\_expr s in
375
            let typ = a.arraydecl_type in
376
            (* try to match the init size with the list size.
377
               Init size must be an int constant, by C rules *)
378
            try
379
            if int_of_string i = List.length el then
380
            let ret = check_init_vals a el typ env in
              if ret = a then
381
382
                C_ArrayInit({Stch_cast.arraydecl_name = a.arraydecl_name;
383
                        Stch_cast.arraydecl_type = a.arraydecl_type;
384
                        Stch_cast.arraydecl_size = a.arraydecl_size; }, el)
385
386
                 raise (Error ("Error parsing the list of array init args"))
387
              raise(Error("Size mismatch in array initialization"))
388
389
390
             | - -> raise(Error("Cannot initialize array with a variable"))
391
        end
392
      and check_matrix_init (m: matrixdecl) (el: expr list list) (env: stch_env) =
393
        (* First, we need to check that we have a valid declaration by checking for
            vdecl_t *)
394
        (* Check the size of the cols and rows, make sure they match the list counts
          rows = total # of sublists
395
396
          cols = length of the sublists (must be all the same length)
397
398
        let invalid = List.exists (fun (_,s,_) -> s = m.matrixdecl_name) env.scope.vars
399
          if invalid then
400
401
            raise (Error ("Variable " ^ m. matrixdecl_name ^ " already declared"))
402
403
            let (exr, ty) = check_expr m.matrixdecl_rows env in
404
            let (exc, ty2) = check_expr m.matrixdecl_cols env in
405
            env.scope.vars <- (m.matrixdecl_type, m.matrixdecl_name,
406
               C\_Matrix\_Index \\ (m.\ matrixdecl\_name \ , \ exr \ , \ exc \ , \ m.\ matrixdecl\_type)) :: env \ .
                   scope.vars:
407
            let typ = m.matrixdecl_type in
            let errorstring = "Error with " in
408
409
            let rows = string_of_expr m.matrixdecl_rows in
410
            let cols = string_of_expr m.matrixdecl_cols in
411
            try
            if int\_of\_string\ rows = List.length\ el && int\_of\_string\ cols > -1 then
412
              (* Inside here need to call my functions from above for matrix stuff *)
              let ret = check_matrix_vals m el (int_of_string cols) typ env in
414
415
                if ret = m then
416
                   C_MatrixInit( {Stch_cast.matrixdecl_name = m.matrixdecl_name;
417
                     Stch_cast.matrixdecl_type = m.matrixdecl_type;
                     Stch_cast.matrixdecl_rows = m.matrixdecl_rows;
418
                     Stch_cast.matrixdecl_cols = m.matrixdecl_cols \}, el)
419
420
                 else begin
                   (* print_string "HELLO"; *)
raise(Error(errorstring ^ "checking return value of list iter"))
421
422
423
            else begin
424
              (* print_string "HELLO2"; *)
raise(Error(errorstring ^ "Int of string statement failure"))
425
426
```

```
427
            end
            with
428
429
            | _ -> begin
              (* print_string "HELLO3"; *)
raise(Error(errorstring ^ "try/with failure"))
430
431
432
              end
433
          end
434
435
     and check_matrix_decl (m: matrixdecl) (env: stch_env) =
436
437
        (* create a variable declaration out of the array declaration so we can check
            for it *)
438
        let mat = { Stch_ast.vdecl_type = m.matrixdecl_type;
439
              Stch_ast.vdecl_name = m.matrixdecl_name} in
440
441
        (* check to see if the variable is not already declared *)
442
443
        let invalid = List.exists (fun (_, s, _) -> s = mat.vdecl_name) env.scope.vars
444
        if invalid then
          raise (Error("Variable " ^ mat.vdecl_name ^ " already declared"))
445
446
        else
447
        (* if it isn't, put it in the scope, and make a new c_arraydecl
448
          after you typematch the size expression *)
449
          let (exr, ty) = check_expr m.matrixdecl_rows env in
450
          let (exc, ty) = check_expr m.matrixdecl_cols env in
          \verb|env.scope.vars| <- (mat.vdecl\_type \;, \; mat.vdecl\_name \;,
451
452
            C_Matrix_Index(mat.vdecl_name, exr, exc ,mat.vdecl_type))::env.scope.vars;
453
          let (row, typerow) = check_expr m.matrixdecl_rows env in
454
          let (col, typecol) = check_expr m.matrixdecl_cols env in
455
          match (typerow, typecol) with
            (Tfloat, _) -> raise (Error("Invalid matrix row type, expects int"))
456
457
              (Tchar, _) -> raise (Error("Invalid matrix row type, expects int"))
              (Tstring, -) -> raise (Error("Invalid matrix row type, expects int"))
458
              (_, Tstring) -> raise (Error("Invalid matrix col type, expects int"))
459
              (_, Tfloat) -> raise (Error("Invalid matrix col type, expects int"))
460
461
                 Tchar) -> raise (Error("Invalid matrix col type, expects int"))
462
              (Tint, Tvoid) -> raise (Error("Invalid matrix row type, expects int"))
              (Tvoid, Tint) -> raise (Error("Invalid matrix row type, expects int"))
463
              (Tvoid, Tvoid) -> raise (Error("Invalid matrix decl. Must be 2 ints"))
464
465
          (* else it's a void or an int, and it's allowed *)
466
            -> let v = { Stch_cast.matrixdecl_type = mat.vdecl_type;
467
                    Stch_cast.matrixdecl_name = mat.vdecl_name;
468
                    Stch_cast.matrixdecl_rows = m.matrixdecl_rows;
469
                    Stch_cast.matrixdecl_cols = m.matrixdecl_cols } in
470
                       C_MatrixDecl(v)
471
472
473
     (* Typechecking the expression of an "if" statement *)
474
     and check_if (ex: expr) (th: stmt) (el: stmt) (en : stch_env) =
475
        let (e, t) = check_expr ex en in
          if t = Tint \mid \mid t = Tfloat \mid \mid t = Tchar then
476
477
            let s1 = check\_stmt th en in
478
            let s2 = check\_stmt el en in
479
            C_If(e, s1, s2)
480
          else
            raise (Error("If clause has expression of type " ^ string_of_dataType t))
481
482
```

```
483
484
      (* typecheck the for loop *)
      and check_for (e1: expr) (e2: expr) (e3: expr) (st: stmt) (env: stch_env) =
485
486
        let (ex1, t1) = check_expr el env in
487
        let (ex2, t2) = check_expr e2 env in
488
        let (ex3, t3) = check_expr e3 env in
489
        if t1 \Leftrightarrow Tint && t1 \Leftrightarrow Tvoid then
490
          raise (Error("For Loop: First expression not of type int."))
491
        else begin
           if t2 \Leftrightarrow Tint \&\& t2 \Leftrightarrow Tvoid then
492
493
             raise (Error("For Loop: Second expression not of type int."))
494
           else begin
495
             if t3 \Leftrightarrow Tint \&\& t3 \Leftrightarrow Tvoid then
496
               raise (Error ("For Loop: Third expression not of type int."))
497
             else begin
498
               let s = check\_stmt st env in
499
               C_{-}For(ex1, ex2, ex3, s)
500
             end
501
           end
        end
502
503
504
505
506 (* Go through the body of a stitch loop and create an environment of all the
        variables used, so we know
      what needs to be passed in
507
      NOTE: VDECLS and ARRAYDECLS/MATRIXDECLS should NOT be added here, because those
508
          are local in the stitch
509
      loop and should not be copied *)
510
511
      and check_stitch_body (el: c_stmt list) (table: symTable) (env: stch_env) = match
          el with
512
      [] -> table
       head::tail ->
513
514
      (match head with
        (* The symtable of block here consists of all the variables that I do not want
515
            to put in the struct,
516
           so we just pass the list through *)
          C_Block(t, b) \rightarrow check_stitch_body b table env
517
518
          C_V decl(a) \rightarrow let n = a.v decl_name in
           let table; = {Stch_cast.parent = table.parent; Stch_cast.vars =
519
520
           List.\,filter\ (\ fun\ (typ\ ,nm,ex)\ -\!\!\!>\ nm\ <\!\!\!>\ n\ )\ env.\,scope.\,vars\ \}\ in
           check_stitch_body tail table 'env
521
         | C_ArrayDecl(a) -> let n = a.arraydecl_name in
522
523
           let table ' = {Stch_cast.parent = table.parent; Stch_cast.vars =
524
           List.filter ( fun (typ,nm,ex) \rightarrow nm \Leftrightarrow n ) env.scope.vars } in
525
           check_stitch_body tail table 'env
526
          C_{-}MatrixDecl(m) \rightarrow let n = m.matrixdecl_name in
527
           let table' = {Stch_cast.parent = table.parent; Stch_cast.vars =
           List.filter ( fun (typ,nm,ex) \rightarrow nm \Leftrightarrow n ) env.scope.vars } in
528
529
           check_stitch_body tail table 'env
530
          C_Assign(v, r) \rightarrow let n = v.vdecl_name in
           let table' = \{Stch\_cast.parent = table.parent; Stch\_cast.vars = \{Stch\_cast.parent\} \} 
531
532
           List.filter (fun (typ,nm,ex) \rightarrow nm \Leftrightarrow n) env.scope.vars } in
533
           check_stitch_body tail table 'env
534
           C_ArrayInit(a, el) -> let n = a.arraydecl_name in
535
536
           let table' = {Stch_cast.parent = table.parent; Stch_cast.vars =
```

```
537
          List.filter ( fun (typ,nm,ex) \rightarrow nm \Leftrightarrow n ) env.scope.vars } in
538
          check_stitch_body tail table 'env
539
          C_MatrixInit(m, el) -> let n = m.matrixdecl_name in
540
           let table ' = {Stch_cast.parent = table.parent; Stch_cast.vars =
          List.filter ( fun (typ,nm,ex) \rightarrow nm \Leftrightarrow n ) env.scope.vars } in
541
          check_stitch_body tail table, env
542
543
544
        (* else I want to keep them in the symtable, continue down the list *)
545
        _ -> check_stitch_body tail table env
546
547
548
549
      (* Iterate through all the variables, adding them to one symtable *)
550
      and iterate_vars (data: (dataType * string * c_expr) list ) (table: symTable) =
          match data with
551
          [] -> table
552
          head::tail -> ignore(table.vars <- head::table.vars);
553
                  iterate_vars tail table
554
      (* Bounce up each symtable level, constructing one large symtable with all the
555
556
        and check_all_envs (el: c_stmt list) (currTable: symTable) (newTable: symTable)
             (env: stch_env) =
557
558
          ignore(iterate_vars currTable.vars newTable); (* add all the vars to the
               current table *)
559
        match currTable.parent with (* then check the parent *)
560
           | None -> newTable
561
             | Some(parent) -> check_all_envs el parent newTable env
562
563
564
565
      (* Typechecking the expressions of a Stitch Loop *)
566
      and check_stitch (var : expr) (start : expr) (s_end : expr) (stride : expr) (body
          : stmt) (env : stch_env) =
567
        let (var', t1) = check\_expr var env in
        let name = get_id_from_expr var in
let (start', t2) = check_expr start env in
let (s_end', t3) = check_expr s_end env in
let (stride', t4) = check_expr stride env in
568
569
570
571
        if t1 <> Tint then raise (Error("Stitch: First expression not of type int."))
572
573
        else begin
574
           if t2 \Leftrightarrow Tint then raise (Error("Stitch: Second expression not of type int."))
575
          else begin
576
             if t3 \Leftrightarrow Tint then raise (Error("Stitch: Third expression not of type int.")
                 )
             else begin
577
578
               if t4 <> Tint then raise (Error("Stitch: Fourth expression not of type int
                   "))
               else begin
579
                 let body' = [(check_stmt body env)] in
580
581
                  let n' = check_all_envs body' env.scope {Stch_cast.parent = None;
                      Stch_cast.vars = [] env in
                 let t' = check_stitch_body body' n' env in
582
583
                 let scope ' = {Stch_cast.parent = env.scope.parent;
                    Stch\_cast.vars = List.filter \ (fun \ (t\,,\ n,\ e) \ -\!\!\!> n \ <\!\!\!> name) \ t\,\text{`.vars }\} \ in
584
                    C_Stitch(var', start', s_end', stride', gen_name sn, body', scope')
585
586
               end
```

```
587
           end
588
          end
589
       end
590
591
      (* typecheck the while loop *)
592
     and check_while (e: expr) (s: stmt) (env: stch_env) =
593
       let (e,t) = check\_expr e env in
594
        if \ t = Tint \ then
595
         let s' = check_stmt s env in C_While(e,s')
596
        else
597
          raise (Error("Invalid 'while' expression"))
598
599 let check_formals (decl: vdecl) (env: stch_env) =
600
     match decl.vdecl_type with
       dataType -> env.scope.vars <- (decl.vdecl_type, decl.vdecl_name, C_Noexpr)::env.
601
           scope.vars;
602
          let v = { Stch_cast.vdecl_type = decl.vdecl_type;
603
                Stch_cast.vdecl_name = decl.vdecl_name } in v
604
605 let check_for_ret (body: stmt list) =
     if (List.exists (fun (s) -> match s with
                          Return(a) -> true
607
608
                           | _ -> false ) body) then ""
609
      else
610
       raise (Error ("Control reaches the end of nonvoid function."))
612 (* typecheck a function declaration *)
613 let check_fdecl (func: Stch_ast.fdecl) (env: stch_env) : c_fdecl =
614
     if env.in_func then
615
       raise (Error ("Cannot declare a function within another function"))
616
      else
617
       let env' = { env with scope = {parent = Some(env.scope); vars = [];};
618
       retType = func.fdecl_type; in_func = true} in
       let f-formals = (List.rev (List.map (fun x -> check-formals x env') func.
619
            fdecl_formals)) in
620
          let f = { Stch_cast.fdecl_name = func.fdecl_name;
621
                Stch_cast.fdecl_type = func.fdecl_type;
622
                Stch_cast.fdecl_formals = f_formals;
                Stch_cast.body = ( List.map (fun x -> check_stmt x env') func.body );}
623
                    in
624
                  match func.fdecl_type with
625
                    Tvoid -> env.funcs <- f::env.funcs; f
626
                    -> ignore(check_for_ret func.body); env.funcs <- f::env.funcs; f
627
629 (* typecheck the ast env *)
630 \text{ let init\_env} : (stch\_env) =
631
     let init_funcs = [{ fdecl_type = Tvoid;
632
                fdecl_name = "print";
633
                fdecl_formals = [ {vdecl_type = Tstring; vdecl_name = "c"}; ];
634
                body = [];
635
                };
636
                \{fdecl_type = Tvoid;
637
                 fdecl_name = "error";
638
                 fdecl_formals = [ {vdecl_type = Tstring; vdecl_name = "c"}; ];
639
640
                 body = [];
641
```

```
642
643
                {fdecl_type = Tvoid;
                 fdecl_name = "exit";
644
645
                 fdecl_formals = [ {vdecl_type = Tint; vdecl_name = "c"}; ];
646
                 body = [];
                };
647
648
649
                \{fdecl_type = Tfile;
650
                 fdecl_name = "open_r";
                 fdecl_formals = [ {vdecl_type = Tstring; vdecl_name = "fn"}; ];
651
652
                 body = [];
653
654
655
                {fdecl_type = Tfile;
                 fdecl_name = "open_w";
656
657
                 fdecl_formals = [ {vdecl_type = Tstring; vdecl_name = "fn"}; ];
                 body = [];
658
659
660
                {fdecl_type = Tint;
661
                 fdecl_name = "read";
662
                 fdecl_formals = [ {vdecl_type = Tfile; vdecl_name = "f"}; {vdecl_type =
663
                      Tchar; vdecl_name = "a"}; ];
664
                 body = [];
665
                };
666
                \{fdecl_type = Tint;
667
668
                 fdecl_name = "write";
                 fdecl_formals = [ {vdecl_type = Tfile; vdecl_name = "f"}; {vdecl_type =
669
                      Tchar; vdecl_name = "a"}; ];
670
                 body = [];
671
                in (* Need to add builtin functions here *)
672
      let init\_scope = \{ parent = None; vars = []; \} in
673
      { funcs = init_funcs;
674
675
        scope = init_scope;
676
        retType = Tvoid;
677
        in_func = false;
     }
678
679
680
681 (* check the programc *)
682 let check_prog (prog: Stch_ast.program) : (Stch_cast.c_program) =
683 let env = init_env in
684 { Stch_cast.stmts = (List.map (fun x -> check_stmt x env) (fst prog));
     Stch_cast.funcs = (List.map (fun x -> check_fdecl x env) (List.rev (snd prog)));
686
     Stch_cast.syms = env.scope;
687 }
```

stch_cast.ml

```
1 (*
2 C AST
 3 December 2015
 4 Authors: Dan Cole & Tim Waterman
 6 The C AST that will be generated from our semantic analysis
7 *)
8
9 open Stch_ast
10
11 (* Expressions *)
12 type c_{-}expr =
       C_Int of int
13
      C_Float of float
14
       C-Char of char
15
       C_Escape of string
       C_Id of string * dataType
17
       C_String of string
18
       C_Binop of c_expr * op * c_expr
19
       C_Negate of c_expr
20
21
       C_Call of string * c_expr list
       C\_Assign2 \ of \ string \ * \ c\_expr
22
23
       C_Array_Index of string * c_expr * dataType
24
       C\_Matrix\_Index \ of \ string \ * \ c\_expr \ * \ c\_expr \ * \ dataType
25
       C_Array_Item_Assign of string * c_expr * c_expr
26
       C\_Matrix\_Item\_Assign \ of \ string \ * \ c\_expr \ * \ c\_expr \ * \ c\_expr
27
      C_Noexpr
28
29 (* Symbol table to store variable and function names *)
30 type symTable = {
31 parent: symTable option;
32
    mutable vars: (dataType * string * c_expr) list;
33 }
34
35 type c_vdecl = {
36 vdecl_type : dataType;
37
     vdecl_name : string;
38 }
40 (* Array and Matrix data types *)
41 type c_arraydecl = {
     arraydecl_type : dataType;
arraydecl_name : string;
43
     arraydecl_size : expr;
44
45 }
46
47 type c_{\text{matrix}} = \{
    matrixdecl_type : dataType;
     matrixdecl_name : string;
50
     matrixdecl_rows : expr;
51
     matrixdecl_cols : expr;
52
53
54 (* Statements *)
```

```
55 \text{ type } c\_stmt =
       C_Block of symTable * c_stmt list
       C_Vdecl of c_vdecl
57
58
       C_ArrayDecl of c_arraydecl
       C_ArrayInit of c_arraydecl * expr list
59
       C_MatrixInit of c_matrixdecl * expr list list
61
       C_MatrixDecl of c_matrixdecl
       C\_Expr of dataType * c\_expr
62
63
       C_Return of dataType * c_expr
      C_If of c_expr * c_stmt * c_stmt
64
       C_For of c_expr * c_expr * c_expr * c_stmt
65
     C_While of c_expr * c_stmt
66
67
       C_Stitch of c_expr * c_expr * c_expr * c_expr * string * c_stmt list * symTable
68
       C_Assign of c_vdecl * c_expr
     | C_Break
69
70
71 type c_f decl = \{
       fdecl_type : dataType;
fdecl_name : string;
fdecl_formals : c_vdecl list;
72
73
74
75
       body : c_stmt list;
76
    }
77
78 (* Our environment *)
79 type stch_env = {
80 mutable funcs: c_fdecl list;
81 scope: symTable;
82 retType: dataType;
83 in_func: bool;
84 }
85
86 type c_program = \{
87 stmts : c_stmt list;
88 funcs : c_fdecl list;
89 syms : symTable;
90 }
```

$c_generator.ml$

```
1 (*
 2 C Code Generator
 3 December 2015
 4 Authors: Dan Cole & Tim Waterman
 6 Takes the C_AST and Generates the corresponding C Code
7 *)
8
9 open Stch_ast
10 open Stch_cast
11 exception Error of string
12
13 let string_of_c_dataType = function
        Tint -> "int"
14
        Tfloat -> "float"
15
        Tchar -> "char"
16
        Tvoid -> "void"
17
        Tstring \rightarrow "char *"
18
        Tintap -> "int"
19
        Tintam -> "int"
20
        Tfloatap -> "float"
21
      Tfloatam -> "float"
Tfile -> "FILE *"
22
23
24
25 (* Generates the c code for the corresponding expression from our C_AST *)
26 let rec string_of_c_expr = function
27
        C_Int(l) \rightarrow string_of_int l
28
        C_Float(1) -> string_of_float 1
        C_Char(1) -> "\'" ^ String.make 1 l ^ "\'"
C_Escape(1) -> "\'" ^ 1 ^ "\'"
29
31
        C_Id(s, t) \rightarrow s
        C_String(s) -> "\"" ^ s ^ "\""
32
       C_Binop(e1, o, e2) \rightarrow
33
34
          "(" ^ string_of_c_expr e1 ^ " " ^
35
           (match o with
             Add -> "+" | Subtract -> "-" | Times -> "*" | Divide -> "/"
36
     | Equal -> "==" | Ne -> "!=" | Lt -> "<" | Le -> "<=" | Gt -> ">" | Ge -> ">=" | Or -> "||" | And -> "&&" | Mod -> "%" ) ^ " " ^ string_of_c_expr e2 ^ ")" | C_Negate(e) -> "!" ^ string_of_c_expr e
37
38
39
40
41
42
43
      (* For call, we need to match our various built-in functions *)
      | C_{-}Call(f, el) \rightarrow (match f with "print" \rightarrow "printf"
44
                                               "error" -> "fprintf"
45
                                                "open_r" -> "fopen"
"open_w" -> "fopen"
46
47
                                                "read" -> "fread"
48
                                                "write" -> "fwrite"
49
                                               _ -> f)
50
51
                            "(" ^ String.concat ", " (match f with "print" -> print_2_fprint
                                   (List.hd el)
52
                                                                            | "error" ->
                                                                                 error_2_fprintf (List.
```

```
hd el)
53
                                                                         | "open_r" ->
                                                                              open_2_fopen_r (List.
                                                                              hd el)
                                                                           "open_w" ->
54
                                                                              open_2_fopen_w (List.
                                                                              hd el)
                                                                         | "read" -> read_2_fread
55
                                                                             еl
                                                                           "write" ->
56
                                                                             write_2_fwrite el
57
                                                                            _ -> List.map
                                                                              string_of_c_expr el)
        C_Assign2(i, e) \rightarrow i ^ " = " ^ string_of_c_expr e
58
       C_Array_Item_Assign(id, ind, e) -> id ^ "[" ^ string_of_c_expr ind ^"] = " ^
          string_of_c_expr e
       C_Array_Index(a, i, t) -> a ^ "[" ^ string_of_c_expr i ^ "]"
C_Matrix_Index(m, r, c, t) -> m ^ "[" ^ string_of_c_expr r ^ "][" ^ string_of_c_expr c ^ "]"
60
61
        C_Matrix_Item_Assign(m, r, c, e) -> m ^ "[" ^ string_of_c_expr r ^ "][" ^ string_of_c_expr c ^ "] = " ^ string_of_c_expr e
62
63
      | C_Noexpr -> ""
64
65
        (* Converting from read to the C function fread() *)
66
          and read_2_fread (el: c_expr list) =
67
             let file = List.hd el in
68
               let arr = List.hd (List.rev el) in
                 match file with
69
                    C_{-}Id\left(\,s\;,\;\;t\;\right)\;-\!\!>\;\left(\,match\;\;t\;\;wit\,h\right.
70
71
                      Tfile -> (match arr with
                        C_Id(s', t') -> (s' ^ ", sizeof(" ^ s' ^ "), sizeof(" ^ string_of_c_dataType t' ^ "), " ^ s)::[]
72
                         --> raise (Error ("Invalid argument type for read: " ^
73
                             string_of_c_expr arr)))
                       | _ -> raise(Error("Invalid argument type for read: " ^
74
                          string_of_c_expr file)))
                    _ -> raise(Error("Invalid argument for read: " ^ string_of_c_expr
75
                         file))
76
77
        (* Converting for write to the C function fwrite() *)
78
          and write_2_fwrite (el: c_expr list) =
79
             let \ file = List.hd \ el \ in
               let arr = List.hd (List.rev el) in
80
81
                 match file with
82
                    C_{-}Id(s, t) \rightarrow (match t with
83
                      Tfile -> (match arr with
                         C_Id(s', t') -> (s' ^ ", sizeof(" ^ s' ^ "), sizeof(" ^ string_of_c_dataType t' ^ "), " ^ s)::[]
84
                         -> raise (Error ("Invalid argument type for read: " ^
                             string_of_c_expr arr)))
                       | _ -> raise(Error("Invalid argument type for read: " ^
86
                           string_of_c_expr file)))
                    | _ -> raise(Error("Invalid argument for read: " ^ string_of_c_expr
87
                         file))
88
        (* Converting the two open functions *)
89
90
          and open_2\_fopen\_r (e: c\_expr) = match e with
```

```
C_String(1) \rightarrow ("\" \ 1 \ "\", \ "r+\"")::[]
             | _ -> raise (Error ("Invalid argument for open: " ^ string_of_c_expr e))
 92
 93
 94
             and open_2_fopen_w (e: c_expr) = match e with
                C_String(1) -> ("\"" ^ 1 ^ "\", \"w+\"" )::[]
 95
             | _ -> raise (Error("Invalid argument for open: " ^ string_of_c_expr e))
 96
 97
 98
          (* Generating print statements based on args *)
 99
             and print_2-fprint (e: c-expr) = match e with
               C_Int(1) -> ("\"%d\\n\", " ^ string_of_c_expr e)::[]
C_Float(1) -> ("\"%f\\n\", " ^ string_of_c_expr e)::[]
C_Char(1) -> ("\"%c\\n\", " ^ string_of_c_expr e)::[]
C_String(1) -> ("\"%s\\n\", " ^ string_of_c_expr e)::[]
100
101
102
103
               C_Array_Index(a, i, t) -> (match t with
104
                                                        Tint | Tintap | Tintam -> ("\"%d\\n\", " ^ a ^ "[" ^ string_of_c_expr i ^ "]")::[]

Tfloat | Tfloatap | Tfloatam -> ("\"%f\\n\", " ^ a ^ "[" ^ string_of_c_expr i ^ "]")::[]
105
106
                                                         Tchar -> ("\"%c\\n\", " ^ a ^ "[" ^ string_of_c_expr i ^ "]")::[]
Tstring -> ("\"%s\\n\", " ^ a ^ "[" ^ string_of_c_expr i ^ "]")::[]
107
108
                                                       | Tvoid -> raise (Error("Invalid print type Void

: " ^ a ^ "[" ^ string_of_c_expr i ^ "]"))
109
                                                       | Tfile -> raise (Error ("Invalid print type File
110
                                                            ")))
111
             | C_Matrix_Index(m, r, c, t) \rightarrow (match t with) |
                                                        Tint | Tintap | Tintam -> ("\"%d\\n\", " ^ m ^
"[" ^ string_of_c_expr r ^ "][" ^
string_of_c_expr c ^ "]")::[]
112
113
                                                       114
115
116
                                                       117
118
119
                                                       | Tvoid -> raise (Error ("Invalid print type void
120
                                                            in matrix printing"))
                                                       | Tfile -> raise (Error ("Invlaid print type file
121
                                                            in matrix printing")))
             | C_Id(l, t) \rightarrow (match t with)
122
123
                                      Tint | Tintap | Tintam -> ("\"%d\\n\", " ^ string_of_c_expr
                                           e)::[]
124
                                        Tfloat \mid Tfloatap \mid Tfloatam \rightarrow ("\"\%f\\n\", " ^
                                            string_of_c_expr e)::[]
                                         Tchar -> ("\"%c\\n\", " ^ string_of_c_expr e)::[]
Tstring -> ("\"%s\\n\", " ^ string_of_c_expr e)::[]
125
126
                                        Tvoid -> raise (Error("Invalid print type Void: "
127
                                            string_of_c_expr e))
                                      | Tfile -> raise (Error("Invalid print type File: ")))
128
129
             | C_Binop(lhs, o, rhs) -> (match o with
130
                                                      Add -> (match lhs with
                                                                     C_Int(1) -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^ "+" ^
131
                                                                          string_of_c_expr rhs)::[]
```

```
132
                                                                  string\_of\_c\_expr rhs)::[]
133
                                                             | C_Id(l, t) -> (match t with)
                                                                                        Tint | Tintap |
134
                                                                                              Tintam ->
                                                                                              ("\backslash"\%d\backslash\backslash n\backslash"\;,\;\;"
                                                                                              string_of_c_expr
lhs ^ "+" ^
                                                                                              string\_of\_c\_expr
                                                                                              rhs)::[]
135
                                                                                      | Tfloat | Tfloatap
                                                                                           | Tfloatam -> ("\"\% f \setminus n \setminus ", ") 
                                                                                           string_of_c_expr
lhs ^ "+" ^
                                                                                           string\_of\_c\_expr
                                                                                      rhs)::[]
| Tchar -> ("\"%c\\n
136
                                                                                           string_of_c_expr
lhs ^ "+" ^
                                                                                           string\_of\_c\_expr
                                                                                           rhs)::[]
                                                                                      | Tstring -> ("\"%s
137
                                                                                           string\_of\_c\_expr
                                                                                           lhs ^ "+" ^
                                                                                           string_of_c_expr
                                                                                            rhs)::[]
138
                                                                                      | Tvoid -> raise (
                                                                                           Error ("Invalid
                                                                                           print type Void:
                                                                                           string_of_c_expr
lhs ^ "+" ^
                                                                                           string_of_c_expr
                                                                                            rhs))
139
                                                                                      | Tfile -> raise (
                                                                                           Error ("Invalid
                                                                                           print type File:
                                                                                            ")))
140
                                                             _ -> raise (Error("Invalid add in
                                                                 function call"))
                                                         )
141
                                                142
143
                                                            string_of_c_expr rhs)::[]
| C_Float(1) -> ("\"%f\\n\", " ^
string_of_c_expr lhs ^ "-" ^
144
                                                                  string_of_c_expr rhs)::[]
145
                                                             | C_{-}Id(l, t) \rightarrow (match t with)
                                                                                        Tint | Tintap |
146
                                                                                              Tintam ->
                                                                                              ("\backslash"\%d\backslash\backslash n\backslash"\;,\;\;"
```

```
string_of_c_expr
                                                                                                      lhs ^ "-" ^
                                                                                                      string_of_c_expr
                                                                                                      rhs)::[]
147
                                                                                              | Tfloat | Tfloatap
                                                                                                   | Tfloatam -> ("\"\% f \setminus n \setminus ", ") 
                                                                                                   string_of_c_expr
                                                                                                   lhs ^ "-" ^
                                                                                                   \mathtt{string\_of\_c\_expr}
                                                                                             rhs)::[]
| Tchar -> ("\"%c\\n
\","
148
                                                                                                   string_of_c_expr
lhs ^ "-" ^
                                                                                                   string\_of\_c\_expr
                                                                                                   rhs)::[]
                                                                                             | Tstring -> ("\"%s
149
                                                                                                   string_of_c_expr
lhs ~ "-" ^
                                                                                                   string\_of\_c\_expr
                                                                                                   rhs)::[]
150
                                                                                              | Tvoid -> raise (
                                                                                                   Error ("Invalid
                                                                                                   print type Void:
                                                                                                   string_of_c_expr
lhs ^"-" ^
                                                                                                   {\tt string\_of\_c\_expr}
                                                                                                    rhs))
                                                                                              | Tfile -> raise (
151
                                                                                                   Error ("Invalid
                                                                                                   print type File:
                                                                                                    ")))
                                                                  | _ -> raise (Error("Invalid add in
152
                                                                       function call"))
153
                                                              )
                                                    | Times -> (match lhs with
154
                                                                    C_Int(1) -> ("\"%d\\n\", " ^
string_of_c_expr lhs ^ "*" ^
155
                                                                  string_of_c_expr rhs)::[]
| C_Float(1) -> ("\"%f\\n\", " ^
string_of_c_expr lhs ^ "* " ^
156
                                                                       string_of_c_expr rhs)::[]
                                                                  | \ C_I d(l,\ t) \ -\!\!\!> \ (match\ t\ with
157
                                                                                                Tint | Tintap |
158
                                                                                                     {\rm Tintam}\ -\!\!>
                                                                                                     ("\backslash"\%d\backslash\backslash n\backslash"\;,\;\;"
                                                                                                      string_of_c_expr
                                                                                                      lhs ^ "*" ^
                                                                                                      string_of_c_expr
                                                                                                      rhs) :: []
                                                                                              | Tfloat | Tfloatap
159
                                                                                                  | Tfloatam ->
```

```
("\"\%\ f\\\n\",\"\ ^
                                                                                                    string_of_c_expr
lhs ^ "*" ^
                                                                                                    \mathtt{string\_of\_c\_expr}
                                                                                                    rhs)::[]
                                                                                              | Tchar -> ("\"%c\\n
160
                                                                                                    string_of_c_expr
lhs ^ "*" ^
                                                                                                    string\_of\_c\_expr
                                                                                                    rhs)::[]
                                                                                              | Tstring -> ("\"%s
161
                                                                                                    string_of_c_expr
lhs ^ "*" ^
                                                                                                    string_of_c_expr
                                                                                                    rhs)::[]
162
                                                                                               | Tvoid -> raise (
                                                                                                    Error ("Invalid
                                                                                                    print type Void:
                                                                                                    string_of_c_expr
lhs ^ "*" ^
                                                                                                    \mathtt{string\_of\_c\_expr}
                                                                                                    rhs))
                                                                                              Tfile -> raise (
Error ("Invalid
163
                                                                                                    print type File:
                                                                                                     ")))
                                                                   | _ -> raise (Error ("Invalid add in
164
                                                                       function call"))
165
                                                    | Divide -> (match lhs with
166
                                                                     C_Int(1) -> ("\"%d\\n\", " ^
string_of_c_expr lhs ^ "/" ^
167
                                                                  string_of_c_expr rhs)::[]
| C_Float(1) -> ("\"%f\\n\", " ^
string_of_c_expr lhs ^ "/" ^
168
                                                                        string_of_c_expr rhs)::[j
169
                                                                   | C_Id(l, t) \rightarrow (match t with)
170
                                                                                                 Tint | Tintap |
                                                                                                      {\rm Tintam}\ -\!\!>
                                                                                                      ("\ \ \ \%\ d\ \ \ \ "\ ,\ "
                                                                                                       string_of_c_expr
                                                                                                       lhs ^ "/" ^
                                                                                                       string_of_c_expr
                                                                                                       rhs)::[]
171
                                                                                               | Tfloat | Tfloatap
                                                                                                    | Tfloatam \rightarrow ("\"\% f \ \ \ ","",")
                                                                                                    string_of_c_expr
lhs ^ "/" ^
                                                                                                    string_of_c_expr
                                                                                               rhs)::[]
| Tchar -> ("\"%c\\n
172
```

```
\", " ^
                                                                                                                           string\_of\_c\_expr
                                                                                                                            lhs ~ "/" ^
                                                                                                                           string_of_c_expr
                                                                                                                            rhs)::[]
                                                                                                                     | Tstring -> ("\"%s
173
                                                                                                                           string\_of\_c\_expr
                                                                                                                            lhs ^ "/"
                                                                                                                           string_of_c_expr
                                                                                                                            rhs)::[]
174
                                                                                                                     | Tvoid -> raise (
                                                                                                                           Error ("Invalid
                                                                                                                           print type Void:
                                                                                                                           string\_of\_c\_expr
                                                                                                                            lhs ^ "/"
                                                                                                                           \mathtt{string\_of\_c\_expr}
                                                                                                                            rhs))
                                                                                                                     | Tfile -> raise (
175
                                                                                                                           Error ("Invalid
                                                                                                                           print type File:
                                                                                                                             ")))
                                                                                  | - -> raise (Error("Invalid add in
176
                                                                                         function call"))
177
                                                                 | Equal -> ("\"%d\\n\", " ^ string_of_c_expr lhs "==" ^ string_of_c_expr rhs)::[]
178
                                                                  "==" string_of_c_expr rhs)::|]
Ne -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^
"!=" ^ string_of_c_expr rhs)::[]
Lt -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^
"<" ^ string_of_c_expr rhs)::[]
Le -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^
"<=" ^ string_of_c_expr rhs)::[]</pre>
Ct -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^
179
180
181
                                                                   Gt -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^ ">" ^ string_of_c_expr rhs)::[]
182
                                                                 | Ge -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^ ">=" ^ string_of_c_expr rhs)::[]
183
                                                                  - string_of_c_expr rhs)::[]
Or -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^
"||" ^ string_of_c_expr rhs)::[]
And -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^
"&&" ^ string_of_c_expr rhs)::[]
184
185
                                                                 "&&" ^ string_of_c_expr rhs)::[]
| Mod -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^
186
                                                                                 string_of_c_expr rhs)::[]
187
                | _ -> raise (Error("Invalid expr in print statement: " ^ string_of_c_expr e))
188
189
190
             (* Generating the error function based on parameters *)
                and error_2-fprintf (e: c_expr) = match e with
191
                  C_Int(1) -> ("stderr, \"%d\\n\", " ^ string_of_c_expr e)::[]
C_Float(1) -> ("stderr, \"%f\\n\", " ^ string_of_c_expr e)::[]
C_Char(1) -> ("stderr, \"%c\\n\", " ^ string_of_c_expr e)::[]
C_String(1) -> ("stderr, \"%s\\n\", " ^ string_of_c_expr e)::[]
192
193
194
195
196
                 | C_Id(l, t) \rightarrow (match t with)
197
                                               Tint | Tintap | Tintam \rightarrow ("stderr, \"%d\\n\", " ^
                                                      string_of_c_expr e)::[]
198
                                                   Tfloat \mid Tfloatap \mid Tfloatam \rightarrow ("stderr, \"\%f\n\", " ^ 
                                                     string_of_c_expr e)::[]
```

```
Tchar -> ("stderr, \"%c\\n\", " ^ string_of_c_expr e)::[]
Tstring -> ("stderr, \"%s\\n\", " ^ string_of_c_expr e)
199
200
                                         ::[]
                                      Tvoid -> raise (Error("Invalid print type Void: " ^
201
                                         string_of_c_expr e))
202
                                    | Tfile -> raise (Error("Invalid print type File: ")))
203
            | C_Binop(lhs, o, rhs) -> (match o with
                                                   \mathrm{Add} \, -\!\!\!> \, (\,\mathrm{match} \, \, \, \mathrm{lh} \, \mathrm{s} \, \, \, \mathrm{with} \, \,
204
                                                                C_Int(1) -> ("stderr, \"%d\\n\", " ^
string_of_c_expr lhs ^ "+" ^
205
                                                                      string_of_c_expr rhs)::[]
                                                              | C_Float(1) -> ("stderr, \"%f\\n\", "string_of_c_expr lhs \"+" \"
206
                                                                   string_of_c_expr rhs)::[]
207
                                                              | C_Id(l, t) -> (match t with
208
                                                                                          Tint | Tintap |
                                                                                               Tintam -> ("
                                                                                                stderr, \"%d\\
n\", "
                                                                                                string_of_c_expr
lhs ^ "+" ^
                                                                                                string\_of\_c\_expr
                                                                                        rhs)::[]
| Tfloat | Tfloatap
209
                                                                                             | Tfloatam -> ("
                                                                                             stderr , \"%f\\n
                                                                                             string_of_c_expr
                                                                                             lhs ^ "+" ^
                                                                                             string\_of\_c\_expr
                                                                                              rhs)::[]
                                                                                        | Tchar -> ("stderr,
210
                                                                                              \"%c\\n\", " ^
                                                                                             string_of_c_expr
                                                                                              lhs ^ "+" ^
                                                                                             string_of_c_expr
                                                                                             rhs)::[]
211
                                                                                        | Tstring -> ("
                                                                                             stderr, \"%s\\n
                                                                                             string_of_c_expr
lhs ^ "+" ^
                                                                                             string_of_c_expr
                                                                                             rhs)::[]
212
                                                                                        | Tvoid -> raise (
                                                                                             Error ("Invalid
                                                                                             print type Void:
                                                                                             string_of_c_expr
lhs ^ "+" ^
                                                                                             string_of_c_expr
                                                                                              rhs))
213
                                                                                        | Tfile -> raise (
                                                                                             Error ("Invalid
                                                                                             print type File:
                                                                                              ")))
214
                                                              | - -> raise (Error ("Invalid add in
                                                                  function call"))
```

```
215
                                                   | Subtract -> (match lhs with
216
                                                                   \begin{array}{c} \text{C-Int(1)} \rightarrow \text{("stderr, \"\%d\n\", string_of_c_expr lhs ^"-")} \end{array}
217
                                                                         string_of_c_expr rhs)::[]
                                                                 | C_Float(1) -> ("stderr, \"%f\\n\", "
string_of_c_expr lhs \"-" \
218
                                                                      string_of_c_expr rhs)::[]
219
                                                                 | C_{-}Id(l, t) \rightarrow (match t with)
                                                                                              Tint | Tintap |
Tintam -> ("
220
                                                                                                   stderr , \"%d\\
n\", "
                                                                                                    string_of_c_expr
lhs "-" ^
                                                                                                    string_of_c_expr
                                                                                                    rhs)::[]
221
                                                                                            | Tfloat | Tfloatap
                                                                                                 | Tfloatam -> ("
                                                                                                 stderr, \"%f\\n\", "
                                                                                                 string_of_c_expr
lhs ~ "-" ^
                                                                                                 string_of_c_expr
                                                                                                  rhs)::[]
                                                                                            | Tchar -> ("stderr,
222
                                                                                                 \"%c\\n\", " ^
                                                                                                 string_of_c_expr
lhs ^ "-" ^
                                                                                                 string\_of\_c\_expr
                                                                                                  rhs)::[]
                                                                                            Tstring -> ("
stderr, \"%s\\n
\", "
223
                                                                                                 string_of_c_expr
lhs ^ "-" ^
                                                                                                 string\_of\_c\_expr
                                                                                                  rhs)::[]
224
                                                                                            | Tvoid -> raise (
                                                                                                 Error ("Invalid
                                                                                                 print type Void:
                                                                                                 string_of_c_expr
lhs ~ "-" ^
                                                                                                 string_of_c_expr
                                                                                                  rhs))
                                                                                            Tfile -> raise (
Error ("Invalid
225
                                                                                                 print type File:
                                                                                                  ")))
                                                                 | - -> raise (Error("Invalid add in
226
                                                                      function call"))
227
                                                             )
228
                                                   | Times -> (match lhs with
                                                                   C_Int(1) -> ("stderr, \"%d\\n\", " ^
string_of_c_expr lhs ^ "*" ^
229
                                                                        string_of_c_expr rhs)::[]
                                                                 | C_Float(1) -> ("stderr, stderr, \"%f\\
230
```

```
n\, " ^ string_of_c_expr lhs ^ "*"
                                                                string_of_c_expr rhs)::[]
231
                                                           | C_Id(l, t) \rightarrow (match t with)
                                                                                      Tint | Tintap |
232
                                                                                          Tintam -> ("
                                                                                          stderr , \"%d\\
n\" , " ,
                                                                                           string_of_c_expr
                                                                                           lhs ^ "*" ^
                                                                                           string_of_c_expr
                                                                                    rhs)::[]
| Tfloat | Tfloatap
233
                                                                                        | Tfloatam -> ("
                                                                                        stderr , \"%f\\n'
\", " ^
                                                                                        string_of_c_expr
lhs ^ "*" ^
                                                                                        string\_of\_c\_expr
                                                                                    rhs)::[]
| Tchar -> ("stderr,
234
                                                                                        \"%c\\n\", " ^
                                                                                        string_of_c_expr
lhs ^ "*" ^
                                                                                        string_of_c_expr
                                                                                         rhs)::[]
                                                                                    | Tstring -> ("
235
                                                                                        stderr , \"%s\\n
                                                                                        string\_of\_c\_expr
                                                                                         lhs ^ "*" ^
                                                                                        string_of_c_expr
                                                                                         rhs)::[]
236
                                                                                    | Tvoid -> raise (
                                                                                        Error ("Invalid
                                                                                        print type Void:
                                                                                        string_of_c_expr
lhs ^ "*" ^
                                                                                        string_of_c_expr
                                                                                         rhs))
237
                                                                                    | Tfile -> raise (
                                                                                        Error ("Invalid
                                                                                        print type File:
                                                                                         ")))
238
                                                           _ -> raise (Error("Invalid add in
                                                               function call"))
239
240
                                              | Divide -> (match lhs with
                                                             C_Int(1) -> ("stderr, \"%d\\n\", " ^
string_of_c_expr lhs ^ "/" ^
241
                                                                  string_of_c_expr rhs)::[]
                                                           | C_Float(1) -> ("stderr, \'n\'f\\n\", "
string_of_c_expr lhs \cdot "/" \cdot
242
                                                                string_of_c_expr rhs)::[]
243
                                                           | C_{-}Id(l, t) -> (match t with)
                                                                                      Tint | Tintap |
Tintam -> ("
244
                                                                                           stderr, \"%d\\
```

```
n\", " ^
                                                                                                                               string_of_c_expr
                                                                                                                               lhs ^ "/" ^
                                                                                                                               string_of_c_expr
                                                                                                                               rhs)::[]
245
                                                                                                                     | Tfloat | Tfloatap
                                                                                                                           | Tfloatam -> ("
                                                                                                                           stderr , \"%f\\n
                                                                                                                           \", "
                                                                                                                           string\_of\_c\_expr
                                                                                                                            lhs ^ "/" ^
                                                                                                                           string_of_c_expr
                                                                                                                     rhs)::[]
| Tchar -> ("stderr,
246
                                                                                                                            \"%c\\n\", " ^
                                                                                                                           string\_of\_c\_expr
                                                                                                                            lhs ^ "/"
                                                                                                                           \mathtt{string\_of\_c\_expr}
                                                                                                                            rhs)::[]
                                                                                                                     | Tstring -> ("
247
                                                                                                                           stderr, \"%s\\n
\", " ^
                                                                                                                           string_of_c_expr
lhs ^ "/" ^
                                                                                                                           string\_of\_c\_expr
                                                                                                                            rhs)::[]
                                                                                                                     | Tvoid -> raise (
Error ("Invalid
248
                                                                                                                           print type Void:
                                                                                                                           string_of_c_expr
                                                                                                                            rhs))
249
                                                                                                                     | Tfile -> raise (
                                                                                                                           Error ("Invalid
                                                                                                                           print type File:
                                                                                                                            ")))
                                                                                  | - -> raise (Error("Invalid add in
250
                                                                                        function call"))
251
                                                                 | Equal -> ("stderr, \"%d\\n\", " ^
string_of_c_expr lhs ^ "==" ^ string_of_c_expr
252
                                                                        rhs)::[]
                                                                 | Ne -> ("stderr, \"%d\\n\", " ^ string_of_c_expr
| lhs ^ "!=" ^ string_of_c_expr rhs)::[]
| Lt -> ("stderr, \"%d\\n\", " ^ string_of_c_expr
| lhs ^ "<" ^ string_of_c_expr rhs)::[]
253
254
                                                                lhs ^ "<" string_of_c_expr rns)::[]
| Le -> ("stderr, \"%d\\n\", " ^ string_of_c_expr
    lhs ^ "<=" ^ string_of_c_expr rhs)::[]
| Gt -> ("stderr, \"%d\\n\", " ^ string_of_c_expr
    lhs ^ ">" ^ string_of_c_expr rhs)::[]
| Ge -> ("stderr, \"%d\\n\", " ^ string_of_c_expr
    lhs ^ ">=" ^ string_of_c_expr rhs)::[]
255
256
257
                                                                   Or -> ("stderr, \"%d\\n\", " string_of_c_expr
lhs ^ "||" string_of_c_expr rhs)::[]
258
                                                                 | And -> ("stderr, \"%d\\n\", " ^ string_of_c_expr
| lhs ^ "&&" ^ string_of_c_expr rhs)::[]
259
```

```
| Mod \rightarrow ("stderr, "%d\n", " ^ string_of_c_expr
260
                                                                                                           "%" ^ string_of_c_expr rhs)::[]
                                                                                               lhs
261
                                                                                                   )
262
                      - > raise (Error("Invalid expr in print statement: " ^ string_of_c_expr e))
263
264 (*
265 String of stitch expression is for use exclusively inside stitch loops.
266 It takes in a structname and a symbol table in addition to the corresponding
                 expression.
267 The structname is used to prepend onto variables that exist inside the symtable (
                which means
268
            that the variables are passed into the function externally)
269 *)
270 let rec string_of_stch_expr (structname: string) (table: symTable) (exp: c_expr) =
                 match exp with
271
                 C_Int(1) -> string_of_int 1
                C_Float(1) -> string_of_float 1
272
                C-Char(1) -> "\'" ^ String.make 1 1 ^ "\'" C-Id(s, t) -> (* structname ^ "->" ^ s *)
273
274
                     if List.exists( fun(\_,n,\_) \rightarrow n = s) table.vars then structname ^ "->" ^ s
275
276
277
                     else
278
                             \mathbf{s}
                C_Escape(1) -> "\'" ^ 1 ^ "\'"
C_String(s) -> "\" ^ s ^ "\""
279
280
             C_Binop(e1, o, e2) ->
281
                      (string_of_stch_expr structname table e1) ^ " " ^
282
283
                      (match o with
                         \label{eq:Add} \mbox{Add} \ -\!\!\!> "+" \ | \ \mbox{Subtract} \ -\!\!\!> "-" \ | \ \mbox{Times} \ -\!\!\!> "*" \ | \ \mbox{Divide} \ -\!\!\!> "/"
284
285
                        Equal -> "==" | Ne -> "!="
                         Lt -> "<" | Le -> "<=" | Gt -> ">" | Ge -> ">=" | Gt -> "\n" | Ge -\n" | Ge -\n
286
287
                      (string_of_stch_expr structname table e2)
288
                C-Negate(e) -> "!" ^ string_of_stch_expr structname table e
289
               C_Call(f, el) -> (match f with
290
                          "print" -> "printf"
291
                          | "error" -> "fprintf"
| _ -> f) ^ "(" ^ String.concat ", " (match f with
292
293
                              "print" -> print_2_fprint (List.hd el) structname table
294
                              | "error" -> error_2_fprintf (List.hd el) | _ -> List.map string_of_c_expr el) ^ ")"
295
296
            (* Now we need to check to see if the id's are in the table *)
297
             | C_Assign2(i, e) \rightarrow
                      if List.exists ( fun(\_,s,\_) \rightarrow s = i ) table.vars then structname ^ "->" ^ i ^ " = " ^ string_of_stch_expr structname table e
298
299
300
                      else
                        i ^ " = " ^ string_of_stch_expr structname table e
301
302
               C_Array_Item_Assign(id, ind, e) ->
                     if List.exists ( fun(\_,s,\_) -> s=id) table.vars then structname ^ "->" ^ id ^ "[" ^ string\_of\_stch\_expr structname table ind ^
303
304
                          "] = " ^{\circ} string_of_stch_expr structname table e
305
306
                     else
                         id ^ "[" ^ string_of_stch_expr structname table ind ^
"] = " ^ string_of_stch_expr structname table e
307
308
309
               C_Array_Index(a, i, t) \rightarrow
                      if List.exists( fun(_,s,_) \rightarrow s = a) table.vars then structname ^ "->" ^ a ^ "[" ^ string_of_stch_expr structname table i ^ "]"
310
311
312
```

```
a ^ "[" ^ string_of_stch_expr structname table i ^ "]"
314
       C_Matrix_Index(m, r, c, t) ->
           if List.exists (fun(',s,') -> s = m) table.vars then structname ^ "->" ^ m ^ "[" ^ string_of_stch_expr structname table r ^
315
316
317
              "][" ^ string_of_stch_expr structname table c ^ "]"
318
             m^ "["^ string_of_stch_expr structname table r ^
319
             "][" ^ string_of_stch_expr structname table c ^ "]"
320
321
        C_Matrix_Item_Assign(m, r, c, e) ->
           if List.exists(fun(_,s,_) -> s = m) table.vars then structname ^ "->" ^ m ^ "[" ^ string_of_stch_expr structname table r ^
322
323
                    `string_of_stch_expr structname table c `"] = " `string_of_stch_expr
324
                    structname table e
325
             m \hat{\ } "[" \hat{\ } string_of_stch_expr structname table r \hat{\ }
326
              "][" ^ string_of_stch_expr structname table c ^ "] = " ^ string_of_stch_expr
327
                    structname table e
328
       | C_Noexpr -> ""
329
           and print_2_fprint (e: c_expr) (structname: string) (table: symTable) = match
330
               e with
           331
332
333
334
335
            | C-Array-Index(a, i, t) -> (match t with
                                               336
337
338
339
                                                  Tvoid -> raise (Error("Invalid print type Void
: " ^ a ^ "[" ^ string_of_c_expr i ^ "]"))
340
                                                  Tfile -> raise (Error("Invalid print type File
341
                                                    : ")))
342
           | C_Matrix_Index(m, r, c, t) -> (match t with
                                                Tint | Tintap | Tintam -> ("\"%d\\n\", " ^ m ^
"[" ^ string_of_c_expr r ^ "][" ^
string_of_c_expr c ^ "]")::[]
343
344
                                                | Tfloat | Tfloatap | Tfloatam -> ("\"%f\\n\", "
n n "[" ^ string_of_c_expr r ^ "][" ^
345
                                               | string_of_c_expr c ^ "]")::[]
| Tchar -> ("\"%c\\n\", " ^ m ^ "[" ^ string_of_c_expr r ^ "][" ^
346
347
                                               | string_of_c_expr c ^ "]")::[]
| Tstring -> ("\"%s\\n\", " ^ m ^ "[" ^ string_of_c_expr r ^ "][" ^
348
349
                                                           string_of_c_expr c ^ "]")::[]
350
351
                                                | Tvoid -> raise (Error ("Invalid print type void
                                                    in matrix printing"))
                                                | Tfile -> raise (Error ("Invalid print type File
352
                                                     : ")))
           | C_Id(l, t) \rightarrow (match t with)
353
                                   Tint | Tintap | Tintam \rightarrow ("\"%d\\n\", " ^ (
354
                                       string_of_stch_expr structname table e))::[]
```

```
355
                                        | Tfloat | Tfloatap | Tfloatam \rightarrow ("\"%f\\n\", "
                                         string_of_stch_expr structname table e)::[]
Tchar -> ("\"%c\\n\", " ^ string_of_c_expr e)::[]
Tstring -> ("\"%s\\n\", " ^ string_of_c_expr e)::[]
Tvoid -> raise (Error("Invalid print type Void: " ^
356
357
358
                                             string_of_c_expr e))
                                        | Tfile -> raise (Error("Invalid print type File: ")))
359
360
              | C_Binop(lhs, o, rhs) -> (match o with
361
                                                        Add -> (match lhs with
                                                                       C_Int(1) -> ("\"%d\\n\", " ^
string_of_c_expr lhs ^ "+" ^
362
                                                                             string_of_c_expr rhs)::[]
                                                                    | C_Float(1) -> ("\"%f\\n\", " ^
string_of_c_expr lhs ^ "+" ^
363
                                                                          string_of_c_expr rhs)::[]
364
                                                                    | C_Id(l, t) \rightarrow (match t with)
                                                                                                    Tint | Tintap |
365
                                                                                                         {\rm Tintam} \ -\!\!>
                                                                                                          ("\backslash"\%d\backslash\backslash n\backslash"\;,\;\;"
                                                                                                          string_of_c_expr
lhs ^ "+" ^
                                                                                                          string_of_c_expr
                                                                                                          rhs)::[]
                                                                                                 | Tfloat | Tfloatap
366
                                                                                                       | Tfloatam ->
                                                                                                       ("\"% f\\n\", " ^
                                                                                                       string_of_c_expr
                                                                                                       lhs ^ "+" ^
                                                                                                       string_of_c_expr
                                                                                                       rhs)::[]
                                                                                                 | Tchar \stackrel{\checkmark}{\longrightarrow} ("\"%c\\n
367
                                                                                                       string_of_c_expr
lhs ^ "+" ^
                                                                                                       string\_of\_c\_expr
                                                                                                       rhs)::[]
                                                                                                 | Tstring -> ("\"%s
368
                                                                                                       string_of_c_expr
lhs ^ "+" ^
                                                                                                       string_of_c_expr
                                                                                                       rhs)::[]
369
                                                                                                 | Tvoid -> raise (
                                                                                                       Error ("Invalid
                                                                                                       print type Void:
                                                                                                       string_of_c_expr
lhs ^ "+" ^
                                                                                                       string\_of\_c\_expr
                                                                                                        rhs))
370
                                                                                                 | Tfile -> raise (
                                                                                                       Error ("Invalid
                                                                                                       print type File:
                                                                                                        ")))
371
                                                                    | - -> raise (Error ("Invalid add in
                                                                          function call"))
```

```
372
                                                      | Subtract -> (match lhs with
373
                                                                       C_Int(1) -> ("\"%d\\n\", " ^
string_of_c_expr lhs ^ "-" ^
374
                                                                    string_of_c_expr rhs)::[]
| C_Float(1) -> ("\"%f\\n\", " ^
string_of_c_expr lhs ^ "-" ^
375
                                                                          string_of_c_expr rhs)::[]
376
                                                                    | C_{-}Id(l, t) \rightarrow (match t with)
                                                                                                   Tint | Tintap |
377
                                                                                                         Tintam ->
                                                                                                         ("\backslash"\%d\backslash\backslash n\backslash"\;,\;\;"
                                                                                                         string_of_c_expr
lhs ^ "-" ^
                                                                                                         string_of_c_expr
                                                                                                          rhs)::[]
378
                                                                                                 | Tfloat | Tfloatap
                                                                                                      | Tfloatam -> ("\"\% f \setminus n \setminus ", ") 
                                                                                                      string\_of\_c\_expr
                                                                                                       lhs ^ "-" ^
                                                                                                      string\_of\_c\_expr
                                                                                                       rhs)::[]
                                                                                                 | Tchar -> ("\"%c\\n
379
                                                                                                      string_of_c_expr
lhs ^ "-" ^
                                                                                                      string\_of\_c\_expr
                                                                                                       rhs)::[]
                                                                                                 | Tstring -> ("\"%s
380
                                                                                                      string_of_c_expr
lhs ~ "-" ^
                                                                                                      string\_of\_c\_expr
                                                                                                       rhs)::[]
381
                                                                                                 | Tvoid -> raise (
                                                                                                      Error ("Invalid
                                                                                                      print type Void:
                                                                                                      string_of_c_expr
lhs ^ "-" ^
                                                                                                      {\tt string\_of\_c\_expr}
                                                                                                       rhs))
                                                                                                 \mid Tfile \rightarrow raise (
382
                                                                                                      Error ("Invalid
                                                                                                      print type File:
                                                                                                       ")))
                                                                    | _ -> raise (Error ("Invalid add in
383
                                                                         function call"))
384
                                                      | Times -> (match lhs with
385
                                                                       C_Int(1) \rightarrow ("\"d\\n\", "
386
                                                                            string_of_c_expr lhs ^ "*" ^
                                                                    string_of_c_expr rhs)::[]
| C_Float(l) -> ("\"%f\\n\", " ^
string_of_c_expr lhs ^ "*"
387
                                                                         string_of_c_expr lhs ^
```

```
string_of_c_expr rhs)::[]
388
                                                                 | C_Id(l, t) -> (match t with)
389
                                                                                              Tint | Tintap |
                                                                                                    Tintam ->
                                                                                                    ("\backslash"\%d\backslash\backslash n\backslash"\;,\;\;"
                                                                                                    string_of_c_expr
lhs ^ "*" ^
                                                                                                    string_of_c_expr
                                                                                                    rhs)::[]
390
                                                                                            | Tfloat | Tfloatap
                                                                                                  | Tfloatam ->
                                                                                                 ("\"% f\\n\", " ^
                                                                                                 string\_of\_c\_expr
                                                                                                  lhs ^ "*" ^
                                                                                                 \mathtt{string\_of\_c\_expr}
                                                                                            rhs)::[]
| Tchar -> ("\"%c\\n
391
                                                                                                 string_of_c_expr
lhs ^ "*" ^
                                                                                                 string\_of\_c\_expr
                                                                                                  rhs)::[]
                                                                                            | Tstring -> ("\"%s
392
                                                                                                 string_of_c_expr
lhs ^ "*" ^
                                                                                                 string\_of\_c\_expr
                                                                                                  rhs)::[]
393
                                                                                            | Tvoid -> raise (
                                                                                                 Error ("Invalid
                                                                                                 print type Void:
                                                                                                 string_of_c_expr
lhs ^ "*" ^
                                                                                                 string\_of\_c\_expr
                                                                                                  rhs))
394
                                                                                            | Tfile -> raise (
                                                                                                 Error ("Invalid
                                                                                                 print type File:
                                                                                                  ")))
                                                                 | - -> raise (Error("Invalid add in
395
                                                                      function call"))
396
                                                   | Divide -> (match lhs with
397
                                                                   C_Int(1) -> ("\"%d\\n\", " ^
string_of_c_expr lhs ^ "/" ^
398
                                                                | C_Float(1) -> ("\"%f\\n\", "
| string_of_c_expr lhs ' "/"
399
                                                                      string_of_c_expr rhs)::[]
400
                                                                 | C_Id(l, t) \rightarrow (match t with)
401
                                                                                              Tint | Tintap |
                                                                                                    {\rm Tintam}\ -\!\!>
                                                                                                    ("\backslash"\%d\backslash\backslash n\backslash"\;,\;\;"
                                                                                                    string_of_c_expr
```

```
lhs ^ "/" ^
                                                                                                                        string_of_c_expr
                                                                                                                        rhs)::[]
402
                                                                                                              | Tfloat | Tfloatap
                                                                                                                     | Tfloatam ->
                                                                                                                    ("\"% f\\n\", " ^
                                                                                                                    string_of_c_expr
lhs ^ "/" ^
                                                                                                                    string_of_c_expr
                                                                                                                     rhs)::[]
                                                                                                              | Tchar _> ("\"%c\\n
403
                                                                                                                    string_of_c_expr
lhs ^ "/" ^
                                                                                                                    string\_of\_c\_expr
                                                                                                                     \operatorname{rhs})::[]
                                                                                                              | Tstring -> ("\"%s
404
                                                                                                                    string\_of\_c\_expr
                                                                                                                     lhs ^ "/" ^
                                                                                                                    string_of_c_expr
                                                                                                                     rhs)::[]
405
                                                                                                              | Tvoid -> raise (
                                                                                                                    Error ("Invalid
                                                                                                                    print type Void:
                                                                                                                    string_of_c_expr
                                                                                                                     lhs ^ "/" ^
                                                                                                                    string_of_cexpr
                                                                                                                     rhs))
                                                                                                              Tfile -> raise (
Error ("Invalid
406
                                                                                                                    print type File:
                                                                                                                     ")))
                                                                             | _ -> raise (Error("Invalid add in
407
                                                                                   function call"))
408
                                                            | Equal -> ("\"%d\\n\", " ^ string_of_c_expr lhs "==" ^ string_of_c_expr rhs)::[] | Ne -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^ "!=" ^ string_of_c_expr rhs)::[] | Lt -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^ "<" ^ string_of_c_expr rhs)::[] | Le -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^ "<=" ^ string_of_c_expr rhs)::[] | Le -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^ "<=" ^ string_of_c_expr rhs)::[] | Ct -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^ "
409
410
411
412
                                                             | Gt -> ("\"%d\\n\", " ^ string_of_c_expr lhs ^ ">" ^ string_of_c_expr rhs)::[]
413
                                                            414
415
416
417
                                                                   "%" ^ string_of_c_expr rhs)::[]
418
            | _ -> raise (Error("Invalid expr in print statement: " ^ string_of_c_expr e))
419
```

```
420
421
             and error_2_fprintf (e: c_expr) = match e with
              C_Int(1) -> ("stderr, \"%d\\n\", " ^ string_of_c_expr e)::[]
C_Float(1) -> ("stderr, \"%f\\n\", " ^ string_of_c_expr e)::[]
C_Char(1) -> ("stderr, \"%c\\n\", " ^ string_of_c_expr e)::[]
C_String(1) -> ("stderr, \"%s\\n\", " ^ string_of_c_expr e)::[]
422
423
424
425
426
             | C_Id(l, t) \rightarrow (match t with)
427
                                       Tint \ | \ Tintap \ | \ Tintam \ -> \ ("stderr \ , \ \ \ \ "\%d \ \ \ , \ " \ \ ^"
                                            string_of_c_expr e)::[]
                                     | Tfloat | Tfloatap | Tfloatam -> ("stderr, \"%f\\n\", " ^
428
                                         string_of_c_expr e)::[]
                                       Tchar -> ("stderr, \"%c\\n\", " ^ string_of_c_expr e)::[]
429
430
                                     Tstring -> ("stderr, \"%s\\n\", " ^ string_of_c_expr e)
                                          ::[]
                                       Tvoid -> raise (Error("Invalid print type Void: " ^
431
                                          string_of_c_expr e))
                                     | Tfile -> raise (Error("Invalid print type File: ")))
432
433
             | C_Binop(lhs, o, rhs) -> (match o with
434
                                                     Add -> (match lhs with
                                                                  C_Int(1) -> ("stderr, \"%d\\n\", " ^
string_of_c_expr lhs ^ "+" ^
435
                                                                        string\_of\_c\_expr rhs)::[]
                                                                | C_Float(1) -> ("stderr, \'n\'f\\n\", "
string_of_c_expr lhs \ "+" \ .
436
                                                                     string_of_c_expr rhs)::[]
437
                                                                | C_{-}Id(l, t) -> (match t with)
                                                                                             Tint | Tintap |
Tintam -> ("
438
                                                                                                  stderr, \"%d\\
n\", "
                                                                                                   string_of_c_expr
                                                                                                   lhs ^ "+" ^
                                                                                                   string_of_c_expr
                                                                                                   rhs)::[]
                                                                                           | Tfloat | Tfloatap
439
                                                                                                | Tfloatam -> ("
                                                                                                stderr , \"%f\\n
                                                                                                \", "
                                                                                                string\_of\_c\_expr
                                                                                                 lhs ^ "+" ^
                                                                                                string_of_c_expr
                                                                                                 rhs)::[]
                                                                                           | Tchar -> ("stderr,
440
                                                                                                 \"%c\\n\", " ^
                                                                                                string\_of\_c\_expr
                                                                                                 lhs ~ "+"
                                                                                                \mathtt{string\_of\_c\_expr}
                                                                                                 rhs)::[]
441
                                                                                           | Tstring -> ("
                                                                                                stderr , \"%s\\n
                                                                                                string_of_c_expr
lhs ^ "+" ^
                                                                                                string\_of\_c\_expr
                                                                                                 rhs)::[]
                                                                                           | Tvoid -> raise (
Error ("Invalid
442
                                                                                                print type Void:
```

```
string_of_c_expr
lhs ^ "+" ^
                                                                                       string_of_c_expr
                                                                                        rhs))
443
                                                                                   | Tfile -> raise (
                                                                                       Error ("Invalid
                                                                                       print type File:
                                                                                        ")))
                                                          | - -> raise (Error("Invalid add in
444
                                                              function call"))
445
                                                       )
446
                                              | Subtract -> (match lhs with
                                                            C_Int(1) -> ("stderr, \"%d\\n\", " ^
string_of_c_expr lhs ^ "-" ^
447
                                                                 string_of_c_expr rhs)::[]
                                                          | C_Float(1) -> ("stderr, \"%f\\n\", "
string_of_c_expr lhs ^ "-" ^
448
                                                               string_of_c_expr rhs)::[]
449
                                                          | C_Id(l, t) -> (match t with)
                                                                                     Tint | Tintap |
450
                                                                                          Tintam -> ("
                                                                                         stderr , \"%d\\
n\", " ^
                                                                                          string_of_c_expr
lhs ^ "-" ^
                                                                                          string\_of\_c\_expr
                                                                                          rhs)::[]
                                                                                   | Tfloat | Tfloatap
451
                                                                                       | Tfloatam -> ("
                                                                                       stderr , \"%f\\n
                                                                                       string_of_c_expr
lhs ^ "-" ^
                                                                                       string\_of\_c\_expr
                                                                                        rhs)::[]
                                                                                   | Tchar -> ("stderr, , \"%c\\n\", " ^,
452
                                                                                       string\_of\_c\_expr
                                                                                        lhs ~ "-" ^
                                                                                       string\_of\_c\_expr
                                                                                        rhs)::[]
                                                                                   | Tstring -> ("
453
                                                                                       stderr , \"%s\\n
                                                                                       string_of_c_expr
                                                                                        lhs ^ "-" ^
                                                                                       string_of_c_expr
                                                                                        rhs)::[]
454
                                                                                   | Tvoid -> raise (
                                                                                       Error ("Invalid
                                                                                       print type Void:
                                                                                       string_of_c_expr
lhs ^ "-" ^
                                                                                       string_of_c_expr
                                                                                        rhs))
455
                                                                                     Tfile -> raise (
```

```
Error ("Invalid
                                                                                            print type File:
                                                                                            ")))
                                                             | _ -> raise (Error ("Invalid add in
456
                                                                  function call"))
457
                                                          )
458
                                                | Times -> (match lhs with
                                                               C_Int(l) -> ("stderr, \"%d\\n\", " ^
string_of_c_expr lhs ^ "*" ^
459
                                                                    string_of_c_expr rhs)::[]
                                                             | C_Float(1) -> ("stderr, stderr, \"%f\\
n\", " ^ string_of_c_expr lhs ^ "*"
460
                                                                  ^ string_of_c_expr rhs)::[]
461
                                                             | C_{-}Id(l, t) \rightarrow (match t with)
                                                                                         Tint | Tintap |
Tintam -> ("
462
                                                                                              stderr , \"%d\\
n\" , "
                                                                                              string\_of\_c\_expr
                                                                                              lhs ~ "*" ^
                                                                                              string_of_c_expr
                                                                                       rhs)::[]
| Tfloat | Tfloatap
463
                                                                                            | Tfloatam -> ("
                                                                                           stderr , \"%f\\n
                                                                                           string_of_c_expr
lhs ^ "*" ^
                                                                                           string\_of\_c\_expr
                                                                                       rhs)::[]
| Tchar -> ("stderr,
464
                                                                                            \"%c\\n\", " ^
                                                                                           string_of_c_expr
lhs ^ "*" ^
                                                                                           string_of_c_expr
                                                                                            rhs)::[]
                                                                                      | Tstring -> ("
| stderr , \"%s\\n
465
                                                                                           string_of_c_expr
lhs ^ "*" ^
                                                                                           string_of_c_expr
                                                                                            rhs)::[]
466
                                                                                       | Tvoid -> raise (
                                                                                            Error ("Invalid
                                                                                            print type Void:
                                                                                           string\_of\_c\_expr
                                                                                            lhs ^ "*" ^
                                                                                           string_of_c_expr
                                                                                            rhs))
                                                                                       Tfile -> raise (
Error ("Invalid
467
                                                                                           print type File:
                                                                                            ")))
                                                             | - -> raise (Error("Invalid add in
468
                                                                  function call"))
469
```

```
470
                                               | Divide -> (match lhs with
                                                              C_Int(1) -> ("stderr, \"%d\\n\", "
string_of_c_expr lhs ^ "/" ^
string_of_c_expr rhs)::[]
471
                                                            472
                                                                 string_of_c_expr rhs)::[]
473
                                                            | C_Id(l, t) \rightarrow (match t with)
474
                                                                                        Tint | Tintap |
                                                                                            Tintam -> ("
stderr, \"%d\\
n\", " ^
                                                                                             string_of_c_expr
lhs ^ "/" ^
                                                                                             string_of_c_expr
                                                                                             rhs)::[]
                                                                                      | Tfloat | Tfloatap
475
                                                                                          | Tfloatam -> ("
                                                                                          stderr , \"%f\\n
                                                                                          \", "
                                                                                          string_of_c_expr
lhs ^ "/" ^
                                                                                          string\_of\_c\_expr
                                                                                           rhs)::[]
476
                                                                                      | Tchar -> ("stderr,
                                                                                           \"%c\\n\", " ^
                                                                                          string_of_c_expr
lhs ^ "/" ^
                                                                                           string\_of\_c\_expr
                                                                                           rhs)::[]
                                                                                      | Tstring -> ("
477
                                                                                          stderr , \"%s\\n
                                                                                          string_of_c_expr
                                                                                           lhs ^ "/" ^
                                                                                          {\tt string\_of\_c\_expr}
                                                                                           rhs)::[]
478
                                                                                      | Tvoid -> raise (
                                                                                          Error ("Invalid
                                                                                           print type Void:
                                                                                          string_of_c_expr
lhs ^ "/" ^
                                                                                          string_of_c_expr
                                                                                           rhs))
479
                                                                                      \mid Tfile \rightarrow raise (
                                                                                          Error ("Invalid
                                                                                           print type File:
                                                                                           ")))
                                                            | _ -> raise (Error ("Invalid add in
480
                                                                 function call"))
481
                                               | Equal -> ("stderr, \"%d\\n\", " ^
string_of_c_expr lhs ^ "==" ^ string_of_c_expr
482
                                                     rhs)::[]
                                               | Ne -> ("stderr, \"%d\\n\", " ^ string_of_c_expr
| lhs ^ "!=" ^ string_of_c_expr rhs)::[]
483
                                                | Lt -> ("stderr, \"%d\\n\", " ^ string_of_c_expr
484
```

```
lhs ^ "<" ^ string_of_c_expr rhs)::[]
| Le -> ("stderr, \"%d\\n\", " ^ string_of_c_expr
lhs ^ "<=" ^ string_of_c_expr rhs)::[]
| Gt -> ("stderr, \"%d\\n", " ^ string_of_c_expr
lhs ^ ">" ^ string_of_c_expr rhs)::[]
485
486
                                            | Ge \rightarrow ("stderr, \"%d\\n\", " \hat{} string_of_c_expr
487
                                                      ">=" ^ string_of_c_expr rhs)::[]
                                                lhs
                                            | \ Or \ -> \ ("stderr \ , \ "%d\n\", \ " \ ^ string\_of\_c\_expr
488
                                             lhs ^ "||" ^ string_of_c_expr rhs)::[]
And -> ("stderr, \"%d\\n\", " ^ string_of_c_expr
489
                                                 lhs ^ "&&" ^ string_of_c_expr rhs)::[]
                                            | \text{Mod} \rightarrow (" \text{stderr}, "\%d \setminus n \setminus ", " \hat{ } \text{string\_of\_c\_expr} | 
490
                                                        "%" ^ string_of_c_expr rhs)::[]
                                                 lhs
491
           --> raise (Error("Invalid expr in print statement: " ^ string_of_c_expr e))
492
493
494
495
496 let string_of_c_vdecl vdecl = string_of_c_dataType vdecl.vdecl_type ^ " " ^ vdecl.
         vdecl_name (* " " ^ vdecl.array_size ^ *)
497
498 let string_of_c_arraydecl arraydecl = string_of_c_dataType arraydecl.arraydecl_type ^ " " ^ arraydecl.arraydecl_name ^ "[" ^
         string_of_expr arraydecl.arraydecl_size ^ "]"
499
500
501 (* print stitch variables will generate the C code to put the necessary variables
502
        into the struct that gets passed to the pthread function. Most of these are
           straightforward,
503
       just copying the name into the struct. For matrices and arrays, we need to
           generate special
504
        pointer notation since we aren't copying these like the other variables
505
        *)
506 let rec print_stitch_variables (seed: string) el = match el with
       [] -> seed ^ "\n"
507
      | head::tail -> let (typ, name, exp) = head in
508
509
         if exp = C_Noexpr then
510
           print_stitch_variables (seed ^ (string_of_dataType typ) ^ " " ^ name ^
                string_of_c_expr exp ^ ";\n") tail
511
         else (match exp with
512
           C_Matrix_Index(nm,ro,col,dt) -> print_stitch_variables (seed ^ (
               string_of_dataType typ)
             " (* " ^ name ^ ")[" ^ string_of_c_expr col ^ "]; \n") tail
513
           | C_Array_Index(name, exp,typ) -> print_stitch_variables (seed ^ (string_of_dataType typ) ^ " *" ^ name ^ ";\n") tail
514
515
           _ -> raise (Error ("How did we even get here?")) )
517
518 (* Assign stitch variables is like print_stitch_variables, except it generates the C
         code to assign
519
      the local variables into their counterparts in the structure that's passed in
      It uses the same list and generates the same variables
520
521
       *)
522 let rec assign_stitch_variables (seed: string) (structname: string) el = match el
         with
       [] -> seed ^ "\n"
523
      | head::tail -> let (typ, name, exp) = head in
         525
             (structname) tail
526
```

```
527 (* This generates the loop after each stitch loops that will resolve the accumulator
         variables.
528 Right now this only works with int accumulators, as accumulators are unfinished at
        the time
529 of this submission
530 *)
531 let rec resolve_accums (seed: string) (structname: string) el = match el with
      [] -> seed ^ "\n"
532
      | head::tail -> let (typ, name, exp) = head in
534
        (match typ with
          (\ Tintap\ |\ Tfloatap)\ ->\ resolve\_accums\ (seed\ \hat{\ }\ name\ \hat{\ }\ "+="\ \hat{\ }\ structname\ \hat{\ }\ "."\ \hat{\ }\ 
535
               name ^";\n") structname tail
536
          | - > resolve_accums seed structname tail)
537
538
539 let rec string_of_c_matrixlist (seed: string) el = match el with
540
        [] -> seed ^ "}"
541
        | head::tail -> string_of_c_matrixlist (seed ^ string_of_arraylist head ^ ",\n")
             tail
542
543 let string_of_c_matrixdecl m = string_of_c_dataType m.matrixdecl_type ^ " " ^ m.
        matrixdecl_name ^ "["
544
        string_of_expr m.matrixdecl_rows ^ "][" ^ string_of_expr m.matrixdecl_cols ^ "]"
545
546 (* Converts a stitch loop into a for loop that creates all the threading information
      Allocates the threadpool and the structpool, using the procedurally generated
         function suffix
548
549 let convert_stitch_2_for var start s_end stride fname scope =
     let size = string_of_c_expr s_end in
551
      let threads = "\npthread_t *threadpool" ^ fname ^ " = malloc(NUMTHREADS * sizeof(
          pthread_t));\n" in
552
553
      (* Assign the initial variables into the struct *)
      let thread_assignment = "info"^fname^"[thread"^fname^"].begin = i;\n" ^
554
                                         555
                                         "if((" ^ string_of_c_expr var ^ " + 2*(" ^ "/NUMTHREADS)) > " ^ size ^ ") {\n"
556
                                         "info" fname "[thread fname ] end = " size f
557
                                             ";\n"
                                         string\_of\_c\_expr var ^ " = " ^ size ^ ";\n" ^
558
                                         "}\n"
559
                                        "else {\n" ^
"info"^fname^"[thread"^fname^"].end = " ^
560
561
                                             string_of_c_expr var ^ " + " ^ size ^ "/
                                             NUMTHREADS; \ n"
562
                                         "}\n" in
563
564
      (* Code to generate the threadpool *)
      let threadgen = "int e = pthread_create(&threadpool"^fname^"[thread"^fname^"], NULL, " ^ fname ^ ", &info"^fname^"[thread"^fname^"]);\n" ^
565
                       "if (e!= 0) {\n"
566
567
                       "perror(\"Cannot create thread!\");\n" ^
                       "free(threadpool"^fname^"); //error, free the threadpool\n" ^
568
569
                       " exit (1);\n"
                       "}\n" in
570
```

```
571
572
             (* Code that blocks and waits for the threads to finish *)
             573
574
575
576
                                                               NULL); \ n"
                                                       "}\n" in
577
578
             (* The loop at the end to resolve any accumulators, if they were used *)
579
             let accums = "//now we loop and resolve any accumulators \n" ^ "for (" ^ string_of_c_expr var ^ " = 0; "^ string_of_c_expr var ^ " = 0; " ^ s
580
581
                                                       " < NUMTHREADS; "^string_of_c_expr var ^"++) \{\n" (resolve_accums "" ("info"^fname^"["^string_of_c_expr var^"]")
582
583
                                                               scope.vars) ^
584
                                                       "}\n\n" in
585
             let varinfo = "struct stch_rangeInfo" ^ fname ^ " *info"^fname^" = malloc(sizeof(
586
             struct stch_rangeInfo" ^fname^") * NUMTHREADS);\n" in let incr = string_of_c_expr s_end ^ "/" ^ "NUMTHREADS" in
587
            let loop = threads ^ varinfo ^ "int thread" fname ^ " = 0; \n" ^ "for (" in loop ^ string_of_c_expr var ^ " = " ^ string_of_c_expr start ^ ";" ^ string_of_c_expr var ^ " < " ^ string_of_c_expr s_end ^ ";" ^ string_of_c_expr var ^ " = " ^ string_of_c_expr
588
589
590
                         var ^ "+" ^ incr ^
                  ") {n^* \hat{t} \rightarrow thread\_assignment \hat{t} \rightarrow threadgen \hat{t} \rightarrow thread"^fname^"++;n" ^ "}\n\n" ^
591
                           threadjoin ^ accums
593 (* String of c statements. The optional variable here is not ever used, but I'm
                 afraid to take it out
594
             right before we submit in case it breaks anything
595
              *)
596 let rec string_of_c_stmt ?structname:(structname="") (st: c_stmt)= match st with
                 C_Block(_, stmts) ->
    "{\n" ^ String.concat "" (List.map (string_of_c_stmt ~structname:"hello")
597
598
                               stmts) ^n "}\n"
                 C_Expr(_, e) \rightarrow string_of_c_expr e^ ";\n";
599
                 C_{Vdecl}(v) \rightarrow string\_of\_c\_dataType \ v.vdecl\_type \ ^" " \ ^v.vdecl\_name \ ^"; \ ^";
600
                 C_Return(_, c_expr) -> "return " ^ string_of_c_expr c_expr ^ ";\n"; C_If(e, s, C_Block(_, [])) -> "if (" ^ string_of_c_expr e ^ ")\n" ^
601
602
               string_of_c_stmt s

C_If(e, s1, s2) -> "if (" ^ string_of_c_expr e ^ ")\n" ^
string_of_c_stmt s1 ^ "else\n" ^ string_of_c_stmt s2
603
604
               C_For(e1, e2, e3, s) ->
"for (" ^ string_of_c_expr e1 ^ "; " ^ string_of_c_expr e2 ^ "; " ^
605
606
                 string_of_c_expr e3 ^ ") " ^ string_of_c_stmt s
C_While(e, s) -> "while (" ^ string_of_c_expr e ^ ") " ^ string_of_c_stmt s
C_Stitch(var, start, s_end, stride, fname, body, scope) -> convert_stitch_2_for
607
608
609
                      var start s_end stride fname scope
                 C_Assign(v, e) \rightarrow string_of_c_vdecl v ^ " = " ^ string_of_c_expr e ^ "; n"
610
                 C_ArrayDecl(a) -> string_of_c_arraydecl a ^ ";\n"
611
                C_ArrayInit(arraydecl, el) -> string_of_c_arraydecl arraydecl ^ " = {" ^ String.
612
                 concat ", " (List.map string_of_expr el) ^ "};\n" C_MatrixDecl(m) -> string_of_c_matrixdecl m ^ ";\n"
613
                 C_MatrixInit(mdecl, li) -> string_of_c_matrixdecl mdecl ^ " = " ^
                       string_of_c_matrixlist "{" li ^ ";\n"
                 C_Break -> "break;"
615
616
```

```
618 (* This function will take in a structname, a symtable, and a list of statements.
      It will check to see if the statements need to be prepended with the structname
619
620
      checking the symtable, and do so if it needs to
621
      This function is only for stitch loops *)
622
623
    let rec string_of_stch_stmt (structname: string) (table: symTable) (st: c_stmt) =
        match st with
       C_Block(_, stmts) ->
"{\n" ^ String.concat "" (List.map (string_of_stch_stmt structname table)
624
625
             stmts) ^n } n
       626
627
         if List.exists( fun(\_,s,\_) \rightarrow s = v.vdecl\_name) table.vars then
628
             string_of_c_dataType v.vdecl_type ^ " " ^ structname ^ "->" ^ v.vdecl_name
629
                    ";\n"
630
             string_of_c_dataType v.vdecl_type ^ " " ^ v.vdecl_name ^ ";\n"
631
       C_Return(_, c_expr) -> "return " ^ string_of_c_expr c_expr ^ ";\n";
632
     633
634
635
         string_of_stch_stmt structname table s1 ^ "else\n" ^ string_of_stch_stmt
636
             structname table s2
637
     | C_For(e1, e2, e3, s) \rightarrow
                 ^ string_of_stch_expr structname table e1 ^ "; " ^
638
         " for ('
            string_of_stch_expr structname table e2
             ; " ^ string_of_stch_expr structname table e3 ^ ") " ^
639
     string_of_stch_stmt structname table s
| C_While(e, s) -> "while (" ^ string_of_stch_expr structname table e ^ ") " ^
640
         string_of_stch_stmt structname table s
641
     C-Stitch (var, start, s-end, stride, fname, body, scope) -> convert_stitch_2_for
         var start s_end stride fname scope
642
643
     (* Assign doesn't need to be checked, it is a variable declaration *)
644
     | C_Assign(v, e) \rightarrow
          string_of_c_vdecl v ^ " = " ^ string_of_stch_expr structname table e ^ ";\n"
645
646
647
     (* Array declarations don't need to be checked for struct addition *)
648
     | C_ArrayDecl(a) ->
         string_of_c_arraydecl a ^ ";\n"
649
650
651
     (* Array inits do not need to be checked for symtable locations *)
652
     | C_ArrayInit(a, el) ->
         string_of_c_arraydecl a ^ " = {" ^ String.concat ", " (List.map string_of_expr
653
              el) ^ "};\n"
654
     (* Matrix declarations don't need to be checked *)
655
     | \ C_{-}MatrixDecl(m) \ -> \ (* \ string_{-}of_{-}c_{-}matrixdecl \ m \ \mathring{\ } "; \ \ " \ *)
656
657
          string_of_c_matrixdecl m ^ ";\n"
658
     | C_MatrixInit(mdecl, li) -> string_of_c_matrixdecl mdecl ^ " = " ^
659
         string_of_c_matrixlist "{" li ^ ";\n"
     | C_Break -> "break;"
660
661
662
```

```
663 (* Stitch to func will turn the contents of the stitch loop into a function that is
       passed through
664
      to each thread. This will properly generate the for loop that runs at the top of
          the function,
665
      with each thread starting and ending at locations determined by the initial
          division of labor
666
       *)
667 let rec stitch2func = function
668
        C_Block(_, stmts) ->
String.concat "" (List.map stitch2func stmts)
669
670
        C_If(e, s, C_Block(_, [])) \rightarrow stitch2func s
671
        C_{If}(e, s1, s2) \rightarrow stitch2func s2
672
        C_{-}For(e1, e2, e3, s) \rightarrow stitch2func s
673
        C-While(e, s) -> stitch2func s
       C_Stitch(var, start, s_end, stride, fname, body, scope) ->
let inner = String.concat "\n" (List.map ((string_of_stch_stmt ("((struct stch_rangeInfo" ^ fname ^ "*)vars)")) scope) body) in
"struct stch_rangeInfo" ^ fname ^ " {\n" ^ "int begin;\n" ^ "int end;\n" ^ "int
674
675
676
               stepSize;\n"
          (print_stitch_variables "" scope.vars) ^ "\n\r" ^ "void *" ^ fname ^ " (
677
              void *vars) {\n "
          "int "^(string_of_c_expr var)^" = 0;\n for("^(string_of_c_expr var)^" = ((
678
              struct stch_rangeInfo"
          fname^" *)vars)->begin; "^(string_of_c_expr var)^" < ((struct stch_rangeInfo"^
679
              fname
            680
      void *) 0;\n}\n"
681
682
683 let string_of_stitch func = String.concat "" (List.map stitch2func func.body)
684
685 let string_of_c_fdecl fdecl = match fdecl.fdecl_name with
     "main" -> ""
686
      | _ -> string_of_c_dataType fdecl.fdecl_type ^ " " ^ fdecl.fdecl_name ^ "(" ^
687
        688
689
690
691
692 let string_of_main fdecl = match fdecl.fdecl_name with
     694
695
      _ -> ""
696
697
698 let string_of_vars (\_, s, \_) = s
699
700 let string\_of\_c\_program (prog : Stch\_cast.c\_program ) =
     String.concat "\n" (List.map string_of_c_stmt prog.stmts) ^ "\n" ^
String.concat "\n" (List.map string_of_c_fdecl prog.funcs) ^ "\n" ^
String.concat "\n" (List.map string_of_stitch prog.funcs) ^ "\n" ^
701
702
      String.concat "\n" (List.map string_of_main prog.funcs) ^ "\n"
704
```

stitch.ml

Makefile

```
1\ OBJS = stch\_ast.cmo\ stch\_parser.cmo\ stch\_scanner.cmo\ stch\_semantic.cmo\ c\_generator.
       cmo stitch.cmo
2
3 \text{ YACC} = \text{ocamlyacc}
4
5 stitch: $(OBJS)
    ocamle -o stitch $(OBJS)
8 stch_scanner.ml: stch_scanner.mll
    ocamllex stch_scanner.mll
10
11 stch_parser.ml stch_parser.mli: stch_parser.mly
12 $(YACC) -v stch_parser.mly
13
14 %.cmo: %.ml
15
    ocamlc -c $<
17 %.cmi: %.mli
    ocamle -c $<
18
19
20 .PHONY: clean
21 clean:
22
   rm -f stitch stch_parser.ml stch_parser.mli stch_scanner.ml \
23
         *.cmo *.cmi *.out *.diff *.output stitch *.dSYM
24
25 .PHONY: all
26 all: clean stitch
28 c_generator.cmo : stch_cast.cmi stch_ast.cmo
29 \ c\_generator.cmx : stch\_cast.cmi \ stch\_ast.cmx
30 stch_ast.cmo :
31 \text{ stch} - \text{ast.cmx}:
32 \  \, stch\_parser.cmo \  \, : \  \, stch\_ast.cmo \  \, stch\_parser.cmi
33 stch_parser.cmx : stch_ast.cmx stch_parser.cmi
34 stch_scanner.cmo : stch_parser.cmi
35 stch_scanner.cmx : stch_parser.cmx
36 \ \mathtt{stch\_semantic.cmo} \ : \ \mathtt{stch\_cast.cmi} \ \mathtt{stch\_ast.cmo}
37 stch_semantic.cmx : stch_cast.cmi stch_ast.cmx
38 stitch.cmo:
39 stitch.cmx:
40 stch_parser.cmi : stch_ast.cmo
41 stch_cast.cmi : stch_ast.cmo
```

$stch_ptestSuite.sh$

```
1 #!/bin/sh
 3 #Stitch Lang Regression Test Suite for Parser
 4 #
 5 # Author: Megan Skrypek
 7 \text{ COL} = ' \setminus 033[0;34\text{m}']
                            #Blue color for description
 8 SUCC='\033[1;32m'
9 FAIL='\033[0;31m'
                            #Green color for success
                            #Red color for failure
10 NC=' \setminus 033[0m']
                         \# \operatorname{No} color - to clear the color after
12 STITCH="./../ocaml/stitch"
13 DECTESTS="./_ptests/dec*"
14 FUNCTESTS="./_ptests/fun*"
15 LOOPTESTS="./_ptests/loop*"
17 \ \# print whether we succeeded or failed the test
18 function echoResult {
19
      if [\$1 - eq 0]; then
20
        echo "${SUCC}TEST SUCCESSFUL!${NC}"
21
22
      else
        echo "${FAIL}TEST FAILED!${NC}"
23
24
      fi
25 }
27 #print the information about each tests
28 function printTest {
      echo $COL$(head -n 1 $1) $NC
31 }
32
33
34 #run all tests based on path passed in
35 function runTests {
37
      for test in $@
38
        echo "Starting test $test"
39
        printTest $test
40
41
        $STITCH $test
42
        echoResult $?
        echo "\n"
43
44
      done
45
46
47 }
48
49 #-
50 #SCRIPT STARTS HERE
                                             #
51 #-
53 #Make the compiler if it isn't already made
54 echo "Making the compiler..."
```

```
55 \text{ cd } \dots / \text{ ocaml}
56 make all > /dev/null
57 cd ../testing
59
60 echo "Starting Stitch parse test suite" 61 echo "\n"
62
63 echo "Declaration Tests" #declaration tests
64 runTests $DECTESTS
65 echo "Function Tests" #function tests
66 runTests $FUNCTESTS
67 echo "Loop Tests"
                           #loop tests
68 runTests $LOOPTESTS
69
70
71 rm _ptests/*.c
```

stch_testSuite.sh

```
1 #!/bin/sh
 2 #Stitch language regression test suite
 4 #Author: Dan Cole
 5 #
 7 \text{ COL} = ' \setminus 033[0;34\text{m}']
                              #Blue color for description
 8 SUCC= '\033[1;32m'
9 FAIL= '\033[0;31m'
                              #Green color for success
                              #Red color for failure
10 NC=' \setminus 033[0m']
                           #No color - to clear the color after
11
12 SINGER="./toolkit/singer"
13 STITCH="../ocaml/stitch"
14 TESTS="./_tests/*"
15 NTESTS="./_ntests/*"
16 TARGETS="./_targets"
17 OUTPUTE: "/
17 OUTPUTS="./_outputs"
18 BIN="./_bin"
19 LOG="./_log/'date +%h%d_%H%M%S'_test_log.txt"
21 TCOUNT=0
22 PASSCOUNT=0
23
24 #print whether we succeeded or failed the test
25 function echoResult {
26
      if [\$1 - eq 0]; then
27
28
        PASSCOUNT=\$((PASSCOUNT + 1))
         echo "${SUCC}TEST SUCCESSFUL!${NC}"
echo "TEST SCCESSFUL!" >> $LOG
29
31
       else
32
         echo "{FAIL}TEST FAILED!"
         echo "TEST FAILED!" >> $LOG
33
34
       fi
35 }
36
37 function checkComp {
38
39
       if [\$1 - eq 0]; then
         echo "${SUCC}COMPILE SUCCESSFUL!${NC}"
40
41
         echo "COMPILE SUCCESSFUL!" >> $LOG
42
43
         echo "${FAIL}COMPILE FAILED!${NC}"
         echo "COMPILE FAILED!" >> $LOG
44
45
         break
      fі
46
47 }
48
49 function checkNComp {
50
      echo "${SUCC}COMPILE FAILED!${NC}" echo "COMPILE FAILED!" >> $LOG
51
52
53
       break
54 }
```

```
57 # SCRIPT STARTS HERE #
60 #Make the compiler if it isn't already made
61 clear
62 echo "Making the compiler..."
63 \text{ cd} \dots / \text{ocaml}
64 make all > /dev/null
65 cd ../testing
66
67 echo "************** 2>&1 | tee -a $LOG
68 echo "* Positive Tests *" 2>&1 | tee -a $LOG
69 echo "************ 2>&1 | tee -a $LOG
71
72 for test in $TESTS
73 do
    TCOUNT=\$((TCOUNT + 1))
74
    echo "Starting Test $test" 2>&1 | tee -a $LOG
75
    echo "=====" 2>&1 | tee -a $LOG
76
77
    ROOT='basename $test | cut -d'.' -f1'
78
    $SINGER $test
79
    checkComp $?
80
    mv ./\_tests/$ROOT.stch.c ./\_targets
    mv ./$ROOT $BIN
81
    $BIN/$ROOT > $OUTPUTS/$ROOT\_gen.txt 2>&1
     echo "\nDIFFing Output" 2>&1 | tee -a $LOG
83
                        = 2>&1 | tee -a $LOG
84
     diff -w $OUTPUTS/$ROOT\_gen.txt $OUTPUTS/$ROOT\_out.txt
85
86
     echoResult $?
    echo "\n^" 2>&1 | tee -a $LOG
87
88 done
91 echo "* Negative Tests *" 2>&1 | tee -a $LOG
94 trap checkNComp ERR
95
96 for test in $NTESTS
97 do
    TCOUNT=\$((TCOUNT + 1))
98
     echo "Starting Negative Test $test" 2>&1 | tee -a $LOG
                  100
     echo "=
    STITCH  test 2> /dev/null || true if [[ -e $test.c ]]; then
101
102
      echo "${FAIL}TEST FAILED!${NC}"
103
      echo "TEST FAILED!" >> $LOG
104
105
      rm $test.c
106
     else
      PASSCOUNT=\$((PASSCOUNT + 1))
107
      echo "${SUCC}TEST SUCCESSFUL!${NC}"
108
       echo "TEST SCCESSFUL!" >> $LOG
109
110
    fi
     echo "\n^" 2>&1 | tee -a $LOG
111
112 done
```

```
113
114 echo Passed $PASSCOUNT / $TCOUNT tests 2>&1 | tee -a $LOG
115 echo "\n\n" 2>&1 | tee -a $LOG
116
117 cd $OUTPUTS
118 rm *_gen.txt
119 cd ../$TARGETS
120 rm *.c
121 cd ../$BIN
122 rm *
```

singer

```
1 #!/bin/sh
2 #Stitch complier toolchain
3 #Author: Dan Cole
4
5 FILENAME='basename $1 | cut -d'.' -f1'
6
7 echo "----Stitch Compiler Toolchain----"
8 ../ocaml/stitch $1
9 gcc -w ./_tests/$FILENAME.stch.c -I../runtime -L../runtime/
libstch_headers.a -o $FILENAME
```

arith3.stch

```
1 //can't add chars to ints
2
3 int main()
4 {
5    int a = 0;
6    a = a + 'a';
7    print(a);
8
9    return 0;
10 }
11
12 /*Fatal error: exception Stch_semantic.Error("Incompatable data types for binop")*/
```

array2.stch

```
1 int main(){
2
3   int a[2*2] = {0,1,2,3};
4
5   int i = 0;
6
7   for(i = 0; i < 4; i = i + 1) {
8
9     print(a[i]);
10
11  }
12
13 }</pre>
```

array3.stch

```
1 /*wrong type in array initialization*/
2
3 int main()
4 {
5    int a[3] = {1,0.5,2};
7
8    return 0;
9 }
10
11 /*Fatal error: exception Stch_semantic.Error("Cannot initialize array with a variable")*/
```

array4.stch

```
1 /* initializing with 2D array on a 1D declared array fails.*/
2    int main()
4 {
5    int a[4] = {1,2,{3,4},5};
6    return 0;
8 }
9    10 /* Fatal error: exception Parsing. Parse_error*/
```

arrayinit1.stch

```
1 int main() {
2
3   int x = 5;
4
5   int a[x] = {1,2,3,4,5};
6
7   int i = 0;
8   for(i = 0; i < 5; i = i + 1) {
9     print(a[i]);
10  }
11
12   return 0;
13 }</pre>
```

arrayinit 2.stch

```
1 int main() {
2    int i = 0;
4    int a[3] = {0,2,3,4,5};
6    for(i = 0; i < 3; i = i + 1) {
8        print(a[i]);
10    }
11    return 0;
13    14 }</pre>
```

char 1.stch

```
1 int main(){
2
3    char a = "hello";
4
5    print(a);
6
7    return 0;
8 }
```

comment2.stch

```
1 int main()
2 {
3     print("one");
4     //print("two");
5     print("three");
6     /*
7     print("four");
8     print("five");
9
10     print("six");
11 }
```

comment4.stch

```
1 int main()
2 {
3     print("one");
4     //print("two");
5     print("three");
6     /*
7         print("four");
8         print("five");
9     /*
10     print("six");
11 }
```

${\bf error.stch}$

```
1 int main() {
2   void y;
3
4   error(y);
5
6   return 0;
7 }
```

exit2.stch

```
1 int main()
2 {
3    print("this should print"); //should not actually print
4    exit("bye!");
5    print("this should not");
6 }
```

file 1.stch

```
1 int main()
2 {
3   int a;
4   char c[5000];
5   a = open("file1.stch");
6   read(a, c);
7   print("success");
8 }
```

float1.stch

```
//floating point with multiple decimals.

int main()

float a = 1.2;

print(a);

float b = 1.23.4; //causes parsing error

print(b);

return 0;

/*Fatal error: exception Parsing.Parse_error*/
```

func1.stch

```
1 int main() {
2   int b = 9;
3
4   int func(int a) {
5     print(a);
6   }
7
8   func(b);
9
10   return 0;
11 }
```

func2.stch

```
1 \ /\!/ error \ because \ there \ is \ no \ return \ type \ associated \ with \ foo ().
 3 foo(int a, int b)
 4 {
 5
     print(a+b);
6 }
 7
 8 int main()
9 {
    int a = 2;
10
     int b = 3;
11
     foo(a, b);
12
13
   return 0;
14
15 }
16
17 /* Fatal error: exception Parsing.Parse_error*/
```

${\bf global var 1.stch}$

```
1 /* global variables are not supported*/
2
3 int b = 1;
4
5 int main()
6 {
7   int a = 5;
   print(a);
9
10   return 0;
11 }
12
13 /* Fatal error: exception Parsing. Parse_error*/
```

if1.stch

```
1 int main() {
2
3   if(int i == 0) {
4     print("hello");
5   }
6
7   return 0;
8 }
```

if2.stch

```
1 int main() {
2    int i = 0;
3
4    if(i == 1) {
5        print("1");
6    }
7    else {
8        print("2");
9    }
10    else {
11        print("3");
12    }
13
14    return 0;
15 }
```

matrixinit.stch

```
1 int main() {
3
    int i = 0;
4
5
    int j = 0;
6
7
8
9
    int b[2][2] = \{ \{1, 2\}, \{2, 3, 4\} \};
    for (i = 0; i < 2; i = i + 1) {
10
     for (j = 0; j < 0; j = j + 1) {
11
12
        print(a[i][j]);
13
14
15
16
17
   return 0;
18 }
```

matrixinit 2. stch

```
1 int main()
2 {
3    float a[2][2] = {{1.5, 2}, {3.5, 4.5}};
4    return 0;
6 }
```

negate 2.stch

```
1 //negate with float data type, should not pass
2
3 int main()
4 {
5   int a;
6   a = !0.7;
7   print(a);
8 }
9
10 /*Fatal error: exception Stch_semantic.Error("Type mismatch on variable assignment a
11 Expected: int Got: float")*/
```

negate 3.stch

```
1 //negate with wrong data type
2
3 int main()
4 {
5   int b;
6   b = !'c';
7   print(b);
8 }
9
10 /*Fatal error: exception Stch_semantic.Error("Cannot negate type char")*/
```

print.stch

```
1 int main() {
2    void y;
3
4    print(y);
5
6    return 0;
7 }
```

sem1.stch

```
1 int main() {
2    int x = 2;
3    float y = 3.4;
4
5    print(x);
6    print(y);
7
8    if (x != y) {
9        printf("false\n");
10    }
11
12    return 0;
13 }
```

sem 3.stch

```
1 int main() {
2
3   char a = 'A';
4
5   print(a);
6
7   int b = a;
8
9   return b;
10 }
```

stitch1.stch

```
1 int main() {
2
3   int arr[3] = {0,1,2};
4
5
6   stitch i from 0 to 3 by 1: {
7    arr[i] = 0;
8   }
9   return 0;
10 }
```

stitch4.stch

```
1 int main() {
2
3   int i = 0;
4   int test = 6;
5
6   stitch i from 0 to 4 by 1:
7    print(foo);
8
9   return 0;
10
11 }
```

unfunc.stch

```
1 int main() {
2   int a = 10;
3   int b = 20;
4   int c = gcd(a,b);
5
6   return c;
7 }
```

vardecl1.stch

```
1 /*identifiers cannot start with _ or a number*/
2
3 int main()
4 {
5   int _a = 0;
6   print(_a);
7 }
8
9 /*Fatal error: exception Failure("illegal character _")*/
```

void1.stch

```
1 int main() {
2     void a = "hello";
4     return 0;
6 }
```

accum1.stch

```
1 int main() {
 3
        int i = 0;
 4
         int_ap dot = 0;
 5
        \begin{array}{ll} \textbf{int} \ \ \mathbf{a}\,[\,4\,] \ = \ \{\,2\,,3\,,4\,,5\,\}\,; \\ \textbf{int} \ \ \mathbf{b}\,[\,4\,] \ = \ \{\,4\,,3\,,4\,,3\,\}\,; \end{array}
6
7
8
9
10
         stitch i from 0 to 4 by 1:{
         dot = a[i] * b[i];
11
12
13
14
         print(dot);
15
16
         return 0;
17
18 }
```

arith1.stch

```
1 int main()
2 {
3    int a;
4    a = 39 + 3 + 10 + 42;
5    print(a);
6    return 0;
7 }
```

arith 2.stch

```
1 //arith2.stch
2
3 int main()
4 {
5    int a = -5;
6    print(a);
7    int b = 5 * (8 + 3);
8    print(b);
9
10    return 0;
11 }
```

array1.stch

```
1 int main(){
2
3   int a[4] = {0,1,2,3};
4
5   int i = 0;
6
7   for(i = 0; i < 4; i = i + 1) {
8
9     print(a[i]);
10
11   }
12   return 0;
13 }</pre>
```

arrayassign.stch

```
1 int main(){
2
3    int a[4];
4
5    int i = 0;
6
7    for(i = 0; i < 4; i = i + 1) {
8
9        a[i] = i;
10
11    }
12
13    for(i = 0; i < 4; i = i + 1) {
14        print(a[i]);
15    }
17
18    return 0;
19 }</pre>
```

break1.stch

```
1 int main()
2 {
3 int a =
     int a = 5;
4
5
     while (a > 1) {
6
7
       print(a);
       a = a - 1;
if (a == 3)
8
9
10
          break;
11
     print("passed while loop with break");
12
13
14
     return 0;
15 }
```

collatz.stch

```
1 // Collatz Function
 3
 4 int c(int a) {
 6 if (a\%2){
    \mathbf{return} \ 3 \ * \ \mathbf{a} \ + \ 1;
8 }
9 return a/2;
10 }
11
12 int main() {
13
     int x;
14
15
    \mathbf{x} = 42;
16
17
    \mathbf{while}(\mathbf{x} := 1){
     x = c(x);

print(x);
18
19
20
21
22
    return 0;
23 }
```

collatz2.stch

```
1 // Collatz Function
 3 \text{ int } c(\text{int } a) 
 5 if (a%2){
      \mathbf{return} \ 3 \ * \ \mathbf{a} \ + \ 1;
 7
8
9 }
    return a/2;
10
11 int main() {
12
13
      int x;
     \mathbf{x} = 7859;
14
15
     \mathbf{while}(\mathbf{x} != 1) \{
16
     x = c(x);

print(x);
17
18
19
20
21 return 0;
22 }
```

comment1.stch

```
1 int main()
2 {
3     print("one");
4     //print("two");
5     print("three");
6     /*
7          print("four");
8          print("five");
9     */
10     print("six");
11
12     return 0;
13 }
```

comment3.stch

```
1 int main()
 2 {
      print("one");
//print("two");
print("three");
 3
 4
 5
 6
7
      /*
   print("four");
   //print("four point five");
8
      print("semis are for jive turkeys")
print("five");
*/
10
11
      print("six");
12
13
14
      return 0;
15 }
```

${\bf escape.stch}$

```
1 int main() {
2     char e = '\n';
4     print(e);
5     return 0;
7 }
```

exit1.stch

```
1 int main()
2 {
3    int x = 1;
4    print("this should print");
5    exit(x);
6    print("this should not");
7
8    return 0;
9 }
```

${\it file 1.stch}$

```
1 int main()
2 {
3   FILE a;
4   char c[5000];
5   a = open_r("file1.stch");
6   read(a, c);
7   print("success");
8
9   return 0;
10 }
```

file2.stch

```
1 int main()
2 {
3    FILE a;
4    char c[13] = {'h', 'e', 'l', 'l', 'o', ',',' ', 'w', 'o', 'r', 'l', 'd', '!'};
5    a = open_w("./_outputs/file2a_gen.txt");
6    write(a, c);
7    print("success");
8
9    return 0;
10 }
```

for1.stch

```
1 \ /* variable \ declaration \ inside \ for \ loops \ work*/
3 int main()
4 {
5
    int i;
 6
    for (i=0; i < 5; i = i + 1)
7
      int a = 1;
9
     print(a);
10
     a = a + 1;
11
12
13
    i = 0;
     while (i < 5)
14
15
    int b = 2;
16
17
     print(b);
    b = b + 1;

i = i + 1;
18
19
20
21
22
   return 0;
23 }
```

func1.stch

```
3
4 void p(int a) {
6 print(a);
8 }
10 int main() {
11
12
   int x;
13
   \mathbf{x} = 6;
14
15
  p(x);
16
17
  \mathbf{return} \ \ 0;
18 }
```

func2.stch

```
1 void func1(int a){
2 print(a);
3 }
4
5 void func2(int b){
6 print(b);
7 }
9 int main() {
10 \quad \mathbf{int} \quad \mathbf{x} = 1;

int y = 2; 

func1(x);

11
12
   func2(y);
13
14
15
   return 0;
16 }
```

func4.stch

```
1 int func(int x)
2 {
3    return x + 1;
4 }
5
6 int main()
7 {
8    int a = 0;
9    a = func(a=7);
10
11    print(a);
12
13    return 0;
14 }
```

func 5.stch

```
1 float func(float a, float b, float c)
2 {
3    return a + b + c;
4 }
5
6 int main()
7 {
8    float a = 0.5;
9
10    a = func(1.0,2.0,3.0);
11    print(a);
12
13    return 0;
14 }
```

gcd.stch

```
1 int gcd(int a, int b) {
   \mathbf{while} \ (\mathbf{a} \ != \ \mathbf{b}) \ \{
      if (a > b) {
3
4
        a = a - b;
5
6
      else {
7
       b = b - a;
8
9
10
     return a;
11 }
12
13 int main() {
   int x = 1;
int y = 10;
14
15
16
17
     int z = gcd(x,y);
18
19
     print(z);
20
21
     return 0;
22 }
```

hello1.stch

```
1 int main(){
2
3    print("hello, world");
4
5    return 0;
6 }
```

hello 2.stch

```
1 int main(){
2
3    print("hello, ");
4    error("world");
5
6    return 0;
7 }
```

if1.stch

```
1 int main()
2 {
3    if (1) { print(42); }
4    print(17);
5
6    return 0;
7 }
```

if2.stch

```
1 int main()
2 {
3    int x = 17;
4    if (1) {
5       int x = 42;
6       print(x);
7    print(x);
8
9    return 0;
10 }
```

if3.stch

```
1 int main() {
2    int i = 0;
3
4    if(i == 1) {
5        print("1");
6    }
7    else {
8        print("2");
9        if(i == 0) {
10            print("3");
11       }
12    }
13
14    return 0;
15 }
```

${\bf main.stch}$

```
1 int main(int x){
2
3   int y = 10;
4   print(y);
5   return 0;
6 }
```

matmult.stch

```
1 int main() {
 3
      \mathbf{int} \ \ \mathbf{a} \, [\, 5\, ] \, [\, 5\, ] \ = \ \{ \ \ \{1\, , \ \ 2\, , \ \ 3\, , \ \ 4\, , \ \ 5 \}\, ,
 4
                 \{1\,,\ 2\,,\ 3\,,\ 4\,,\ 5\}\,,
 5
                 \left\{1\,,\ 2\,,\ 3\,,\ 4\,,\ 5\right\},
 6
                 \{1, 2, 3, 4, 5\},\
 7
                 \{1, 2, 3, 4, 5\} \};
 8
9
      int b[5][5] = \{ \{1, 1, 1, 1, 1\}, 
10
                 \{2, 2, 2, 2, 2, 2\},\
11
                 \{3, 3, 3, 3, 3\},\
                 \{4, 4, 4, 4, 4, 4\},\
12
13
                 \{5, 5, 5, 5, 5, 5\} \};
14
15
      int c[5][5];
16
17
      int i = 0;
18
      int j = 0;
19
      int k = 0;
20
21
      stitch i from 0 to 5 by 1: {
22
23
         for (j = 0; j < 5; j = j + 1) {
24
25
           for (k = 0; k < 5; k = k + 1) {
26
27
              c[i][j] = c[i][j] + a[i][k] * b[k][j];
28
29
        }
30
31
32
      for (j = 0; j < 5; j = j + 1) {
33
34
         for (k = 0; k < 5; k = k + 1) {
35
36
           print(c[j][k]);
37
38
39
40
41
      return 0;
42 }
```

matrix1.stch

```
1 int main() {
3
    int m[3][3];
4
5
    int i = 0;
6
    int j = 0;
7
    int k = 0;
9
    for (i = 0; i < 3; i = i + 1) {
10
     for (j = 0; j < 3; j = j + 1) {
11
12
13
        m[i][j] = k;
14
        k = k + 1;
15
16
17
18
    for (i = 0; i < 3; i = i + 1) {
19
20
      for (j = 0; j < 3; j = j + 1) {
21
22
        print (m[i][j]);
23
24
25
26
27
   return 0;
28
29 }
```

matrixinit.stch

```
1 int main() {
3
   int a[2][2] = \{ \{1,2\}, \{3,4\} \};
4
   int i = 0;
5
   int j = 0;
6
7
8
9
   10
       print(a[i][j]);
   }
11
12
13
14
   return 0;
15 }
```

matrixstitch.stch

```
1 int main() {
 3
     int i = 0;
 4
     int test = 6;
 5
 6
     int a [6][6];
 7
     int k = 0;
8
9
     int j = 0;
10
     for (k = 0; k < 6; k = k + 1) {
      for (j = 0; j < 6; j = j + 1) {
11
12
         \mathbf{a}[\mathbf{k}][\mathbf{j}] = 0;
13
14
15
16
     stitch i from 0 to 6 by 1: {
17
       int j;
18
19
       for (j = 0; j < 6; j = j + 1) {
20
         a[i][j] = a[i][j] + 10;
21
22
     }
23
24
       for (j = 0; j < 6; j = j + 1) {
         for (k = 0; k < 6; k = k + 1) {
25
26
            print(a[j][k]);
27
28
29
30
     return 0;
31
32 }
```

negate.stch

```
1 //negation test
2
3 int main()
4 {
5    int a = 0;
6    int b = !a;
7    print(b);
8
9    return 0;
10 }
```

ops1.stch

```
1 int main()
 2 {
 3
     print(1 + 2);
 4
     print(1-2);
 5
     print(1 * 2);
 6
     print(100 / 2);
 7
     print (4 \% 2);
     print (99);
    print(1 == 2);
    print(1 == 1);
10
     print (99);
11
     print (1 != 2);
12
     print(1 != 1);
13
     print (99);
14
    print(1 < 2);
15
16
    print(2 < 1);
17
    print (99);
18
    print(1 \le 2);
19
    print(1 \ll 1);
20
    print(2 \ll 1);
21
    print (99);
    print(1 > 2);
22
23
    print(2 > 1);
24
     print (99);
25
     print(1 >= 2);
26
     print(1 >= 1);
27
     print(2 >= 1);
28
29
    return 0;
30 }
```

ops2.stch

```
1 int main()
2 {
3 int a = 2;
4
   int b = 3;
   if (a == 2 && b == 3)
    print(a);
7
    _{
m else}
8
    print(b);
10
   if (a != 2 || b <4)
11
    print(b);
12
    else
13
    print(a);
14
15
   \mathbf{return} \ \ 0;
16 }
```

sem 2.stch

```
1 int main() {
2    char z = 'z';
4    print(z);
6    char y = z;
8    print(y);
10    return 0;
12    return 0;
```

stitch1.stch

```
1 int main () {
2
3
4   int i = 0;
5   int test = 6;
6
7   stitch i from 0 to 4 by 1: {
8    test = 7;
9    print(test);
10   }
11
12   return 0;
13 }
```

stitch2.stch

```
1 int main() {
3
    int i = 0;
4
    int test = 6;
5
6
7
    stitch i from 0 to 4 by 1: {
     test = 7;
8
         print(test);
10
11
    i = 0;
12
13
    stitch i from 0 to 4 by 1: {
14
        test = 9;
15
        print(test);
16
17
    return 0;
18
19
20 }
```

stitch3.stch

```
1 int main() {
2
3   int i = 0;
4   int test = 6;
5   test = 7;
6
7   stitch i from 0 to 4 by 1:
     print(test);
9
10  return 0;
11
12 }
```

stitch4.stch

```
1 int main() {
3
    int i = 0;
4
    int test;
5
    test = 6;
6
7
8
9
    stitch i from 0 to 4 by 1: {
     int test = 8;
      print(test);
10
11
12
    return 0;
13
14 }
```

stitch5.stch

```
1 int main() {
3
    int i = 0;
4
    int test = 6;
5
    test = 8;
6
7
8
9
    int j = 0;
    for (j = 0; j < 4; j = j + 1){
10
     stitch i from 0 to 4 by 1:
11
         print(test);
12
13
14
    return 0;
15
16 }
```

stitch6.stch

```
1 int main() {
3
   int i = 0;
4
   int test = 6;
5
    test = 7;
6
7
8
9
10
   {
   stitch i from 0 to 4 by 1:
   print(test):
          print(test);
11
12
     return 0;
13
14 }
```

stitch7.stch

```
1 int main() {
 3
     int i = 0;
 4
     int test = 6;
 5
 6
     int a[10];
 7
     int k = 0;
9
     for (k = 0; k < 10; k = k + 1) {
10
     a[k] = k;
11
12
13
     stitch i from 0 to 10 by 1: {
14
15
       int j;
16
       j = 7;
17
       a\,[\;i\;]\;=\;a\,[\;i\;]\;+\;1;
18
19
20
       int j = 0;
       for (j = 0; j < 10; j = j + 1) {
21
22
        print(a[j]);
23
24
25
     return 0;
26
27 }
```