The LLVM compiler framework

Writing a pass: Quick Start

Daniele Cattaneo

Politecnico di Milano

2020-04-20

Contents

Introduction

LLVM framework quick start

Understanding LLVM

LLVM is **not** a compiler.

Understanding LLVM

LLVM is **not** a compiler.

LLVM is a collection of components which is useful to build a compiler.

Getting LLVM

- ► "old" git mirrors
 - ▶ only llvm repo (subprojects in separated repos, can be added later)
 - git clone -b release_90 --single-branch
 git@github.com:llvm-mirror/llvm.git

- ► "new" git monorepo
 - ► all in one repo (llvm + major subprojects)
 - ▶ git clone -b release/9.x --single-branch git@github.com:llvm/llvm-project.git

What LLVM is made of

- ► C++ libraries
 - ► src/include/llvm/...
 - ▶ src/lib/...

- ▶ small application (tools)
 - ▶ src/tools/...
 - ▶ src/utils/...

You can find binaries of them in the installation directory under root/bin/...

clang

- ► clang is a compiler based on LLVM
- ► It compiles all major C-like languages
- ► It is part of the git monorepo
- ► It can be added as a tool in the LLVM framework but must be manually cloned in the tool directory
 - 1. cd src/tools
 - 2. git clone http://llvm.org/git/clang (git mirror version)
- ➤ You can easily see on a production quality compiler the impact of changes you made on your local copy of LLVM

Contents

Introduction

LLVM framework quick start

Commands

IIvm-as LLVM assembler

Ilvm-dis LLVM disassembler

opt LLVM optimizer

IIc LLVM static compiler

III directly execute programs from LLVM bitcode

Ilvm-link LLVM bitcode linker

Ilvm-mca LLVM machine code analyzer

Ilvm-nm list LLVM bitcode and object file's symbol table

Ilvm-stress generate random .ll files

Ilvm-config prints out install configuration parameters

Ilvm-dwarfdump print contents of DWARF sections

For a complete reference, see the LLVM command guide*

^{*}http://llvm.org/docs/CommandGuide/index.html

Simulating a LLVM driver manually

```
.c source
 clang -emit-llvm
      L.bc / .11
            L llvm-link
                 __.bc / .11
                            _ .bc / .11
 1.11 \rightarrow 11vm-as \rightarrow .bc
1.bc \rightarrow 11vm-dis \rightarrow .11
```

Writing a LLVM pass

There are a lot of tutorials available:

► Official developer guide llvm.org/docs/WritingAnLLVMPass

Out-of-source pass github.com/quarkslab/ llvm-dev-meeting-tutorial-2015

We will follow the first one, with a few adjustments.

Testing

LLVM has an internal testing infrastructure*. Please use it.

Ilvm-lit LLVM Integrated Tester

- 1. Forge a proper LLVM-IR input file (.II) for your test case
- 2. Instrument it with lit script comments
- 3. Run lit on your test
 - Ilvm-lit /llvm/test/myTests/singleTest.ll run a single test
 - ► llvm-lit /llvm/test/myTests run the test suite (folder)
- **4.** Run lit on the LLVM test suite (regression testing)

To submit a bug report to LLVM developers you will be asked to write a lit test case that highlights the bug.

^{*}http://llvm.org/docs/TestingGuide.html