

Table of contents

Daniel's Notes	4
Projects	4
3D Printing	4
Electronics	4
Useful stuff	4
Vehicles	4
Reading List	4
Topics	4
Check out	5
Video course	5
3D Printing	6
CNC	6
Snapmaker	6
Ultimaker	6
Repairs	6
Amateur radio	8
RTLSDR	8
Articles	8
Links	8
BaoFeng UV-5R	8
Features	8
UV-5R SPECIFICATIONS	8
Links	9
Electronics	10
Canbus	10
Tools	10
Canbus addresses	10
FTDI	10
FT232	10
i2c	11
Articles	11
Led	11
Links	11
433mHz	12
Tools	12
PDF's	12
Audio	12
Articles	12
Microphone Array	12
Synthesizers	13
MAX3107	13
Datasheets	13
Espressif	14
ESP 32	14
ESP 8266	14
GSM Modules	14
Adafruit Fona 3g cellular breakout	14
Sierra Wireless WP7607-1	17
Modbus	17
Hardware	19
SDR	19
LimeSDR	19
SDRPlay	19
Machine learning	20
Articles	20

Programming	21
Hexagonal architecture	21
Frameworks	21
Firebase	21
Sapphire	21
Spring boot	21
Programming languages	21
C++	21
Golang	21
Hammerspoon	22
Rust	22
Projects	23
Status Light	23
iOS app	23
BMW Media Center	23
Articles	23
Shoppinglist for BMW	23
Crudus Markdown Notes	23
Platform	23
Links	23
Libraries	23
Other Editors	24
Crudus Photos	24
Tensor flow	24
Articles	24
Photo History	24
Tools	24
Links	24
Crudus Sense	25
BLE device configuration specification	25
MQTT publish Topics	26
MQTT Subscribe Topics	26
Extensions	26
Kaldheim.org	26
Links	26
Maximus	26
Components	26
Robotics	26
Articles	26
Artificial Intelligence	26
BNO055	26
Development board	29
Dynamixel AX-12A	30
GPS	33
Maximus AI	35
Robotics	37
Mechanical keyboard	40
Inspiration	40
Motorcycle App	40
Pip-Boy	41
Montering	41
LCD skjerm	41
Project Management System	41
Inspiration	41
RPI Security camera	41
Articles	41
Reflow Oven	41
Links	41
USB Media Controller	42
Dimensions	42

Security	43
Articles	43
LoRaWAN	43
Shopping lists	44
Shopping list for home office	44
Keyboard	44
Network	44
Software	45
Rabbit MQ	45
Security	45
Ubuntu	45
Articles	45
UX - UI	46
Methods	46
Colors	46
Links	46
Useful stuff	47
Useful Commands	47
Terminal recording	47
WiFi QR-code	47
Rsync	47
Unite PDF documents	47
Vehicles	48
Cars	48
BMW - BS82067	48
Motorcycles	48
MV Augusta - FC7664	48
Kunder	49
Aibel	49
Haugaland Kraft	49
Hydro	49

Daniel's Notes

Reading list

Projects

- [Projects](#)
- [Crudus MD Notes](#)
- [Crudus Sense](#)
- [Crudus Photos](#)
- [Maximus](#)

3D Printing

- [3D printing](#)

Electronics

- [Electronics](#)

Useful stuff

- [Markdown Cheatsheet](#)
- [Useful commands](#)

Vehicles

- [Vehicles](#)
- [BMW - BS82067](#)
- [MV Agusta - FC7664](#)

Reading List

- Elixir phoenix absinthe graphql react apollo <https://schneider.dev/blog/elixir-phoenix-absinthe-graphql-react-apollo-absurdly-deep-dive/>
- Uber design: <http://simonpan.com/work/uber/>
- Modern GPS Tracking Platform: <https://www.traccar.org>

Topics

Collision engine

- <https://gamedev.stackexchange.com/questions/26501/how-does-a-collision-engine-work>

The OAuth 2.0 Authorization Framework

- <https://tools.ietf.org/html/rfc6749>

Event Sourcing

- <https://www.martinfowler.com/eaDev/EventSourcing.html>

Micro frontends

- <https://www.martinfowler.com/articles/micro-frontends.html>

Micro services

- <https://www.martinfowler.com/microservices/>

12 factor application

- <https://12factor.net/>

RabbitMQ RPC

- <https://www.rabbitmq.com/tutorials/tutorial-six-python.html>

Check out

- [My business card runs linux](#)
- <https://www.envoyproxy.io/docs/envoy/latest/start/start>
- <https://github.com/heptio/contour>
- <https://www.jaegertracing.io/>
- <https://istio.io/>

Video course

- <https://www.linkedin.com/learning/jhipster-build-and-deploy-spring-boot-microservices/welcome>
- <https://www.linkedin.com/learning/microservices-asynchronous-messaging/getting-work-done-in-microservices>
- <https://vimeo.com/74589816>
- <https://vimeo.com/99531595>
- <https://www.infoq.com/presentations/migration-cloud-native/>

3D Printing

- Ultimaker
- Snapmaker

CNC

Snapmaker

<https://forum.snapmaker.com/t/reverse-engineering-the-module-wiring/3031>

3D Printing Module:

PIN1: VCC, Heater Socket Pin 1, Fan+
PIN2: Stepper Coil A+
PIN3: Heater Socket Pin 2
PIN4: Stepper Coil A-
PIN5: Thermistor Socket Pin 1
PIN6: Stepper Coil B-
PIN7: GND, Fan-, Thermistor Socket Pin 2
PIN8: Stepper Coil B+

Heated Build Plate:

PIN1: Heating Element +
PIN2: UNUSED
PIN3: Heating Element -
PIN4: UNUSED
PIN5: Thermistor +
PIN6: Thermistor -

The heating element registered as 12Ohms so 48W at 24V. The Thermistor gave a reading of 80kOhm in my 90 degree F garage.

Linear Module:


PIN1: Coil A +
PIN2: Coil A -
PIN3: Coil B +
PIN4: Limit Switch +
PIN5: Coil B -
PIN6: Limit Switch -

Ultimaker

Repairs

Nozzle

Ultimaker 2 - Removing the Nozzle <https://www.youtube.com/watch?v=-1Nh0snHLYw>



Amateur radio

RTLSDR

- [RTLSDR](#)

Articles

- [Walkie Talkies](#)

Links

- [Ham radio Frequency Chart](#)
- [Norske Frekvenser](#)

BaoFeng UV-5R

![Baofeng](../Amateur radio/uv-5rLG.jpg)

Features

25KHz/12.5KHz Switchable (Wide/Narrow Band)

FM Radio (65.0MHz-108.0MHz)

Large Inverted LCD Display

LED Flashlight

High /Low RF Power Switchable

VOX

50 CTCSS/ 104 DCS Tones

Tone searching/scanning

Dual standby

PC programmable

Transmitter time-out timer(TOT)

Busy channel lock-out(BCLO)

UV-5R SPECIFICATIONS

Frequency range:

[TX] 136 - 174MHz, 400 - 520MHz

[RX] 136 - 174MHz, 400 - 520MHz, 68-108MHz (FM Broadcast)

Channel Capacity:

128 Channels

Channel Spacing

25KHz (wide band)12.5KHz (narrow band)

Sensitivity

≤0.25μV (wide band) ≤0.35μV (narrow band)

Operation Voltage

7.4V DC ±20%

Battery:

1500mAh

Frequency step:

2.5, 5, 6.25, 10, 12.5, 20, 25, 30 and 50KHz

Antenna:

Antenna Connector: SMA-Female / Antenna Impedance: 50Ω

Accessory Connector:

Kenwood 2 Pin Standard

Stability:

±2.5ppm

Output power:

5W / 1W

Audio Power Output

700mW/10%

Links

- [Manual](#)

Electronics

- I2C

Canbus

Tools

- <https://github.com/erimoq/cantools>

Canbus addresses


- <https://community.carloop.io/t/list-of-can-id-descriptions-from-opengarages-org/104>
- <http://www.loopybunny.co.uk/CarPC/can/267.html>

FTDI

FT232

This version have 3.3V. The data signals are at 3V and the power line provides 5V. We suggest this for any product that needs FTDI cables. Because the cable is 5V-logic compliant, you can use it with 3v or 5v logic just fine - no level shifting required!.

[Adafruit product page](#)





Links

- [DS_TTL-232R_CABLES_V201.pdf](#)

i2c

Articles

- [I2C in a nutshell](#)

Led

Links

- <https://www.instructables.com/id/WiFi-LED-Light-Strip-Controller/>

433mHz

Tools


Surface Microstrip



Formula Restrictions: $0.1 < w/h < 3.0$

w	<input checked="" type="radio"/>	<input type="text" value="2985,3242"/>	μm	Track width
t Cu	<input type="radio"/>	<input type="text" value="35"/>	μm	Track height
h	<input type="radio"/>	<input type="text" value="1600"/>	μm	Isolation height
Er		<input type="text" value="4,3"/>		Dielectric constant (FR4 - Standard: 4,3)
Z ₀	<input type="radio"/>	<input type="text" value="50"/>	Ω	Impedance ca.

Strip line impedance calculator: <https://www.multi-circuit-boards.eu/en/pcb-design-aid/impedance-calculation.html>



50 ohm impedance feed line: <https://www.disk91.com/2015/technology/hardware/design-a-50ohm-impedance-net-for-rf-signals/>

PDF's

- [433 MHz ISM Antenna SMD.pdf](#)

Audio

Articles

- [How to build a Microphone Amplifier Circuit](#)


Microphone Array

Links

- [Quad op-amp LM3900 \(PDF\)](#)
- [Multi-channel audio mixer circuit using LM3900](#)

Synthesizers

Atari Punk Console Modification (changed speaker to line output) of the Stepped Tone Generator taken from the "Engineer's Mini-Notebook - 555 Circuits" by Forrest M. Mims, III (Siliconconcepts, 1984)




Atari Punk Console
kaustic machines - original circuit by Forrest M. Mims, III

Links

- <https://compiler.kaustic.net/machines/apc.html>

MAX3107

The MAX3107 is an advanced universal asynchronous receiver-transmitter (UART) with 128 words each of receive and transmit first-in/first-out (FIFO) that can be controlled through I²C or high-speed SPI™. The 2x and 4x rate modes allow a maximum of 24Mbps data rates. A phase-locked loop (PLL), prescaler, and fractional baud-rate generator allow for high-resolution baud-rate programming and minimize the dependency of baud rate on reference clock frequency.



Datasheets

- [MAX3107.pdf](#)

Espressif

ESP 32

Encryption

- <https://limitedresults.com/2019/11/pwn-the-esp32-forever-flash-encryption-and-sec-boot-keys-extraction/>

ESP 8266

GSM Modules

Adafruit Fona 3g cellular breakout

- Quad-band 850MHz GSM, 900MHz EGSM, 1800MHz DCS, 1900MHz PCs - connect onto any global GSM network with any 2G SIM.
- This is the European Version - with dual-band UMTS/HSDPA 900/2100MHz WCDMA + HSDPA
- Fully-integrated GPS (Qualcomm PM8015 GPS) that can be controlled and query over the same serial port
- Make and receive voice calls using a headset or an external 8Ω speaker + electret microphone
- Send and receive SMS messages
- Send and receive GPRS data (TCP/IP, HTTP, etc.)
- AT command interface can be used with 300, 600, 1200, 4800, 9600, 19200, 38400, 57600, 115200, 230K, 461K, 961K, 3.2M, 3.7M and 4.0Mbps
- Native USB support - plug it into a computer and you'll get serial ports for AT commands, GPS NMEA as well as a modem (note we've only tried out the AT&NMEA ports on Windows)

Cool fact: The Fona also has a built-in GPS.

Not-so-cool fact: The Pi can only make one serial connection. Checkout article *Sending AT commands to SIM900 whilst pppd is active*



GPS specifications

- 16 acquisition channels
- GPS L1 C/A code
- Sensitivity
 - Tracking: -157 dBm
 - Cold starts : -144 dBm
- Time-To-First-Fix
 - Cold starts: 100s (typ.)
 - Hot starts: 1s (typ.)
- Accuracy: approx 2.5 meters

Implementation

Setup Edit `/boot/config.txt`

```
enable_uart=1
```

Install dependencies

```
sudo apt-get update
```

```
sudo apt-get install ppp screen
```

Try it out

```
sudo screen /dev/serial0 115200
```

```
sudo -i
```

```
cd /etc/ppp/peers/
```

```
wget https://raw.githubusercontent.com/adafruit/FONA_PPP/master/fona
```

Celluar Open that file to view PPPD settings when "fona" is called. Read more about chat and chatscripts [here](#).

```
vim fona
```

You should see this:

```
### Example PPPD configuration for FONA GPRS connection on Debian/Ubuntu.

### MUST CHANGE: Change the -T parameter value **** to your network's APN value.
### For example if your APN is 'internet' (without quotes), the line would look like:
### connect "/usr/sbin/chat -v -f /etc/chatscripts/gprs -T internet"
connect "/usr/sbin/chat -v -f /etc/chatscripts/gprs -T telia"

### MUST CHANGE: Uncomment the appropriate serial device for your platform below.
### For Raspberry Pi use /dev/ttyAMA0 by uncommenting the line below:
/dev/ttyUSB0
###/dev/ttyAMA0
### For BeagleBone Black use /dev/ttyO4 by uncommenting the line below:
###/dev/ttyO4

### Speed of the serial line.
115200

### Assumes that your IP address is allocated dynamically by the ISP.
noipdefault

### Try to get the name server addresses from the ISP.
```

```
usepeerdns
```

```
### Use this connection as the default route to the internet.  
defaultroute
```

```
### Makes PPPD "dial again" when the connection is lost.  
persist
```

```
### Do not ask the remote to authenticate.  
noauth
```

```
### No hardware flow control on the serial link with FONA  
nocrtscts
```

```
### No modem control lines with FONA.  
local
```

connect to internet:

```
sudo pon fona
```

disconnect

```
sudo poff fona
```

Realtime clock Set the realtime clock see [Forum](#).

AT+CLTS? You will get this if it is disabled:

```
+CLTS: 0
```

To enable it enter this:

```
AT+CLTS=1
```

CLTS=1 must be saved in the SIM800's nonvolatile memory so it will be enabled when the module powers up and registers on the network.

Since this setting is not automatically saved in nonvolatile memory, you must save it with:

```
AT&W
```

(This saves all writeable settings)

Now restart your SIM800

After it registers AT+CCLK? will respond with the correct time, as in my case:

```
+CCLK: "14/08/08,02:25:43-16"
```

Send SMS Set in sms mode: AT+CMGF=1

Send message

```
AT+CMGS="+4799999999"<ENTER>  
> your message<CTRL+Z>
```

Data sim phone number: +47 580009700018

```
AT+CCLK="02/02/20,23:19:00+01"
```

```
AT+CMGS="+4794835300"
```

```
AT+CMGR=ALL
```



```
AT+CSCA="+47580009700018"
```

```
ATD + +4794835300;
```

```
AT+CMGF=0
```

```
AT+CREG
```

```
AT+CMGF=1
```

```
AT+CHTTPSOPSE="google.com",443,2
```

```
AT+CGDCONT=1,"IP","telia"
```

```
AT+CGDCONT?
```

Commands log (02.02.2020)

Important note

I 2019 startet utfasingen av 3G fylke for fylke. Utfasingen startet med 900MHz-båndet, mens 2100MHz fases ut i 2020. En hovedårsak til utfasingen er at 4G-nettet i 2019 var fullt utbygd og kunne overta de fleste funksjonene 3G-nettet hadde, samt at frekvensene til 3G etter en utfasing kan brukes til andre funksjoner. Utstyr uten 4G-mulighet virker etter utfasingen via 2G, slik at telefonfunksjonene virker, mens dataoverføring via mobilnettet ikke lenger er mulig. I følge Telia gikk 4G-hastighetene i Hedmark opp da 3G-nettet ble slukket. [ref. Wikipedia](#)

Articles

- [Cellular & GPS Enabled Pi 3: Fona + Pi 3](#)
- [FONA Tethering to Raspberry Pi or BeagleBone Black](#)
- [Sending AT commands to SIM900 whilst pppd is active](#)

Sierra Wireless WP7607-1

Reliable Cat-1 LTE connectivity for 4G networks with 3G and 2G fallback in EMEA The WP7607-1 module is part of the WP Series offering a secure device-to-cloud architecture enabling IoT developers to build a Linux-based product on a single module – reducing overall system complexity and time-to-market.

This LTE Cat-1 wireless module is ideal for low-bandwidth IoT applications that require real-time communication along with the longevity and network quality that 4G LTE networks bring.

Delivering up to 10Mbps download speed, many organizations are using Cat-1 networks as a stepping stone to low-power wide-area (LPWA) networks as 4G LTE can provide a superior user experience over 2G and 3G technologies.

WP Series

Links

- [Digikey - WP7607-1](#)
- [Sierra Wireless - Embedded solutions](#)
- [AirPrime WP7607-1 IoT Module](#)

Modbus

Tutorial: <https://www.renesas.com/eu/en/www/doc/whitepapers/interface/rs-485-transceiver-tutorial.pdf>

Chip brukt i kontroller: SN65HVD485E Half-Duplex RS-485 Transceiver (<http://www.ti.com/lit/ds/symlink/sn65hvd485e.pdf>)

RS-485 til UART <https://www.sparkfun.com/products/10124>

Anbefalt modbus usb driver: <https://www.sparkfun.com/products/9822>

Datasheets: <https://www.sparkfun.com/datasheets/BreakoutBoards/USB-to-RS485-Breakout-v11.pdf>

For “end of line” motstand kjøp både 120 og 220ohm

Hardware

SDR

LimeSDR

- [LimeSDR Mini](#)

SDRPlay

- [SDRPlay](#)

Machine learning

Articles

- [Contrastive Self-Supervised Learning](#)

Programming

- [Rust](#)

Hexagonal architecture

The **hexagonal architecture**, or **ports and adapters architecture**, is an architectural pattern used in software design. It aims at creating loosely coupled application components that can be easily connected to their software environment by means of ports and adapters. This makes components exchangeable at any level and facilitates test automation.

[Read more](#)

Frameworks

Firebase

Alternatives

- [Sapphire](#)

Sapphire

Open source alternative to firebase <https://sapphire-db.com/start/main>

Spring boot

Quarkus [The JHipster Quarkus demo app](#)

- <https://quarkus.io/>

Programming languages

C++

Articles

- [Datastructure APIs in C++](#)

Videos

- [Bjarne Stroustrup – The Essence of C++ \(2014\)](#)

Golang

Tips and tricks

```
go mod init
go mod vendor
```

Vendors

Links

Web framework

- [Gin gonic](#)

ORM

- <http://gorm.io/>

GUI

- <https://hackernoon.com/how-to-add-a-gui-to-your-golang-app-in-5-easy-steps-c25c99d4d8e0>
- <https://github.com/andlabs/ui>
- <https://github.com/therecipe/qt>

Web

- GraphQL Schema Language Cheat Sheet
- Learn Golang + GraphQL + Relay #1
- Learn Golang + GraphQL + Relay #2
- <https://github.com/mingrammer/go-web-framework-stars>

Div

- <https://github.com/avelino/awesome-go>

Articles

- Example of Golang CRUD using MySQL from scratch
- Real-Time Maps with a Raspberry Pi, Golang, and HERE XYZ
- Reverse Geocoding NEO 6M GPS Positions with Golang and a Serial UART Connection

Serial UART

- Go Serial
- Tarm Serial

Hammerspoon

This is a tool for powerful automation of OS X. At its core, Hammerspoon is just a bridge between the operating system and a Lua scripting engine. What gives Hammerspoon its power is a set of extensions that expose specific pieces of system functionality, to the user.

<https://www.hammerspoon.org/>

Rust

Links

Web

- <https://rocket.rs/>

GUI

- <https://github.com/PistonDevelopers/conrod>
- <http://relm.ml/relm-intro>

ORM

- <http://diesel.rs/guides/getting-started/>

ESP32

- <https://mabez.dev/blog/posts/esp32-rust/>

Projects

- [Crudus MD Notes](#)
- [Maximus](#)

Status Light

iOS app

- <https://stackoverflow.com/questions/23535355/how-to-detect-call-incoming-programmatically>
- <https://www.raywenderlich.com/150015/callkit-tutorial-ios>

BMW Media Center

- BMW Connected Apps Protocol <https://hufman.github.io/stories/bmwconnectedapps>
- [Shopping list](#)

Articles

- <https://hackaday.io/project/161745-can-bus-hacker>
- <https://hackaday.com/2019/05/09/sniffing-can-to-add-new-features-to-a-modern-car/>

Shoppinglist for BMW

Bmw controller

- <https://www.cubietruck.com/products/cubieboard4-cc-a80-high-performance-mini-pc-development-board>
- <https://www.96boards.org/product/hikey960/>

Crudus Markdown Notes

En markdown applikasjon som kan synkronisere med git.

Platform

iOS / Android

- Nativescript
- <https://libgit2.org/>
- <https://github.com/libgit2/objective-git>
- <https://github.com/Raekye/ObjectiveGit-iOS-Example>

Desktop

- Electron

Links

- <https://libgit2.org/>
- <https://cocoapods.org/pods/libgit2>
- <https://github.com/libgit2/libgit2#android>

Libraries

JavaScript

- [Marked](#)
- [Remarkable](#)
- [PageDown](#) (and [PageDown Extra](#))
- [markdown-it](#)
- [Gitdown](#): GitHub markdown preprocessor

- [reMarked.js](#): HTML-to-Markdown processor
- [Kramed](#): Fork of Marked

Other Editors

- [StackEdit](#): In-browser MD document editor
- [Minimalist Online Markdown Editor](#)
- [Mou](#): macOS editor
- [Haroopad](#): Cross-platform editor

Crudus Photos

Tensor flow

Image to text ![[Image to text](./Projects/Crudus Photos/A2399A8D-E525-49D5-B751-CC896F304C16.jpg)]
<https://github.com/tensorflow/models/tree/master/research/im2txt>

Articles

Building a private, local photo search app using machine learning <https://towardsdatascience.com/building-a-private-local-photo-search-app-using-machine-learning-8aeef8d245c>

A step by step guide to Caffe <http://shengshuyang.github.io/A-step-by-step-guide-to-Caffe.html>

Photo History

Histogram in photography <https://www.phototraces.com/photography-basics/histogram-in-photography/>

Histogram basics https://docs.opencv.org/3.1.0/d1/db7/tutorial_py_histogram_begins.html

Tools

- [Tagbox](#)
- [NVIDIA docker support](#)

```
sudo apt install exiftran libjpeg-turbo-progs
```

Ubuntu

Links

Caffe

- <https://caffe.berkeleyvision.org/>

Model zoo

- <https://github.com/BVLC/caffe/wiki/Model-Zoo>

Docker image

- <https://github.com/BVLC/caffe/tree/master/docker>

Diff image

- <https://stackoverflow.com/questions/5132749/diff-an-image-using-imagemagick>

Image Fingerprint

- <https://realpython.com/fingerprinting-images-for-near-duplicate-detection/>

Frame Hash

- https://github.com/sschnug/pyVideoHash/blob/master/frame_hash.pyx

Image recognition

- <https://www.learnopencv.com/image-recognition-and-object-detection-part1/>

Duplicate images

- <https://github.com/philipbl/duplicate-images>
- <https://blog.iconfinder.com/detecting-duplicate-images-using-python-cb240b05a3b6>
- <https://www.youtube.com/watch?v=AlyJSGmkFXk>

OpenCV Line detection

- <https://www.codepool.biz/opencv-line-detection.html>
- https://docs.opencv.org/3.4/dd/dd7/tutorial_morph_lines_detection.html

Detect horizon

- <https://stackoverflow.com/questions/4705837/horizon-detection-algorithm>

OpenCV Auto-level / histogram

- <https://docs.opencv.org/2.4/modules/imgproc/doc/histograms.html?highlight=equalizehist#cv2.equalizeHist>

OpenCV rotate images

- <https://www.pyimagesearch.com/2017/01/02/rotate-images-correctly-with-opencv-and-python/>

MIT Deep learning

- <https://github.com/lexfridman/mit-deep-learning>

Tensorflow and docker

- <https://www.sicara.ai/blog/2017-11-28-set-tensorflow-docker-gpu>
- <https://stackoverflow.com/questions/47068709/your-cpu-supports-instructions-that-this-tensorflow-binary-was-not-compiled-to-u>
- <https://github.com/lakshayg/tensorflow-build>

OpenCV 4 <https://www.pyimagesearch.com/2018/08/17/install-opencv-4-on-macos/>

Crudus Sense

BLE device configuration specification

Name	Type	R/W	Key	UUID
Device name	String	R/W	deviceName	5759f8cc-69ee-11e9-8a12-1681be663d
WiFi Mac	String	R		51ecb1ca-6b85-11e9-a923-1681be663d
WiFi SSID	String	R/W	wifi-ssid	51ecb440-6b85-11e9-a923-1681be663d
WiFi passwd	String	W	wifi-pwd	51ecb594-6b85-11e9-a923-1681be663d
Room	String	R/W	loc-room	51ecb6ca-6b85-11e9-a923-1681be663d
Floor	Integer?	R/W	loc-floor	51ecb7f6-6b85-11e9-a923-1681be663d
Compound	String	R/W	Loc-comp	51ecb922-6b85-11e9-a923-1681be663d
MQTT topic	String	R/W	mqtt-topic	51ecba4e-6b85-11e9-a923-1681be663d
MQTT host	String	R/W	mqtt-host	51ecbf26-6b85-11e9-a923-1681be663d
MQTT port	Integer	R/W	mqtt-port	51ecc156-6b85-11e9-a923-1681be663d
MQTT username	String	R/W	mqtt-user	51ecc2c8-6b85-11e9-a923-1681be663d
MQTT password	String	W	mqtt-pwd	51ecc3fe-6b85-11e9-a923-1681be663d

Name	Type	R/W	Key	UUID
Crudus Accounts username	String	W	crudus-user	51ecc52a-6b85-11e9-a923-1681be663d
Crudus Accounts token	String	W	crudus-token	51ecc6d8-6b85-11e9-a923-1681be663d
Calibration temperature	String (comma separated)	R/W	cali-temp	51ecca5c-6b85-11e9-a923-1681be663d
Calibration humidity	String (comma separated)	R/W	cali-hum	51eccbb0-6b85-11e9-a923-1681be663d
Soft reset	boolean	W	soft-reset	51eccd18-6b85-11e9-a923-1681be663d

MQTT publish Topics

Topic	Payload	Comment

MQTT Subscribe Topics

Topic	Payload	Action	Comment
/sense/ota		Calls OTA for update	

Extensions

Sleep Tracking using an Arduino <https://duino4projects.com/sleep-tracking-using-an-arduino/>

Reset: <https://www.esp8266.com/viewtopic.php?t=9558&start=8>

Chip: CCS811 (indoor air quality sensor)

Kaldheim.org

Links

- <https://themes.getbootstrap.com/product/milo-magazineblog-theme/>

Maximus

Components

- [Stereo Pi](#)
- [Configure BNO055](#)

Robotics

- [Robotics](#)

Articles

- [Comparing Gyroscope Datasheets](#)

Artificial Intelligence

- [AI Notes](#)

BNO055

Installation


- [BNO055 - Python & CircuitPython](#)

```
pip3 install RPI.GPIO
pip3 install adafruit-blinka
```

i2c configuration

- I2C Clock Stretching

In order to use certain I2C sensors, such as the BNO055, you'll need to enable I2C clock stretching 'support' by greatly slowing down the I2C clock on the Raspberry Pi using the device tree overlay.



Edit `/boot/config.txt`

```
### Uncomment some of all of these to enable the optional hardware interfaces
dtparam=i2c_arm=on
dtparam=i2s=on
dtparam=spi=on

### Clock stretching by slowing down to 10KHz
dtparam=i2c_arm_baudrate=10000
```

Reboot the device

```
sudo reboot
```

Check for i2c devices:

```
$ i2cdetect -y 1
    0  1  2  3  4  5  6  7  8  9  a  b  c  d  e  f
00:  --  --  --  --  --  --  --  --  --  --  --  --  --  --  --
10:  --  --  --  --  --  --  --  --  --  --  --  --  --  --  --
20:  --  --  --  --  --  --  --  28  --  --  --  --  --  --  --
30:  --  --  --  --  --  --  --  --  --  --  --  --  --  --  --
40:  --  --  --  --  --  --  --  --  --  --  --  --  --  --  --
50:  --  --  --  --  --  --  --  --  --  --  --  --  --  --  --
60:  --  --  --  --  --  --  --  --  --  --  --  --  --  --  --
70:  --  --  --  --  --  --  --  --  --  --  --  --  --  --  --
```

```
mkdir Maximus && cd Maximus
python3 -m venv .env
```

```
source .env/bin/activate
pip3 install adafruit-circuitpython-bno055
```

Create new project Example data from sensor:

```
Temperature: 28 degrees C
Accelerometer (m/s^2): (-0.2, -0.07, -9.77)
Magnetometer (microteslas): (-27.75, -4.0625, 32.5)
Gyroscope (rad/sec): (-0.001090830782496456, -0.004363323129985824, 0.0)
Euler angle: (None, None, None)
Quaternion: (0.011474609375, -0.3623046875, 0.9320068359375, 0.0)
Linear acceleration (m/s^2): (1.28, 0.0, -0.01)
Gravity (m/s^2): (-0.21, -0.08, -9.8)
```

PID controller

- [Arduino BNO055 PID Gyro sensor](#)
- [PID Control for multiple linear actuators](#)

Videos

- [How to Implement an Inertial Measurement Unit \(IMU\) Using an Accelerometer, Gyro, and Magnetometer](#)
- [How to Merge Accelerometer with GPS to Accurately Predict Position and Velocity](#)

Links

- [Adafruit BNO055](#)
- [Adafruit BNO055 absolute orientation sensor](#)



Documents


- [An introduction and tutorial for PID controllers \(PDF\)](#)

Books


- [Technician's Guide to Programmable Controllers](#)
- [PID Controllers: Theory, Design, and Tuning](#)
- [PID Control Fundamentals](#)
- [Model-Reference Robust Tuning of PID Controllers \(Advances in Industrial Control\)](#)
- [HANDBOOK OF PI AND PID CONTROLLER TUNING RULES \(3RD EDITION\)](#)

Development board





Raspberry Pi GPIO BCM numbering



Raspberry Pi pinout

Dynamixel AX-12A

DYNAMIXEL is a robot exclusive smart actuator with fully integrated DC Motor + Reduction Gearhead + Controller + Driver + Network in one DC servo module.





Specification

Item	Specification
Baud Rate	7843 bps ~ 1 Mbps
Resolution	0.29 [°]
Running Degree	0 [°] ~ 300 [°] Endless Turn
Weight	53.5g(AX-12, AX-12+), 54.6g(AX-12A)
Dimensions (W x H x D)	32mm x 50mm x 40mm
Gear Ratio	254 : 1
Stall Torque	1.5 N*m (at 12V, 1.5A)
No Load Speed	59rpm (at 12V)
Operating Temperature	-5 [°C] ~ +70 [°C]
Input Voltage	9.0 ~ 12.0V (Recommended : 11.1V)
Command Signal	Digital Packet
Protocol Type	Half Duplex Asynchronous Serial Communication (8bit, 1stop, No Parity)
Physical Connection	TTL Level Multi Drop Bus
ID	0 ~ 253
Feedback	Position, Temperature, Load, Input Voltage, etc
Material	Engineering Plastic


Wiring


Item	TTL
Pinout	1 GND2 VDD3 DATA
Diagram	

Item	TTL
	
Housing	MOLEX 50-37-5033
	
PCB Header	MOLEX 22-03-5035
Crimp Terminal	MOLEX 08-70-1039
Wire Gauge	21 AWG

TTL communications To control the DYNAMIXEL actuators, the main controller needs to convert its UART signals to the half duplex type.

The recommended circuit diagram for this is shown below.





Drawings


Links

- [E-manual](#)
- [Dynamixel SDK](#)

GPS

Adafruit ultimate GPS breakout

- -165 dBm sensitivity, 10 Hz updates, 66 channels
- 5V friendly design and only 20mA current draw
- Breadboard friendly + two mounting holes
- RTC battery-compatible
- Built-in datalogging
- PPS output on fix
- Internal patch antenna + u.FL connector for external active antenna
- Fix status LED




Technical details

- Satellites: 22 tracking, 66 searching
- Patch Antenna Size: 15mm x 15mm x 4mm
- Update rate: 1 to 10 Hz
- Position Accuracy: < 3 meters (all GPS technology has about 3m accuracy)
- Velocity Accuracy: 0.1 meters/s
- Warm/cold start: 34 seconds
- Acquisition sensitivity: -145 dBm
- Tracking sensitivity: -165 dBm
- Maximum Velocity: 515m/s
- Vin range: 3.0-5.5VDC
- MTK3339 Operating current: 25mA tracking, 20 mA current draw during navigation
- Output: NMEA 0183, 9600 baud default, 3V logic level out, 5V-safe input
- DGPS/WAAS/EGNOS supported
- FCC E911 compliance and AGPS support (Offline mode : EPO valid up to 14 days)
- Up to 210 PRN channels
- Jammer detection and reduction
- Multi-path detection and compensation

Links

- [Adafruit product page](#)
- [Adafruit Overview](#)

GPS antenna Recommended GPS antenna



Links

- [RF ANT 1.575GHZ CER PATCH CAB](#)

Datasheets

- [Passive GPS Antenna uFL - 15mm x 15mm 1 dBi gain](#)

Maximus AI

For termial conversations

- <http://www.methods.co.nz/asciidoc/>

AIML

- <http://www.alicebot.org/aiml.html>
- <https://www.tutorialspoint.com/aiml/>
- <http://www.devdungeon.com/content/ai-chat-bot-python-aiml>
- <https://github.com/pandorabots/rosie/tree/master/lib/aiml>

Unicode hex: "\xf0\x9f\x90\xb6"

Artificial Intelligence

- <http://blog.hackerearth.com/2015/12/artificial-intelligence-101-how-to-get-started.html>

Words, spelling and so on

- <https://market.mashape.com/wordsapi/wordsapi>
- <https://github.com/montanaflynn/Spellcheck-API/>
- <https://market.mashape.com/sentity/sentity-text-analytics>
- <https://market.mashape.com/aylien/text-analysis>
- <https://market.mashape.com/textanalysis/text-summarization>
- <https://www.meaningcloud.com/developer/>
- <https://market.mashape.com/faceplusplus/faceplusplus-face-detection>
- <http://developers.answers.com/>

Grammar

- <https://learnenglish.britishcouncil.org/en/>
- <https://github.com/markfullmer/grammar/tree/Version-3>
- <https://github.com/languagetool-org/languagetool> (<http://wiki.languagetool.org/public-http-api>)

NLP / NER

- Part-of-speech tagging (POS)
- Chunking (CHK)
- Name entity recognition (NER)
- Info: <http://nlp.stanford.edu/software/CRF-NER.shtml>
- Download: <http://nlp.stanford.edu/software/stanford-ner-2016-10-31.zip>
- <https://github.com/agentile/PHP-Stanford-NLP> (old) use patrickschur
- <https://packagist.org/packages/patrickschur/stanford-nlp-tagger>
- <http://php-nlp-tools.com/>

Intent parser

- <https://github.com/MycroftAI/adapt>

Object recognition (caffe)

- <http://tutorial.caffe.berkeleyvision.org/caffe-cvpr15-detection.pdf>

Image analyze

- <https://github.com/Samshal/PHP-Photo-Information>
- <http://caffe.berkeleyvision.org/>

Automatic speech recognition

- <http://cmusphinx.sourceforge.net/>
- <http://kaldi-asr.org/>

Questions / answers

- <https://github.com/TScottJ/OpenEphyra>
- <https://cs.umd.edu/~miyyer/qblearn/>
- <https://github.com/brmson/yodaqa>

Lucida

- <http://lucida.ai/media/hpca-lucida-djinn-tutorial.pdf>

Animations

- https://www.youtube.com/watch?v=_WlqMqXpyxA

OCR / Deep learning

- <https://blogs.dropbox.com/tech/2017/04/creating-a-modern-ocr-pipeline-using-computer-vision-and-deep-learning/>

Neural network (arduino)

- <http://robotics.hobbizine.com/arduinoann.html>


Other Links

- <https://github.com/GokuMohandas/practicalAI>
- <http://www.aicheatsheets.com/>

Robotics

Read

- [PyRobot](#)



DyRET Robot


Links

- [DyRET Documentation](#)




Jetson Nano

- <https://www.nvidia.com/en-us/autonomous-machines/embedded-systems/jetson-nano/>



Open Cat

<https://www.hackster.io/petoi/opencat-845129>



Pet dog

- <https://hackaday.com/2019/03/30/a-pet-robot-just-like-boston-dynamics-makes/>
- <https://hackaday.io/project/164493-dizzy-wolf>

Mechanical keyboard

Inspiration

- <https://github.com/ruiqimao/keyboard-pcb-guide>
- <https://imgur.com/gallery/fGa13nZ>

Motorcycle App

- Profile
 - Navn
 - epost
 - område / by
 - kommunikasjon (hjelm)
- Kjøretøy
 - model
 - årsmodel
 - merke
 - Bensin-logging
 - ★ Stasjon / lokasjon
 - ★ liter
 - ★ tripteller
 - ★ dato
 - ★ drivstoff type (oktan)
 - ★ drivstoff-pris
 - ★ fulltank / ikke full tank
 - Vedlikehold
 - ★ Sjekkliste
 - ★ dekkbytte
 - ★ bremseklosser
 - ★ Diverse
- Venner
- Grupper
 - inviter venner til gruppe (lukket gruppe)
 - åpen gruppe

- Åpen gruppe men begrenset godkjenning av admin
- Meldinger
 - venn til venn
 - gruppechat
 - turchat
- Ruter
 - Lag rute via kart
 - Lag rute ved å kjøre
 - Logg rute i bakgrunnen
 - legg til stopp punkt (pauser etc)
- Turer
 - planlegg rute via eksisterende rute
 - planlegg rute ved å lage via kart
 - inviter venner
 - inviter gruppe
 - kjør tur
 - ★ legg til møteplass
 - ★ legg til stopp (pauser etc)
 - ★ logg hvem som er med bassert på godkjenning og automatisk synkronisering av lokasjon
 - ★ logg faktisk kjørt rute
 - ★ logg tid
 - ★ logg tilfeldige forbipasserende (bassert på lokasjon og tid) (frivillig)
- statistikk
 - drivstoff forbruk
 - tid på sykkel
 - Avstand på sykkel

Pip-Boy

Montering

- <https://ytec3d.com/pip-boy-3000-mark-iv-assembly/>

LCD skjerm

- <https://no.mouser.com/ProductDetail/Newhaven-Display/NHD-43-480272MB-ASXN-CTP?qs=sGAEpiMZZMu%2fRY1>

Project Management System

Inspiration

- <https://codetree.com/>

RPI Security camera

Articles

- [Raspberry Pi Live Streaming camera: like on Times Square](#)

Reflow Oven

Links

Tutorial: <http://www.whizoo.com/reflowoven>

Ovn: <https://www.skousen.no/hvitevarer/ovn/mini-ovn/product/royal-16-ltr/>

Isolasjonsteip: <https://www.skruvat.no/Isolasjonstape-Reflect-A-Gold-P418338.aspx>

Isolasjonsteppe: <https://bakerovner.no/produkt/keramisk-isolasjon-rull-1260-c/>

Fugemasse / lim: <https://coop.no/sortiment/obs-bygg/maling-og-tilbehor/lim-fug-sparkel/casco-heat#product-info>

USB Media Controller

Dimensions

Høyde: 35mm x Bredde: 70 - 100mm

Security

Articles

- [Exploiting WiFi stack on Tesla Model S](#)

LoRaWAN

[LoRaWAN Encryption Keys Easy to Crack, Jeopardizing Security of IoT Networks](#)

Shopping lists

Shopping list for home office

Keyboard

- <https://www.daskeyboard.com/daskeyboard-4-ultimate/>
 - <https://www.teknikmagasinet.no/produkter/data-o-tv-spill/tastatur/varemerker/das-keyboard/das-keyboard-4-ultimate-with-cherry-mx-blue>
- https://mechanicalkeyboards.com/shop/index.php?l=product_detail&p=3901
- <http://www.wasdkeyboards.com/index.php/products/mechanical-keyboard/wasd-v2-105-key-iso-custom-mechanical-keyboard.html>

Network

- <https://mikrotik.com/product/RB3011UiAS-RM>
 - <https://www.eurodk.com/en/products/mt-rb/routerboard-3011uias-rm>
 - <https://freak.no/forum/showthread.php?t=219922&page=28>

Software

- [Rabbit MQ](#)

Rabbit MQ

Security

- Rabbit MQ access control: <http://www.rabbitmq.com/access-control.html>
- Multi-tenant SaaS AD: <https://vincentlauzon.com/2016/03/10/multi-tenant-saas-with-azure-active-directory-b2b-b2c/>

Ubuntu

Articles

- [Building a Linux Desktop for Cloud Native Development](#)

UX - UI

- [Colors](#)

Methods

- <https://material.io/design/>
- <http://www.designkit.org/methods>

Colors

Links

- <https://www.canva.com/colors/color-palette-generator/>

Useful stuff

Useful Commands

Terminal recording

[Asciinema](#)

```
brew install asciinema
```

1. Install

```
asciinema rec filename.cast
```

2. Record

```
asciinema play filename.cast
```

3. Play

WiFi QR-code

```
qrencode -o wifi.png "WIFI:T:WPA;S:<SSID>;P:<PASSWORD>;"
```

Rsync

[Rsync cheatsheet](#)

```
## syncing folder src into dest:  
rsync -avzP ./src /dest  
## syncing the content of src into dest:  
rsync -avzP ./src/ /dest
```

Unite PDF documents

```
brew install poppler
```

Install

```
pdfunite file1.pdf file2.pdf output.pdf
```

Usage

Vehicles

Cars

BMW - BS82067

Projects

- [BMW Media Center](#)

Roofbox

Sledge size

- Lengde: 152 cm
- Høyde: 50 cm
- Høyde, sammenlagt: 30 cm
- Bredde: 47 cm
- Vekt: 16 kg

Repairs

Rear break light Shopping list

- [Baklykt skjerm høyre](#)

Rear break light Links

- <https://www.bimmerforums.co.uk/forum/f74/rear-light-cluster-failure-fix-led-type-fitted-2008-lci-t115027/>
- <http://bimmers.no/forums/topic/804388-e91-lci-2010-problem-med-led-blinklys-bak/>

Links

- [Koed.no](#)
- [GSBildeler.no](#)

Motorcycles

MV Augusta - FC7664

Tidy Tail 954,82 kr (ink frakt, eks moms)

- <https://evotech-performance.com/products/mv-agusta-brutale-800-tail-tidy-2013-onwards>

Speil Styreender Snell Svart Dobbel ledd 219kr + frakt

- <https://www.xlmoto.no/speil-styreender-snell-svart-dobbel-ledd#?p>

USB-kontakt Booster 12V 329kr + frakt

- <https://www.xlmoto.no/usb-kontakt-booster-12v#?p>

Eksos

- <https://www.designcorse.com/products/qd-exhaust-f3-b3-rivale>

Kunder

Aibel

Haugaland Kraft

Hydro