

[UNIVERSITY]
[SCHOOL/DEPARTMENT]
[GRADUATE PROGRAM]

Daniel Vartanian

abnt: Quarto Format for ABNT Theses and Dissertations

[City]
2026

Daniel Vartanian

abnt: Quarto Format for ABNT Theses and Dissertations

[Original/Revised version]

[Dissertation/Thesis] presented to the [School/Department] at the [University], as a requirement for the degree of [Master of Science/Doctor of Science] by the [Graduate program].

Area of concentration: [Area of concentration]

Supervisor: Prof. Dr. [Supervisor's full name]

Co-Supervisor: Prof. Dr. [Co-supervisor's full name]

[City]

2026

I authorize and grant permission for the full or partial reproduction and distribution of this work by any conventional or electronic means for the purposes of study and research, provided that the source is properly cited, the integrity of the original work is maintained, and such reproduction is not intended for commercial gain.

Cataloging in publication
[University. School. Library]
[CRB-8]

[Author's surname], [Author's forename(s)]

abnt: Quarto Format for ABNT Theses and Dissertations / Daniel Vartanian;
supervisor, [Supervisor's full name]; co-supervisor [Co-supervisor's full name].
[City], 2026

42p. : il

[Dissertation/Thesis] ([Master of Science/Doctor of Science]) – [Graduate
program], [School/Department], [University], 2026.

[Original/Revised version]

1. [Subject A]. 2. [Subject B]. 3. [Subject C]. I. [Supervisor's surname],
[Supervisor's forename(s)], super. II. [Co-supervisor's surname], [Co-
supervisor's forename(s)] co-super. III. Title.

ERRATA

[AUTHOR'S SURNAME], [Author's forename(s) initial(s)]. **abnt: Quarto Format for ABNT Theses and Dissertations** . 2026. 42p. [Dissertation/Thesis] ([Master of Science/Doctor of Science]) – [School/Department], [University], [City], 2026.

This is the preliminary version of this thesis. Any required corrections will be listed here upon approval.

[Dissertation/Thesis] by Daniel Vartanian, under the title **abnt: Quarto Format for ABNT Theses and Dissertations** , presented to the [School/Department] at the [University], as a requirement for the degree of [Master of Science/Doctor of Science] by the [Graduate program], in the concentration area of [Area of concentration].

Approved on [Month] [Day], [Year].

Examination Committee

Committee Chair:

Prof. Dr. [Full name]

Institution [School], [University]

Examiners:

Prof. Dr. [Full name]

Institution [School], [University]

Evaluation [Approved/Rejected]

Prof. Dr. [Full name]

Institution [School], [University]

Evaluation [Approved/Rejected]

Prof. Dr. [Full name]

Institution [School], [University]

Evaluation [Approved/Rejected]

*To the worm that first gnawed on the cold flesh of my corpse,
I dedicate, as a fond remembrance, these posthumous memories.*¹

¹ ASSIS, M. **Memórias póstumas de Brás Cubas** [The Posthumous Memoirs of Brás Cubas]. São Paulo: Companhia das Letras, 2014. ISBN 978-85-438-0163-6.

ACKNOWLEDGEMENTS

I would like to acknowledge this awesome [Quarto format!](#) :)

*Nullius in verba*²

² THE ROYAL SOCIETY. **History of the Royal Society**. Available from: <<https://royalsociety.org/about-us/history/>>. Visited on: 9 Sept. 2023.

ABSTRACT

[AUTHOR'S SURNAME], [Author's forename(s) initial(s)]. **abnt: Quarto Format for ABNT Theses and Dissertations** . 2026. 42p. [Dissertation/Thesis] ([Master of Science/Doctor of Science]) – [School/Department], [University], [City], 2026.

abnt is a **Quarto** format designed for creating theses and dissertations that comply with guidelines established by the Brazilian Association of Technical Standards (ABNT). Learn more at <https://github.com/danielvartan/abnt>.

Keywords: [Keyword 1]. [Keyword 2]. [Keyword 3].

RESUMO

[SOBRENOME DO AUTOR], [Inicial(is) do(s) prenome(s) do autor]. **[Título]**. 2026. 42p. [Dissertação/Tese] ([Título acadêmico]) – [Escola/Faculdade], [Universidade], [Cidade/Local], 2026.

abnt é um formato **Quarto** projetado para criar teses e dissertações que atendem às diretrizes estabelecidas pela Associação Brasileira de Normas Técnicas (**ABNT**). Saiba mais em <https://github.com/danielvartan/abnt>.

Palavras-chaves: [Palavra-chave 1]. [Palavra-chave 2]. [Palavra-chave 3].

LIST OF FIGURES

Figure 1 – Karl Popper (July 25, 1902 – September 17, 1994). One of the 20th century's most influential philosophers of science.	17
Figure 2 – Gini index by Brazilian municipality in 2010. Values range from 0 (perfect equality) to 1 (total inequality).	18
Figure 3 – Scatter plot with marginal distributions of weight (<i>1000 lbs</i>) and fuel efficiency (<i>miles per gallon</i>) for combustion engine vehicles .	20
Figure 4 – Phase space visualization of the Lorenz system	23
Figure 5 – Population by census tract in 2022 in the city of São Paulo, Brazil	24
Figure 6 – Relation between <i>waiting time to next eruption</i> (minutes) and <i>eruption time</i> (minutes) at Old Faithful Geyser, Yellowstone National Park, Wyoming, USA	25

LIST OF TABLES

Table 1 – A sample of the penguins dataset	17
Table 2 – Cohen’s benchmark for effect sizes	19
Table 3 – Type I and type II errors	21

LIST OF ABBREVIATIONS AND ACRONYMS

F

Subscript indicating a relation with work-free days.

W

Subscript indicating a relation with workdays.

MCTQ

Munich ChronoType Questionnaire.

MCTQ^{PT}

Portuguese version of the MCTQ.

MEQ

Morningness-Eveningness Questionnaire.

MSF

Local time of mid-sleep on work-free days.

MSF_{sc}

Chronotype proxy. The midpoint between sleep onset and sleep end on work-free days. A sleep correction (_{sc}) is made when a possible sleep compensation related to a lack of sleep on workdays is identified.

MSW

Local time of mid-sleep on workdays.

LIST OF SYMBOLS

For an extensive list of chronobiology related symbols, please refer to [Aschoff \(1965\)](#) and [Marques and Oda \(2012\)](#).

τ

Period of a rhythm in free flow; only revealed under constant environmental conditions.

T

Zeitgeber period.

ϕ

Phase.

$\Delta\phi$

Phase shift.

$+\Delta\phi$

Phase advance.

$-\Delta\phi$

Phase delay.

Ψ

Phase relation.

CONTENTS

1	[SHOWCASE] INTRODUCTION	16
1.1	HEADING 2	17
1.1.1	Heading 3	18
1.1.1.1	Heading 4	20
1.1.1.1.1	<i>Heading 5</i>	20
2	[SHOWCASE] DEVELOPMENT	22
2.1	HEADING 2	22
2.1.1	Heading 3	23
2.1.1.1	Heading 4	24
2.1.1.1.1	<i>Heading 5</i>	26
3	[SHOWCASE] CONCLUSION	27
3.1	HEADING 2	27
3.1.1	Heading 3	28
3.1.1.1	Heading 4	28
3.1.1.1.1	<i>Heading 5</i>	28
	REFERENCES	32
	GLOSSARY	32
	APPENDICES	33
A	[SHOWCASE]	33
A.1	HEADING 2	33
A.1.1	Heading 3	33
	ANNEXES	34
A	[SHOWCASE]	34
B	SETTINGS	35
B.1	PDF ENGINE	35
B.2	TYPOGRAPHY	35

B.2.1	Typefaces	35
B.2.2	Font Size and Line-Height	35
B.3	LANGUAGE AND HYPHENATION	36
B.4	DOCUMENT SECTIONS	36
B.4.1	Pre-Textual Sections	36
B.4.2	Customizing the Sections	37
B.4.2.1	Removing Pre-Textual Sections	37
B.4.2.2	Removing Textual Sections	37
B.4.2.3	Removing Post-Textual Sections	37
B.5	CITATION MANAGEMENT	38
B.5.1	Methods	38
B.5.2	Styles	38
B.5.3	Zotero & Better BibTex	39
B.6	FIGURES AND TABLES	39
B.7	LATEX COMMANDS IN QUARTO FILES	40
B.8	CROSS-REFERENCEABLE ELEMENTS	41
B.9	FREEZE AND CACHE	41
	INDEX	42

1 [SHOWCASE] INTRODUCTION

Consectetur maecenas aliquet facilisis, porta volutpat, porta nulla cursus montes? Blandit gravida interdum turpis, dignissim maecenas metus, aptent sem vehicula quis inceptos. Accumsan nascetur cubilia, laoreet sed quis magna tempor dui cras. Hendrerit tortor sapien mauris aptent imperdiet rutrum in primis augue tristisque felis. Lacinia suspendisse purus tortor natoque sollicitudin euismod – nulla tempus dui posuere. Cras rhoncus vel, aliquam vivamus nec semper torquent praesent (Einstein, 1905). See Figure 1.

The activity can be represented by a *general schema of problem-solving by the method of imaginative conjectures and criticism*, or, as I have often called it, by *the method of conjecture and refutation*. The schema (in its simplest form) is this:

$$P_1 \rightarrow TT \rightarrow EE \rightarrow P_2$$


Here P_1 is the *problem* from which we start, TT (the ‘tentative theory’) is the imaginative conjectural solution which we first reach, for example our first *tentative interpretation*. EE (*error-elimination*) consists of a severe critical examination of our conjecture, our tentative interpretation: it consists, for example, of the critical use of documentary evidence and, if we have at this early stage more than one conjecture at our disposal, it will also consist of a critical discussion and comparative evaluation of the competing conjectures. P_2 is the problem situation as it emerges from our first critical attempt to solve our problems.

It leads up to our second attempt (*and so on*). A satisfactory understanding will be reached if the interpretation, the conjectural theory, finds support in the fact that it can throw new light on new problems — on more problems than we expected; or if it finds support in the fact that it explains many sub-problems, some of which were not seen to start with. Thus we may say that we can gauge the progress we have made by comparing P_1 with some of our later problems (P_n , say).

(Popper, 1979, p. 164)

Adipiscing nostra aenean vivamus varius donec eleifend a ac feugiat mauris. Fermentum nunc suscipit dictumst aenean posuere ad massa fusce? Egestas dignissim, suscipit scelerisque blandit facilisi bibendum odio habitant? Commodotincidunt aptent velit lobortis ut penatibus parturient sollicitudin gravida odio facilisis, imperdiet nibh vulputate faucibus cras gravida ad urna lobortis in tempor fusce scelerisque; magnis hendrerit – tempus auctor aenean, venenatis malesuada torquent, dictum, diam nullam ad sagittis facilisi gravida metus cursus pulvinar rutrum torquent curae aliquam dui, id torquent dui tincidunt ornare torquent nam magna sapien suscipit (Krakauer, 2019; Mitchell, 2009).

Figure 1 – Karl Popper (July 25, 1902 – September 17, 1994).
One of the 20th century's most influential philosophers of science.



Source: [Steve Pyke](#).

1.1 HEADING 2

Adipiscing aliquet luctus dapibus hac mattis urna metus eleifend felis? Penatibus suspendisse lacinia tristique – porttitor quisque est. Integer consequat donec dui faucibus netus fames eget porta fames. Montes aliquam vivamus magnis nascetur ad non dui magnis magnis condimentum! Tortor hendrerit orci feugiat mi, tristique; ante accumsan venenatis. Nisi posuere et ut nulla dictumst metus dui etiam vel ultricies velit ([Pearson, 1900](#)). See Table 1.

Table 1 – A sample of the penguins dataset

Species	Island	Bill length (mm)	Bill depth (mm)	Flipper length (mm)
Gentoo	Biscoe	43.5	14.2	220
Adelie	Torgersen	36.2	17.2	187
Chinstrap	Dream	58.0	17.8	181
Adelie	Dream	37.0	16.9	185
Adelie	Biscoe	38.1	16.5	198


Source: Based on [Horst, Hill, and Gorman \(2020\)](#) penguin dataset.

1.1.1 Heading 3

Consectetur facilis montes, conubia eu justo luctus ante pulvinar ut vehicula. Tempor nam in non, ridiculus proin et molestie fames. Praesent curabitur est eu massa senectus proin; consequat malesuada nascetur. Vestibulum ut vel fermentum commodo ac suscipit sagittis; mi cubilia cursus inceptos in, dignissim penatibus inceptos mauris (Neyman; Pearson, 1928a). See Table 2.

Amet mollis – egestas risus cubilia enim dui? Ultricies id mus nec integer; mollis libero. Facilis maecenas tellus euismod, inceptos consequat morbi. Leo viverra ultricies condimentum venenatis consequat taciti viverra? At suspendisse volutpat phasellus quisque vitae porttitor enim. Placerat quisque rutrum nisl praesent; aliquam pharetra fringilla. Na fringilla (Neyman; Pearson, 1928b). See Figure 2.

Figure 2 – Gini index by Brazilian municipality in 2010. Values range from 0 (perfect equality) to 1 (total inequality).



Source: Data extracted from Instituto Brasileiro de Geografia e Estatística (n.d.), processed by Vartanian and Carvalho (2025).

Table 2 – Cohen’s benchmark for effect sizes

Test	Relevant Effect Size	Effect Size Classes		
		Small	Medium	Large
Comparison of independent means	$d, \Delta, \text{Hedges' } g$	0.20	0.50	0.80
Comparison of two correlations	q	0.10	0.30	0.50
Difference between proportions	Cohen’s g	0.05	0.15	0.25
Correlation	r	0.10	0.30	0.50
	r^2	0.01	0.09	0.25
Crosstabulation	w, φ, V, C	0.10	0.30	0.50
ANOVA	f	0.10	0.25	0.40
	η^2	0.01	0.06	0.14
Multiple regression	R^2	0.02	0.13	0.26
	f^2	0.02	0.15	0.35


Notes: The rationale for most of these benchmarks can be found in Cohen (1988) at the following pages: Cohen’s d (p. 40), q (p. 115), Cohen’s g (pp. 147–149), r and r^2 (pp. 79–80), Cohen’s w (pp. 224–227), f and η^2 (pp. 285–287), R^2 and f^2 (pp. 413–414).

Source: Adapted from [Ellis \(2010\)](#). Based on [Cohen \(1988\)](#).

1.1.1.1 Heading 4

Lorem volutpat hendrerit porta sem vehicula aliquam sed phasellus. Ante cursus primis taciti interdum augue elementum imperdiet eu. Placerat arcu nisi tristique sodales. Convallis enim lacus class suspendisse porttitor litora ante conubia risus turpis! Quis nisl ([Markov, 2006](#)). See Figure 3.

Figure 3 – Scatter plot with marginal distributions of weight (1000 lbs) and fuel efficiency (miles per gallon) for combustion engine vehicles



Source: Data extracted from the 1974 Motor Trend magazine, published by [Henderson and Velleman \(1981\)](#). Visualization by [Holtz \(2023\)](#), available at [The R Graph Gallery](#).

1.1.1.1.1 Heading 5

Sit est tincidunt; augue quisque senectus natoque ullamcorper, convallis curabitur vitae nunc. Tristique nullam sed, scelerisque egestas commodo facilisis feugiat vitae natoque lobortis praesent? Ad pulvinar quisque hendrerit magnis dictumst? Scelerisque dictumst augue per non cras, aliquet aliquam posuere facilisi

varius porta auctor. Laoreet erat class, parturient hendrerit integer nibh, curabitur pulvinar accumsan tortor, sociosqu sodales, mollis, viverra mi bibendum, nulla rutrum, condimentum quam malesuada torquent ultricies penatibus non viverra mattis, mollis morbi sagittis (Perezgonzalez, 2015). See Definition 1.1.

Definition 1.1 (Multiple Linear Regression). A linear regression of Y on k variables X_1, \dots, X_k , rather than on just a single variable X . In a problem of multiple linear regressions, we obtain n vectors of observations $(x_{i1}, \dots, x_{ik}, Y_i)$, for $i = 1, \dots, n$. Here x_{ij} is the observed value of the variable X_j for the i th observation. The $E(Y_i)$ is given by the relation: (DeGroot; Schervish, 2012, p. 738)

$$E(Y_i) = \beta_0 + \beta_1 x_{i1} + \dots + \beta_k x_{ik} \quad (1.1)$$

Adipiscing auctor sagittis, netus, mollis pulvinar interdum inceptos. Primis nascetur congue nam class, leo nunc – faucibus fermentum tincidunt fames vestibulum curabitur? Auctor justo arcu, posuere id dignissim risus sapien. Tristique inceptos mi arcu viverra gravida malesuada arcu nam dictum nisl. Fermentum pretium lobortis dignissim sociosqu, vulputate nisi cubilia vehicula laoreet. Eros libero dui ligula diam cubilia pharetra vivamus commodo sociosqu pellentesque, ut nulla nibh – tincidunt quisque semper cum, eros bibendum gravida libero aliquet netus, montes, turpis: rutrum, eu mollis, gravida diam fames fames, himenaeos viverra pharetra, sed congue, sapien integer ullamcorper euismod auctor cras nec aliquam sociis lectus dui porta fames aptent (Epstein, 2013). See Table 3.

Table 3 – Type I and type II errors

Decision about H_0	H_0 True	H_0 False
Accept	Correct inference (True negative) ($1 - \alpha$)	Type II error (False negative) (β)
Reject	Type I error (False positive) (α)	Correct inference (True positive) ($1 - \beta$)

Source: Based on Casella and Berger (2002, p. 383)

2 [SHOWCASE] DEVELOPMENT

Ipsum mauris nec turpis ultricies dapibus montes, habitasse proin nostra posuere nulla! Facilisis magnis iaculis nunc dis facilisi tristique fusce phasellus inceptos senectus! Sem imperdiet pharetra rutrum interdum metus primis tempus posuere est libero. Fermentum purus viverra porttitor, bibendum, placerat pulvinar nostra volutpat nulla neque, venenatis parturient: convallis mi, ultricies nam viverra quisque neque natoque dui suscipit turpis (Watson; Crick, 1953).

2.1 HEADING 2

the Lorenz system, originally introduced by Edward N. Lorenz (1963) in his seminal paper, comprises three coupled, nonlinear ordinary differential equations that model atmospheric convection, effectively illustrating the chaotic nature of weather patterns.

The dynamics of the model are represented by the following set of first-order, nonlinear differential equations:


$$\begin{aligned}\frac{dx}{dt} &= \sigma(y - x), \\ \frac{dy}{dt} &= x(\rho - z) - y \\ \frac{dz}{dt} &= xy - \beta z\end{aligned}\tag{2.1}$$

In these equations:

- x represents the rate of convection;
- y denotes the horizontal temperature variation;
- z indicates the vertical temperature variation;
- σ , ρ , and β are system parameters corresponding to the Prandtl number, Rayleigh number, and specific physical dimensions of the fluid layer.

The phase space visualization of this system (Figure 4) reveals intricate patterns and behaviors, including the presence of strange attractors, which are indicative of chaotic dynamics. To learn more about the Lorenz system, see Lorenz (2008).

Figure 4 – Phase space visualization of the Lorenz system




Source: Reproduced from [Vartanian \(2024\)](#). Based on [Lorenz \(1963\)](#).

2.1.1 Heading 3

Sit dui aliquet eu felis ut morbi sociis cubilia tincidunt vehicula nibh pretium nec ac cubilia vulputate risus pretium cursus risus dictumst placerat volutpat quisque nisl massa ac elementum curae malesuada blandit sollicitudin curabitur congue cum scelerisque congue neque orci ([Freire, 2013](#)).

Adipiscing rhoncus vel class magna viverra imperdiet nullam, penatibus erat torquent ullamcorper? Sollicitudin nam sociosqu neque eget non aptent ut consequat facilisi hendrerit montes. Tincidunt morbi quisque venenatis molestie neque ligula pulvinar senectus. Pharetra convallis nisi dui justo in vulputate non est habitant inceptos maecenas taciti inceptos metus, ultricies lacus montes vehicula morbi velit condimentum; platea, litora sollicitudin volutpat cras ultrices eleifend dapibus orci penatibus tristique cubilia, velit imperdiet vivamus tellus dignissim purus himenaeos bibendum ([Walker, 2024](#); [Peirce, 2011](#)). See Figure 5.

Figure 5 – Population by census tract in 2022 in the city of São Paulo, Brazil




Source: Tract data from the [Brazilian 2022 Census](#) and municipal boundary data imported via the [censobr](#) (Pereira; Gonçalves, n.d.) and [geobr](#) (Pereira; Gonçalves, n.d.) R packages.

2.1.1.1 Heading 4

Lorem gravida elementum augue ante auctor venenatis felis ante enim augue? Maecenas et vel ut nisi – consequat quisque pellentesque ridiculus: molestie mollis! Ridiculus magna accumsan ut cum, sapien tempus. Cras sociis phasellus metus lobortis neque pretium quisque fusce posuere velit conubia vestibulum tellus platea lacinia class est quis a placerat est ultrices enim sociis facilisis nisi dis laoreet, torquent, dui himenaeos viverra ad, tortor – et mi, dui, velit, erat gravida imperdiet cursus vitae justo, rhoncus; dis taciti erat ut quisque facilisi risus fusce taciti, molestie faucibus phasellus, auctor porta platea enim malesuada venenatis nullam nibh sollicitudin dictumst condimentum habitant quis arcu malesuada etiam (Hopfield, 1984; Darwin, 2017). See Figure 6.

Figure 6 – Relation between *waiting time to next eruption* (minutes) and *eruption time* (minutes) at Old Faithful Geyser, Yellowstone National Park, Wyoming, USA



Source: Reproduced from the [ggplot2](#) R package documentation ([Wickham, 2016](#)).

Elit ad ligula enim sodales, elementum risus erat metus eget mollis. Ridiculus iaculis nam dictum eros eros – at rutrum nostra ornare? Nisl pellentesque consequat, praesent id aenean, elementum ante. Luctus porta ornare at commodo penatibus lectus congue leo lacus aliquam a egestas erat ligula aliquam himenaeos penatibus ante phasellus vestibulum erat ac curae consequat natoque tempor vivamus potenti nunc neque cum dictumst ornare proin ornare faucibus pretium netus maecenas consequat nibh diam aliquet tristique, velit platea dictum hendrerit volutpat, tellus blandit morbi varius massa ad fames – vitae, lectus neque diam eget, aptent tempor elementum sodales, nunc nostra; dictumst molestie hendrerit imperdiet, erat, pellentesque conubia felis montes per dui mattis donec proin curae conubia enim sagittis ullamcorper molestie mattis eleifend purus per bibendum a ridiculus odio nec vitae morbi gravida ridiculus tincidunt per posuere lectus ornare bibendum tempor risus pharetra platea aptent lectus congue viverra libero tempus maecenas per ([Holland, 2012](#)).

2.1.1.1.1 Heading 5

The hypothesis can be outlined as follows:

Null Hypothesis (H_0) Including *latitude* as a predictor does not result in a meaningful improvement in the model's fit, as evidenced by a change in the adjusted R^2 that is less than the Minimum Effect Size (MES).

Alternative Hypothesis (H_a) Including *latitude* as a predictor results in a meaningful improvement in the model's fit, as evidenced by a change in the adjusted R^2 that meets or exceeds the Minimum Effect Size (MES).

Formally:

Conjecture 2.1 (Data Test).

$$\begin{cases} H_0 : \Delta \text{ Adjusted } R^2 < MES \\ H_a : \Delta \text{ Adjusted } R^2 \geq MES \end{cases}$$

Where:

$$\Delta \text{ Adjusted } R^2 = \text{Adjusted } R_f^2 - \text{Adjusted } R_r^2 \quad (2.2)$$

Sit arcu egestas cum facilisi pharetra sapien litora egestas. Faucibus libero ullamcorper nisi ac pellentesque rutrum sed rutrum at elementum mi. Phasellus sapien ornare vulputate molestie lacinia sodales mollis tristique placerat lectus iaculis molestie eu porta suscipit phasellus phasellus eu nibh fames mus molestie eros cum suspendisse cum faucibus nunc ultrices facilisi id a porttitor aliquet leo – vivamus pellentesque enim interdum, diam ornare placerat porta – malesuada, quisque fermentum arcu eros dictum: mattis dui fringilla, ante hendrerit ultricies sociosqu, dictumst sollicitudin pulvinar purus, penatibus cubilia a nullam, turpis placerat mauris sociosqu dictum, dis magnis nibh lobortis potenti non phasellus urna class sed fusce dui enim imperdiet dui nascetur bibendum curabitur class sem nullam diam curae mus eleifend accumsan ut phasellus molestie habitasse commodo pellentesque mattis tempor magna pulvinar per turpis velit (Thoreau, 2017).

3 [SHOWCASE] CONCLUSION

Every genuine test of a theory is an attempt to falsify it, or to refute it.

— [Popper \(2002\)](#)

I suggest that it is the aim of science to find satisfactory explanations, of whatever strikes us as being in need of explanation.

— [Popper \(1979, p. 193\)](#)

Ipsium ad curae dapibus – nulla scelerisque magna condimentum dapibus commodo ac. Nisi mi lectus porttitor vestibulum enim proin sociosqu magna egestas imperdiet viverra conubia placerat faucibus id facilisi, ante neque magna tempus scelerisque vehicula, himenaeos lacinia, nibh eu mattis lacinia hendrerit, conubia integer donec vestibulum mollis at tortor semper dui rutrum facilisis orci scelerisque lacus nibh ut quisque vestibulum elementum ([Gell-Mann, 2023](#)).

3.1 HEADING 2

Consectetur tempor eros luctus tempor sagittis nam iaculis. Torquent torquent lacinia et gravida. Scelerisque condimentum nulla primis diam varius, mauris etiam viverra rutrum pharetra consequat arcu malesuada. Ut faucibus pulvinar habitasse per sem; convallis mauris tristique est semper nam mollis. Semper conubia justo commodo quis auctor; augue vel pellentesque sociis mattis. Massa blandit id tincidunt et, fringilla magna per cum ullamcorper – nec morbi congue, id justo senectus aptent et rhoncus consequat, torquent interdum ante scelerisque aenean hac magna ([LeCun; Bengio; Hinton, 2015](#)).

Elit cursus maecenas nullam quisque, etiam – maecenas aenean nulla tempus. Eu risus, vulputate turpis risus; nisl tincidunt integer faucibus viverra? Pretium turpis scelerisque mollis dictum cum? Nisi mollis per ac in vel rutrum. Himenaeos molestie primis non placerat morbi laoreet tincidunt enim, scelerisque justo venenatis montes nostra curae, sollicitudin ornare scelerisque quisque est rutrum ante tincidunt vehicula commodo viverra aenean rhoncus penatibus iaculis, faucibus dui mattis, sagittis dictum elementum ([Foster et al., 1972](#)).

3.1.1 Heading 3

Amet sollicitudin pellentesque leo – luctus, habitant proin sodales morbi. Sed convallis turpis, netus fusce sodales ut cubilia arcu pulvinar diam, semper nostra rhoncus! Odio non potenti tortor integer molestie eros nisl. Dictumst nostra proin venenatis faucibus ac commodo turpis, himenaeos mi netus. Vivamus congue semper cum curabitur, nam – quisque neque euismod ([More, 2014](#)).

- Bullet point
 - Bullet point
 - ✱ Bullet point

3.1.1.1 Heading 4

Amet erat id ultricies, lacus malesuada platea varius cras! Himenaeos et eu sociosqu natoque laoreet vel egestas. Laoreet donec convallis scelerisque feugiat, duis, auctor potenti etiam, dictumst imperdiet cras blandit. Vehicula sed tortor ridiculus, sodales dignissim parturient, commodo aliquet pellentesque. Ac velit nec augue faucibus, scelerisque semper suspendisse aliquam lacinia viverra nec molestie eleifend suscipit, ultricies taciti: ullamcorper, lacinia ornare scelerisque dis, ultricies est justo turpis ad magnis, senectus risus duis augue phasellus euismod parturient posuere fusce ([Papert, 2020](#)). See Table 3.

1. List
2. List
3. List

3.1.1.1.1 Heading 5

Elit convallis arcu – nam dui penatibus. Blandit convallis natoque ut donec nascetur. Phasellus sollicitudin fermentum interdum ornare velit. Praesent nibh quisque odio senectus tristique. Accumsan taciti ridiculus rutrum accumsan morbi? Na morbi ([Tissue; Wilensky, 2004a,b](#)).

REFERENCES*

- ASCHOFF, J. (ed.). **Circadian clocks**. [S. l.]: North Holland, 1965. 479 pp.
- CASELLA, G.; BERGER, R. L. **Statistical inference**. 2. ed. Pacific Grove, CA: Duxbury, 2002. 660 pp. (Duxbury advanced series). ISBN 0-534-24312-6.
- COHEN, J. **Statistical power analysis for the behavioral sciences**. 2. ed. Hillsdale, NJ: Lawrence Erlbaum Associates, 1988. 567 pp. ISBN 978-0-8058-0283-2.
- DARWIN, C. **On the origin of species**. London: Macmillan Collector's Library, 2017. ISBN 978-1-5098-4560-6.
- DEGROOT, M. H.; SCHERVISH, M. J. **Probability and statistics**. 4. ed. Boston: Addison-Wesley, 2012. 893 pp. ISBN 978-0-321-50046-5.
- EHRET, C. F. The sense of time: Evidence for its molecular basis in the eukaryotic gene-action system. *In: ADVANCES in Biological and Medical Physics*. [S. l.]: Elsevier, 1974. v. 15. p. 47–77. ISBN 978-0-12-005215-8. DOI: [10.1016/B978-0-12-005215-8.50009-7](https://doi.org/10.1016/B978-0-12-005215-8.50009-7).
- EINSTEIN, A. On the electrodynamics of moving bodies. **Annalen der Physik**, v. 17, n. 10, p. 891–921, 1905.
- ELLIS, P. D. (ed.). **The essential guide to effect sizes: statistical power, meta-analysis, and the interpretation of research results**. Cambridge, UK: Cambridge University Press, 2010. 173 pp. ISBN 978-0-521-19423-5.
- EPSTEIN, J. M. **Agent zero: Toward neurocognitive foundations for generative social science**. Princeton, NJ: Princeton University Press, 2013. 249 pp. (Princeton Studies in Complexity). ISBN 978-0-691-15888-4.
- FOSTER, F. *et al.* Mobility recording and cycle research in neuropsychiatry. **Journal of Interdisciplinary Cycle Research**, v. 3, n. 1, p. 61–72, Mar. 1972. ISSN 0022-1945. DOI: [10.1080/09291017209359298](https://doi.org/10.1080/09291017209359298).
- FREIRE, P. **Pedagogia do oprimido**. Rio de Janeiro, RJ: Paz e Terra, 2013. ISBN 978-85-7753-228-5.
- GELL-MANN, M. **The quark & the jaguar: adventures in the simple & the complex**. Santa Fe, NM: SFI Press, 12 Nov. 2023. ISBN 978-1-947864-48-1.
- HENDERSON, H. V.; VELLEMAN, P. F. Building multiple regression models interactively. **Biometrics**, [Wiley, International Biometric Society], v. 37, n. 2, p. 391–411, 1981. ISSN 0006-341X. DOI: [10.2307/2530428](https://doi.org/10.2307/2530428). JSTOR: [2530428](https://www.jstor.org/stable/2530428).
- HINTON, G. E. Learning Distributed Representations of Concepts. **Proceedings of the Annual Meeting of the Cognitive Science Society**, v. 8, 1986. Available from: <https://escholarship.org/uc/item/79w838g1>. Visited on: 26 Apr. 2025.
- HOLLAND, J. H. **Signals and boundaries: building blocks for complex adaptive systems**. Cambridge, MA: MIT Press, 2012. 308 pp. ISBN 978-0-262-01783-1. DOI: [10.7551/mitpress/9412.001.0001](https://doi.org/10.7551/mitpress/9412.001.0001).
- HOLTZ, Y. **Marginal distribution with ggplot2 and ggExtra**. Available from: <https://www.r-graph-gallery.com/277-marginal-histogram-for-ggplot2.html>. Visited on: 6 Nov. 2023.

*According to the Brazilian Association of Technical Standards (ABNT NBR 6023).

HOPFIELD, J. J. Neurons with graded response have collective computational properties like those of two-state neurons. **Proceedings of the National Academy of Sciences**, Proceedings of the National Academy of Sciences, v. 81, n. 10, p. 3088–3092, May 1984. DOI: [10.1073/pnas.81.10.3088](https://doi.org/10.1073/pnas.81.10.3088).

HORST, A. M.; HILL, A. P.; GORMAN, K. B. **palmerpenguins: Palmer Archipelago (Antarctica) penguin data**. CRAN: [s. n.], 2020. DOI: [10.32614/CRAN.package.palmerpenguins](https://doi.org/10.32614/CRAN.package.palmerpenguins).

INSTITUTO BRASILEIRO DE GEOGRAFIA E ESTATÍSTICA. **Tabela 608: População residente, por situação do domicílio e sexo**. [S. l.]: SIDRA. Available from: <https://sidra.ibge.gov.br/tabela/608>.

KRAKAUER, D. C. (ed.). **Worlds hidden in plain sight: the evolving idea of complexity at the Santa Fe Institute, 1984-2019**. Santa Fe, NM: Santa Fe Institute Press, 2019. ISBN 978-1-947864-26-9.

KUHLMAN, S. J.; CRAIG, L. M.; DUFFY, J. F. Introduction to chronobiology. **Cold Spring Harbor Perspectives in Biology**, v. 10, n. 9, a033613, Sept. 2018. ISSN 1943-0264. DOI: [10.1101/cshperspect.a033613](https://doi.org/10.1101/cshperspect.a033613).

LATINITIUM. **Latin dictionaries**. Latinitium. Available from: <https://latinitium.com/latin-dictionaries>. Visited on: 21 Sept. 2023.

LECUN, Y.; BENGIO, Y.; HINTON, G. Deep learning. **Nature**, Nature Publishing Group, v. 521, n. 7553, p. 436–444, May 2015. ISSN 1476-4687. DOI: [10.1038/nature14539](https://doi.org/10.1038/nature14539).

LORENZ, E. N. Deterministic nonperiodic flow. **Journal of the Atmospheric Sciences**, v. 20, n. 2, p. 130–141, 1 Mar. 1963. ISSN 1520-0469. DOI: [10.1175/1520-0469\(1963\)020<0130:DNF>2.0.CO;2](https://doi.org/10.1175/1520-0469(1963)020<0130:DNF>2.0.CO;2).

LORENZ, E. N. **The essence of chaos**. London, UK: UCL Press, 2008. 227 pp. (The Jessie and John Danz Lectures). ISBN 0-295-97514-8.

MARKOV, A. A. An example of statistical investigation of the text eugene onegin concerning the connection of samples in chains. **Science in Context**, Cambridge University Press, v. 19, n. 4, p. 591–600, Dec. 2006. ISSN 1474-0664, 0269-8897. DOI: [10.1017/S0269889706001074](https://doi.org/10.1017/S0269889706001074).

MARQUES, M. D.; ODA, G. Glossário [Glossary]. **Revista da Biologia**, v. 9, n. 3, 2012. Glossary. ISSN 1984-5154. Available from: <https://www.revistas.usp.br/revbiologia/article/view/114816>. Visited on: 21 Sept. 2023.

MITCHELL, M. **Complexity: A guided tour**. Oxford: Oxford University Press, 2009. 349 pp. ISBN 978-0-19-512441-5.

MITCHELL, M. **Introduction to complexity**. 2013. Available from: <https://www.complexityexplorer.org/courses>. Visited on: 21 Sept. 2023.

MORE, T. **Utopia**. Trans. by Clarence H. Miller. 2. ed. New Haven, CT: Yale University Press, June 2014. 232 pp. ISBN 978-0-300-18610-9.

NEYMAN, J.; PEARSON, E. S. On the use and interpretation of certain test criteria for purposes of statistical inference: Part I. **Biometrika**, [Oxford University Press, Biometrika Trust], 20A, n. 1/2, p. 175–240, 1928. ISSN 0006-3444. DOI: [10.2307/2331945](https://doi.org/10.2307/2331945). JSTOR: [2331945](https://www.jstor.org/stable/2331945).

NEYMAN, J.; PEARSON, E. S. On the use and interpretation of certain test criteria for purposes of statistical inference: Part II. **Biometrika**, [Oxford University Press, Biometrika Trust], 20A, n. 3/4, p. 263–294, 1928. ISSN 0006-3444. DOI: [10.2307/2332112](https://doi.org/10.2307/2332112). JSTOR: [2332112](https://www.jstor.org/stable/2332112).

PAPERT, S. **Mindstorms: Children, computers, and powerful ideas**. New York, NY: Basic Books, 2020. 265 pp. ISBN 978-1-5416-7512-4.

PEARSON, K. X. On the criterion that a given system of deviations from the probable in the case of a correlated system of variables is such that it can be reasonably supposed to have arisen from random sampling. **The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science**, Taylor & Francis, v. 50, n. 302, p. 157–175, July 1900. ISSN 1941-5982. DOI: [10.1080/14786440009463897](https://doi.org/10.1080/14786440009463897).

PEIRCE, C. S. How to make our ideas clear. In: TALISSE, R. B.; AIKIN, S. F. (eds.). **The pragmatism reader: from Peirce through the present**. Princeton, NJ: Princeton University Press, 2011. ISBN 978-0-691-13706-3.

PEREIRA, R. H. M.; GONCALVES, C. N. **geobr: Download official spatial data sets of Brazil**. [S. l.: s. n.]. DOI: [10.32614/CRAN.package.geobr](https://doi.org/10.32614/CRAN.package.geobr).

PEREZGONZALEZ, J. D. Fisher, Neyman-Pearson or NHST? A tutorial for teaching data testing. **Frontiers in Psychology**, Frontiers, v. 6, 2 Mar. 2015. ISSN 1664-1078. DOI: [10.3389/fpsyg.2015.00223](https://doi.org/10.3389/fpsyg.2015.00223).

PITTENDRIGH, C. S. Circadian rhythms and the circadian organization of living systems. **Cold Spring Harbor Symposia on Quantitative Biology**, v. 25, p. 159–184, 1960. ISSN 0091-7451, 1943-4456. DOI: [10.1101/SQB.1960.025.01.015](https://doi.org/10.1101/SQB.1960.025.01.015).

PITTENDRIGH, C. S. Temporal organization: Reflections of a darwinian clock-watcher. **Annual Review of Physiology**, v. 55, n. 1, p. 17–54, Oct. 1993. ISSN 0066-4278, 1545-1585. DOI: [10.1146/annurev.ph.55.030193.000313](https://doi.org/10.1146/annurev.ph.55.030193.000313).

POPPER, K. R. **Conjectures and refutations: The growth of scientific knowledge**. London: Routledge, 2002. 582 pp. (Routledge Classics). ISBN 978-0-415-28593-3.

POPPER, K. R. **Objective knowledge: An evolutionary approach**. Oxford, UK: Oxford University Press, 1979. 395 pp. ISBN 0-19-875024-2.

ROENNEBERG, T.; ALLEBRANDT, K. V., *et al.* Social jetlag and obesity. **Current Biology**, v. 22, n. 10, p. 939–943, May 2012. ISSN 09609822. DOI: [10.1016/j.cub.2012.03.038](https://doi.org/10.1016/j.cub.2012.03.038).

ROENNEBERG, T.; WIRZ-JUSTICE, A.; MERROW, M. Life between clocks: Daily temporal patterns of human chronotypes. **Journal of Biological Rhythms**, v. 18, n. 1, p. 80–90, Feb. 2003. ISSN 0748-7304, 1552-4531. DOI: [10.1177/0748730402239679](https://doi.org/10.1177/0748730402239679).

THOREAU, H. D. **Walden: or life in the woods**. London: Penguin Random House, 2017. ISBN 978-1-4735-4793-3.

TISUE, S.; WILENSKY, U. NetLogo: A simple environment for modeling complexity. **Center for Connected Learning and Computer-Based Modeling**, 16 May 2004. Available from: <http://www.ccl.sesep.northwestern.edu/papers/netlogo-iccs2004.pdf>.

TISUE, S.; WILENSKY, U. NetLogo: Design and implementation of a multi-agent modeling environment. **Center for Connected Learning and Computer-Based Modeling**, 9 Nov. 2004. Available from: <https://ccl.northwestern.edu/2004/netlogo-swarmfest2004.pdf>.

VARTANIAN, D. **Illustration of the Lorenz system**. São Paulo, Brazil, 25 Oct. 2024. Available from: <https://danielvartan.github.io/lorenz-system>.

VARTANIAN, D.; CARVALHO, A. M. **A reproducible pipeline for processing DATASUS data on the Gini Index of per capita household income by Brazilian municipality for the years 1991, 2000, and 2010**. São Paulo: [s. n.], 5 May 2025. Available from: <https://sustentarea.github.io/datasus-gini-index>.

VON NEUMANN, J. First draft of a report on the EDVAC. **IEEE Annals of the History of Computing**, v. 15, n. 4, p. 27–75, 1993. ISSN 1934-1547. DOI: [10.1109/85.238389](https://doi.org/10.1109/85.238389).

WALKER, S. I. **Life as no one knows it: the physics of life's emergence**. New York, NY: Penguin Publishing Group, 2024. ISBN 978-0-593-19191-0.

WATSON, J. D.; CRICK, F. H. C. Molecular structure of nucleic acids: A structure for deoxyribose nucleic acid. **Nature**, Nature Publishing Group, v. 171, n. 4356, p. 737–738, 4356 Apr. 1953. ISSN 1476-4687. DOI: [10.1038/171737a0](https://doi.org/10.1038/171737a0).

WICKHAM, H. **ggplot2: Elegant graphics for data analysis**. 2. ed. Cham, Switzerland: Springer, 2016. 260 pp. (Use R!). ISBN 978-3-319-24277-4. DOI: [10.1007/978-3-319-24277-4](https://doi.org/10.1007/978-3-319-24277-4).

GLOSSARY

For an extensive list of chronobiology related terms and definitions, please refer to [Aschoff \(1965\)](#) and [Marques and Oda \(2012\)](#).

Chronotype

Any kind of temporal phenotype ([Ehret, 1974](#); [Pittendrigh, 1993](#)). Usually, it refers to circadian phenotypes in a spectrum that goes from morningness to eveningness ([Roenneberg; Wirz-Justice; Merrow, 2003](#)). It can also be seen as an organism's phase of entrainment ([Roenneberg; Allebrandt, et al., 2012](#)).

Circadian rhythm

A rhythm with a period close to a day/24h, an approximation to the period of the earth's rotation ([Pittendrigh, 1960](#)). From the Latin *circā*, around, and *dies*, day ([Latinitium, 2023](#)).

Complex system

Several definitions exist. The following are particularly useful:

- "Systems that don't yield to compact forms of representation or description" (David Krakauer apud [Mitchell \(2013\)](#))
- "A system of many interacting parts where the system is more than just the sum of its parts" (Mark Newman apud [Mitchell \(2013\)](#))

Entrainment

A shift and alignment of biological rhythms induced by a zeitgeber input ([Kuhlman; Craig; Duffy, 2018](#)). For example: a shift/alignment of an organism's circadian rhythm when exposed to light.

APPENDICES

APPENDIX A – [SHOWCASE]

Ipsum molestie hendrerit potenti rhoncus sagittis. Et pulvinar massa montes urna cras rhoncus lectus quam felis risus magna quisque torquent luctus eros ultrices, tellus curae purus suscipit porttitor magnis donec, aliquet orci dictum scelerisque, ac, sociis, volutpat euismod bibendum, elementum, risus posuere non, quisque quisque: donec nisi nunc auctor convallis scelerisque iaculis sodales mus praesent class mollis ad ornare himenaeos nostra ([Von Neumann, 1993](#)).

A.1 HEADING 2

Ipsum condimentum sem ultricies class augue vestibulum congue nostra cubilia ridiculus. Ullamcorper nostra dapibus sapien porta; inceptos urna ultrices; nam facilisi conubia. Nibh per viverra, praesent morbi, sapien aenean condimentum, penatibus in mollis, himenaeos ultricies iaculis! Nec varius at placerat habitasse pellentesque penatibus: eleifend sollicitudin curae magna. Neque rhoncus vulputate, dis, convallis accumsan venenatis pretium cras. Quam sapien iaculis felis scelerisque suspendisse dapibus, cum rhoncus dapibus quis sem, integer rhoncus diam est gravida etiam facilisi, ultricies viverra luctus sed arcu non scelerisque urna bibendum sed laoreet mi leo a quam tincidunt ([Lorenz, 1963](#)).

A.1.1 Heading 3

Ipsum gravida elementum augue ante auctor venenatis! Felis ante enim, augue maecenas et vel, ut nisi consequat quisque pellentesque ridiculus. Molestie mollis ridiculus magna accumsan, ut cum sapien tempus. Cras sociis phasellus metus lobortis neque pretium quisque fusce posuere velit conubia vestibulum tellus platea lacinia class, est quis a placerat est ultrices; enim sociis facilisis, nisi dis laoreet torquent dui himenaeos, viverra ad tortor et mi dui velit erat gravida imperdiet cursus vitae justo rhoncus ([Hinton, 1986](#)).

ANNEXES

ANNEX A – [SHOWCASE]



ANNEX B – SETTINGS

Note

Please note that not all settings are documented. For issues or discussions, use the [Issues](#) and [Discussions](#) tabs in the project's GitHub repository. For more information, check the format [extension](#) [YAML file](#) and the [PDF Options](#) section in the Quarto guide.

B.1 PDF ENGINE

This format uses [lualatex](#). I recommend always using this engine for better font handling and feature support.

B.2 TYPOGRAPHY

B.2.1 Typefaces

To change typefaces, use Quarto [PDF options](#) like `mainfont`, `monofont`, and `sansfont`.

```
format:  
  abnt-pdf:  
    mainfont: Arial
```

The ABNT NBR 14724:2011 norm does not specify a required font. You can use any font installed on your computer.

To list all fonts installed on your system, run the following in R:

```
# install.packages("systemfonts")  
library(systemfonts)  
  
system_fonts()
```

B.2.2 Font Size and Line-Height

Use `fontsize` and `linestretch` in `_quarto.yml` to adjust these options.

```
format:
  abnt-pdf:
    fontsize: 12pt
    linestretch: 1.5
```

Note that Section 5.1 of the ABNT NBR 14724:2011 norm specifies that the font size should be **12pt** for the entire document, including the cover, except for quotations longer than three lines, footnotes, pagination, cataloging data, captions, and sources of illustrations and tables, which should be in a smaller and uniform size.

B.3 LANGUAGE AND HYPHENATION

This format includes built-in support for multiple languages and hyphenation patterns, which are automatically loaded based on the document's language setting.

```
format:
  abnt-pdf:
    lang: en
    babel-lang: english
    other-babel-lang: # Do not repeat 'babel-lang' here.
      - french
      - spanish
      - brazil
```

B.4 DOCUMENT SECTIONS

B.4.1 Pre-Textual Sections

`abnt` uses a system of tags to transfer and render the content of Quarto files to LaTeX. These tags look like this:

```
%:::% class attribute begin/end %:::%
```

Unless you want to customize the template, you don't need to modify the `.tex` files. You can write directly in the `.qmd` files. Just ensure that you preserve all the tags.

B.4.2 Customizing the Sections

I plan to implement this format more straightforwardly using [Lua filters](#) to directly manipulate the LaTeX code generated by [Pandoc](#). Until then, you can customize the sections using the following instructions.

B.4.2.1 Removing Pre-Textual Sections

If you don't need a pre-textual section (e.g., Errata, Acknowledgments), remove it from `tex/include-before-body.tex`, and `R/.pre-render.R`.

B.4.2.2 Removing Textual Sections

For textual sections (e.g., chapters), remove them from the `_quarto.yml` file, but be careful when removing the last chapter. See the next section for more details.

B.4.2.3 Removing Post-Textual Sections

Exercise caution when removing post-textual sections (e.g., Glossary, Appendices, Annexes). Each section begins and ends with specific LaTeX commands (e.g., `\begin{anexosenv}`).

To remove the Glossary:

1. Delete it from `_quarto.yml`
2. Remove the `\begin{glossario}` LaTeX code at the end of the *Conclusion* or last chapter
3. Copy the LaTeX code following `\begin{appendicesenv}` in `glossary.qmd` to the bottom of the *Conclusion* or last chapter

The same process applies when removing Appendices and Annexes. The last appendix must include LaTeX code to close the section and initialize the Annexes section.

The Index section is an exception. To remove it, add the following to your `_quarto.yml` file:

```
format:
  abnt-pdf:
    index-page: false
```

In summary, transitions between document sections are created by inserting LaTeX code at the end of specific sections:

- Between the last chapter and the Glossary
- Between the Glossary and Appendices
- Between Appendices and Annexes
- At the end of the Annexes

B.5 CITATION MANAGEMENT

B.5.1 Methods

This Quarto format is specifically designed along with [BibLaTeX](#). For detailed guidance on handling citations, refer to Quarto's [Citation & Footnotes](#) documentation.

B.5.2 Styles

This format works with all [BibLaTeX](#) built-in styles, including [ABNT](#) (Brazilian Association of Technical Standards) and [APA](#) (American Psychological Association).

To use a specific style, change the `biblatexoptions` option in the `_quarto.yml` file. Several citation-related options are available. Refer to the [biblatex](#) manual for complete documentation.

```
format:
  abnt-pdf:
    biblatexoptions:
      - backend=biber
```

```

- url=true
- isbn=true
- useprefix=false
- giveninits=true
- style=abnt

bibhang: 0cm # Use 0.5cm if `style=apa`
bibparsep: -2ex # Use 1ex `style=apa`
biblio-footnote: >

    According to the Brazilian Association of Technical Standards
    (ABNT NBR 6023).

```

B.5.3 Zotero & Better BibTex

If you use [Zotero](#) with [Better BibTex](#), configure it to export URLs only when no DOI is available. This helps declutter the References section. See <https://tex.stackexchange.com/a/603358/234832> for instructions.

B.6 FIGURES AND TABLES

To add top and bottom captions to figures and tables, enclose your content in `divs` as shown below. The first paragraph after the content will be rendered as the source (bottom caption), and the last paragraph will be the top caption.

```

::: {#fig-1}
::: {.figure-content}
This is the figure content.
:::

[This is the source.]{.legend}

This is the caption
:::

```

For figures/tables rendered in code chunks, use the following format:

```

::: {#fig-2}
```{r}
library(dplyr)

penguins |>
 pull(bill_length_mm) |>
 hist()
```

[This is the source.]{.legend}

This is the caption

:::

```

Note that when using `[.legend]` or `[.legendleft]` the caption will always start with `Source:.`

Like all cross-reference elements, these `divs` must follow a naming pattern. Use the prefix `#fig-` for figures and `#tbl-` for tables. For more information, see the [Cross-Referenceable Elements](#) section and refer to Quarto's [Cross-Referenceable Elements](#) article.

B.7 LATEX COMMANDS IN QUARTO FILES

When adding LaTeX commands in Quarto always use a code block with `{=latex}`:

```

```{=latex}

% Some LaTeX code.

```

```

This avoids rendering issues.

B.8 CROSS-REFERENCEABLE ELEMENTS

Quarto allow you to create and reference almost anything by using `div` enclosures. For example:

See Theorem [B.1](#).

Theorem B.1 (Line). *The equation of any straight line can be written as:*

$$y = mx + b$$

Each type of `div` must use pre-defined prefixes. If you don't follow these rules, your document may behave unexpectedly.

For more information about cross-reference elements, see Quarto's [Book Crossrefs](#), [Cross References](#), and [Cross-Referenceable Elements](#) articles.

B.9 FREEZE AND CACHE

Avoid using the `freeze` and `cache` execution options. If you're having issues updating your document, check whether these options are enabled in your `_quarto.yml` file.

```
execute:  
  cache: false # "Danger, Will Robinson!"  
  freeze: false # If you plan to use it, remember to disable it afterward!
```

INDEX

ABNT, [35](#)

APA, [35](#)

BibLaTeX, [35](#)

figures, [17](#)

 chart, [18](#), [20](#), [22](#), [24](#), [25](#)

Karl Popper, [17](#)

language, [33](#)

Lorenz system, [22](#)

tables, [17](#), [19](#), [21](#)

typography, [32](#)