

OpenGeoProver Output for conjecture “geothm_zadatak”

Wu’s method used

October 2, 2016

1 Invoking the theorem prover

The used proving method is Wu’s method.

The input system is:

$$\begin{aligned}p_1 &= 2x_1 - 2 \\p_2 &= 2x_2 - \\p_3 &= 2x_3 - 2 \\p_4 &= 2x_4 - \\p_5 &= 2x_5 - 2\end{aligned}$$

1.1 Triangulation, step 1

Choosing variable: Trying the variable with index 5.

Variable x_5 selected: The number of polynomials with this variable, with indexes from 1 to 5, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_5 . No reduction needed.

The triangular system has not been changed.

1.2 Triangulation, step 2

Choosing variable: Trying the variable with index 4.

Variable x_4 selected: The number of polynomials with this variable, with indexes from 1 to 4, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_4 . No reduction needed.

The triangular system has not been changed.

1.3 Triangulation, step 3

Choosing variable: Trying the variable with index 3.

Variable x_3 selected: The number of polynomials with this variable, with indexes from 1 to 3, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_3 . No reduction needed.

The triangular system has not been changed.

1.4 Triangulation, step 4

Choosing variable: Trying the variable with index 2.

Variable x_2 selected: The number of polynomials with this variable, with indexes from 1 to 2, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_2 . No reduction needed.

The triangular system has not been changed.

1.5 Triangulation, step 5

Choosing variable: Trying the variable with index 1.

Variable x_1 selected: The number of polynomials with this variable, with indexes from 1 to 1, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_1 . No reduction needed.

The triangular system has not been changed.

The triangular system is:

$$\begin{aligned} p_1 &= 2x_1 - 2 \\ p_2 &= 2x_2 - \\ p_3 &= 2x_3 - 2 \\ p_4 &= 2x_4 - \\ p_5 &= 2x_5 - 2 \end{aligned}$$

2 Final Remainder

2.1 Final remainder for conjecture `geothm_zadatak`

Calculating final remainder of the conclusion:

$$g = x_5x_1 - x_4x_1 - x_3x_2$$

with respect to the triangular system.

1. Pseudo remainder with p_5 over variable x_5 :

$$g = -2x_4x_1 - 2x_3x_2 + 2x_1$$

2. Pseudo remainder with p_4 over variable x_4 :

$$g = -4x_3x_2 + 2x_1$$

3. Pseudo remainder with p_3 over variable x_3 :

$$g = -8x_2 + 4x_1$$

4. Pseudo remainder with p_2 over variable x_2 :

$$g = 8x_1 - 8$$

5. Pseudo remainder with p_1 over variable x_1 :

$$g = 0$$

3 Prover results

Status: Theorem has been proved.

Space Complexity: The biggest polynomial obtained during prover execution contains 3 terms.

Time Complexity: Time spent by the prover is 0.026 seconds.

4 NDG Conditions

NDG Conditions in readable form

- There are no NDG conditions for this theorem