OpenGeoProver Output for conjecture "geothm_zadatak"

Wu's method used

October 2, 2016

1 Invoking the theorem prover

The used proving method is Wu's method. The input system is:

```
p_1 = 2x_1 -
 p_2 = 4x_2^2 - 3
     = 3x_3 - x_2
 p_4 = 3x_4^2 - 2
 p_5 = x_5 - x_1
     = x_6 - x_3
 p_7 = x_7 - x_4 - x_2
     = x_8 - x_4 x_2
     = x_9 + x_4x_1 - x_4
p_{10} = x_{10} - x_3 x_1 + x_3 + x_2 x_1 - x_2
p_{11} = x_{11} - x_4 x_2 -
p_{12} = x_{12} + x_4 x_1
p_{13} = x_{13} - x_3 x_1 + x_2 x_1
     = -x_{18}x_{11} + x_{18} + x_{17}x_{12} - x_{12}
p_{15} = x_{19}x_{11} - x_{19} - x_{17}x_{13} + x_{13}
p_{16} = -x_{18}x_8 + x_{17}x_9
p_{17} = -x_{15}x_8 + x_{14}x_9
     = x_{16}x_5 - x_{16}x_1 - x_{14}x_7 + x_{14}x_4 + x_7x_1 - x_5x_4
     = -x_{16}x_6 + x_{16}x_3 + x_{15}x_7 - x_{15}x_4 - x_7x_3 + x_6x_4
p_{19}
```

1.1 Triangulation, step 1

Choosing variable: Trying the variable with index 19.

Variable x_{19} selected: The number of polynomials with this variable, with indexes from 1 to 19, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{15} . No reduction needed.

The triangular system has not been changed.

1.2 Triangulation, step 2

Choosing variable: Trying the variable with index 18.

Variable x_{18} selected: The number of polynomials with this variable, with indexes from 1 to 18, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{18} from all other polynomials by reducing them with polynomial p_{14} from previous step.

Finished a triangulation step, the current system is:

$$\begin{array}{rclcrcl} p_1 & = & 2x_1 - \\ p_2 & = & 4x_2^2 - 3 \\ p_3 & = & 3x_3 - x_2 \\ p_4 & = & 3x_4^2 - 2 \\ p_5 & = & x_5 - x_1 \\ p_6 & = & x_6 - x_3 \\ p_7 & = & x_7 - x_4 - x_2 \\ p_8 & = & x_8 - x_4 x_2 \\ p_9 & = & x_9 + x_4 x_1 - x_4 \\ p_{10} & = & x_{10} - x_3 x_1 + x_3 + x_2 x_1 - x_2 \\ p_{11} & = & x_{11} - x_4 x_2 - \\ p_{12} & = & x_{12} + x_4 x_1 \\ p_{13} & = & x_{13} - x_3 x_1 + x_2 x_1 \\ p_{14} & = & -x_{15} x_8 + x_{14} x_9 \\ p_{15} & = & x_{16} x_5 - x_{16} x_1 - x_{14} x_7 + x_{14} x_4 + x_7 x_1 - x_5 x_4 \\ p_{16} & = & -x_{16} x_6 + x_{16} x_3 + x_{15} x_7 - x_{15} x_4 - x_7 x_3 + x_6 x_4 \\ p_{17} & = & x_{17} x_{12} x_8 - x_{17} x_{11} x_9 + x_{17} x_9 - x_{12} x_8 \\ p_{18} & = & -x_{18} x_{11} + x_{18} + x_{17} x_{12} - x_{12} \\ p_{19} & = & x_{19} x_{11} - x_{19} - x_{17} x_{13} + x_{13} \end{array}$$

1.3 Triangulation, step 3

Choosing variable: Trying the variable with index 17.

Variable x_{17} selected: The number of polynomials with this variable, with indexes from 1 to 17, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{17} . No reduction needed.

The triangular system has not been changed.

1.4 Triangulation, step 4

Choosing variable: Trying the variable with index 16.

Variable x_{16} selected: The number of polynomials with this variable, with indexes from 1 to 16, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{16} from all other polynomials by reducing them with polynomial p_{15} from previous step.

Finished a triangulation step, the current system is:

$$\begin{array}{rclcrcl} p_1 &=& 2x_1 - \\ p_2 &=& 4x_2^2 - 3 \\ p_3 &=& 3x_3 - x_2 \\ p_4 &=& 3x_4^2 - 2 \\ p_5 &=& x_5 - x_1 \\ p_6 &=& x_6 - x_3 \\ p_7 &=& x_7 - x_4 - x_2 \\ p_8 &=& x_8 - x_4 x_2 \\ p_9 &=& x_9 + x_4 x_1 - x_4 \\ p_{10} &=& x_{10} - x_3 x_1 + x_3 + x_2 x_1 - x_2 \\ p_{11} &=& x_{11} - x_4 x_2 - \\ p_{12} &=& x_{12} + x_4 x_1 \\ p_{13} &=& x_{13} - x_3 x_1 + x_2 x_1 \\ p_{14} &=& -x_{15} x_8 + x_{14} x_9 \\ p_{15} &=& x_{15} x_7 x_5 - x_{15} x_7 x_1 - x_{15} x_5 x_4 + x_{15} x_4 x_1 - x_{14} x_7 x_6 + x_{14} x_7 x_3 + x_{14} x_6 x_4 - x_{14} x_4 x_3 + x_7 x_6 x_1 - x_7 x_5 x_3 \\ && -x_6 x_4 x_1 + x_5 x_4 x_3 \\ p_{16} &=& x_{16} x_5 - x_{16} x_1 - x_{14} x_7 + x_{14} x_4 + x_7 x_1 - x_5 x_4 \\ p_{17} &=& x_{17} x_{12} x_8 - x_{17} x_{11} x_9 + x_{17} x_9 - x_{12} x_8 \\ p_{18} &=& -x_{18} x_{11} + x_{18} + x_{17} x_{12} - x_{12} \\ p_{19} &=& x_{19} x_{11} - x_{19} - x_{17} x_{13} + x_{13} \end{array}$$

1.5 Triangulation, step 5

Choosing variable: Trying the variable with index 15.

Variable x_{15} selected: The number of polynomials with this variable, with indexes from 1 to 15, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{15} from all other polynomials by reducing them with polynomial p_{14} from previous step.

Finished a triangulation step, the current system is:

```
p_1 = 2x_1 -
 p_2 = 4x_2^2 - 3
 p_3 = 3x_3 - x_2
 p_4 = 3x_4^2 - 2
 p_5 = x_5 - x_1
 p_6 = x_6 - x_3
 p_7 = x_7 - x_4 - x_2
 p_8 = x_8 - x_4 x_2
    = x_9 + x_4x_1 - x_4
p_{10} = x_{10} - x_3 x_1 + x_3 + x_2 x_1 - x_2
p_{11} = x_{11} - x_4 x_2 -
p_{12} = x_{12} + x_4 x_1
p_{13} = x_{13} - x_3x_1 + x_2x_1
p_{14} = -x_{14}x_{9}x_{7}x_{5} + x_{14}x_{9}x_{7}x_{1} + x_{14}x_{9}x_{5}x_{4} - x_{14}x_{9}x_{4}x_{1} +
           x_{14}x_8x_7x_6 - x_{14}x_8x_7x_3 - x_{14}x_8x_6x_4 + x_{14}x_8x_4x_3
            -x_8x_7x_6x_1 + x_8x_7x_5x_3 + x_8x_6x_4x_1 - x_8x_5x_4x_3
p_{15} = -x_{15}x_8 + x_{14}x_9
p_{16} = x_{16}x_5 - x_{16}x_1 - x_{14}x_7 + x_{14}x_4 + x_7x_1 - x_5x_4
      = x_{17}x_{12}x_8 - x_{17}x_{11}x_9 + x_{17}x_9 - x_{12}x_8
p_{18} = -x_{18}x_{11} + x_{18} + x_{17}x_{12} - x_{12}
p_{19} = x_{19}x_{11} - x_{19} - x_{17}x_{13} + x_{13}
```

1.6 Triangulation, step 6

Choosing variable: Trying the variable with index 14.

Variable x_{14} selected: The number of polynomials with this variable, with indexes from 1 to 14, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{14} . No reduction needed.

The triangular system has not been changed.

1.7 Triangulation, step 7

Choosing variable: Trying the variable with index 13.

Variable x_{13} selected: The number of polynomials with this variable, with indexes from 1 to 13, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{13} . No reduction needed.

The triangular system has not been changed.

1.8 Triangulation, step 8

Choosing variable: Trying the variable with index 12.

Variable x_{12} selected: The number of polynomials with this variable, with indexes from 1 to 12, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{12} . No reduction needed.

The triangular system has not been changed.

1.9 Triangulation, step 9

Choosing variable: Trying the variable with index 11.

Variable x_{11} **selected:** The number of polynomials with this variable, with indexes from 1 to 11, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{11} . No reduction needed.

The triangular system has not been changed.

1.10 Triangulation, step 10

Choosing variable: Trying the variable with index 10.

Variable x_{10} selected: The number of polynomials with this variable, with indexes from 1 to 10, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{10} . No reduction needed.

The triangular system has not been changed.

1.11 Triangulation, step 11

Choosing variable: Trying the variable with index 9.

Variable x_9 selected: The number of polynomials with this variable, with indexes from 1 to 9, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_9 . No reduction needed.

The triangular system has not been changed.

1.12 Triangulation, step 12

Choosing variable: Trying the variable with index 8.

Variable x_8 selected: The number of polynomials with this variable, with indexes from 1 to 8, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_8 . No reduction needed.

The triangular system has not been changed.

1.13 Triangulation, step 13

Choosing variable: Trying the variable with index 7.

Variable x_7 **selected:** The number of polynomials with this variable, with indexes from 1 to 7, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_7 . No reduction needed.

The triangular system has not been changed.

1.14 Triangulation, step 14

Choosing variable: Trying the variable with index 6.

Variable x_6 selected: The number of polynomials with this variable, with indexes from 1 to 6, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_6 . No reduction needed.

The triangular system has not been changed.

1.15 Triangulation, step 15

Choosing variable: Trying the variable with index 5.

Variable x_5 selected: The number of polynomials with this variable, with indexes from 1 to 5, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_5 . No reduction needed.

The triangular system has not been changed.

1.16 Triangulation, step 16

Choosing variable: Trying the variable with index 4.

Variable x_4 selected: The number of polynomials with this variable, with indexes from 1 to 4, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_4 . No reduction needed.

The triangular system has not been changed.

1.17 Triangulation, step 17

Choosing variable: Trying the variable with index 3.

Variable x_3 selected: The number of polynomials with this variable, with indexes from 1 to 3, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_3 . No reduction needed.

The triangular system has not been changed.

1.18 Triangulation, step 18

Choosing variable: Trying the variable with index 2.

Variable x_2 selected: The number of polynomials with this variable, with indexes from 1 to 2, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_2 . No reduction needed.

The triangular system has not been changed.

1.19 Triangulation, step 19

Choosing variable: Trying the variable with index 1.

Variable x_1 selected: The number of polynomials with this variable, with indexes from 1 to 1, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_1 . No reduction needed.

The triangular system has not been changed.

The triangular system is:

$$\begin{array}{rclcrcl} p_1 & = & 2x_1 - \\ p_2 & = & 4x_2^2 - 3 \\ p_3 & = & 3x_3 - x_2 \\ p_4 & = & 3x_4^2 - 2 \\ p_5 & = & x_5 - x_1 \\ p_6 & = & x_6 - x_3 \\ p_7 & = & x_7 - x_4 - x_2 \\ p_8 & = & x_8 - x_4 x_2 \\ p_9 & = & x_9 + x_4 x_1 - x_4 \\ p_{10} & = & x_{10} - x_3 x_1 + x_3 + x_2 x_1 - x_2 \\ p_{11} & = & x_{11} - x_4 x_2 - \\ p_{12} & = & x_{12} + x_4 x_1 \\ p_{13} & = & x_{13} - x_3 x_1 + x_2 x_1 \\ p_{14} & = & -x_{14} x_9 x_7 x_5 + x_{14} x_9 x_7 x_1 + x_{14} x_9 x_5 x_4 - x_{14} x_9 x_4 x_1 + \\ & & x_{14} x_8 x_7 x_6 - x_{14} x_8 x_7 x_3 - x_{14} x_8 x_6 x_4 + x_{14} x_8 x_4 x_3 \\ & & -x_8 x_7 x_6 x_1 + x_8 x_7 x_5 x_3 + x_8 x_6 x_4 x_1 - x_8 x_5 x_4 x_3 \\ p_{15} & = & -x_{15} x_8 + x_{14} x_9 \\ p_{16} & = & x_{16} x_5 - x_{16} x_1 - x_{14} x_7 + x_{14} x_4 + x_7 x_1 - x_5 x_4 \\ p_{17} & = & x_{17} x_{12} x_8 - x_{17} x_{11} x_9 + x_{17} x_9 - x_{12} x_8 \\ p_{18} & = & -x_{18} x_{11} + x_{18} + x_{17} x_{12} - x_{12} \\ p_{19} & = & x_{19} x_{11} - x_{19} - x_{17} x_{13} + x_{13} \end{array}$$

2 Final Remainder

2.1 Final remainder for conjecture geothm_zadatak

Calculating final remainder of the conclusion:

$$g = -x_{19}x_{12} + x_{18}x_{13}$$

with respect to the triangular system.

1. Pseudo remainder with p_{19} over variable x_{19} :

$$g = x_{18}x_{13}x_{11} - x_{18}x_{13} - x_{17}x_{13}x_{12} + x_{13}x_{12}$$

2. Pseudo remainder with p_{18} over variable x_{18} :

$$g = 0$$

3.	Pseudo	remainder	with	p_{17} over	variable	x_{17} :

$$g = 0$$

4. Pseudo remainder with p_{16} over variable x_{16} :

$$g = 0$$

5. Pseudo remainder with p_{15} over variable x_{15} :

$$g = 0$$

6. Pseudo remainder with p_{14} over variable x_{14} :

$$g = 0$$

7. Pseudo remainder with p_{13} over variable x_{13} :

$$g = 0$$

8. Pseudo remainder with p_{12} over variable x_{12} :

$$g = 0$$

9. Pseudo remainder with p_{11} over variable x_{11} :

$$g = 0$$

10. Pseudo remainder with p_{10} over variable x_{10} :

$$g = 0$$

11. Pseudo remainder with p_9 over variable x_9 :

$$g = 0$$

12. Pseudo remainder with p_8 over variable x_8 :

$$a = 0$$

13. Pseudo remainder with p_7 over variable x_7 :

$$g = 0$$

14. Pseudo remainder with p_6 over variable x_6 :

$$g = 0$$

15. Pseudo remainder with p_5 over variable x_5 :

$$g = 0$$

16. Pseudo remainder with p_4 over variable x_4 :

$$g = 0$$

17. Pseudo remainder with p_3 over variable x_3 :

$$g = 0$$

18. Pseudo remainder with p_2 over variable x_2 :

$$g = 0$$

19. Pseudo remainder with p_1 over variable x_1 :

$$g = 0$$

3 Prover results

Status: Theorem has been proved.

Space Complexity: The biggest polynomial obtained during prover execution contains 12 terms.

Time Complexity: Time spent by the prover is 0.099 seconds.

4 NDG Conditions

NDG Conditions in readable form

• Failed to translate NDG Conditions to readable form