

Problem Set #5

Danny Edgel
Econ 711: Microeconomics I
Fall 2020

October 11, 2020

Question 1

(a) $\max_{x_1, x_2} x_1^\alpha + x_2^\alpha$ s.t. $p_1 x_1 + p_2 x_2 \leq w$, $\alpha \in (0, 1)$

$$\text{F.O.C.: } \frac{\partial \mathcal{L}}{\partial x_1} = \alpha x_1^{\alpha-1} - \lambda p_1 = 0$$

$$\frac{\partial \mathcal{L}}{\partial x_2} = \alpha x_2^{\alpha-1} - \lambda p_2 = 0$$

$$\frac{\alpha x_1^{\alpha-1}}{\alpha x_2^{\alpha-1}} = \frac{\lambda p_1}{\lambda p_2}$$

$$\text{Plus BC: } x_1 = x_2 \left(\frac{p_1}{p_2} \right)^{\frac{1}{\alpha-1}} = \frac{1}{p_1} (2 - p_2 x_2)$$

$$\left(\frac{p_1^{\frac{\alpha}{\alpha-1}}}{p_2^{\frac{1}{\alpha-1}}} + p_2 \right) x_2 = w$$

$$x_2 = \left(\frac{p_2^{\frac{\alpha}{\alpha-1}}}{p_1^{\frac{\alpha}{\alpha-1}} + p_2^{\frac{\alpha}{\alpha-1}}} \right) w$$

Solving for x_1 gives the same value, but with p_1 in the numerator of the fraction instead of p_2 . Taken together:

$$x(p, w) = \frac{w}{p_1^{\frac{\alpha}{\alpha-1}} + p_2^{\frac{\alpha}{\alpha-1}}} \left(p_1^{\frac{\alpha}{\alpha-1}}, p_2^{\frac{\alpha}{\alpha-1}} \right)$$

Which yields the indirect utility function:

$$v(p, w) = \left(\frac{w}{p_1^{\frac{\alpha}{\alpha-1}} + p_2^{\frac{\alpha}{\alpha-1}}} \right)^2 \left(p_1^{\frac{2\alpha}{\alpha-1}} + p_2^{\frac{2\alpha}{\alpha-1}} \right)$$

$$(b) \max_{x_1, x_2} x_1 + x_2 \text{ s.t. } p_1 x_1 + p_2 x_2 \leq w$$

x_1 and x_2 are perfect substitutes, so to maximize utility, the agent will spend their whole wealth on the cheaper good:

$$x(p, w) = \begin{cases} \left(\frac{w}{p_1}, 0 \right), & p_1 < p_2 \\ \left(0, \frac{w}{p_2} \right), & p_1 > p_2 \\ \left\{ \left(k \frac{w}{p_1}, (1-k) \frac{w}{p_2} \right) \mid k \in [0, 1] \right\}, & p_1 = p_2 \end{cases}$$

Where:

$$v(p, w) = \frac{w}{\min \{p_1, p_2\}}$$

$$(c) \max_{x_1, x_2} x_1^\alpha + x_2^\alpha \text{ s.t. } p_1 x_1 + p_2 x_2 \leq w, \alpha > 1$$

The agent's utility is the sum of utility derived by consuming x_1 and x_2 , where the marginal utility from consuming each good is increasing. Therefore, the agent maximizes their utility by spending their whole wealth on the cheaper good, as in (b). Thus,

$$x(p, w) = \begin{cases} \left(\frac{w}{p_1}, 0 \right), & p_1 < p_2 \\ \left(0, \frac{w}{p_2} \right), & p_1 > p_2 \\ \left\{ \left(k \frac{w}{p_1}, (1-k) \frac{w}{p_2} \right) \mid k \in [0, 1] \right\}, & p_1 = p_2 \end{cases}$$

$$v(p, w) = \left(\frac{w}{\min \{p_1, p_2\}} \right)^\alpha$$

$$(d) \max_{x_1, x_2} \min \{x_1, x_2\} \text{ s.t. } p_1 x_1 + p_2 x_2 \leq w$$

The agent's utility is maximized at the consumption bundle where wealth is exhausted and $x_1 = x_2$. Thus, let $x_1 = x_2 = x$ and the budget constraint becomes $(p_1 + p_2)x = w$, which allows us to solve:

$$x(p, w) = \left(\frac{w}{p_1 + p_2}, \frac{w}{p_1 + p_2} \right)$$

$$v(p, w) = \frac{w}{p_1 + p_2}$$

$$(e) \max_{x_1, x_2, x_3, x_4} \min\{x_1 + x_2, x_3 + x_4\} \text{ s.t. } p_1x_1 + p_2x_2 + p_3x_3 + p_4x_4 \leq w$$

x_1 and x_2 are perfect substitutes, and so are x_3 and x_4 , while the (x_1, x_2) bundle is perfectly complementary with the (x_3, x_4) bundle. So, by the same logic of the solutions to (b) and (d), the agent will spend all of their wealth to purchase equal numbers of the cheaper good in each bundle. Thus, ignoring cases of perfect equality in prices, we can solve:

$$x(p, w) = \begin{cases} \left(\frac{w}{p_1+p_3}, 0, \frac{w}{p_1+p_3}, 0 \right), & p_1 < p_2 \wedge p_3 < p_4 \\ \left(\frac{w}{p_1+p_4}, 0, 0, \frac{w}{p_1+p_4} \right), & p_1 < p_2 \wedge p_3 > p_4 \\ \left(0, \frac{w}{p_2+p_4}, 0, \frac{w}{p_2+p_4} \right), & p_1 > p_2 \wedge p_3 > p_4 \\ \left(0, \frac{w}{p_2+p_3}, \frac{w}{p_2+p_3}, 0 \right), & p_1 < p_2 \wedge p_3 < p_4 \end{cases}$$

$$v(p, w) = \begin{cases} \frac{w}{p_1+p_3}, & p_1 < p_2 \wedge p_3 < p_4 \\ \frac{w}{p_1+p_4}, & p_1 < p_2 \wedge p_3 > p_4 \\ \frac{w}{p_2+p_4}, & p_1 > p_2 \wedge p_3 > p_4 \\ \frac{w}{p_2+p_3}, & p_1 < p_2 \wedge p_3 < p_4 \end{cases}$$

$$(f) \max_{x_1, x_2, x_3, x_4} \min\{x_1 + x_2\} + \min\{x_3 + x_4\} \text{ s.t. } p_1x_1 + p_2x_2 + p_3x_3 + p_4x_4 \leq w$$

In this problem, the (x_1, x_2) and (x_3, x_4) bundles are perfect substitutes, but the goods within each bundle are perfect complements. Thus, the agent will spend all of their wealth consuming either equal numbers of x_1 and x_2 or equal numbers of x_3 and x_4 , choosing the former when the sum of the prices of each good is less than the sum of the prices of the x_3 and x_4 ,¹ and vice versa:

$$x(p, w) = \begin{cases} \left(\frac{w}{p_1+p_2}, \frac{w}{p_1+p_2}, 0, 0 \right), & p_1 + p_2 < p_3 + p_4 \\ \left(0, 0, \frac{w}{p_3+p_4}, \frac{w}{p_3+p_4} \right), & p_1 + p_2 > p_3 + p_4 \end{cases}$$

$$v(p, w) = \begin{cases} \frac{w}{p_1+p_2}, & p_1 + p_2 < p_3 + p_4 \\ \frac{w}{p_3+p_4}, & p_1 + p_2 > p_3 + p_4 \end{cases}$$

¹This solution again ignores cases of price equality.

Question 2

Let $X = \mathbb{R}_+^k$ and $(a_1, \dots, a_k) \in \mathbb{R}_{++}^k$ where $\sum_{i=1}^k a_i = 1$. Assume, for the following, that two prices are never identical.

(a) (i) $\max_x \sum_{i=1}^k x_i$ s.t. $p \cdot x \leq w$

Each good is perfectly substitutable with each other good, so, $\forall i \in \{1, \dots, k\}$:

$$x_i(p, w) = \begin{cases} 0, & p_i > \min\{p_1, \dots, p_k\} \\ \frac{w}{p_i}, & p_i < p_j \forall j \neq i \end{cases}$$

(ii) $\max_x \prod_{i=1}^k x_i^{a_i}$ s.t. $p \cdot x \leq w$

The $x \in X$ that maximizes the natural log of the utility function will also maximize the utility function, so define this problem's Lagrangian function as:

$$\mathcal{L} = \sum_{i=1}^k a_i \log(x_i) - \lambda \left(\sum_{i=1}^k p_i x_i - w \right)$$

Using the first order condition of this function and the budget constraint, we can derive the optimal consumption of each good:

$$\begin{aligned} \frac{\partial \mathcal{L}}{\partial x_i} &= \frac{a_i}{x_i} - \lambda p_i = 0 \\ x_i &= \frac{a_i}{\lambda p_i} \\ w &= \sum_{j=1}^k p_j \left(\frac{a_j}{\lambda p_j} \right) = \frac{1}{\lambda} \sum_{j=1}^k a_j = \frac{1}{\lambda} \\ \lambda &= \frac{1}{w} \\ x_i(p, w) &= w \left(\frac{a_i}{p_i} \right) \end{aligned}$$

(iii) $\max_x \min \left\{ \frac{x_1}{a_1}, \dots, \frac{x_k}{a_k} \right\}$ s.t. $p \cdot x \leq w$

The agent maximizes their utility by spending all of their wealth such that to purchase a bundle, $x \in X$, such that $\frac{x_1}{a_1} = \dots = \frac{x_k}{a_k}$. Then, if

we let $\gamma = \frac{x_i}{a_i}$, we can solve for $x_i(p, w)$ using the budget constraint:

$$\begin{aligned}\sum_{j=1}^k p_j x_j &= w \\ \sum_{j=1}^k p_j a_j \gamma &= w \\ \gamma &= \frac{w}{\sum_{j=1}^k p_j a_j} \\ \frac{x_i}{a_i} &= \frac{w}{\sum_{j=1}^k p_j a_j} \\ x_i(p, w) &= w \left(\frac{a_i}{\sum_{j=1}^k p_j a_j} \right)\end{aligned}$$

- (b) When $s > 1$, $\frac{s}{s-1} > 0$, so the agent maximizes utility with the following Lagrangian:

$$\mathcal{L} = \sum_{i=1}^k a_i^{\frac{1}{s}} x_i^{\frac{s-1}{s}} - \lambda \left(\sum_{i=1}^k p_i x_i - w \right)$$

Using the FOC of \mathcal{L} and the budget constraint, we can solve:

$$\begin{aligned}\frac{\partial \mathcal{L}}{\partial x_i} &= \frac{s-1}{s} a_i^{\frac{1}{s}} x_i^{-\frac{1}{s}} - \lambda p_i = 0 \\ x_i &= \left(\frac{s-1}{s} \right)^s (\lambda p_i)^{-s} a_i \\ w &= \sum_{i=1}^k p_i \left(\frac{s-1}{s} \right)^s (\lambda p_i)^{-s} a_i \\ \lambda^{-s} &= w \left(\frac{s-1}{s} \right)^{-s} \left(\sum_{i=1}^k p_i^{1-s} a_i \right)^{-1} \\ x_i &= \frac{w \left(\frac{s-1}{s} \right)^{-s} \left(\frac{s-1}{s} \right)^s (p_i)^{-s} a_i}{\sum_{j=1}^k p_j^{1-s} a_j} \\ x_i(p, w) &= \frac{w (p_i)^{-s} a_i}{\sum_{j=1}^k p_j^{1-s} a_j}\end{aligned}$$

When $s < 1$, the agent maximizes utility by minimizing $a_i^{\frac{1}{s}} x_i^{\frac{s-1}{s}}$. This minimum can be found by maximizing:

$$\mathcal{L} = - \sum_{i=1}^k a_i^{\frac{1}{s}} x_i^{\frac{s-1}{s}} - \lambda \left(\sum_{i=1}^k p_i x_i - w \right)$$

The negative on the first term can carry through to $\frac{s-1}{s}$ in the FOC such that the rest of the solution uses $\frac{1-s}{s}$ instead. This term cancels out in solving for $x_i(p, w)$, so the solution in this case is the same as in the $s > 1$ case.

- (c) The following shows that CES utility gives the same demand as linear, Cobb-Douglas, and Leontief utilities in the $s \rightarrow \infty$, $s \rightarrow 1$, and $s \rightarrow 0$ limits, respectively.

$$\begin{aligned}\lim_{s \rightarrow \infty} x_i(p, w) &= \lim_{s \rightarrow \infty} \left(\frac{wa_i}{p_i^s \sum_{j=1}^k p_j^{1-s} a_j} \right) = \lim_{s \rightarrow \infty} \left(\frac{wa_i}{\frac{p_i^s}{p_i^{s-1}} a_i + p_i^s \sum_{j \neq i}^k p_j^{1-s} a_j} \right) \\ &= \lim_{s \rightarrow \infty} \left(\frac{wa_i}{p_i a_i + p_i^s \sum_{j \neq i}^k p_j^{1-s} a_j} \right) = \frac{wa_i}{p_i a_i} = \frac{w}{p_i} \\ \lim_{s \rightarrow 1} x_i(p, w) &= \lim_{s \rightarrow 1} \left(\frac{wa_i}{p_i^s \sum_{j=1}^k p_j^{1-s} a_j} \right) = w \left(\frac{a_i}{p_i} \right) \left(\sum_{j=1}^k a_j \right)^{-1} = w \left(\frac{a_i}{p_i} \right) \\ \lim_{s \rightarrow 0} x_i(p, w) &= \lim_{s \rightarrow 0} \left(\frac{wa_i}{p_i^s \sum_{j=1}^k p_j^{1-s} a_j} \right) = w \left(\frac{a_i}{\sum_{j=1}^k p_j a_j} \right)\end{aligned}$$

- (d) Using $x_i(p, w)$ as defined in (b), we can define:

$$\begin{aligned}\frac{x_1(p, w)}{x_2(p, w)} &= \left(\frac{w(p_1)^{-s} a_1}{\sum_{j=1}^k p_j^{1-s} a_j} \right) \left(\frac{w(p_2)^{-s} a_2}{\sum_{j=1}^k p_j^{1-s} a_j} \right)^{-1} = \left(\frac{p_1}{p_2} \right)^{-s} \frac{a_1}{a_2} \\ \frac{\partial \left(\frac{x_1(p, w)}{x_2(p, w)} \right)}{\partial \left(\frac{p_1}{p_2} \right)} &= -s \left(\frac{p_1}{p_2} \right)^{-s-1} \frac{a_1}{a_2} \\ \xi_{1,2} &= s \left(\frac{p_1}{p_2} \right)^{-s-1} \frac{a_1}{a_2} \frac{p_1}{p_2} \left(\left(\frac{p_1}{p_2} \right)^{-s} \frac{a_1}{a_2} \right)^{-1} = s\end{aligned}$$

Thus, $s \rightarrow \infty$ implies an infinite elasticity of substitution, which gives the same demand as linear utility. $s \rightarrow 1$, which gives the same demand as Cobb-Douglas utility, is when the two goods are unit elastic. $s \rightarrow 0$ is when elasticity of substitution is zero, which intuitively gives the same demand as Leontief utility.

Question 3

- (a) Suppose the agent is the net seller of good i and that the price of good i increases.

1. Since $e_i \geq 0$, $\Delta p_i > 0 \Rightarrow \Delta w \geq 0$
2. Since the agent is rational with a unique $x(p, e)$ and locally non-satiating preferences, the matrix $[\frac{\partial x_i}{\partial p_j} + \frac{\partial x_i}{\partial w}]$ is negative semi-definite. Thus, $\frac{\partial x_i}{\partial p_i} + \frac{\partial x_i}{\partial w} \leq 0$
3. By (1), the only way for the inequality in (2) to be satisfied is for $\delta x_i \leq 0$
4. e_i has not changed, so $x_i(p, e) < e_i$ before the price increase means that $x_i(p, e) < e_i$ following the price increase

\therefore it is not possible for the agent to go from being a net seller of a good to a net buyer following an increase in the price of that good ■

- (b) $v(p, e)$ is the solution to the consumer's problem. Therefore, since u is differentiable and concave,

$$v(p, e) = \mathcal{L}(x^*, \lambda^*, \mu^*) = u(x^*) - \lambda^*(p \cdot x^* - p \cdot e) - \mu^* \cdot x$$

and by the envelope theorem,

$$\frac{\partial v(p, e)}{\partial p_i} = \frac{\partial \mathcal{L}}{\partial p_i} = -\lambda^*(x_i - e_i)$$

Where $\lambda^* > 0$. If the agent is a net buyer, then $-\lambda^*(x_i - e_i) < 0$. If the agent is a net seller, then $-\lambda^*(x_i - e_i) < 0$.