Problem Set #2

Danny Edgel Econ 712: Macroeconomics I Fall 2020

September 17, 2020

Collaborated with Sarah Bass, Emily Case, Michael Nattinger, and Alex Von Hafften

Question 1

We are given:

$$k_{t+1} = f(k_t) + (1 - \delta)k_t - c_t$$
$$\beta u'(c_{t+1}) = \frac{u'(c_t)}{1 - \delta + f'(k_{t+1})}$$

Where $f(k) = zk^{\alpha}$ and $u(c) = \log(c)$.

1. Let $k_{t+1} = k_t = \overline{k}$ and $c_{t+1} = c_t = \overline{c}$. Then:

$$\overline{k} = z\overline{k}^{\alpha} + (1 - \delta)\overline{k} - \overline{c}$$

$$\beta \frac{1}{\overline{c}} = \left(\frac{1}{\overline{c}}\right) \left(\frac{1}{1 - \delta + \alpha z\overline{k}^{\alpha - 1}}\right)$$

$$\overline{c} = z\overline{k}^{\alpha} - \delta\overline{k}$$

$$\overline{k}^{\alpha - 1} = \frac{1}{\beta} + \delta - 1$$

$$\overline{c} = z\left(\frac{1}{\beta} + \delta - 1\right)^{\frac{\alpha}{\alpha - 1}} - \delta\left(\frac{1}{\beta} + \delta - 1\right)^{\frac{1}{\alpha - 1}}$$

$$\overline{k} = \left(\frac{1}{\beta} + \delta - 1\right)^{\frac{1}{\alpha - 1}}$$

$$\overline{k} = \left(\frac{1}{\beta} + \delta - 1\right)^{\frac{1}{\alpha - 1}}$$

Inputting the parameters provided in the question ($z=1, \alpha=0.3, \delta=0.1$, and $\beta=0.97$) yields $\overline{k}\approx 3.2690$ and $\overline{c}\approx 1.0998.^1$

2. The steps for linearizing the system as follows.

 $^{^1\}mathrm{See}$ the attached file, edgel_ps2.R, for this computation.

(a) The equations for k_{t+1} and c_{t+1} can be rewritten as:

$$k_{t+1} = g(k_t, c_t) = zk_t^{\alpha} + (1 - \delta)k_t - c_t$$

$$c_{t+1} = h(k_t, c_t) = \beta c_t \left(1 - \delta + \alpha z(zk_t^{\alpha} + (1 - \delta)k_t - c_t)^{\alpha - 1}\right)$$

(b) The Jacobian matrix is:

$$\begin{pmatrix} \alpha z k_t^{\alpha - 1} + 1 - \delta & -1 \\ dc_{t+1}/dk_t & dc_{t+1}/dc_t \end{pmatrix}$$


Where:

$$\frac{dc_{t+1}}{dk_t} = \beta(\alpha - 1)\alpha z c_t (zk_t^{\alpha} + (1 - \delta)k_t - c_t)^{\alpha - 2} (\alpha z k_t^{\alpha - 1} + 1 - \delta)
\frac{dc_{t+1}}{dc_t} = \beta(1 - \delta + \alpha z (zk_t^{\alpha} + (1 - \delta)k_t - c_t)^{\alpha - 1}) - \beta(\alpha - 1)\alpha z c_t (zk_t^{\alpha} + (1 - \delta)k_t - c_t)^{\alpha - 2}$$

(c) Define:

$$\begin{pmatrix} \widetilde{k}_{t+1} \\ \widetilde{c}_{t+1} \end{pmatrix} = J \begin{pmatrix} \widetilde{k}_{t} \\ \widetilde{c}_{t} \end{pmatrix} = J \begin{pmatrix} k_{t} - \overline{k} \\ c_{t} - \overline{c} \end{pmatrix}$$

- 3. Using the R code provided with this assignment, I computed the Jacobian's steady-state eigenvalues as 1.2060 and 0.8548. Since $|\lambda_1| > 1$ and $|\lambda_2| < 1$, this system has a saddle path. Staying on the saddle path means moving along the stable eigenvector(i.e. the vector associated with the eigenvalue with an absolute value less than one). In this case, the stable eigenvalue is $v_1 = (0.9850, 0.1725)$, so the slope of the saddle path is $\frac{0.1725}{0.9850} = 0.1751$.
- 4. The diagram below shows how the system evolves after a permanent, unexpacted productivity shock. The dashed blue line displays the (approximate, drawn in Paint) saddle path for the initial productivity level, where the blue dot indicates the steady state level of capital and consumption. The red dot and dashed red line display the same for the new capital level. In the period of the productivity shock, consumption jumps from the initial productivity's steady state to the level of consumption that matches the fixed capital level's consumption along the new saddle path (indicated on the chart by the green point). In the periods that follow, consumption follows the saddle path (shown in green) until it reaches the new steady state.



- 5. Below, I follow the steps described in the problem:
 - (a) In the R code provided, I compute:

$$\begin{pmatrix} \overline{k}' \\ \overline{c}' \end{pmatrix} = \begin{pmatrix} 3.7458 \\ 1.2602 \end{pmatrix} \qquad J = \begin{pmatrix} 1.0309 & -1 \\ -0.0308 & 1.0299 \end{pmatrix}$$

(b) Let $J = E\Lambda E^{-1}$, where Λ is the diagonal matrix of J's eigenvalues. Then, from using the R code provided, we can derive:

$$J = E\Lambda E^{-1} \begin{pmatrix} 0.9850 & 0.9848 \\ -0.1725 & 0.1734 \end{pmatrix} \begin{pmatrix} 1.2060 & 0 \\ 0 & 0.8548 \end{pmatrix} \begin{pmatrix} 0.5091 & -2.8908 \\ 0.5062 & 2.8913 \end{pmatrix}$$

Now, let:

$$\begin{pmatrix} \widehat{k}_t \\ \widehat{c}_t \end{pmatrix} = E^{-1} \begin{pmatrix} k_t \\ c_t \end{pmatrix}$$

(c) Using the definition from (b) of (\hat{k}_t, \hat{c}_t) , we can solve:

$$\begin{split} \begin{pmatrix} k_{t+1} \\ c_{t+1} \end{pmatrix} &= J \begin{pmatrix} k_t \\ c_t \end{pmatrix} \\ E \begin{pmatrix} \widehat{k}_{t+1} \\ \widehat{c}_{t+1} \end{pmatrix} &= (E\Lambda E^{-1}) \left(\begin{pmatrix} \widehat{k}_t \\ \widehat{c}_t \end{pmatrix} \right) \\ \begin{pmatrix} \widehat{k}_{t+1} \\ \widehat{c}_{t+1} \end{pmatrix} &= (E^{-1}E)\Lambda(E^{-1}E) \begin{pmatrix} \widehat{k}_t \\ \widehat{c}_t \end{pmatrix} \\ \begin{pmatrix} \widehat{k}_{t+1} \\ \widehat{c}_{t+1} \end{pmatrix} &= \Lambda \begin{pmatrix} \widehat{k}_t \\ \widehat{c}_t \end{pmatrix} \\ \begin{pmatrix} \widehat{k}_{t+1} \\ \widehat{c}_{t+1} \end{pmatrix} &= \begin{pmatrix} \lambda_1 \widehat{k}_t \\ \lambda_2 \widehat{c}_t \end{pmatrix} \end{split}$$

Thus,

$$\begin{pmatrix} \widehat{k}_t \\ \widehat{c}_t \end{pmatrix} = \begin{pmatrix} \lambda_1^t \widehat{k}_0 \\ \lambda_2^t \widehat{c}_0 \end{pmatrix}$$

Where $\lambda_1 = 1.2060$ and $\lambda_2 = 0.8548$. Since $|\lambda_1| > 1$, any non-explosive solution requires that $\hat{k}_0 = 0$. Thus, rewriting in terms of (k_t, c_t) , we have:

$$\begin{pmatrix} k_t \\ c_t \end{pmatrix} = E \begin{pmatrix} \widehat{k}_t \\ \widehat{c}_t \end{pmatrix}$$

$$\begin{pmatrix} k_t \\ c_t \end{pmatrix} = \begin{pmatrix} e_{11} & e_{12} \\ e_{21} & e_{22} \end{pmatrix} \begin{pmatrix} \lambda_1^t \widehat{k}_0 \\ \lambda_2^t \widehat{c}_0 \end{pmatrix}$$

$$\begin{pmatrix} k_t \\ c_t \end{pmatrix} = \begin{pmatrix} e_{11}\lambda_1^t \widehat{k}_0 + e_{12}\lambda_2^t \widehat{c}_0 \\ e_{21}\lambda_1^t \widehat{k}_0 + e_{22}\lambda_2^t \widehat{c}_0 \end{pmatrix}$$

$$\begin{pmatrix} k_t \\ c_t \end{pmatrix} = \begin{pmatrix} e_{12}\lambda_2^t \widehat{c}_0 \\ e_{22}\lambda_2^t \widehat{c}_0 \end{pmatrix}$$

(d) Our initial condition at t_0 is (k_{t_0}, c_{t_0}) , and our boundary condition is $(\overline{k}', \overline{c}')$, where $k_{t_0} = \overline{k}$ and we need to solve for c_{t_0} . This enables us to solve for the general solution:


$$\overline{k} = e_{12}\lambda_2^5 \widehat{c}_0 + \overline{k}'$$

$$\widehat{c}_0 = \frac{\overline{k} - \overline{k}'}{e_{12}\lambda_2^5}$$


$$c_t^g = e_{22}\lambda_2^t \left(\frac{\overline{k} - \overline{k}'}{e_{12}\lambda_2^5}\right) + \overline{c}$$

$$\binom{k_t^g}{c_t^g} = \binom{e_{12}\lambda_2^t \left(\frac{\overline{k} - \overline{k}'}{e_{12}\lambda_2^5}\right) + \overline{k}'}{e_{22}\lambda_2^t \left(\frac{\overline{k} - \overline{k}'}{e_{12}\lambda_2^5}\right) + \overline{c}}$$


(e) Using the known values of E and the steady states, listed in earlier points, the provided R code calculated k_t and c_t for t = 1, ..., 20. The charts below show the evolution of each value over time, with the pre- and post-shock steady stated indicated by dashed lines.



(f) i. The charts below show the path using the direct recursive functions for k_t and c_t . As you can see, the new steady state is not reached; capital explodes, leading to a decline in consumption.



ii. Using the "shooting method" yields $c_{t_0} = 1.1742$. Direct estimation of k_t and c_t using this value appears to converge:



Question 2

In each of the environments below, state the Social Planner's Problem (SPP) and the Consumer Problem (CP), then define, but do not solve, the Competitive Equilibrium (CE).

1. 2-period overlapping generations problem

In each period, there are four agents in this model, with a four-element

allocation, $\{c_t^{1t}, c_t^{2t}, c_t^{1t-1}, c_t^{2t-1}\}$, where agents denoted with a superscript of 1 (type 1 agents) are endowed with w_1 when young, and type 2 agents are endowed with w_2 when old. There are $\frac{1}{2}N$ agents in each type so that there are N agents in each generation. Let N=1 for notation purposes.

The social planner has access to $\frac{1}{2}w_1 + \frac{1}{2}w_2$ in each period and weights all agents equally, with the problem:

$$\begin{aligned} &\max_{\{c_t^{1t}, c_t^{2t}, c_t^{1t-1}, c_t^{2t-1}\}} \ln c_t^{1t} + \ln c_t^{2t} + \ln c_t^{1t-1} + \ln c_t^{2t-1} \\ &\text{s.t. } c_t^{1t} + c_t^{2t} + c_t^{1t-1} + c_t^{2t-1} \leq \frac{1}{2} w_1 + \frac{1}{2} w_2 \end{aligned}$$

In the decentralized economy with fiat currency, the money supply is fixed at M with each (old) agent of generation 0 given M units of currency. Then there are four problems to solve in the decentralized economy: generation 0, types 1 and 2, and generation t, types 1 and 2. In that order, the problems are:

$$\begin{aligned} & \max_{c_1^{10}} \ \ln c_1^{1,0} & \text{s.t.} \ p_1 c_1^{1,0} \leq M \\ & \max_{c_1^{20}} \ \ln c_1^{2,0} & \text{s.t.} \ p_1 c_1^{2,0} \leq M + p_1 w_2 \\ & \max_{c_1^{1t}, c_{t+1}^{1t}, M_{t+1}^{1t}} \ln c_t^{1t} + \ln c_{t+1}^{1t} & \text{s.t.} \ p_t c_t^{1t} + M_{t+1}^{1t} \leq p_t w 1, \ p_{t+1} c_{t+1}^{1t} \leq M_{t+1}^{1t} \\ & \max_{c_t^{2t}, c_{t+1}^{2t}, M_{t+1}^{2t}} \ln c_t^{2t} + \ln c_{t+1}^{2t} & \text{s.t.} \ p_t c_t^{2t} + M_{t+1}^{2t} \leq 0, \ p_{t+1} c_{t+1}^{2t} \leq M_{t+1}^{2t} + p_{t+1} w_2 \end{aligned}$$

In the competitive equilibrium, the goods and money markets clear:

$$c_t^{1t} + c_t^{2t} + c_t^{1t-1} + c_t^{2t-1} = \frac{1}{2}w_1 + \frac{1}{2}w_2$$
 (Goods market)
$$\frac{1}{2}M_{t+1}^{1t} + \frac{1}{2}M_{t+1}^{2t} = M$$
 (Money market)

2. 3-period overlapping generations problem

In each period, there are three agents, with a three-element allocation, $\{c_t^t, c_t^{t-1}, c_t^{t-2}\}$, and a total endowment of $N_{t-2}w_1 + N_{t-1}w_2 + N_tw_3 = N_t(\frac{1}{n^2}w_1 + \frac{1}{n}w_2 + w_3)$. The social planner's problem in each period, then, is:

$$\max_{\{c_t^t, c_t^{t-1}, c_t^{t-2}\}} \ln c_t^t + \ln c_t^{t-1} + \ln c_t^{t-2} \text{ s.t. } c_t^t + \frac{1}{n} c_t^{t-1} + \frac{1}{n^2} c_t^{t-2} \leq \frac{1}{n^2} w_1 + \frac{1}{n} w_2 + w_3$$

In the decentralized economy, the amount of fiat currency is fixed at $N_{-1} = \frac{1}{n^{t+1}}N_t$, which is evenly distributed to the initial old generation. There are three consumer problems: two in the initial period (old agents and middle-aged agents), and one in period t. These problems are provided

below, in order the listed order.

$$\begin{aligned} \max_{c_1^{-1}} & \ln c_1^{-1} \\ \max_{c_1^{-1}} & \ln c_1^{0} + \ln c_2^{0} \\ \max_{\{c_1^t, c_2^t, M_2^t\}} & \text{s.t. } p_1 c_1^{-1} \leq \frac{1}{N_{-1}} + p_1 w_3 \\ \max_{\{c_1^t, c_2^t, M_2^t\}} & \text{s.t. } p_1 c_1^0 + M_2^0 \leq p_1 w_2, \, p_2 c_2^0 \leq p_2 w_2 + M_2^0 \\ \max_{\{c_t^t, c_{t+1}^t, c_{t+2}^t, M_{t+1}^t, M_{t+2}^t\}} & \text{ln} c_t^t + \ln c_{t+1}^t + \ln c_{t+2}^t \\ & \text{s.t. } p_t c_t^t + M_{t+1}^t \leq p_t w 1 \\ & p_{t+1} c_{t+1}^t + M_{t+2}^t \leq p_{t+1} w_2 + M_{t+1}^t \\ & p_{t+2} c_{t+2}^t \leq p_{t+2} w_3 + M_{t+2}^t \end{aligned}$$

In the competitive equilibirum, the goods and money markets clear:

$$c_t^t + \frac{1}{n}c_t^{t-1} + \frac{1}{n^2}c_t^{t-2} = w_1 + \frac{1}{n}w_2 + + \frac{1}{n^2}w_3 \qquad \text{(Goods market)}$$

$$M_{t+1}^t + \frac{1}{n}M_{t+1}^{t-1} = \frac{1}{n^{t+1}} \qquad \text{(Money market)}$$

• Cake eating problem

Our single agent faces the following problem at time t, which determines the agent's consumption in all subsequent periods:

$$\max_{\{c_t\}_{t=1}^{\infty}} \sum_{t=1}^{\infty} \beta^t u(c_t) \text{ s.t. } \sum_{t=1}^{\infty} c_t = k_1, c_t \ge 0 \forall t$$