

Lampiran A Surat – Surat

Surat Pengantar Observasi



Nomor

0631/SOTA/STIKOMPOLTEK/S1/TI/IX/2021

Perihal

Observasi

Yth. Kepala

Radar Cirebon

Di

Cirebon

Dengan Hormat,

Dalam rangka penyusunan Tugas Akhir bagi para mahasiswa STIKOM POLTEK Cirebon yang akan menyelesaikan masa studinya, maka memohon bantuan kepada Bapak/Ibu agar dapat memberikan izin kepada mahasiswa/i untuk dapat melakukan observasi mulai dari tanggal 15 September 2021 sampai dengan tanggal 24 September 2021 pada perusahaan/instansi yang Bapak/Ibu pimpin. Berikut ini daftar mahasiswa kami yang akan melakukan observasi:

No.	NRP	Nama Mahasiswa	Program Studi
1	14517408	Danny Fachrul Aliansyah Nurdin	Teknik Informatika

Adapun judul yang akan diambil adalah "METODE LOCAL BINARY PATTERN HISTOGRAM (LBPH) PENGENALAN WAJAH PADA SISTEM ABSENSI ONLINE KARYAWAN RADAR CIREBON".

Demikian surat permohonan ini kami buat, atas perhatian dan kerja sama yang baik kami ucapkan terima kasih.

Cirebon, 15 September 2021 Ketua Program Studi Teknik Informatika

VA . .

Cucu Handayani, M.Kom NIP: 1104021

Surat Penilaian Observasi



Nomor

0538/SPNOTA/STIKOMPOLTEK/S1/TI/IX/2021

Lampiran

1 Lembar

Perihal

Penilaian Observasi Tugas Akhir

Yth. Kepala

Radar Cirebon

Di

Cirebon

Disampaikan dengan hormat, dengan adanya mahasiswa yang telah menyelesaikan Observasi Tugas Akhir di perusahaan/instansi/lembaga yang Bapak/Ibu pimpin, maka kami mohon bantuan untuk dapat memberikan nilai sesuai dengan format terlampir dengan standar nilai berikut ini:

Nilai Angka	Nilai Mutu
91 - 100	A
81-90	В
71-80	С
< 70	D

Atas bantuan dan kerjasama yang baik kami mengucapkan terima kasih.

Cirebon, 15 September 2021 Ketua Program Studi

Teknik Informatika

Cucu Handayani, M.Kom NIP: 1104021

Surat Penilaian Observasi (Lanjutan)



Lampiran Surat Nomor: 0538/SPNOTA/STIKOMPOLTEK/S1/TI/IX/2021

DAFTAR PENILAIAN OBSERVASI TUGAS AKHIR

Kami menyatakan bahwa mahasiswa/i yang namanya tercantum di bawah ini telah selesai melaksanakan Observasi Tugas Akhir pada Radar Cirebon Cirebon:

NRP	Nama	Nilai	Mutu
14517408	Danny Fachrul Aliansyah Nurdin	32	A

(Yuda Sanjaya

YAYASAN
JI. Taman Wahidin Kav.15 Cirebon (0231) 484005
INDONESIA
Email: stikompoltek@stikompoltek.ac.id

KAMPUS
JI. Brigjend Darsono No. 33 Cirebon, 45153
Phone (0231) 486475 Ext.82 Fax (0231) 484005
Homepage: www.stikompoltek.ac.id

Surat Balasan Observasi



Nomor: 015/PIMRED-RADARCIREBON.COM/IX/2021

Perihal : Observasi

Kepada YTH Ketua Prodi Teknik Informatika STIKOM Poltek Cirebon

Dengan Hormat

Bersama ini, disampaikan bahwa mahasiswa Program Studi Teknik Informatika atas nama Danny Fachrul Aliansyah Nurdin NRP 14517408, telah melaksanakan observasi penelitian di Radar Cirebon.

Adapun judul penelitian tersebut adalah Metode Local Binary Pattern Histogram (LBPH) Pengenalan Wajah pada Sistem Absensi Online Karyawan Radar Cirebon.

Penelitian berlangsung pada 15 September sampai dengan 24 September 2021.

Demikian surat ini disampaikan, agar dapat digunakan sebagaimana mestinya. Atas perhatian dan kerjasamanya kami sampaikan terima kasih.

Cirebon, 21, September 2021

Yuda Sanjaya

(Pemimpin Redaksi Radar Cirebon Online)

(ffing: Jl. Perjuangan No. 9 Kota Circhon Phone: (0221) 482531, 483532 Fas. (0221) 483533 Bolyali, redaksisi radarcirebon.com Wellisto: http://www.radarcirebon.com

Daftar Hadir Sidang

	DAFTAR HADIR SIDA	NG
Hari/Tgl	Kamis 4 Nov 2021	********
NRP	: 14517408	54
NAMA	: DANNY FACHRUL A N	
Judul Skrips	i : METODE LBPH PENGENALAN WAJA ONLINE KARYAWAN RADAR CIREBON	
Pembimbin	g I : Faisal Akbar, M.T	
Pembimbin	g II: Yuhano, M.Kom	
	Nama Lengkap	Paraf
Penguji I	Mulcipin	41/
Penguji II	R. Radian Berovlasiona	Mora
Penguji III	Faxal Akbar, Ekom, M.T.	dp.
CATATAN:		(30)20
PENGUJI I:	asan tulak mencerminikan tentai	ng sustam absenci
******	ldees penelitian	

PENGUJI II:		
3	Dingram	
- Just	n × 1si	-
PENGUJI III	perlu dispetif/kan	-

Daftar Hadir Prasidang

Kartu Bimbingan Skripsi Bagian Depan

Kartu Bimbingan Skripsi Bagian Belakang

Lampiran B Kode Program

Kode Program Membuat Dataset

```
import cv2
import os
import numpy as np
import time
import matplotlib.pyplot as plt
import sys
import argparse as arg
class Train():
    def __init__(self, face_cascade,config,username):
        self.username = username
        # self.current dir = current dir
        self. Face Cascade =
cv2.CascadeClassifier(face cascade)
        self.dataset path("dataset/")
        self.recognizer =
cv2.face.LBPHFaceRecognizer create(config[0], config[1],
config[2], config[3], config[4])
    def dataset path(self, path):
        dir = os.path.dirname(path)
        if not os.path.exists(dir):
            os.makedirs(dir)
    def ReadName(self):
        NAME = []
        with open ("users.txt", "r") as f:
            for line in f:
                NAME.append(line.split(",")[1].rstrip())
        return NAME
    def AddUser(self):
        # Name = input('\n[INFO] Masukan nama user : ')
        Name = self.username
        info = open('users.txt', "a+")
        ID = len(open("users.txt").readlines( ))
        info.write(str(ID) + "," + Name + "\n")
        print("\n[INFO] Tambah user berhasil, ID:" + str(ID))
        info.close
        return ID
    def getImageWithLabels(self,path):
        imagePaths = [os.path.join(path, f) for f in
os.listdir(path)]
        faceSamples = []
        ids = []
        for imagePath in imagePaths:
            img = cv2.imread(imagePath, 0)
            img_numpy = np.array(img, 'uint8')
            id = int(os.path.split(imagePath)[-
1].split('.')[1])
```

```
faceSamples.append(img numpy)
            ids.append(id)
        return faceSamples, ids
    def train(self, path, file name):
        # os.chdir('tmp')
        # real path = '{0}/{1}'.format(self.current dir,path)
        print("\n[INFO] Training wajah sedang dimulai...")
        time.sleep(1)
        faces, ids = self.getImageWithLabels(path)
        self.recognizer.update(faces,np.array(ids))
        self.recognizer.write(file name)
        print("\n[INFO] Model sukses melatih user ID:
{0}".format(len (np.unique (ids))))
        print("\n[INFO] Menutup program")
        return len(np.unique (ids))
    def create Rect(self, Image, face, color):
        x, y, w, h = face
        cv2.line(Image, (x, y), (int(x + (w/5)),y), color, 2)
        cv2.line(Image, (int(x+((w/5)*4)), y), (x+w, y),
color, 2)
        cv2.line(Image, (x, y), (x, int(y+(h/5))), color, 2)
        cv2.line(Image, (x+w, y), (x+w, int(y+(h/5))), color,
2)
        cv2.line(Image, (x, int(y+(h/5*4))), (x, y+h), color,
2)
        cv2.line(Image, (x, int(y+h)), (x + int(w/5), y+h),
color, 2)
        h), color, 2)
        cv2.line(Image, (x+w, int(y+(h/5*4))), (x+w, y+h),
color, 2)
    def createDataset(self, samples, cam, dataset name):
        fig, axs = plt.subplots(10, 5, figsize=(20, 20),
facecolor='w', edgecolor='k')
        fig.subplots adjust(hspace=.5, wspace=.001)
        self.dataset path(dataset name)
        count = 0
        face id = self.AddUser()
        print('\n[INFO] Membuat dataset')
        while(True):
            success, image = cam.read()
            # convert image to grayscale
            gray = cv2.cvtColor(image, cv2.COLOR BGR2GRAY)
            faces = self. Face Cascade.detectMultiScale(gray,
scaleFactor = 1.098, minNeighbors = 6, minSize = (50, 50))
            if (len(faces) > 1):
                print('\n[WARNING] Terdeteksi lebih dari 1
wajah')
                continue
            try:
                for ,face in enumerate(faces):
                    x, y, w, h = face
```

```
gray chunk = gray[y-30: y + h + 30, x-30:
x + w + 301
                    image chunk = image[y: y + h, x: x + w]
                    self.create Rect(image, face, [0,255,0])
                    # cv2.imshow("Video", image)
                    #get center image
                    # image center =
tuple(np.array(gray_chunk.shape) / 2)
                    # rot mat =
cv2.getRotationMatrix2D(image center, angle_degree, 1.0)
                    # rotated image =
cv2.warpAffine(gray chunk, rot_mat, gray_chunk.shape,
flags=cv2.INTER LINEAR)
                    print("\n[INFO] Adding image number {} to
the dataset".format(count))
                    # Save image
                    cv2.imwrite("dataset/User." +
str(face id) + '.' + str(count) + ".jpg " ,
                        image)
axs[int(count/5)][count%5].imshow(image,cmap='gray', vmin=0,
vmax=255)
axs[int(count/5)][count%5].set_title("Person." + str(face_id)
+ '.' + str(count) + ".jpg ",
                        fontdict={'fontsize':
15,'fontweight': 'medium'})
                    axs[int(count/5)][count%5].axis('off')
                    count += 1
            except Exception as e:
                print(e)
                print('[WARNING] Ada error')
                continue
            if cv2.waitKey(1) \& 0xff == 27:
                break
            elif count >= samples:
                break
        print('\n[INFO] Dataset berhasil dibuat')
        # cam.release()
        # cv2.destroyAllWindows()
        # plt.show()
def Arg Parse():
     Arg Par = arg.ArgumentParser()
     Arg Par.add argument ("-v", "--video",
                             help = "path of the video or if
not then webcam")
     Arg Par.add argument("-c", "--camera",
                             help = "Id of the camera")
     arg list = vars(Arg Par.parse args())
     return arg_list
if name == " main ":
    if len(sys.argv) == 1:
        print("Masukan argumen yang valid!")
        sys.exit()
```

```
Arg list = Arg_Parse()
   face cascade = 'lib/haarcascade frontalface default.xml'
    if not (os.path.isfile(face cascade)):
        raise RuntimeError("%s: not found" % face cascade)
   samples = 2
   dataset name = 'dataset/'
    file name = 'train.yml'
   radius = 1
   neighbour = 8
   grid x = 8
   grid y = 8
   treshold = 450
   var = list([radius, neighbour, grid x, grid y, treshold])
   model = Train(face_cascade,var)
   if Arg_list["video"] != None :
        video = cv2.VideoCapture(Arg_list["video"])
        #create a dataset for further model training
        print('{0} {1}
{2}'.format(samples, video, dataset name))
        model.createDataset(samples, video, dataset name)
        #Training the model
        model.train(dataset name, file name)
    if Arg list["camera"] != None :
        camera = cv2.VideoCapture(eval(Arg list["camera"]))
        camera.set(3, 640)
        camera.set(4, 480)
        model.createDataset(samples, camera, dataset name)
        #Training the model
        model.train(dataset name, file name)
```

Kode Program Membuat Model

```
import numpy as np
import cv2
import os
#Face detection is done
def faceDetection(test img):
    gray img=cv2.cvtColor(test img,cv2.COLOR BGR2GRAY)
face haar=cv2.CascadeClassifier('haarcascade frontalface defa
ult.xml')
    faces=face haar.detectMultiScale(gray img,
scaleFactor=1.2,
        minNeighbors=4,
        minSize=(30, 30))
    return faces, gray img
# labeling dataset
def labels_for_training_data(directory):
    faces=[]
    faceID=[]
    file count = 0
    for path, subdirnames, filenames in os.walk(directory):
        for filename in filenames:
            if filename.startswith("."):
                print("skipping system file")
                continue
            file count += 1
            print(f'{filename} with id:
{filename.split(".")[1]}')
            id = filename.split(".")[1]
            image = cv2.imread(f'dataset/{filename}')
            if image is None:
                print(f'{filename} not exist!')
                continue
            faces rect,gray img=faceDetection(image)
            if len(faces rect)!=1:
                print(f'{filename} -> no/multiple face
detected')
                continue
            (x,y,w,h) = faces rect[0]
            tiny_face=gray_img[y:y+w,x:x+h]
            faces.append(tiny face)
            faceID.append(int(id))
    print(f'{file count=}')
    return faces, faceID
#Here training Classifier is called
def train classifier(faces, faceID):
    face recognizer=cv2.face.LBPHFaceRecognizer create()
    face recognizer.train(faces,np.array(faceID))
face recognizer.write(f'{os.path.dirname(os.path.realpath( f
ile ))}/model.yml')
```

```
return face_recognizer
#Drawing a Rectangle on the Face Function
def draw_rect(test_img, face):
    (x,y,w,h)=face

cv2.rectangle(test_img,(x,y),(x+w,y+h),(0,255,0),thickness=3)
#Putting text on images
def put_text(test_img,text,x,y):

cv2.putText(test_img,text,(x,y),cv2.FONT_HERSHEY_DUPLEX,3,(255,0,0),6)
```

Kode Program Pengenalan Wajah

```
import cv2
import numpy as np
import csv
import os
import logging
logging.basicConfig(filename='predict.log',
format='%(asctime)s %(levelname)-8s
% (message) s', level=logging. DEBUG, datefmt='%Y-%m-%d
%H:%M:%S')
# global recognizer = cv2.face.LBPHFaceRecognizer create()
# recognizer.read('train.yml')
# global faceCascade =
cv2.CascadeClassifier('haarcascade_frontalface_default.xml')
# global font = cv2.FONT HERSHEY SIMPLEX
class Predict():
    def init (self, image):
        self.image = image
        # self.recognizer =
cv2.face.LBPHFaceRecognizer create()
        # self.recognizer.read('train.yml')
        # self.faceCascade =
cv2.CascadeClassifier('haarcascade frontalface default.xml')
        # self.font = cv2.FONT HERSHEY SIMPLEX
    def print(self):
        return os.path.join('dataset', self.image)
    def predict(self):
        logging.info('----')
        logging.info('Predict Start')
        # print(self.image)
        # print(os.path.join('dataset', self.image))
        # print('{} '.format(self.image))
        # logging.info('{}'.format(os.path.join('dataset',
self.image)))
        # logging.info('{}'.format('dataset/{}
'.format(self.image)))
        # img = cv2.imread('image/59b53e2d-0c03-44ec-a4a9-
23d496caf6e0.jpg')
        img = cv2.imread(str(self.image))
        # img = cv2.imread(os.path.join('dataset',
self.image) + " ")
        logging.info('Recognizer start')
        recognizer = cv2.face.LBPHFaceRecognizer create()
        recognizer.read('model.yml')
        faceCascade =
cv2.CascadeClassifier('haarcascade frontalface default.xml')
```

```
font = cv2.FONT HERSHEY SIMPLEX
        ID = None
        CONF = None
        ### resize image
        imgs = cv2.resize(img, (0,0), None, 0.25, 0.25)
        # convert to gray scale
        gray = cv2.cvtColor(imgs, cv2.COLOR BGR2GRAY)
        ### detect the face
        faces =
faceCascade.detectMultiScale(gray,scaleFactor=1.05,minNeighbo
rs=4, minSize=(30, 30))
        treshold = cv2.face LBPHFaceRecognizer.getThreshold
        print(treshold)
        for (x, y, w, h) in faces:
            Id,conf = recognizer.predict(gray[y:y+h,x:x+w])
            \# cv2.rectangle(imgS, (x,y), (x+w, y+h),
(255,0,0), 2)
            \# cv2.rectangle(img, (x, y), (x + w, y + h), (0,
260, 0), 2)
            \# cv2.putText(imgS, str(Id), (x,y-40), font, 2,
(255, 255, 255), 3)
            print('ID {0}, confidence {1}'.format(Id, conf))
            ID = Id
            CONF = conf
        logging.info('Predict result: {} with {}
distance'.format(ID, CONF))
        print('ID {0}, confidence {1}'.format(ID, CONF))
        return ID, CONF
```

Kode Program Server Pengenalan Wajah

```
from flask import Flask, request, make response
from flask cors import CORS
from file downloader import downloader, getData, updateData,
updateDataNew, putData
import cv2
from train import Train
from predict import Predict
import uuid
import os
import datetime
import json
import logging
import math
import recognize as re
logging.basicConfig(filename='skripsi.log',
format='%(asctime)s %(levelname)-8s %(message)s',
level=logging.INFO, datefmt='%Y-%m-%d %H:%M:%S')
app = Flask( name )
cors = CORS(app, resources={r"/*": {"origins": "*"}})
@app.route('/')
def test():
    current time = datetime.datetime.now()
    response = make response('<h1>Success at {} (server
time) </h1>'.format(current time))
    response.headers['Content-Security-Policy'] = 'upgrade-
insecure-requests'
    return response
@app.route('/recognize/predict', methods=['POST'])
def predict():
    logging.info('halo')
    request data = request.get json()
    if request data:
        image = request_data['image']
        expect username = request data['username']
        location = request data['location']
        username = None
        conf = None
        debug id = None
        debug_sim = None
        debug dis = None
        debug username = None
        result id = None
        result_sim = None
        result_dis = None
        result username = None
        debug user data = None
```

```
result user data = None
        minSim = 40 # 75%
        image_path = 'image/{}.jpg'.format(uuid.uuid4())
        # download video from s3
        downloader client =
downloader(key=image, bucket='dannynurdin',
destination=image path)
        downloader client.download()
        model = Predict(image path)
        res = model.print()
        id, c = model.predict()
        logging.info('DATA => id from model == ', id)
        print('DATA => id from model == ', id)
        logging.info('success {} - {}'.format(id, c))
        if c:
            disMax = 450.0
            simMax = 100
            similarity = simMax - simMax/disMax*c
            conf = similarity
        with open('users.txt') as f:
            datafile = f.readlines()
            for line in datafile:
                Id = line.split(',')[0]
                print('DATA => Id from model == ', Id)
                logging.info('DATA => Id from model == ', Id)
                if Id == id:
                    dump= line.split(',')[1]
                    debug username = dump.split('\n')[0]
                    debug_id = id
                    debug sim = conf
                    debug dis = c
                    dynamodb client = getData(id =
debug username)
                    debug response = dynamodb client.get()
                    debug_user_data = debug_response['Item']
or None
                    # add record to database test-v2
                    record = putData(id =
debug username, face id=debug id, conf=debug sim, location='test
location')
                    record.put()
                    if conf and conf >= minSim:
                        result_username = dump.split('\n')[0]
                        result_sim = conf
                        result id = id
                        result dis = c
```

```
dynamodb client = getData(id =
result username)
                        result response =
dynamodb client.get()
                        result user data =
result response['Item'] or None
        response = make response({
            "debug": {
                "id": debug id,
                "dis": debug_dis,
                'sim': debug sim,
                "username": debug username,
                "user data": debug user data,
                'expect user': expect username
            'result': {
                "username": result username,
                "dis": result dis,
                "sim": result sim,
                "id": result id,
                "user data": result_user_data
            },
        })
        response.headers['Content-Security-Policy'] =
'upgrade-insecure-requests'
        return response
    return 'kosong'
@app.route('/recognize/train', methods=['POST'])
def train():
    # grab data from post request
    request data = request.get json()
   key = None
   username = None
    # config
    face cascade = 'lib/haarcascade frontalface default.xml'
    dataset name = 'dataset/'
    samples = 15
    file name = 'model.yml'
   video path = 'video/{}.mp4'.format(uuid.uuid4())
    # LBPH variables
   radius = 1
   neighbour = 8
    grid x = 8
   grid_y = 8
   treshold = 450
   var = list([radius,neighbour,grid x,grid y,treshold])
    if request data:
        if 'key' in request data:
```

```
key = request data['key']
        if 'username' in request data:
            username = request data['username']
        if 'from' in request data:
            status = request data['from']
        if status == 'development':
            bucket name = 'skripsi200053-dev'
        else:
            bucket_name = 'skripsi132739-prod'
        # download video from s3
        downloader client =
downloader(key=key, bucket=bucket name,
destination=video path)
        downloader_client.download()
        # get data user
        dynamodb client = updateData(id = username, key =
key)
        ress = dynamodb client.update()
        print(ress)
        # start recognize using opency
        model = Train(face cascade, var, username) # create
instance train
        video = cv2.VideoCapture(video_path) # load video
        model.createDataset(samples, video, dataset name) #
create dataset
        # id = model.train(dataset name, file name)
        faces, faceID = re.labels for training data('dataset')
        face recognizer=re.train classifier(faces, faceID)
face recognizer.save(f'{os.path.dirname(os.path.realpath( fi
le__))}/model.yml')
        print(f'faces: {len(faces)}, id: {len(faceID)}')
        response = {
            "success": True,
            "face id": id,
            "username": username
        response = make response({
            "success": True,
            "face id": id,
            "username": username
        response.headers['Content-Security-Policy'] =
'upgrade-insecure-requests'
        return response
    else:
        return 'Key required!'
@app.route('/update', methods=['POST'])
def update():
    request data = request.get json()
   AttrName = {}
   AttrValue = {}
```

```
Expression = []
    if request data:
        if 'id' in request data:
            id = request_data['id']
        if 'name' in request_data:
            # key = request_data['name']
            AttrName['#N'] = 'name'
            AttrValue[':N'] = { 'S' : request_data['name']}
            Expression.append('#N = :N')
        if 'phone' in request_data:
            # status = request data['phone']
            AttrName['#P'] = 'phone number'
            AttrValue[':P'] = { 'S' : request data['phone']}
            Expression.append('#P = :P')
        if 'address' in request_data:
            # status = request data['address']
            AttrName['#A'] = 'address'
            AttrValue[':A'] = { 'S' :
request data['address']}
            Expression.append('#A = :A')
    expression = 'Set ' + ','.join([str(elem) for elem in
Expression])
    dynamodb client = updateDataNew(id)
    ress = dynamodb client.update(AttrName, AttrValue,
expression)
    response = make response({
            "res": request data,
            'AttrName': json.dumps(AttrName),
             'AttrValue': json.dumps(AttrValue),
             'Expression': expression
        })
    response.headers['Content-Security-Policy'] = 'upgrade-
insecure-requests'
   return response
if __name__ == '__main__':
    # run app in debug mode on port 5000
    app.run(host='0.0.0.0.0',port=80)
```

Lampiran C Data Pengujian

Hasil Pengujian Gambar Acak

Pengujian ke	Id Pengguna	Hasil prediksi	Jarak	Prediksi
1	Tidak diketahui	1	89	Salah
2	Tidak diketahui	1	113	Salah
3	Tidak diketahui	-	-	benar
4	2	2	121	Benar
5	1	1	97	Benar
6	Tidak diketahui	1	78	Salah
7	1	1	76	Benar
8	2	2	117	Benar
9	1	-	-	Salah
10	Tidak diketahui	1	83	Salah
11	1	-	-	Salah
12	2	2	85	Benar
13	1	1	95	Benar
14	1	1	110	Benar
15	1	1	118	Benar
16	1	1	111	Benar
17	2	2	76	Benar
18	Tidak diketahui	1	89	salah
19	1	1	167	Benar
20	2	2	125	Benar
21	2	2	117	Benar
22	1	1	109	Benar
23	1	0	163	Benar
24	1	-	-	Salah
25	Tidak diketahui	1	84	Salah
26	Tidak diketahui	1	117	Salah
27	Tidak diketahui	2	108	Salah
28	2	2	159	Benar
29	2	2	85	Benar
30	1	1	122	Benar

Hasil pengujian Gambar Acak (Lanjutan)

Pengujian ke	Id Pengguna	Hasil prediksi	Jarak	Prediksi
31	1	-	-	Salah
32	1	1	116	Benar
35	2	2	113	Benar
36	2	2	96	Benar
37	1	1	90	Benar
38	1	1	79	Benar
39	2	2	122	Benar
40	Tidak diketahui	1	143	Salah
41	1	-	-	Salah
42	1	1	82	Benar
43	1	1	79	Benar
44	Tidak diketahui	1	66	Salah
45	1	-	-	Salah
46	1	1	111	Benar
47	1	-	-	Salah
48	Tidak diketahui	1	65	Salah
49	Tidak diketahui	1	89	Salah
50	Tidak diketahui	1	132	Salah

Hasil Pengujian Dengan Id Diketahui

Pengujian ke	Id Pengguna	Hasil prediksi	Jarak	Prediksi
1	2	2	121	Benar
2	1	1	97	Benar
3	1	1	76	Benar
4	2	2	117	Benar
5	1	-	-	Salah
6	1	-	-	Salah
7	2	2	85	Benar
8	1	1	95	Benar
9	1	1	110	Benar
10	1	1	118	Benar
11	1	1	111	Benar
12	2	2	76	Benar
13	1	1	167	Benar
14	2	2	125	Benar
15	2	2	117	Benar
16	1	1	109	Benar
17	1	0	163	Benar
18	1	-	-	Salah
19	2	2	159	Benar
20	2	2	85	Benar
21	1	1	122	Benar
22	1	-	-	Salah
23	1	1	116	Benar
24	1	-	-	Salah
25	1	1	77	Benar
26	2	2	113	Benar
27	2	2	96	Benar
28	1	1	90	Benar
29	1	1	79	Benar
30	2	2	122	Benar
31	1	-	-	Salah
32	1	1	82	Benar
33	1	1	79	Benar
34	1	-	-	Salah
35	1	1	111	Benar
36	1	_	-	Salah

Hasil pengujian Muka Senyum

No	Id Pengguna	Hasil Prediksi	Jarak	Prediksi
1	1	1	110	Benar
2	1	1	111	Benar
3	1	1	109	Benar
4	1	1	122	Benar
5	1	1	116	Benar
6	1	-	-	Salah
7	1	1	90	Benar
8	1	1	79	Benar
9	1	-	-	Salah
10	1	-	-	Salah
11	1	1	112	Benar
12	1	1	103	Benar
13	1	1	100	Benar
14	1	1	118	Benar
15	1	1	114	Benar
16	1	-	-	Salah
17	1	1	81	Benar
18	1	1	68	Benar
19	1	-	-	Salah
20	1	-	-	Salah

Hasil pengujian Muka Datar

No	Id Pengguna	Hasil Prediksi	Jarak	Prediksi
1	1	1	76	Benar
2	1	-	-	Salah
3	1	1	95	Benar
4	1	1	163	Benar
5	2	2	85	Benar
6	1	1	77	Benar
7	2	2	113	Benar
8	2	2	96	Benar
9	1	1	79	Benar
10	1	-	•	Salah
11	1	1	88	Benar
12	1	1	152	Benar
13	2	2	81	Benar
14	1	1	66	Benar
15	2	2	102	Benar
16	2	2	82	Benar
17	1	1	69	Benar
18	2	2	111	Benar
19	2	2	92	Benar
20	1	-	=	Salah