Regression Model: Cars And MPG

Daniel Antohe March 22, 2016

Executive Summary

You work for Motor Trend, a magazine about the automobile industry. Looking at a data set of a collection of cars, they are interested in exploring the relationship between a set of variables and miles per gallon (MPG) (outcome). They are particularly interested in the following two questions:

- Is an automatic or manual transmission better for MPG?
- Quantify the MPG difference between automatic and manual transmissions

This brief analysis looks at the car transmission (automatic versus manual) and its impact on the fuel economy. We use mtcars dataset made available by Motor Trend Magazine (1974). Technically, we evaluate this relationship using linear regression.

We show clarly that the manual transmission has a clear advantage over the automatic one when it comes to MPG (miles per gallon) - see Figure 1.

The Data

Loading the mtcars dataset, data frame with 32 observations on 11 variables (source: https://stat.ethz.ch/R-manual/R-devel/library/datasets/html/mtcars.html).

[, 1] mpg Miles/(US) gallon
[, 2] cyl Number of cylinders
[, 3] disp Displacement (cu.in.)
[, 4] hp Gross horsepower
[, 5] drat Rear axle ratio
[, 6] wt Weight (1000 lbs)
[, 7] qsec 1/4 mile time
[, 8] vs V/S
[, 9] am Transmission (0 = automatic, 1 = manual)
[, 10] gear Number of forward gears
[, 11] carb Number of carburetors

```
data(mtcars)
head(mtcars)
```

```
##
                      mpg cyl disp hp drat
                                                    qsec vs am gear carb
                                                wt
## Mazda RX4
                               160 110 3.90 2.620 16.46
                                                                       4
                     21.0
## Mazda RX4 Wag
                     21.0
                            6
                               160 110 3.90 2.875 17.02
                                                                       4
                               108 93 3.85 2.320 18.61
## Datsun 710
                     22.8
                            4
                                                                       1
## Hornet 4 Drive
                     21.4
                            6
                               258 110 3.08 3.215 19.44
                                                                       1
## Hornet Sportabout 18.7
                            8
                               360 175 3.15 3.440 17.02
                                                          0
                                                                  3
                                                                       2
## Valiant
                     18.1
                               225 105 2.76 3.460 20.22 1
                                                                       1
```

Shapiro-Wilk Test - checking on population

Using Shapiro-Wilk Normality Test and getting a p-value = 0.1229 which translates in the fact that we cannot reject reject the NULL hypothesis that the samples came from a normal distribution.

```
shapiro.test(mtcars$mpg)
```

```
##
## Shapiro-Wilk normality test
##
## data: mtcars$mpg
## W = 0.9476, p-value = 0.1229
```

T-test - comparing the means of MPG and type of transmission

We get a very small p-value which translates in the fact that the difference in means is not by chance but indeed there is clear difference in these two populations. So we reject the NULL hypothesis: "these two samples have the same means."

```
t.test(mtcars$mpg, mtcars$am, var.equal=TRUE, paired=FALSE)
```

```
##
## Two Sample t-test
##
## data: mtcars$mpg and mtcars$am
## t = 18.4126, df = 62, p-value < 2.2e-16
## alternative hypothesis: true difference in means is not equal to 0
## 95 percent confidence interval:
## 17.54734 21.82141
## sample estimates:
## mean of x mean of y
## 20.09062 0.40625</pre>
```

Regression Models

Building a regression model using Backward Stepwise Regression (starting with all predictors and removes the ones that are not statistically significant).

```
initial.model <- lm(mpg ~., data= mtcars)
best.model <- step(initial.model, direction = "both")</pre>
```

Sumarizing the best regression model

The most significant variables are idenfied as being:

- the weight of the car (wt)
- the 1/4 mile time (qsec) The transmission seems to be of a lower importance as predictor of MPG.


We see a really small p-value (1.21e-11 musch smaller than 0.05) meaning a good model. We also see an decent R-squared: 0.8497 which translates to outcome variance explained by this model.

```
summary(best.model)
```

```
##
## Call:
## lm(formula = mpg ~ wt + qsec + am, data = mtcars)
##
## Residuals:
##
      Min
               1Q Median
                              ЗQ
                                     Max
## -3.4811 -1.5555 -0.7257 1.4110 4.6610
##
## Coefficients:
##
              Estimate Std. Error t value Pr(>|t|)
## (Intercept) 9.6178 6.9596 1.382 0.177915
                          0.7112 -5.507 6.95e-06 ***
## wt
               -3.9165
               1.2259
                          0.2887 4.247 0.000216 ***
## qsec
## am
               2.9358
                         1.4109 2.081 0.046716 *
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## Residual standard error: 2.459 on 28 degrees of freedom
## Multiple R-squared: 0.8497, Adjusted R-squared: 0.8336
## F-statistic: 52.75 on 3 and 28 DF, p-value: 1.21e-11
```

Appendix

Figure 1: Which transmission achieves better mileage (Miles per Gallon)? As we can see from the boxplot below there is a distinct difference that favors the manual transmission over the automatic when it comes to get better millage.



```
par(mfrow=c(2, 2))
plot(best.model)
```

