Incident Response: Windows Account Management **Event (Part 2)**

hackingarticles.in/incident-response-windows-account-management-event-part-2

August 29, 2020 Raj

For a system to perform well and ensure its maintenance, it is extremely important to monitor and manage events on a system. Event Logs are part of the Windows system, that are created by on a system and can be checked locally or remotely on regular intervals by an administrator or any user. These logs can then be imported and viewed in a SIEM tool to ensure efficient Incident Response.

Incident Response: Windows Account Management Event (Part 1)

Table of Contents

- Security Policy Settings
- Advantage of security settings
- Event Log
- Account Management Events
- Events in Windows Server 2016

Security Policy Settings

They are set of rules that an administrator uses to configure a computer or multiple devices for securing resources on a device or network. The Security Settings extension of the Local Group Policy Editor allows you to define a security configuration as part of a Group Policy Object (GPO).

The GPOs are linked to Active Directory containers such as sites, domains, or organizational units, and they enable you to manage security settings for multiple devices from any device joined to the domain. Security settings policies are used as part of your overall security implementation to help secure domain controllers, servers, clients, and other resources in your organization.

Advantage of Security Setting

- User is authenticated in a network or device.
- The defined resources that any user is permitted to access.
- Whether to record a user's or group's actions in the event log.
- Membership of a user in a group.

Event Log

The event logs usually keep a record of services from various sources and then stores them in a single place. Events logs can be of Security, System and Application event. As an incident responder, you should look for multiple sources of log information and should not forget to look at the older log files which may be present in backup systems or volume shadow copies.

When the Event logs are assessed, the Event ID have various field details with them;

<u>Field</u>	<u>Function</u>
Log name	Defines the name of the event log
Source	The place from where it is generated in the system
Event ID	The identification number of the log
Level	The seriousness of the log
User	The account to which the log is related to
Logged	The systems date and time when the event was generated
Task Category	It is assigned by the source of log
Keywords	Its is used to group or categorise the events
Computer	The system on which the log was created
Description	It it's the information about the log

Account Management Events

The Account Management is extremely important and these events can be used to track the maintenance of users, group, and computer objects in Local users and groups, Active Directory.

Account Management events can be used to track a new user account, any password resets, or any new members being added to groups or being deleted from the group.

The account management events can be categorised into different types:

Events in Windows Server 2016


Now, Switch on your Windows Server 2016 to get you started.

Event ID 4727

Event ID	<u>Description</u>
4727	A security-enabled global group was created.
Purpose of Monitoring this Log:	


If any unknown group is created, an anomaly can be detected.

When you create a security-enabled – global(scope) group, then this event is generated.



Event ID	<u>Description</u>	
4728	A member was added to a security-enabled global group.	
Purpose of Monitoring this Log:		
If any unknown member is added to a		
group it can be detected.		

When you add a new member to a security-enabled -global group, then this event is generated.




Event ID Description A member was removed from a security enabled global group.


Purpose of Monitoring this Log:

 If a key member is removed from a group, it can be detected.

You can go to the properties of the user and remove the user from the group.




When a member is deleted from a group, this event is created.



Event ID	<u>Description</u>	
4737	A security-enabled global group was changed	
Purpose of Monitoring this Log:		
 If a group is changed, which wasn't 		
supposed to, it is important to check this		
log.		

When security enable group was changed, or any changes were made, this event was created.




Event ID Description4741 A computer account was created.


Purpose of Monitoring this Log:

 If an unverified computer account is created, which could cause potential harm.

Create a new computer account, using system properties by changing settings.




When a new computer account is created, this event is created



Event ID	<u>Description</u>
4742	A computer account was changed.
Purpose of Monitoring this Log:	
 If an organisation has database servers, 	
domain controllers, administration	
workstations, it is important to check.	

When any changes are made to the computer account, this event is generated.



Event ID	<u>Description</u>
4743	A computer account was
4/45	deleted.

Purpose of Monitoring this Log:

 Any critical account is deleted, it is important to check.


Event ID 4754

Event ID	<u>Description</u>
4754	A security-enabled universal
	group was created

Purpose of Monitoring this Log:


- To prevent any privilege abuse.
- Detect any potential malicious activity.

When a computer account is deleted, this event is generated.




Event ID	<u>Description</u>
4755	A security-enabled universal
	group was changed.
Purpose of Monitoring this Log:	
 To maintain any compliance mandates. 	

When any changes are made in a security-enabled universal(scope) group, this log is created.




Event ID	<u>Description</u>
4756	A member was added to a security-enabled universal group
Purpose of Monitoring this Log:	
 To keep a check on restricted member being added to a group. 	

You can add the user to the group using




When a new member is added to a security-enabled universal group, add this event is created.



Event ID	<u>Description</u>	
4799	A security-enabled local group membership was enumerated. Large numbers of these events may be indicative of adversary group enumeration	
Purpose of Monitoring this Log:		
To check every time a membership is enumerated for a local or domain security group and to also to see who enumerated the		

When a member from a group is enumerated, this event will be generated.

membership



You can try out the below event ID using Domain Controller:

Event ID	<u>Description</u>
4723 ww	An attempt was made to change an account's password
	Annual Control of the

Purpose of Monitoring this Log:

 To track back this event to a logon event with a matching Logon ID to identify the source workstation or server from which this account's password was changed

Event ID	<u>Description</u>
comomon l	A member was removed from a
4757	security-enabled universal
	group.
Purpose of Monitoring this Log:	

To maintain any compliance mandates.

Event ID	<u>Description</u>
4/5X	A security-enabled universal
	group was deleted

Purpose of Monitoring this Log:

To detect any malicious activity in the domain.

Conclusion: Hence, being an incident responder, you can maintain the activity of users using account management event in windows.

Author: Jeenali Kothari is a Digital Forensics enthusiast and enjoys technical content writing. You can reach her on <u>Here</u>