



Università degli Studi di Salerno

Corso di Ingegneria del Software
Classe 1 Resto 0
Corso di Laurea in Informatica
A.A. 2022/23

Quiad Test Execution Report

Versione 2.6
31/12/2022



QUIAD
Family Tree

Partecipanti al progetto e scriventi

Nome	Matricola
Di Pasquale Valerio	0512110638
Troisi Vito	0512109807

Revision History

Data	Versione	Descrizione	Autore
23/12/2022	1.0	Prima stesura Test Execution Report e Indice	T.V.
27/12/2022	2.0	Testing di unità lato server	D.P.V. T.V.
27/12/2022	2.1	Testing REST API: prima parte	T.V.
28/12/2022	2.2	Testing REST API: seconda parte e inserimento report	D.P.V. T.V.
29/12/2022	2.3	Spostati test di unità in documento apposito	T.V.
30/12/2022	2.4	Aggiornamento coverage report server side	D.P.V. T.V.
31/12/2022	2.5	Aggiunti test report e coverage report client side	D.P.V. T.V.
31/12/2022	2.6	Aggiunto report AuthService	D.P.V. T.V.

Indice

1. Overview.....	p.
2. Riferimenti.....	p.
3. Report del testing di unità server-side.....	p.
4. Report del testing di unità client-side.....	p.
5. Report del testing della REST API.....	p.
6. Report del testing di integrazione.....	p.
7. Report del testing di sistema.....	p.

Overview

Il presente documento riporta i risultati dell'esecuzione dei test effettuati, ed è comprensivo di ogni attività svolta, dal testing di unità a quello di sistema.

Si procederà innanzitutto analizzando i risultati del testing della REST API il che, con riferimento allo Object Design Document, è effettuabile inviando richieste opportune agli endpoint HTTP. Saranno poi osservati i risultati dell'esecuzione dei test di unità, integrazione e sistema. Si precisa che NON saranno riportati gli output di metodi elementari (i.e. getters/setters).

Riferimenti

Per procedere al meglio nella lettura del presente documento, si rimanda a documenti ulteriori legati ai requisiti del sistema Quiad, alla sua progettazione, ed al piano di testing redatto a monte di tale attività. Nello specifico, si segnalano:

- Il Requirements Analysis Document (RAD)
- Il System Design Document (SDD)
- Lo Object Design Document (ODD)
- Il Test Plan
- Unit Test Cases Specification (UnitTCS)

Il Test Plan, il quale contiene, per ogni funzionalità da testare, i casi di test esplicitati mediante tecniche quali *Category Partition*, è di particolare rilievo nel contesto del Test Execution Report presente, ed esplicita inoltre le modalità e gli strumenti impiegati nell'esecuzione stessa dei test. Un analogo discorso è da replicare per il documento Unit Test Cases Specification, per quanto concerne i test di unità.

Report del testing di unità server-side**PASS** dist/account/controllers/account.controller.test.js**Account Controller**

- ✓ Should retrieve an existing username (1 ms)
- ✓ Should not retrieve a non existing username (1 ms)
- ✓ Should create an account (2 ms)

PASS dist/account/services/auth.service.test.js**Authorization Service**

- ✓ Should authenticate a valid account (68 ms)
- ✓ Should not authenticate an account with non valid password (66 ms)
- ✓ Should not authenticate an account with non valid username (2 ms)
- ✓ Should not authenticate an account with empty username (1 ms)
- ✓ Should not authenticate an account with empty password (2 ms)
- ✓ Should not authenticate an account with empty password (2 ms)

PASS dist/account/services/registration.service.test.js**Registration Service**

- ✓ Should register an account (70 ms)
- ✓ Should not register an account (65 ms)

PASS dist/tree/controllers/node.controller.test.js**Node Controller**

- ✓ Should find a list of nodes filtered by owner (4 ms)
- ✓ Should create a node (3 ms)
- ✓ Should update a node (4 ms)
- ✓ Should delete a node (2 ms)
- ✓ Should bind a document to a node (3 ms)
- ✓ Should unbind a document from a node (7 ms)

PASS dist/tree/services/tree.service.test.js**Tree Service**

- ✓ Should find a list of nodes filtered by owner (6 ms)
- ✓ Should create a node (2 ms)
- ✓ Should update a node (4 ms)
- ✓ Should handle any unknown error during creation (3 ms)
- ✓ Should delete a node (3 ms)
- ✓ Should bind a document to a node (3 ms)
- ✓ Should unbind a document from a node (4 ms)

PASS dist/document/controllers/document.controller.test.js**Document Controller**

- ✓ Should find a list of existing documents (1 ms)

PASS dist/document/services/document.service.test.js**Document Service**

- ✓ Should find a list of documents (5 ms)

Unit Testing (Server-side): coverage report**All files****100%** Statements **196/196** **83.33%** Branches **40/48** **100%** Functions **34/34** **100%** Lines **163/163**Press *n* or *j* to go to the next uncovered block, *b*, *p* or *k* for the previous block.Filter:

File ▾	Statements ▴ ▾	Branches ▴ ▾	Functions ▴ ▾	Lines ▴ ▾				
utils/src/utlis	<div></div> 100%	7/7	100%	0/0	100%	2/2	100%	6/6
tree/services/src/tree/services	<div></div> 100%	50/50	100%	2/2	100%	7/7	100%	43/43
tree/models/src/tree/models	<div></div> 100%	19/19	75%	3/4	100%	3/3	100%	17/17
tree/controllers/src/tree/controllers	<div></div> 100%	33/33	100%	7/7	100%	7/7	100%	24/24
document/utlis/src/document/utlis	<div></div> 100%	8/8	72.72%	16/22	100%	2/2	100%	7/7
document/services/src/document/services	<div></div> 100%	16/16	100%	0/0	100%	3/3	100%	13/13
document/controllers/src/document/controllers	<div></div> 100%	13/13	100%	2/2	100%	3/3	100%	10/10
account/services/src/account/services	<div></div> 100%	37/37	100%	7/7	100%	4/4	100%	33/33
account/controllers/src/account/controllers	<div></div> 100%	13/13	75%	3/4	100%	3/3	100%	10/10

Report del testing di unità client-side

 4.3.0

45 specs, 0 failures, randomized with seed 02782

RegistrationService

- should be created
- should register a new account

DetailsPage

- should create

Node

- Should be created
- Should unbind a document to a node
- Should bind a document to a node
- Should not unbind a document to a node

AuthService

- should be created

PresentLogoutAlertService

- should be created

LoginService

- should login and remember the user
- should not login with a non valid password
- should not login with a non valid username
- should be created
- should login and not remember the user

BindDocumentComponent

- should create

AuthGuardService

- should be created

TreeService

- should get a list of nodes by ownerId
- should bind a document to a node
- should delete a certain node
- should modify a certain node
- should create a certain node
- should be created
- should unbind a document from a node

LogoutService

- should be created
- Should logout

LoginPage

- should create

FooterComponent

- should create

User

- Should delete a certain node in the user tree
- Should not delete a non existing node of the user tree
- Should insert a node in the user tree
- Should be created
- Should not modify a non existing node of the user tree
- Should modify a certain node in the user tree

BearerService

- should be created

AddNodeComponent

- should create

Unit Testing (Client-side): coverage report per classi Service e dell'Application Domain**All files**

100% Statements 65/65 82.85% Branches 29/35 100% Functions 11/11 100% Lines 65/65

Press *n* or *j* to go to the next uncovered block, *b*, *p* or *k* for the previous block.

Filter:

File ▲		Statements ▾		Branches ▾		Functions ▾		Lines ▾	
app/account/models	<div></div>	100%	33/33	79.31%	23/29	100%	6/6	100%	33/33
app/document/models	<div></div>	100%	7/7	100%	0/0	100%	1/1	100%	7/7
app/tree	<div></div>	100%	1/1	100%	0/0	100%	0/0	100%	1/1
app/tree/models	<div></div>	100%	23/23	100%	6/6	100%	4/4	100%	23/23
environments	<div></div>	100%	1/1	100%	0/0	100%	0/0	100%	1/1

Report del testing della REST API


Per consultare i test eseguiti, riferirsi al Test Plan, sezione 9.2, la quale contiene inoltre gli identificativi associati a ciascun caso di test. Ulteriori endpoint non considerati da Category Partition sono esplicitati separatamente.

Incident Report: "BirthDate" is undefined - Test case: R-R-TC1

La data di nascita all'atto dell'inserimento di un nodo non viene inserita affatto. Dopo un'analisi del codice di AccountController, si riconduce il problema a

- La mancata inizializzazione della data nel metodo `createNode()`;
- Un (banale) errore di spelling tra i campi della richiesta HTTP simulata mediante Postman (i.e. "birtDate" anziché "birthDate").

Si comunica che è stato effettuato regression testing della REST API, in particolare dei test cases di registrazione in seguito all'incident ivi descritto.



In seguito alla correzione ed al regression testing, ogni test si è concluso con un PASS, come mostrato di seguito.

Quiad - Run results

Run Again

Automate Run ▾

+ New Run

↗ Export Results

👤 Run on Today, 12:13:56 · [View all runs](#)

Source	Environment	Iterations	Duration	All tests	Avg. Resp. Time
Runner	none	1	2s 586ms	45	25 ms

[All Tests](#) Passed (45) Failed (0) Skipped (0)[View Summary](#)

Iteration 1

GET GetNodes {{BASE_URL}}/nodes/1 / Tree / GetNodes

200 OK 15 ms 2.576 KB

Pass Status code is 200

Pass Nodes owner check

POST R-I-TC1 {{BASE_URL}}/nodes / Tree / R-I-TC1

200 OK 15 ms 612 B

Pass Status code is 200

Pass Node is not null

POST R-I-TC2 {{BASE_URL}}/nodes / Tree / R-I-TC2

200 OK 15 ms 600 B

Pass Status code is 200

Pass Node is not null

POST R-I-TC3 {{BASE_URL}}/nodes / Tree / R-I-TC3

200 OK 60 ms 543 B

Pass Status code is 200

Pass Account is not null

PATCH R-M-TC1 {{BASE_URL}}/nodes/4 / Tree / R-M-TC1

200 OK 15 ms 620 B

Pass Status code is 200

Pass Node is not null

PATCH	R-M-TC2	{{(BASE_URL)}}/nodes/4	/ Tree / R-M-TC2	200 OK	16 ms	550 B
Pass	Status code is 200					
Pass	Node is not null					
DELETE	R-E-TC1	{{(BASE_URL)}}/nodes/2	/ Tree / R-E-TC1	500 Internal Server Error	3 ms	381 B
Pass	Status code is 500					
Pass	Node is null					
DELETE	R-E-TC2	{{(BASE_URL)}}/nodes/14	/ Tree / R-E-TC2	200 OK	13 ms	585 B
Pass	Status code is 200					
Pass	Node is not null					
DELETE	R-E-TC3	{{(BASE_URL)}}/nodes/300	/ Tree / R-E-TC3	500 Internal Server Error	8 ms	381 B
Pass	Status code is 500					
Pass	Node is null					
PUT	R-AS-TC1	{{(BASE_URL)}}/nodes/4/bind/1	/ Tree / R-AS-TC1	200 OK	16 ms	559 B
Pass	Status code is 200					
Pass	Node is not null					
PUT	R-AS-TC2	{{(BASE_URL)}}/nodes/700/bind/1	/ Tree / R-AS-TC2	500 Internal Server Error	9 ms	381 B
Pass	Status code is 500					
Pass	Node is null					

PUT	R-AS-TC3	{{BASE_URL}}/nodes/4/bind/3	/ Tree / R-AS-TC3	500 Internal Server Error	9 ms	381 B
	Pass	Status code is 500				
	Pass	Node is null				
PUT	R-DS-TC1	{{BASE_URL}}/nodes/4/unbind/1	/ Tree / R-DS-TC1	200 OK	20 ms	550 B
	Pass	Status code is 200				
	Pass	Node is not null				
PUT	R-DS-TC2	{{BASE_URL}}/nodes/700/unbind/1	/ Tree / R-DS-TC2	500 Internal Server Error	12 ms	381 B
	Pass	Status code is 500				
	Pass	Node is null				
PUT	R-DS-TC3	{{BASE_URL}}/nodes/4/unbind/100	/ Tree / R-DS-TC3	500 Internal Server Error	5 ms	381 B
	Pass	Status code is 500				
	Pass	Node is null				
POST	R-A-TC1	{{BASE_URL}}/login	/ Account / R-A-TC1	200 OK	76 ms	1.64 KB
	Pass	Account is not null				
	Pass	Password is undefined				
	Pass	Status code is 200				

POST	R-A-TC2	{{BASE_URL}}/login	/ Account / R-A-TC2	401 Unauthorized	80 ms	372 B
Pass	Rspnse is null					
Pass	Status code is 401					
POST	R-A-TC3	{{BASE_URL}}/login	/ Account / R-A-TC3	401 Unauthorized	7 ms	372 B
Pass	Rspnse is null					
Pass	Status code is 401					
POST	R-R-TC1	{{BASE_URL}}/register	/ Account / R-R-TC1	200 OK	81 ms	620 B
Pass	Account is not null					
Pass	Status code is 200					
POST	R-R-TC2	{{BASE_URL}}/register	/ Account / R-R-TC2	500 Internal Server Error	77 ms	381 B
Pass	Account is null					
Pass	Status code is 500					
GET	R-RD-TC1	{{BASE_URL}}/documents?retrievalPlace=Roma&originPlace=Roma	/ Document / R-RD-TC1	200 OK	3 ms	630 B
Pass	Status code is 200					
Pass	Your test name					
GET	R-RD-TC2	{{BASE_URL}}/documents?categoryId=2	/ Document / R-RD-TC2	200 OK	3 ms	438 B
Pass	Status code is 200					
Pass	Your test name					

Report completo REST API:

	1
▶ GET GetNodes	2 0
▶ POST R-I-TC1	2 0
▶ POST R-I-TC2	2 0
▶ POST R-I-TC3	2 0
▶ PATCH R-M-TC1	2 0
▶ PATCH R-M-TC2	2 0
▶ DELETE R-E-TC1	2 0
▶ DELETE R-E-TC2	2 0
▶ DELETE R-E-TC3	2 0
▶ PUT R-AS-TC1	2 0
▶ PUT R-AS-TC2	2 0
▶ PUT R-AS-TC3	2 0
▶ PUT R-DS-TC1	2 0
▶ PUT R-DS-TC2	2 0
▶ PUT R-DS-TC3	2 0
▶ POST R-A-TC1	3 0
▶ POST R-A-TC2	2 0
▶ POST R-A-TC3	2 0
▶ POST R-R-TC1	2 0
▶ POST R-R-TC2	2 0
▶ GET R-RD-TC1	2 0
▶ GET R-RD-TC2	2 0

Dove è stato testato anche l'endpoint ulteriore:

GetNodes: GET /nodes/1

L'endpoint a cui rivolgersi per ottenere la lista dei nodi di un albero associato ad un dato utente.

Oracolo: ogni nodo nella risposta HTTP ha ownerId = 1.

Report del testing di integrazione