

☀☀☀ Day 44 of Our Daily UiPath Q&A Challenge! ☀☀☀

Welcome to Day 44 of our exciting UiPath Q&A Challenge! Each day, we'll be answering one key question to help you master UiPath and revolutionize your automation journey. 🚀

🚫 Question for Today

How to upload and delete files in Storage bucket manually?

Upload File

- 1 Go to Folder where storage bucket exists >>> Storage Buckets
- 2 Click on Storage bucket name (Ex. Test Bucket).



The screenshot shows a software interface with a dark theme. On the left is a sidebar with a 'Tenant' header and a list of folders: 'My Folders', 'My Workspace', 'New Folder' (highlighted with a red box), 'Shared', and 'new'. The main area has a top navigation bar with tabs: 'Home', 'Automations', 'Monitoring', 'Queues', 'Assets', 'Business Rules', 'Preview', and 'Storage Buckets' (highlighted with a red box). Below the navigation bar is a search bar and filters for 'Provider', 'Options', 'Labels', and 'Properties'. A table lists storage buckets with columns for 'Name', 'Provider', 'Options', 'Description', and 'Label'. The table contains two entries: 'Test Bucket' and 'TestStorageBucket', both associated with the 'Orchestrator' provider. The 'Test Bucket' entry is highlighted with a red box. At the bottom, there is a pagination indicator '1 - 2 / 2' and 'Page 1 / 1'.

<input type="checkbox"/>	Name ^	Provider ⇅	Options ⇅	Description ⇅	Label
<input type="checkbox"/>	Test Bucket	Orchestrator			
<input type="checkbox"/>	TestStorageBucket	Orchestrator			

3 Click on upload new file.

4 Add file path or click on browse file to select files which needs to be uploaded

5 Click on upload.





Delete File

- 1 Go to Folder where storage bucket exists >>> Storage Buckets
- 2 Click on Storage bucket name (Ex. Test Bucket).

The screenshot shows a software interface with a dark theme. On the left is a sidebar with a 'Tenant' header and a 'My Folders' section containing a search bar and a list of folders: 'My Workspace', 'New Folder' (highlighted with a red box), 'Shared', and 'new'. The main content area has a top navigation bar with tabs: 'Home', 'Automations', 'Monitoring', 'Queues', 'Assets', 'Business Rules', 'Preview', and 'Storage Buckets' (highlighted with a red box). Below the navigation bar is a search bar and several filter dropdowns: 'Provider: All', 'Options: All', 'Labels: All', and 'Properties'. A table of storage buckets is displayed with columns: 'Name', 'Provider', 'Options', 'Description', and 'Label'. The table contains two rows: 'Test Bucket' and 'TestStorageBucket', both with 'Orchestrator' as the provider. The 'Test Bucket' row is highlighted with a red box. At the bottom of the table, there is a pagination indicator '1 - 2 / 2' and a page number 'Page 1 / 1'.

<input type="checkbox"/>	Name ^	Provider ⇅	Options ⇅	Description ⇅	Label
<input type="checkbox"/>	<u>Test Bucket</u>	Orchestrator			
<input type="checkbox"/>	<u>TestStorageBucket</u>	Orchestrator			

3 Click on  icon of file which needs to be deleted. (Click on  icon to download file.)

4 Click on Yes

