

CECS 551
Assignment 3
Total: 70 Points

General Instruction

- Use Python 3, any other programming language is not acceptable.
 - You can import modules in the Python Standard Library (please check the full list [here](#)). If you want to use any other library, please consult with the instructor.
 - Submit uncompressed file(s) in the Dropbox folder via BeachBoard (Not email).
-

1. Implement multi-layer neural network **WITHOUT** using external deep learning libraries such as Keras, Caffe, Theano, TensorFlow, PyTorch, ...
 - (a) Find `Assignment_3_scratch.ipynb`.
 - (b) Consider a neural network as shown in Figure 1.
 - The width of the layer 1 is 2, and the width of the layer 2 is 1.
 - The activation functions of the layer 1 are the hyperbolic tangent.
 - The activation function of the layer 2 is the sigmoid.
 - The loss function is the mean squared error.
 - (c) (35 points) Write formulas of $\frac{\partial L}{\partial \vec{W}^{(1)}}$, $\frac{\partial L}{\partial \vec{w}^{(2)}}$, $\frac{\partial L}{\partial \vec{b}^{(1)}}$, and $\frac{\partial L}{\partial b^{(2)}}$ in the Jupyter notebook file. **Please don't** write down steps of the derivation, final formulas would be sufficient. Please use L^AT_EX equations in the Jupyter notebook.
 - (d) (35 points) Implement the model **without** using any deep learning libraries. You need to optimize the parameters $\vec{W}^{(1)}$, $\vec{w}^{(2)}$, $\vec{b}^{(1)}$, and $b^{(2)}$ using the gradient descent method. For example, $b^{(2)} \leftarrow b^{(2)} - \eta \frac{\partial L}{\partial b^{(2)}}$ where η is a small positive number. Your program should predict \hat{y} for a given input \vec{x} and report the training losses and the validation losses.
 - (e) Submit your `ipynb` file.




Figure 1: network design