

Name: D.Darshan
Reg no:192524117

Course code:DSA0602

Class Lab Practical

Set 1: Monthly Sales Data

Dataset: Monthly Sales

1. Create a line chart to visualize the monthly sales. Label the axes and title the chart appropriately.
2. Generate a bar chart to display the top-selling products for the year. Label the chart elements.
3. Develop a scatter plot to explore the relationship between advertising budget and monthly sales. Explain the insights drawn from the scatter plot.
4. Build an interactive dashboard combining the line chart and bar chart to allow users to explore sales data interactively.

Python Program:

```
import pandas as pd
```

```
import matplotlib.pyplot as plt
```

```
# Read your CSV file
```

```
data = pd.read_csv("Book1.csv")
```

```
# Line Chart
```

```
plt.plot(data["Month"], data["Sales (in $)"], marker="o")
```

```
plt.title("Monthly Sales")
```

```
plt.xlabel("Month")
```

```
plt.ylabel("Sales ($)")
```

```
plt.show()
```

```
# Bar Chart
```

```
plt.bar(data["Product"], data["Product Sales"])
```

```
plt.title("Top Selling Products")
```

```
plt.xlabel("Product")
```

```
plt.ylabel("Sales")
```

```
plt.show()
```

```
# Scatter Plot
```

```
plt.scatter(data["Advertising Budget"], data["Sales (in $)"])
```

```
plt.title("Advertising Budget vs Monthly Sales")
```


```
plt.xlabel("Advertising Budget")
```

```
plt.ylabel("Monthly Sales")
```

```
plt.show()
```

```
print("Insight: As the advertising budget increases, monthly sales also tend to increase.")
```

Output:



Set 2:Dataset: Customer Satisfaction

Customer ID	Age	Satisfaction Score
1	25	4
2	30	5
3	35	3
4	28	4
5	40	5

1. Create a histogram to represent the distribution of customer ages. Label the axes and title the chart.
2. Generate a pie chart to display the overall distribution of customer satisfaction scores. Include labels.
3. Build a stacked bar chart to visualize the distribution of customer satisfaction scores by age group.
4. Develop a word cloud from open-ended customer feedback to identify prevalent customer sentiments.

Python code:

```
import pandas as pd
```

```
import matplotlib.pyplot as plt
```

```
# Read CSV file
```

```
data = pd.read_csv("Book2.csv")
```

```
# 1. Histogram
```

```
plt.hist(data["Age"], bins=5)
```

```
plt.title("Distribution of Customer Ages")
```

```
plt.xlabel("Age")
```

```
plt.ylabel("Frequency")
```

```
plt.show()
```

2. Pie Chart

```
score = data["Satisfaction Score"].value_counts()
```

```
plt.pie(score, labels=score.index, autopct="%1.1f%%")
```

```
plt.title("Customer Satisfaction Scores")
```

```
plt.show()
```

3. Stacked Bar Chart

```
data["Age Group"] = pd.cut(data["Age"],
```

```
    bins=[20, 30, 40, 50],
```

```
    labels=["20-30", "31-40", "41-50"])
```

```
table = pd.crosstab(data["Age Group"], data["Satisfaction Score"])
```

```
table.plot(kind="bar", stacked=True)
```


```
plt.title("Satisfaction Score by Age Group")
```

```
plt.xlabel("Age Group")
```

```
plt.ylabel("Count")
```

```
plt.show()
```

Output:



Set 3: Employee Performance Evaluation

Dataset: Employee Performance

Employee ID	Department	Years of Service	Performance Score
1	Sales	5	85
2	HR	3	92
3	Marketing	7	78
4	Sales	4	90
5	HR	2	76

1. Create a line chart to visualize the performance trend of employees over time. Include a legend and labels.
2. Generate a bar chart showing the distribution of employees across different departments. Label the chart elements.
3. Build a scatter plot to analyze the correlation between years of service and performance scores. Explain any insights.
4. Develop a Tableau dashboard with the line chart and bar chart for interactive exploration

Python program:

```
import pandas as pd
```

```
import matplotlib.pyplot as plt
```

```
# Read CSV file
```

```
data = pd.read_csv("Book3.csv")
```

```
# 1. Line Chart
```

```
plt.plot(data["Employee ID"], data["Performance Score"], marker="o", label="Performance")
```

```
plt.title("Employee Performance Trend")
```

```
plt.xlabel("Employee ID")
```

```
plt.ylabel("Performance Score")
```

```
plt.legend()
```

```
plt.show()
```

2. Bar Chart

```
dept = data["Department"].value_counts()
```

```
plt.bar(dept.index, dept.values)
```

```
plt.title("Employees by Department")
```

```
plt.xlabel("Department")
```

```
plt.ylabel("Number of Employees")
```

```
plt.show()
```

3. Scatter Plot

```
plt.scatter(data["Years of Service"], data["Performance Score"])
```

```
plt.title("Years of Service vs Performance Score")
```


```
plt.xlabel("Years of Service")
```

```
plt.ylabel("Performance Score")
```

```
plt.show()
```

```
print("Insight: Employees with more years of service generally tend to have higher  
performance scores, although there are some variations.")
```

Output:



Set 4: Product Inventory Management

Dataset: Product Inventory

Product ID	Product Name	Quantity Available
1	Product A	250
2	Product B	175
3	Product C	300
4	Product D	200
5	Product E	220

1. Create a bar chart to visualize the quantity of each product in the inventory. Label the axes and title the chart.
2. Generate a stacked bar chart to show the quantity of each product within different product categories.
3. Build a scatter plot to explore the relationship between product price and quantity available. Explain the findings.
4. Develop a Tableau dashboard with the bar chart and stacked bar chart to allow users to interact with the data.

Python program:

```
import pandas as pd

import matplotlib.pyplot as plt

# Read CSV file

data = pd.read_csv("product_inventory.csv")

# 1. Bar Chart

plt.bar(data["Product Name"], data["Quantity Available"])

plt.title("Product Inventory")

plt.xlabel("Product Name")
```

```
plt.ylabel("Quantity Available")
```

```
plt.show()
```

```
# 2. Stacked Bar Chart
```

```
table = pd.crosstab(data["Category"], data["Product Name"],
```

```
                    values=data["Quantity Available"],
```

```
                    aggfunc="sum").fillna(0)
```

```
table.plot(kind="bar", stacked=True)
```

```
plt.title("Product Quantity by Category")
```

```
plt.xlabel("Category")
```

```
plt.ylabel("Quantity")
```

```
plt.show()
```

```
# 3. Scatter Plot
```

```
plt.scatter(data["Price"], data["Quantity Available"])
```

```
plt.title("Price vs Quantity Available")
```


```
plt.xlabel("Price")
```

```
plt.ylabel("Quantity Available")
```

```
plt.show()
```

```
print("Insight: The scatter plot helps identify whether higher-priced products have higher or lower inventory levels.")
```

Output:



Set 5: Website Analytics

Dataset: Website Traffic

Date	Page Views	Click-through Rate
2023-01-01	1500	2.3%
2023-01-02	1600	2.7%
2023-01-03	1400	2.0%
2023-01-04	1650	2.4%
2023-01-05	1800	2.6%

1. Create a line chart to visualize the trend in daily page views over time. Label the axes and title the chart.
2. Generate a bar chart showing the top N days with the highest click-through rates. Label the chart elements.
3. Develop a stacked area chart to display the distribution of user interactions (likes, shares, comments) on a website.
4. Build a Tableau dashboard with the line chart and bar chart for interactive exploration of website traffic data.

Python program:

```
import pandas as pd
import matplotlib.pyplot as plt

# Read CSV file
data = pd.read_csv("Book5.csv")

# Convert Click-through Rate from percentage to number
data["Click-through Rate"] = data["Click-through Rate"].str.replace("%", "").astype(float)

# 1. Line Chart
plt.plot(data["Date"], data["Page Views"], marker="o")
plt.title("Daily Page Views")
plt.xlabel("Date")
plt.ylabel("Page Views")
plt.xticks(rotation=45)
```

```
plt.show()
```

```
# 2. Bar Chart (Top 5 Click-through Rates)
```

```
top = data.sort_values(by="Click-through Rate", ascending=False).head(5)
```

```
plt.bar(top["Date"], top["Click-through Rate"])
```

```
plt.title("Top Click-through Rates")
```

```
plt.xlabel("Date")
```

```
plt.ylabel("Click-through Rate (%)")
```

```
plt.xticks(rotation=45)
```

```
plt.show()
```

```
# 3. Stacked Area Chart
```

```
plt.stackplot(
```

```
    data["Date"],
```

```
    data["Likes"],
```

```
    data["Shares"],
```

```
    data["Comments"],
```

```
    labels=["Likes", "Shares", "Comments"]
```

```
)
```

```
plt.title("User Interactions")
```

```
plt.xlabel("Date")
```

```
plt.ylabel("Count")
```


```
plt.legend()
```

```
plt.xticks(rotation=45)
```

```
plt.show()
```

```
print("Insight: The line chart shows page view trends, while the bar chart highlights the days  
with the highest click-through rates.")
```

Output:



Set 6

Product Sales Analysis

Dataset: Monthly Product Sales

Product ID	Product Name	January Sales	February Sales	March Sales
1	Product A	2000	2200	2400
2	Product B	1500	1800	1600
3	Product C	1200	1400	1100

1. Create a grouped bar chart to visualize the sales of each product for the first quarter. Label the chart elements.
2. Generate a stacked area chart to represent the overall sales trend for all products over the three months.
3. Build a table to show the monthly sales data for each product. Label the table elements.
4. Develop a Tableau dashboard combining the grouped bar chart, stacked area chart, and the table for interactive exploration of sales data.

Python program:

```
import pandas as pd
```

```
import matplotlib.pyplot as plt
```

```
# Read CSV file
```

```
data = pd.read_csv("monthly_product_sales.csv")
```

```
# 1. Grouped Bar Chart
```

```
x = range(len(data))
```

```
plt.bar([i-0.2 for i in x], data["January Sales"], width=0.2, label="January")
```

```
plt.bar(x, data["February Sales"], width=0.2, label="February")

plt.bar([i+0.2 for i in x], data["March Sales"], width=0.2, label="March")


plt.xticks(x, data["Product Name"])

plt.title("Monthly Product Sales")

plt.xlabel("Product")

plt.ylabel("Sales")

plt.legend()

plt.show()
```

2. Stacked Area Chart

```
plt.stackplot(

    ["January", "February", "March"],

    data["January Sales"],

    data["February Sales"],

    data["March Sales"],

    labels=data["Product Name"]

)
```

```
plt.title("Overall Sales Trend")

plt.xlabel("Month")

plt.ylabel("Sales")

plt.legend()
```


```
plt.show()
```

```
# 3. Table
```

```
print("Monthly Product Sales")
```

```
print(data)
```

Output:



Set 7 Customer Demographics Analysis

Dataset: Customer Demographics

Customer ID	Age	Gender	Income (in \$)
1	28	Female	50000
2	35	Male	60000
3	42	Female	75000

1. Create a bar chart to visualize the distribution of customer ages. Label the axes and title the chart.
2. Generate a pie chart to represent the distribution of customers by gender.
3. Build a table to show the demographic information for each customer. Label the table elements.
4. Develop a Tableau dashboard combining the bar chart, pie chart, and the table for interactive exploration of customer demographics.

Python Program:

```
import pandas as pd
```

```
import matplotlib.pyplot as plt
```

```
# Read CSV file
```

```
data = pd.read_csv("Book7.csv")
```

```
# 1. Histogram of Age
```

```
plt.hist(data["Age"], bins=5)
```

```
plt.title("Age Distribution")
```

```
plt.xlabel("Age")
```

```
plt.ylabel("Frequency")
```

```
plt.show()
```

```
# 2. Bar Chart of Gender
```

```
gender = data["Gender"].value_counts()
```

```
plt.bar(gender.index, gender.values)
```


```
plt.title("Gender Distribution")
```

```
plt.xlabel("Gender")  
plt.ylabel("Count")  
plt.show()
```

```
# 3. Scatter Plot (Age vs Income)  
plt.scatter(data["Age"], data["Income (in $)"])  
plt.title("Age vs Income")  
plt.xlabel("Age")  
plt.ylabel("Income ($)")  
plt.show()
```

```
# 4. Table  
print("Customer Data")  
print(data)
```

Output:



Set 8 Employee Performance Analysis

Dataset: Employee Performance

Employee ID	Department	Years of Service	Performance Score
1	Sales	5	85
2	HR	3	92
3	Marketing	7	78

1. Create a line chart to visualize the performance trend of employees over time. Label the axes and title the chart.
2. Generate a bar chart showing the distribution of employees across different departments. Label the chart elements.
3. Build a table to display the performance data for each employee. Label the table elements.
4. Develop a Tableau dashboard combining the line chart, bar chart, and the table for interactive exploration of employee performance data.

Python program:

```
import pandas as pd
```

```
import matplotlib.pyplot as plt
```

```
# Read CSV file
```

```
data = pd.read_csv("Book8.csv")
```

```
# 1. Line Chart
```

```
plt.plot(data["Employee ID"], data["Performance Score"], marker="o")
```

```
plt.title("Employee Performance Trend")
```

```
plt.xlabel("Employee ID")
```

```
plt.ylabel("Performance Score")
```

```
plt.grid(True)
```

```
plt.show()
```

2. Bar Chart

```
dept = data["Department"].value_counts()
```

```
plt.bar(dept.index, dept.values)
```

```
plt.title("Employees by Department")
```

```
plt.xlabel("Department")
```

```
plt.ylabel("Number of Employees")
```


```
plt.show()
```

3. Display Table

```
print("Employee Performance Data")
```

```
print(data)
```

Output:



set 9

Dataset: Online_Learning_Activity.csv

Student_ID	Gender	Age	Course	Study_Time (hrs)	Videos_Watched	Quiz_Score	Login_Date
L01	Male	20	R	3.5	12	78	2025-01-05
L02	Female	22	R	4.2	15	85	2025-01-05
L03	Male	19	SQL	2.0	8	65	2025-02-08
L04	Female	21	R	5.0	18	92	2025-02-08
L05	Male	23	R	2.5	9	70	2025-03-12
L06	Female	20	SQL	4.0	14	88	2025-03-12

1. Import the dataset in **R**. Plot a histogram for Quiz_Score. Draw a boxplot of Quiz_Score by Course. Add title and labels. Interpret student performance.
2. Create a scatter plot **using R programming** between Study_Time and Quiz_Score. Represent Videos_Watched using bubble size. Apply transparency. Explain the learning pattern.
3. Using **R programming**, convert Login_Date into Date format. Calculate average quiz score per month. Plot a line chart. Apply moving average smoothing. Identify the trend.
4. Import Online_Learning_Activity.csv **into Tableau**. Create a bar chart showing average quiz score by Course. Create a scatter plot (Study Time vs Quiz Score). Add filter for Gender and Course. Design a mini interactive dashboard.

Python program:

```
import pandas as pd
```

```
import matplotlib.pyplot as plt
```

```
# Read CSV file
```

```
data = pd.read_csv("Book9.csv")
```

1. Histogram of Quiz Score

```
plt.hist(data["Quiz_Score"], bins=5)
```

```
plt.title("Quiz Score Distribution")
```

```
plt.xlabel("Quiz Score")
```

```
plt.ylabel("Frequency")
```

```
plt.show()
```

2. Boxplot of Quiz Score by Course

```
data.boxplot(column="Quiz_Score", by="Course")
```

```
plt.title("Quiz Score by Course")
```

```
plt.suptitle("")
```

```
plt.xlabel("Course")
```

```
plt.ylabel("Quiz Score")
```

```
plt.show()
```

3. Scatter Plot (Study Time vs Quiz Score)

```
plt.scatter(
```

```
    data["Study_Time (hrs)"],
```

```
    data["Quiz_Score"],
```

```
    s=data["Videos_Watched"]*20,
```

```
    alpha=0.5
```

```
)
```

```
plt.title("Study Time vs Quiz Score")
```

```
plt.xlabel("Study Time (hrs)")
```

```
plt.ylabel("Quiz Score")
```

```
plt.show()
```

```
# 4. Monthly Average Quiz Score
```

```
data["Login_Date"] = pd.to_datetime(data["Login_Date"])
```

```
data["Month"] = data["Login_Date"].dt.to_period("M")
```

```
avg = data.groupby("Month")["Quiz_Score"].mean()
```

```
# Moving Average
```

```
ma = avg.rolling(2).mean()
```

```
plt.plot(avg.index.astype(str), avg.values, marker="o", label="Average Score")
```

```
plt.plot(avg.index.astype(str), ma.values, marker="o", label="Moving Average")
```

```
plt.title("Average Monthly Quiz Score")
```


```
plt.xlabel("Month")
```

```
plt.ylabel("Average Quiz Score")
```

```
plt.legend()
```

```
plt.show()
```

Output:



Set 10 Survey Responses Analysis

Dataset: Survey Responses

Survey ID	Question 1	Question 2	Question 3
1	A	B	C
2	B	A	D
3	C	A	B

1. Create a grouped bar chart to visualize the distribution of answers for Question 1. Label the chart elements.
2. Generate a stacked bar chart to represent the overall distribution of responses for all three questions.
3. Build a table to show the survey response data for each survey. Label the table elements.
4. Develop a Tableau dashboard combining the grouped bar chart, stacked bar chart, and the table for interactive exploration of survey responses.

Python program:

```
import pandas as pd
```

```
import matplotlib.pyplot as plt
```

```
# Read CSV file
```

```
data = pd.read_csv("Book10.csv")
```

```
# 1. Grouped Bar Chart (Question 1 Responses)
```

```
q1 = data["Question 1"].value_counts()
```

```
plt.bar(q1.index, q1.values)
```

```
plt.title("Distribution of Question 1 Responses")
```

```
plt.xlabel("Answer")
```

```
plt.ylabel("Count")
```

```
plt.show()
```

```
# 2. Stacked Bar Chart (All Questions)
```


```
table = pd.DataFrame({  
    "Question 1": data["Question 1"].value_counts(),  
    "Question 2": data["Question 2"].value_counts(),  
    "Question 3": data["Question 3"].value_counts()  
}).fillna(0)
```

```
table.plot(kind="bar", stacked=True)  
plt.title("Survey Responses")  
plt.xlabel("Answer")  
plt.ylabel("Count")  
plt.show()
```

```
# 3. Display Table
```

```
print("Survey Response Data")  
print(data)
```

Output:



Set 11

Product Category Analysis

Dataset: Product Categories

Category	Sales (in \$)
Electronics	50000
Clothing	35000
Appliances	40000

1. Generate a funnel chart to analyze the sales conversion process for each product category. Label the stages and title the chart.
2. Build a table to display the sales data for each product category. Label the table elements.
3. Develop a Tableau dashboard combining the pie chart, funnel chart, and the table for interactive exploration of product category data.
4. Create a pie chart to represent the distribution of sales across product categories. Include labels.

Python program:

```
import pandas as pd
```

```
import matplotlib.pyplot as plt
```

```
# Read CSV file
```

```
data = pd.read_csv("Book11.csv")
```

```
# 1. Funnel Chart (Horizontal Bar Chart)
```

```
plt.barh(data["Category"], data["Sales (in $)"])
```

```
plt.title("Sales Conversion by Product Category")
```

```
plt.xlabel("Sales ($)")
```

```
plt.ylabel("Category")
```

```
plt.show()
```


```
# 2. Display Table
```

```
print("Product Category Sales")  
print(data)
```

3. Pie Chart

```
plt.pie(  
    data["Sales (in $)"],  
    labels=data["Category"],  
    autopct="%1.1f%%"  
)  
plt.title("Sales Distribution by Product Category")  
plt.show()
```

Output:



Set 12 :Dataset: Website Traffic

Date	Page Views	Click-through Rate
2023-01-01	1500	2.3%
2023-01-02	1600	2.7%
2023-01-03	1400	2.0%

1. Create a line chart to visualize the trend in daily page views over time. Label the axes and title the chart.
2. Generate a bar chart showing the top N days with the highest click-through rates. Label the chart elements.
3. Build a table to show the website traffic data for each day. Label the table elements.
4. Develop a Tableau dashboard combining the line chart, bar chart, and the table for interactive exploration of website traffic data.

Python program:

```
import pandas as pd
```

```
import matplotlib.pyplot as plt
```

```
# Read CSV file
```

```
data = pd.read_csv("Book12.csv")
```

```
# Convert Click-through Rate (%) to numeric
```

```
data["Click-through Rate"] = data["Click-through Rate"].str.replace("%", "").astype(float)
```

```
# 1. Line Chart
```

```
plt.plot(data["Date"], data["Page Views"], marker="o")
```

```
plt.title("Daily Page Views")
```

```
plt.xlabel("Date")
```

```
plt.ylabel("Page Views")
```

```
plt.xticks(rotation=45)
```

```
plt.show()
```


```
# 2. Bar Chart (Top N Days with Highest Click-through Rates)
top = data.sort_values(by="Click-through Rate", ascending=False)
```

```
plt.bar(top["Date"], top["Click-through Rate"])
plt.title("Top Click-through Rates")
plt.xlabel("Date")
plt.ylabel("Click-through Rate (%)")
plt.xticks(rotation=45)
plt.show()
```

```
# 3. Display Table
```

```
print("Website Traffic Data")
print(data)
```

Output:



13. Dataset: Geographic Data

City	Population	Avg. Temperature	Elevation
City A	500000	75	1000
City B	700000	68	800
City C	600000	80	1200

1. Create a map chart to visualize the distribution of cities on a geographic map. Label the map elements.
2. Generate a scatter plot to explore the relationship between average temperature and population size. Explain any insights.
3. Build a table to display the geographic data for each city. Label the table elements.
4. Develop a Tableau dashboard combining the map chart, scatter plot, and the table for interactive exploration of geographic data.

Python program:

```
import pandas as pd
```

```
import matplotlib.pyplot as plt
```

```
# Read CSV file
```

```
data = pd.read_csv("Book13.csv")
```

```
# 1. Simple City Plot (Map Placeholder)
```

```
plt.plot(data["City"], [1]*len(data), "o")
```

```
plt.title("City Distribution")
```

```
plt.xlabel("City")
```

```
plt.yticks([])
```

```
plt.show()
```

```
# 2. Scatter Plot
```

```
plt.scatter(data["Avg. Temperature"], data["Population"])
```

```
plt.title("Temperature vs Population")
```

```
plt.xlabel("Average Temperature")
```

```
plt.ylabel("Population")
```

```
plt.show()
```


```
print("Insight: The scatter plot helps compare population size with average temperature.")
```

```
# 3. Display Table
```

```
print("Geographic Data")
```

```
print(data)
```

Output:



14. Dataset: Survey Results

Respondent	Question 1	Question 2	Question 3
1	A	B	C
2	B	A	D
3	C	A	B

1. Create a stacked bar chart to display the distribution of answers for Question 1. Label the chart elements.
2. Generate a radar chart to visualize the overall pattern of responses across all three questions.
3. Build a table to show the survey response data for each respondent. Label the table elements.
4. Develop a Tableau dashboard combining the stacked bar chart, radar chart, and the table for interactive exploration of survey responses.

Python program:

```
import pandas as pd
import matplotlib.pyplot as plt
import math

# Read CSV file
data = pd.read_csv("Book14.csv")

# 1. Stacked Bar Chart
table = pd.DataFrame({
    "Question 1": data["Question 1"].value_counts(),
    "Question 2": data["Question 2"].value_counts(),
    "Question 3": data["Question 3"].value_counts()
}).fillna(0)

table.plot(kind="bar", stacked=True)
plt.title("Survey Response Distribution")
plt.xlabel("Answer")
```

```
plt.ylabel("Count")
plt.show()
```

```
# 2. Radar Chart
```

```
labels = ["Question 1", "Question 2", "Question 3"]
```

```
values = [
    data["Question 1"].value_counts().max(),
    data["Question 2"].value_counts().max(),
    data["Question 3"].value_counts().max()
]
```

```
# Create angles using math
```

```
angles = []
```

```
for i in range(len(labels)):
```

```
    angles.append(2 * math.pi * i / len(labels))
```

```
angles.append(angles[0])
```

```
values.append(values[0])
```

```
ax = plt.subplot(111, polar=True)
```

```
ax.plot(angles, values, marker="o")
```

```
ax.fill(angles, values, alpha=0.3)
```

```
ax.set_xticks(angles[:-1])
```

```
ax.set_xticklabels(labels)
```

```
plt.title("Survey Response Pattern")
```

```
plt.show()
```

```
# 3. Display Table
```

```
print("Survey Results")
```

```
print(data)
```

Output:

