# General relativity's constraint algebra as the symmetric-space structure of a de Sitter substrate:

## the action Lie algebroid of the symmetry-reducible sector, and the problem of time's "wrong sign" as the substrate's coset signature

Daryl Janzen
Department of Physics and Engineering Physics
University of Saskatchewan

**Abstract**

General relativity's hypersurface-deformation algebra carries *structure functions*: the coefficient in the normal–normal bracket is the inverse spatial metric, a field rather than a constant, and that is what makes the canonical generator of normal deformation a constraint to be solved rather than a Hamiltonian that evolves. The algebra is therefore a Lie *algebroid* and not a Lie algebra—a fact standardly recognized as the obstruction at the heart of the problem of time.

An action Lie algebroid is a Lie algebra acting on a base manifold, with an anchor sending algebra elements to vector fields on the base and structure functions varying over it. *General relativity's constraint algebra has the structure functions but has never been given the base they vary over, nor a section selecting a definite flow.* This paper supplies both, from the geometry of Cosmological Relativity: the base is the space of cuts of a de Sitter substrate, the acting algebra is the substrate's isometry algebra $\mathfrak{so}(5,1)$, the anchor is the slicing operator's cut-to-stress-energy map, and the section is the cosmic clock that turns the constraint into a true Hamiltonian. *The claim is a recognition rather than an addition.*

*The bracket closes, and the shape that makes the Dirac algebra puzzling is the shape of a symmetric-space coset.* At the symmetric cut $\mathfrak{so}(5,1) = \mathfrak{h} \oplus \mathfrak{m}$ with $\mathfrak{h} = \mathfrak{so}(4,1)$ the cut-fixing isotropy, and the symmetric-space relation $[\mathfrak{m},\mathfrak{m}] \subset \mathfrak{h}$ holds—two normal deformations bracketing into a tangential one is two coset directions bracketing into the isotropy. They are the same grading, term for term. The grading is also the lapse–shift split the cosmology computes on, so that reading is not a separate posit.

*The structure function is identified with the coset metric*, and what makes that more than dimensional bookkeeping is the signature: the indefinite sign is supplied by the substrate's own geometry rather than inserted.

As the cut moves off the symmetric vacuum the isotropy drops, and its strata are the range paper's Petrov classes. Read as a count of first integrals, the stratification says where the construction's hidden symmetry is needed and where it is not. The discrete skeleton at those strata is the substrate's own Weyl group: both factors of $\mathrm{Aut}(A_2) = S_3 \times \mathbb{Z}_2 \cong D_6$ are realized geometrically, the $S_3$ permuting the three horizon roots and the $\mathbb{Z}_2$ the central inversion that swaps the substrate's two null rulings—so the double-ruling swap, the orientation parity, the diagram automorphism and the graviton's chirality are one and the same $\mathbb{Z}_2$. *And the skeleton does not stop there*: the residue pairing the horizon roots carry has a non-trivial holonomy about the Nariai points, and adjoining it to the monodromy $S_3$ closes a group of order twenty-four. *Its element profile identifies it rather than counting it*—all six order-four elements are improper, which is the signature of the full tetrahedral group and not of the chiral octahedral one—so the group is $W(A_3)$ in its Weyl embedding, one rank above the $A_2$ the linear face shows; with the orientation parity adjoined as well, acting as the central inversion, it closes $W(A_3) \times \mathbb{Z}_2$ of order forty-eight, exactly as that parity extends $W(A_2)$ to $\mathrm{Aut}(A_2)$.

*The verification is on the symmetry-reducible sector throughout, and we are explicit about it*: $\mathfrak{so}(5,1)$ is finite-dimensional, the full Dirac algebra is not, and what is established is the finite reduction rather than a claim about the entire infinite-dimensional algebra. The

algebroid hands off at the wall to the propagating sector, which is the companion dynamics paper's subject.

# 1 Introduction: an algebroid without a base

In the canonical formulation of general relativity, deformations of a spatial hypersurface generate an algebra [14, 13, 15]—an algebra whose *content*, and not only whose form, bears on what follows, since Teitelboim's reading of it is that the brackets *are* the embeddability condition for the hypersurface in a spacetime, and Hojman, Kuchař and Teitelboim show that requiring a canonical representation of them on $(g_{ij}, \pi^{ij})$ alone recovers the Einstein Hamiltonian [16]. *That forcing is dimension-dependent*: the same algebra closes for the Lovelock theories [17], which coincide with general relativity only in four dimensions. *So the cut being four-dimensional is doing work here rather than merely being the case*, and it is a different point from the one the dimension result guards—that the cut's dimension says nothing about the substrate's. We record the connection and claim no more than it: this paper's algebroid is a recognition of the structure the brackets already have, not a derivation of the field equations [6]. Written out, with $\mathcal{H}_\perp$ the normal (Hamiltonian) constraint and $\mathcal{H}_a$ the tangential (momentum) constraint, smeared with lapse and shift, the brackets read:

$$\{\mathcal{H}_a[N^a], \mathcal{H}_b[M^b]\} = \mathcal{H}_a\big[[N, M]^a\big], \tag{1}$$

$$\{\mathcal{H}_a[N^a], \mathcal{H}_\perp[M]\} = \mathcal{H}_\perp\big[N^a \partial_a M\big], \tag{2}$$

$$\{\mathcal{H}_\perp[N], \mathcal{H}_\perp[M]\} = \mathcal{H}_a\big[h^{ab}(N\,\partial_b M - M\,\partial_b N)\big]. \tag{3}$$

The last bracket is the decisive one. Its coefficient $h^{ab}$ is the inverse spatial metric—a field on the hypersurface, not a constant. The hypersurface-deformation algebra is therefore not a Lie algebra but a Lie *algebroid* [24]: the brackets carry *structure functions*, and the failure of those functions to be constant is exactly what makes the canonical generator of normal deformation a constraint to be solved rather than a Hamiltonian that evolves [18, 19, 20]. This structure-function feature is standardly recognized as the obstruction at the heart of the problem of time.

An action Lie algebroid is a Lie algebra acting on a base manifold, with an anchor mapping algebra elements to vector fields on the base and structure functions varying over it. General relativity's constraint algebra has the structure-functions but has never been given the base they vary over, nor a section of the bundle that would select a definite flow. This paper supplies both, from the geometry of Cosmological Relativity. The base is the space of *cuts* of a de Sitter substrate; the acting algebra is the substrate's isometry $\mathfrak{so}(5,1)$; the anchor is the slicing operator's cut-to-stress-energy map [5]; and the section is the cosmic clock that turns the constraint into a true Hamiltonian [8]. The claim is a recognition, not an addition: the algebroid was already there, in GR's own constraint algebra, waiting for the base.

We verify the construction's defining identities on the *symmetry-reducible sector*—the cuts a substrate isometry can reach, which is exactly the range of the slicing construction [6]—and we are explicit, throughout and in Section 8, that this is where the verification lives: $\mathfrak{so}(5,1)$ is finite-dimensional, the full Dirac algebra is not, and the closure is the finite, symmetry-reducible reduction, not a claim about the entire infinite-dimensional algebra.

# 2 The substrate, the base, and the two operations

The substrate is a single five-dimensional de Sitter manifold $\mathrm{dS}_5$, a hyperboloid in the flat ambient $M^6$, with isometry $\mathfrak{so}(5,1)$; the four-dimensional geometries of the symmetric sector are generated as cuts of it [5, 3]. (The dimension is bounded below here and pinned elsewhere, and the two should not be run together. The construction generates *many distinct* four-geometries

from *one* substrate, and slicing a four-dimensional de Sitter space only re-coordinatizes it—which excludes $\mathrm{dS}_4$ and yields $D \geq 5$, a lower bound and not an equality. *No upper bound is established anywhere in this framework.* The companion's ontological commitments fix only the *existent*—a one-parameter family of *three*-dimensional layers, the sole dimensional statement in any of its axioms—and require of the representation only that it admit them as spacelike hypersurfaces, so that $\dim M \geq 4$ with the projection explicitly non-unique [7]; the empirical forcing is of the foliation, likewise a floor [9]. $\mathrm{dS}_5$ is accordingly the *minimal* substrate sufficient for the symmetry-reducible sector built here—a modelling economy, not a derived maximum—and the polar structure does not close the gap either: the polar of a spacelike substrate point is $\mathrm{dS}_{D-1}$ in *every* dimension [12], which relates the rungs without capping them.[P12R9]

*Nor can least-arbitrariness close it*: it prefers the structure requiring no choice of how to break a symmetry, and $\mathrm{dS}_D$ is maximally symmetric and moduli-free for every $D$, so it selects the manifold *at fixed dimension* and is silent on the dimension itself [10]. *Reading* $\mathrm{dS}_5$ *as a ceiling would set a feature by hand, which Rule 3 counts as maximally arbitrary rather than least. And the absence of an upper bound has a positive reason, which is stronger than the absence and which the criterion supplies rather than fails to supply.*[8] Suppose the descent to the cut ran in more than one step. Each intermediate rung is itself the substrate for the steps below it, so Rule 2 applies to it in its own right: a rung that were *not* maximally symmetric would carry a choice of how to break its symmetry, which is a modulus in the excluding sense.

*So every rung above the last must be maximally symmetric*—and on this substrate a section carries mass exactly when it is not a plane section [12], so every step above the last is a plane section. A plane section $\{X : \eta(n, X) = c\}$ of a $\mathrm{dS}_D$ of radius $\alpha$ returns $\mathrm{dS}_{D-1}$ of radius $\sqrt{\alpha^2 - c^2}$ for every admissible $n$, the normal being gauge because the isometry group is transitive on unit spacelike normals. *So a step above the last changes the scale and nothing else*: the entire tower enters the four-geometry through the single combination that is its $\alpha$, and $\alpha$ is the one input this framework does not derive. *The consequence is neither of the two the question anticipated.* Rule 2 does not forbid a second step and does not force one: it *empties* it. Such a step introduces no modulus in the excluding sense—its normal is gauge, its offset re-enters an input already present, and where the descent starts is a dimension, on which the criterion is silent by the argument just given—and it introduces no content either, the cut fixing $\alpha$ from $\Lambda$ and $r_0$ from the mass and being blind to everything above. *So the dimension is unbounded above because nothing below can see the difference*, which turns the missing ceiling from a gap in the argument into a property of the descent, and makes the discipline of arguing from the cut to the dynamics and never from the cut to the substrate a consequence rather than a rule of conduct. One thing *is* settled, and it is a different object: the *cut's* dimension. The matter sector shows that the horizon relation collapses to a single multiple-angle in the sky angle only at four and five spacetime dimensions, and that the mass-parity grading chirality exists only in even dimension, so a four-dimensional cut is the only one carrying both a generation count and a handedness [3, 22]. That settles the geometry the slicing operator delivers, not the substrate it is delivered from; the grading below is accordingly the *last* step of any descent ending at a four-geometry, and constrains the rung immediately above spacetime rather than the top of the ladder.) Crucially, $\mathrm{dS}_5$ is a *symmetric space* [25],

$$\mathrm{dS}_5 = SO(5,1)/SO(4,1), \tag{4}$$

and this is the structural fact the whole construction turns on. At a maximally symmetric (vacuum) cut, the subalgebra of $\mathfrak{so}(5,1)$ fixing the leaf is $\mathfrak{h} = \mathfrak{so}(4,1)$ (ten-dimensional), and the cut-*deforming* directions are the coset $\mathfrak{m}$ (five-dimensional, the normal carrying one leaf to the next): $\mathfrak{so}(5,1) = \mathfrak{h} \oplus \mathfrak{m}$.

The base $\mathcal{C}$ is the space of cuts. A cut is fixed by an orientation datum—how the slicing curve is aimed into the geometry (the reticle orientation $r_0$, with the mass a determined function of it, not a free parameter) [3]—together with a causal-vantage datum. Two distinct operations

move between geometries, split on what they do to dimension: *slicing*, codimension-one and dimension-reducing, which is the operation that forces the substrate up to five dimensions and which the continuous $\mathfrak{so}(5,1) \ltimes \mathcal{C}$ structure realizes; and *reassignment*, dimension-preserving and discrete, which holds one background geometry fixed and involutes the causal roles of the generating null ruling (the Null–Boundary Correspondence, the $f > 0$ hole / $f < 0$ cosmos) [7]. The continuous algebroid is the slicing structure; reassignment is a distinct discrete operation (Section 6).

## 3 The anchor

The anchor maps an infinitesimal cut-deformation to the stress-energy it produces—the slicing operator made infinitesimal. Its four sectors are the ADM data of the cut, read as functions of the cut [5, 6]:

- *energy* (the leaf): matter is the leaf's intrinsic-curvature departure from the round substrate leaf—the Hamiltonian constraint $16\pi\rho = {}^3R + K^2 - K_{ij}K^{ij} - 2\Lambda$, vacuum the round $S^3$ (${}^3R = 2\Lambda$), spherically $\rho = m'/4\pi r^2$. *That the anchor reads as an intrinsic statement is worth a word*, since the constraint carries the extrinsic $K_{ij}$ as well: on the static, spherically symmetric cuts this sector is built from, the extrinsic curvature vanishes identically, so the $K$-terms are absent by the gauge rather than dropped by hand, and the departure from the round leaf is the whole of it[P12R3];
- *momentum* (the shift): the shift enters the tangential constraint through $K_{ij} = \frac{1}{2N}(D_i N_j + D_j N_i)$, so the momentum $j_i$ is the *bend in the shift*—a clean functional of the shift alone (on a fixed leaf-and-lapse background), separating cleanly, giving the spherical frame-drag $\omega = C_0 + 2J/r^3$ with $J = Ma/\Xi^2$;
- *stress* (the lapse): the lapse split, fixing the equation of state ($A = f \Rightarrow p_r = -\rho$);
- *signature* (the vantage): the causal orientation, the discrete datum.

The four close as one functional of the cut on the spherical class; the explicit functionals of the non-spherical classes are collected in the range paper [6], and the whole construction is stated on the symmetry-reducible sector (Section 8).

## 4 The bracket closes: the symmetric-space grading is the Dirac algebra

The defining test of the action algebroid is whether the cut-deformation bracket closes and the anchor is a homomorphism into the Dirac algebra. On the symmetric space it does, by the symmetric-space property.

*The grading has a name in the literature, and naming it costs nothing and buys a great deal—provided the hypothesis the name carries is honoured, which takes one restriction.* For a *homogeneous* space the action algebroid of $G$ on $G/H$ *is* the Atiyah algebroid of the principal bundle $G \to G/H$. *The base $\mathcal{C}$ is not homogeneous*—the $\mathfrak{so}(5,1)$-action on it is non-transitive, the mass a modulus transverse to the orbits (Section 5)—*so the identification is available over an orbit and not over $\mathcal{C}$.* On the orbit $\mathcal{O} \subset \mathcal{C}$ of the symmetric cut, where $\mathrm{dS}_5 = SO(5,1)/SO(4,1)$ and the isotropy is constant, the sequence

$$0 \longrightarrow \mathfrak{h} \longrightarrow \mathfrak{so}(5,1) \times \mathcal{O} \xrightarrow{\text{anchor}} T\mathcal{O} \longrightarrow 0 \tag{5}$$

is exact, with $\mathfrak{h}$ the kernel of the anchor—the adjoint bundle, ten-dimensional—and $\mathfrak{m}$ its image, the five dimensions of that orbit, closing at $10 + 5 = 15 = \dim \mathfrak{so}(5,1)$. *All three of the direct*

*sum, the dimension count and* $[\mathfrak{m},\mathfrak{m}] \subset \mathfrak{h}$ *are verified on explicit matrices*, and with them the exactness of the sequence at every term *over that orbit*[P12R18L13]. *And the restriction states this paper's own result rather than weakening it*: the orbit through a cut has dimension $15 - \dim \mathfrak{h}$, so off the two strata whose isotropy pair is symmetric the kernel is four-, three-, two- or zero-dimensional, the orbit is correspondingly larger, and $10 + 5$ is not the count—*and that failure is exactly the algebroid connection Section 5 computes*, which is what makes the object an algebroid and not a bundle of Lie algebras. *A splitting of the sequence is what a connection is*—so the section supplied below to select a definite flow is a connection in the standard sense rather than an object peculiar to this construction.

**Proposition 1.** *At the symmetric cut, with* $\mathfrak{so}(5,1) = \mathfrak{h} \oplus \mathfrak{m}$, $\mathfrak{h} = \mathfrak{so}(4,1)$, *the three inclusions*

$$[\mathfrak{h},\mathfrak{h}] \subset \mathfrak{h}, \qquad [\mathfrak{h},\mathfrak{m}] \subset \mathfrak{m}, \qquad [\mathfrak{m},\mathfrak{m}] \subset \mathfrak{h}$$

*all hold;* $\mathfrak{m}$ *is not a subalgebra (e.g.* $[M_{05}, M_{15}] = -M_{01}$[P12R1]*, the sign the substrate curvature). Under the identification* $\mathfrak{m} \leftrightarrow \mathcal{H}_\perp$, $\mathfrak{h} \leftrightarrow \mathcal{H}_a$, *these are the hypersurface-deformation brackets term for term:*

$$[\mathfrak{m},\mathfrak{m}] \subset \mathfrak{h} \;\leftrightarrow\; \{\mathcal{H}_\perp, \mathcal{H}_\perp\} \sim \mathcal{H}_a, \quad [\mathfrak{h},\mathfrak{m}] \subset \mathfrak{m} \;\leftrightarrow\; \{\mathcal{H}_a, \mathcal{H}_\perp\} \sim \mathcal{H}_\perp, \quad [\mathfrak{h},\mathfrak{h}] \subset \mathfrak{h} \;\leftrightarrow\; \{\mathcal{H}_a, \mathcal{H}_b\} \sim \mathcal{H}_c.$$

The content of Proposition 1 is that the algebraic shape that makes the Dirac algebra puzzling—two normal deformations bracketing into a tangential one—is exactly the shape of a symmetric-space coset: two coset directions bracketing into the isotropy. They are the same grading.

This grading is also the algebraic form of the split the cosmology computes on. The normal generator $\mathcal{H}_\perp \leftrightarrow \mathfrak{m}$ is smeared by the *lapse*—the metrical rate of the layer's advance, the existent's own foliation stacking rate—and the tangential $\mathcal{H}_a \leftrightarrow \mathfrak{h}$ by the *shift*, the synchronization convention through which that advance is coordinated and observed [9, 8]. So the cosmological reading in which the observable expansion rides the foliation rate (set by the geometry, the density its content) while a chosen synchronization projects it to distance and redshift is not a separate posit: it is this $\mathfrak{m}/\mathfrak{h}$ grading, read on the preferred foliation, with the leaf's bend the matter the operator reads as the cut's departure from vacuum [5, 23]. The "wrong sign" that is the problem of time and the geometric stacking rate the cosmology is read on are thus two faces of one object—the substrate's coset metric read, respectively, across the base and along the preferred foliation.

**The structure function is the substrate's metric.** The coefficient $h^{ab}$ in (3)—the structure *function* that makes the algebra an algebroid and is the canonical root of the problem of time—is, on the symmetry-reducible reduction, identified with the coset metric of the symmetric space. This is not a naive tensor equality: $h^{ab}$ is the Riemannian inverse spatial 3-metric, whereas the coset metric of $SO(5,1)/SO(4,1)$ is the Lorentzian 5-dimensional form (the Killing form on the coset is $\propto \mathrm{diag}(+,-,-,-,-)$, signature $(1,4)$[P12R2]); the identification is of the *reduced* structure function on the symmetric-cut pattern with that coset form. What makes it more than dimensional bookkeeping is the signature: the indefinite, Lorentzian sign carried by the coset metric—supplied by the substrate's geometry, not inserted by hand—is the same indefiniteness standardly recognized as the "wrong sign" at the heart of the problem of time. At the symmetric cut the structure function is constant, so $\mathfrak{so}(5,1)$ is there a genuine Lie algebra; as the cut moves over $\mathcal{C}$ it varies, so the object is a genuine Lie *algebroid*. The problem-of-time obstruction is thus identified with a single geometric fact: the base-dependence of the substrate's symmetric-space metric, whose Lorentzian signature is the obstruction's own. Read on the substrate's preferred foliation, that same content deparametrizes to a true Hamiltonian [8]; the obstruction and its resolution are one object under the static and dynamic vantages.

## 5 The isotropy stratification and the metric-singular seams

As the cut moves off the symmetric vacuum, the cut-fixing isotropy drops, and its strata are the range/Petrov classes of the construction [6]: Type O (de Sitter, isotropy $\mathfrak{so}(4,1)$, dimension ten), Type D (Schwarzschild–de Sitter $\mathbb{R}_t \times SO(3)$, dimension four; Kerr–de Sitter, dimension two; and, at the double root where the two horizons merge, the Nariai member $\mathrm{dS}_2 \times S^2$ with isotropy $\mathfrak{so}(2,1) \oplus \mathfrak{so}(3)$, dimension six), Type I (Bianchi, dimension three; Zipoy–Voorhees, dimension two), and the wall (Type N, isotropy zero). *Read as a count of first integrals the stratification says where the construction's hidden symmetry is needed and where it is not.* A Killing vector contributes one linear integral of the geodesic flow and the isometry algebra's Casimir a quadratic one built from those same vectors, so against the four integrals in involution that a four-dimensional geodesic flow requires: the Nariai member, isotropy six, supplies the norm together with the $\mathfrak{so}(3)$ factor's $L^2$ and $L_z$ and the $\mathfrak{so}(2,1)$ factor's $E$, and is integrable with an integral to spare, the geometry being a metric product of two constant-curvature two-spaces; Type D Schwarzschild–de Sitter, isotropy four, supplies the norm together with $E$, $L^2$ and $L_z$ and is integrable on its Killing vectors alone; Kerr–de Sitter, isotropy two, supplies only the norm, $E$ and $L_z$ and is *short by one. That deficit is exactly what the range paper's Killing tensor makes up* [6]—so the drop in isotropy dimension across this stratum is the precise place at which a hidden symmetry stops being a redundancy and becomes a requirement[L14]. Proposition 1 pins the base-variation only at the symmetric cut; computing it across these strata sharpens the picture. The $\mathfrak{so}(5,1)$-action on $\mathcal{C}$ is *non-transitive*: on the Schwarzschild–de Sitter family the diffeomorphism invariant $R_{abcd}R^{abcd} = 48M^2/r^6 + 24/\alpha^4$ separates different-mass cuts while the scalar curvature ${}^3R = 2\Lambda$ does not[P12R10], so cuts of different mass are non-isometric and no substrate isometry connects them—the mass is a modulus *transverse* to the orbits (folding at the Nariai seam, where the offset-to-mass map of Section 2 is stationary). The qualifier is *connected*: no connected substrate isometry connects different-mass cuts, but an orientation-reversing one does.

The reticle reflection $r_0 \mapsto -r_0$—the reversal of the slicing aim on the observer's celestial sphere—is a substrate isometry lying in $\mathrm{O}(5,1)\backslash\mathrm{SO}_0(5,1)$, and since $2M = r_0 - r_0^3$ is odd it sends $2M \mapsto -2M$, carrying the $+M$ cut to the $-M$ cut across exactly the $\mathrm{SO}_0$-orbits the connected action cannot cross. It realizes the mass-reflection $\mathbb{Z}_2$—the $A_2$ diagram automorphism that adjoins the Weyl group [4]—as the substrate's own *orientation* parity $\mathrm{O}(5,1)/\mathrm{SO}_0(5,1)$.

The non-isometry of the $+M$ (black-hole) and $-M$ (naked) *Lorentzian charts* is then a property of the representational record, not of the existent: the substrate is symmetric under the reflection, the evolving layer it carries is what exists, and the charts are its shadow—granting them the standing of distinct existents is the category error the cosmological ontology dissolves—the "events exist" horn the foundational augmentation closes [9, 8, 2]. This single orientation $\mathbb{Z}_2$ recurs beyond the symmetric sector: in the radiating sector as the graviton's two helicities, and past the wall as the un-undoable chirality of the turning polarization plane [6, 11]—one parity threading the symmetric and radiative faces of the construction.

Testing the symmetric-space grading $[\mathfrak{m},\mathfrak{m}] \subset \mathfrak{h}$ stratum by stratum, it survives at exactly two: Type O ($\mathfrak{h} = \mathfrak{so}(4,1)$, the symmetric space $SO(5,1)/SO(4,1)$ itself) and Nariai ($SO(2,1)\times SO(3)$, the block-diagonal Grassmannian pair). The stratification has invariants of its own, and two are worth recording. First, orbit dimension: since $\dim\mathfrak{so}(5,1) = 15$, the orbit through a cut has dimension $15 - \dim\mathfrak{h}$, so the two symmetric strata carry orbits of dimension five and nine against generic orbits of eleven, twelve and thirteen—Schwarzschild–de Sitter, Bianchi, and the two isotropy-two classes—and a principal fifteen where the isotropy is trivial[P12R68]. *The most symmetric cut has the smallest orbit*, which places pure de Sitter at the degenerate end of the filtration rather than in its interior, and the ordering $10 > 6 > 4 > 3 > 2 > 0$ runs from there to the wall—the same axis the range paper traverses from the Nariai seam outward, ordered there by algebraic type and here by isotropy, the two orderings agreeing at

the ends that paper names [6]. Second, and stated as a question rather than a result: the admissible symmetric-pair dimensions are $\{6, 7, 10\}$, and the construction occupies six and ten. The dimension seven, realised by $\mathfrak{so}(4) \oplus \mathfrak{so}(1,1)$ and by $\mathfrak{so}(3,1) \oplus \mathfrak{so}(2)$, is not occupied, and the reason is the range paper's own bound rather than an omission of the survey. That bound is sharper than membership in $\mathfrak{so}(5,1)$: a swept geometry inherits a subgroup of $\mathfrak{so}(4,1)$ [6], and neither dimension-seven pair embeds there. $\mathfrak{so}(4) \oplus \mathfrak{so}(1,1)$ cannot, because $\mathfrak{so}(4)$ already rotates all four spacelike directions and a boost on any of them fails to commute with those rotations; $\mathfrak{so}(3,1) \oplus \mathfrak{so}(2)$ cannot, because $\mathfrak{so}(3,1)$ leaves one spacelike direction free and a rotation needs two[P12R7]. *So the count* $\{6, 7, 10\}$ *is a fact about the algebra and the two occupied strata are a fact about the reachable class, and the third dimension is excluded by the sweep rather than left untested.* At every generic stratum—Schwarzschild–de Sitter $\mathbb{R}_t \times SO(3)$, Kerr–de Sitter, the Type-I classes, the wall—the pair is non-symmetric and $[\mathfrak{m}, \mathfrak{m}]$ acquires a component in $\mathfrak{m}$: that leak *is* the algebroid connection, the genuine base-variation of the structure function, vanishing exactly at the two symmetric strata. The isotropy dimensions are the Killing-vector counts the construction establishes [6], and the triple itself is a fact about $\mathfrak{so}(5,1)$ rather than about any stratum: its symmetric decompositions are $\mathfrak{so}(5)$ and $\mathfrak{so}(4,1)$ at ten, $\mathfrak{so}(1,1) \oplus \mathfrak{so}(4)$ at seven, and $\mathfrak{so}(2,1) \oplus \mathfrak{so}(3)$ at six, and the verdict is independent of the choice of generator realization: the symmetric-pair isotropy dimensions of $\mathfrak{so}(5,1)$ are $\{6, 7, 10\}$, so the two symmetric strata sit at the only admissible dimensions and are the geometry-fixed pairs ($SO(4,1)$ at ten, the $SO(2,1) \times SO(3)$ Grassmannian at six), while every generic stratum (dimensions four, three, two, zero) is non-symmetric by dimension alone.

The strata boundaries—where the isotropy jumps—meet the corpus's metric-singular seams at the inner end and part from them at the outer end. At the inner end, the Schwarzschild–de Sitter horizon cubic $r^3 - \alpha^2 r + 2M\alpha^2$ has discriminant $-4\alpha^4(27M^2 - \alpha^2)$, which vanishes at $\Lambda M^2 = 1/9$: the double root $r_N = 1/\sqrt{\Lambda}$, the Nariai seam, where the geometry is $\mathrm{dS}_2 \times S^2$ (both factors constant-curvature) and the isotropy jumps from four to six. The isotropy-jump locus *is* the metric-degenerate locus there. This Nariai double root is the member the cosmogenesis selects [23]—not its branch point, which is at $r = 0$, a lap away on that same member. It is the stratum boundary at which collapse re-founds as cosmology, and across which—the reassignment fixing the $\Lambda$-set rate on the leaf-carried density—the light-element abundances are inherited and produced. At the outer end they diverge: the wall is isotropy zero, Type N—and *not* a metric singularity. A metric singularity in the sense of [2] is a collapse of the metric's *measure*—a null hypersurface along whose generators the spatial extent contracts to zero, so that null-separated, spatially coincident events have vanishing proper interval (a Killing horizon being the worked sufficient case, not the definition). The wall, a Type-N plane wave, has a non-degenerate metric (no such measure-collapse, so not the finite-curvature species) and vanishing curvature invariants (so not the infinite-curvature species); it is neither. The "isotropy zero" that marks it is the cut-fixing *substrate* isotropy—which coincides with a geometry's own isometry on the symmetry-reducible sector but *diverges* here, the Type-N geometry retaining its own large isometry—so the wall is no metric singularity by the measure criterion, not for want of a Killing field. It is a regular radiative boundary, the construction's generative boundary, where generation-by-symmetry hands off to ordinary evolution [6]. So "isotropy boundary" and "metric singularity" coincide at the inner seam (Nariai) but are two species of degeneracy at the wall.

## 6 The discrete skeleton at the strata

Inside the continuous $\mathfrak{so}(5,1)$ sits a finite discrete skeleton: the $S_3 \cong D_3$ permuting the three roots of the horizon cubic of Section 5.

That cubic $r^3 - \alpha^2 r + 2M\alpha^2$ has no quadratic term, so its three roots sum to zero—the $A_2$ root configuration [26]; written in the gauge $\alpha = 1$ with the mass carried by the reticle orientation ($2M = r_0 - r_0^3$, the determined mass of Section 2) it reads $r^3 - r - (r_0^3 - r_0) = 0$ and factors as

$(r - r_0)(r^2 + rr_0 + r_0^2 - 1)$, the quadratic factor the fundamental ellipse $r^2 + rr_0 + r_0^2 = 1$ [4, 3].

The discrete operations are distinct (they are different involutions, not one), and each is anchored at a stratum, organized by the cubic's root structure: the Nariai seam is the fixed point of the root-permutation transposition (two roots collide, the discriminant vanishes); the cosmogenesis horizon is the locus of the null↔timelike reassignment [7]; the Riemannian↔Lorentzian seam is the locus of the signature flip. The wall carries no such marker—no colliding cubic roots, no degenerating Killing field, no measure-collapse—consistent with its being the purely continuous boundary. The continuous face is thus the flow through the symmetry-reducible sector—whose slicing curve, run through the seam and backward through the $r = 0$ branch point with the signed areal radius, closes into the single *cosmogenetic bead* the framework proves one object [7]; the discrete face is the set of distinct operations marking its special strata. (We make no claim that these unify into a single discrete action, nor that the $A_2$ configuration realizes a continuous $\mathfrak{su}(3)$ isometry. The root structure is the established skeleton; the continuous realization is a separate question, and on the established five-dimensional substrate it is settled negatively. The three roots summing to zero furnish a Cartan element of $\mathfrak{su}(3)$ and the $S_3$ its Weyl group—the Cartan–Weyl skeleton, a *necessary* ingredient—but a continuous $\mathfrak{su}(3)$ isometry would have to embed in the substrate's rotation group, and $SU(3) \not\subset SO(5)$ (its smallest faithful real representation is six-dimensional, on $\mathbb{C}^3 = \mathbb{R}^6$), so no such isometry exists on $\mathrm{dS}_5$: there the $A_2$ structure is the discrete $\mathrm{Weyl}(A_2) = S_3$ shadow only. Read on a fermion sector, this discrete shadow is realized as matter—the three zero-sum weights as a threeness of fermion content, the orientation $\mathbb{Z}_2$ as its chirality, so that $D_6 = S_3 \times \mathbb{Z}_2$ reads as a threeness times two chiralities: three chiral seats forced within CR, built in the matter-sector paper [22]. *The two threes are distinct, and the matter paper proves them affinely inequivalent*: these weights carry the *within-state* index, while the generations are carried by the turnaround's deck $\mathbb{Z}_3$ (*ibid.*). A continuous, geometric $\mathfrak{su}(3)$ would require a larger substrate: being compact, it must sit in the isotropy's maximal compact $\mathfrak{so}(D-1)$, and its smallest faithful real representation being six-dimensional, a Lorentzian substrate would need $D \geq 7$—and $D \geq 10$ for the $\mathfrak{su}(3)$ block to act off the three-dimensional layer the framework takes as the existent, $\mathfrak{su}(3)$ on $\mathbb{R}^6$ having no invariant three-plane. That rise the construction permits but does not force—and a structure a framework merely *permits*, as against one it *requires*, is on the programme's criterion of necessity no explanation but a description [10]; the resonance is necessary, not sufficient, and silent on the dimension. We assert neither the continuous $\mathfrak{su}(3)$ nor the dimensional rise.)

**Geometric realization of** $\mathrm{Aut}(A_2) = S_3 \times \mathbb{Z}_2$**.** Both factors of the root system's full automorphism group are realized on the substrate in the pivot-and-ruling frame.

The Weyl factor $S_3$ permutes the three horizon roots, which—the cubic having no quadratic term—are the three zero-sum weights and sit 120° apart on the throat-image circle of radius $2/\sqrt{3}$: in the sky angle $w$ of [3] they are $r_k = \frac{2}{\sqrt{3}} \cos\!\big(\varphi - \frac{2\pi}{3}k\big)$, with the reflection $w \leftrightarrow \pi/3 - w$ about the Nariai crest the order-two generator.

The diagram-automorphism factor $\mathbb{Z}_2$ is the central inversion $r_0 \mapsto -r_0$ of Section 5—the parity that carries the weight triangle to its negative, completing the $A_2$ hexad—and it has a clean geometric form.

The one-sheeted $\mathrm{dS}_5$ is doubly ruled by null generators [5]—the comoving and synchronous congruences of the cosmology—and the central inversion exchanges the two families: restricted to the ruled section, an orientation-reversing isometry swaps the two rulings while an orientation-preserving one fixes each. Explicitly it is $R = \mathrm{diag}(1, 1, -1, 1, 1, 1) \in \mathrm{O}(5,1) \setminus \mathrm{SO}_0$, the reflection of the cut's displacement transverse to the symmetry axis (the offset $r_0 = \frac{2}{\sqrt{3}} \sin w$): one verifies directly that it is an isometry, has determinant $-1$ both globally and on the ruled three-block, swaps the two rulings, and sends $r_0 \mapsto -r_0$ hence $2M \mapsto -2M$.

This $\mathbb{Z}_2$ is distinct from the Weyl reflections that generate $S_3$: those fix $2M$ and permute the three horizon roots within a mass level—their realisation on the real roots regime-dependent,

all of $S_3$ under-critically and only the order-two complex conjugation of the conjugate pair over-critically [4]—while the central inversion sends the whole root triple to its negative and swaps the two rulings. The two factors thus act on independent structures—the three roots and the two rulings—and the inversion is central, which is why $\mathrm{Aut}(A_2)$ is the direct product $S_3 \times \mathbb{Z}_2 \cong D_6$ the groupoid paper obtains algebraically [4].

The double-ruling swap, the orientation parity $\mathrm{O}(5,1)/\mathrm{SO}_0$, the $A_2$ diagram automorphism, and the graviton chirality of Section 5 are therefore one and the same $\mathbb{Z}_2$.

That one $\mathbb{Z}_2$ carries a further, fermionic face on the substrate's spin structure: $\mathrm{dS}_5 \simeq \mathbb{R} \times S^4$ is spin with a unique spin structure [27], inherited by the four-dimensional cut, and $R$—reflecting the transverse cut-normal ($r_0$) direction and so fixing all four spacetime legs—acts on the cut's natural spinor as the chirality operator $\gamma^5$ itself, so the orientation parity *is* the chirality grading, measuring left against right as it carries the graviton's helicities [12]. (Grounded: the parity measures chirality, the exchange reading excluded by explicit computation. The same $\mathbb{Z}_2$ grades mass in both faces—the geometric mass-reflection $2M \mapsto -2M$ above and the $R$-odd fermion mass term on a cut spinor—so mass, geometric or fermionic, is its one $R$-odd datum; the chiral content this parity would grade is not built here.)

The two factors moreover descend onto any such spinor sector by *different kind*: the $\mathbb{Z}_2$, being a substrate isometry, acts on the cut spinor as the gauged grading $\gamma^5$; the Weyl $S_3$ is *no* substrate isometry—its continuous parent excluded by $\mathfrak{su}(3) \not\subset \mathfrak{so}(5,1)$ above, and a single Dirac spinor carrying no three-fold to realise it—so a family symmetry it would grade is *global*, not gauged.

The same partition falls out of the substrate's null structure, and by a route that mentions neither spinors nor $\mathfrak{su}(3)$: the sky-angle periodicity $\tau$ is two steps along a null ruling of the substrate—so it is a closed path of light, and $\tau^3 = \mathrm{id}$ is that path closing—whereas the Weyl reflection $\sigma$ is a loop in the complex $2M$-plane about the Nariai point [4], and $2M$ labels the family rather than pointing along the manifold.

The rulings walk exactly the isometries and nothing else, which is this paragraph's *different kind* read off the light cone [3, 12]. And the light cone and the throat are one reading, not two: the substrate's null rulings *are* the tangent lines to its waist—"doubly ruled by straight null lines" and "every tangent to the throat is null" are one statement, the power of a point with respect to that circle being the square of its height [12]. So "two steps along a null ruling" is two steps along a tangent to the throat, and the two structures the factors act on are the two relations a figure can bear to that one circle: the three roots are the three special points *on* it—the offset line meets it at $A$ and $B$, with $r = 0$ fixed at the back [3]—and the two rulings are the lines *tangent* to it. The automorphism group factorises because *on* and *tangent* are independent relations; and the factors differ in kind for the same reason, a tangent being a line of the substrate while a root labels a different cut. The pivot-and-ruling geometry this section reads the skeleton off is, in that reading, one circle read two ways. Where those two factors become matter—the inversion as a bound state's chirality eigenvalue, the Weyl $S_3$ as a count of three—the reading is stated on the built sector [22]. Gauged chirality with global flavour is the Standard Model's own arrangement, here not assumed but following from which of the two factors is an isometry and which the Weyl/monodromy symmetry of the solution space [12]. With the pivot supplying $S_3$ and the ruling swap supplying $\mathbb{Z}_2$, the order-twelve $\mathrm{Aut}(A_2) = S_3 \times \mathbb{Z}_2$—the symmetry group of the $A_2$ hexad—is realized in full on the substrate, the discrete skeleton read off its pivot-and-ruling geometry. The slicing paper draws this realisation as a figure [3]: the pivot's three vantage-hinges—each designating one root—as an equilateral whose incircle is the throat, and the ruling structure as a skew hexagon of null generators laced across the substrate's two horns; whether that six-hinge figure is the *same* six-fold as the six-Nariai root hexad is established in the slicing paper as a resonance, not an identity—the horn-swap ($T : X_0 \mapsto -X_0$) and the offset parity ($R : r_0 \mapsto -r_0$) distinct reflections that share the fundamental triple but complete it distinctly [3].

**The three levels of the symmetry structure.** The discrete skeleton read off here is the substrate's *linear* face—real reflections acting as isometries on the ruled section. It does not exhaust the symmetry structure the substrate carries. Composed with the antilinear reality involution $\tilde{\tau} \mapsto \bar{\tilde{\tau}}$ of the cosmogenetic bead—antilinear *and* geometric, living in the substrate's complex-analytic structure rather than in its isometry group—the orientation parity $R$ yields charge conjugation's kinematic (Feynman–Stückelberg) face, so that charge conjugation *factorises*, $C = (Q \mapsto -Q)_{\text{field}} \circ (R \circ K)_{\text{geometric}}$ with $K : \tilde{\tau} \mapsto \bar{\tilde{\tau}}$, the geometry supplying its whole kinematic content and only the electric-charge sign closing from the matter field [21, 22]. The substrate's symmetry structure is thereby three-levelled—the discrete linear skeleton of this section (substrate isometries), the antilinear complex-analytic conjugation face, and the field-level charge—of which the order-twelve $\mathrm{Aut}(A_2) = D_6$ realized here is the first and load-bearing face, the one the constraint algebroid's base-and-section reads directly; the geometric factor of the conjugation is the same cosmogenetic bead the continuous flow closes into, so the discrete skeleton and the conjugation share the one $r = 0$ crossing.

# 7 The discrete structure is the substrate's own Weyl group

*The corpus reads its discrete skeleton off the horizon cubic, whose three roots realise $A_2$, giving $\mathrm{Aut}(A_2) = S_3 \times \mathbb{Z}_2 = D_6$ of order twelve. That is a sub-root-system of one the substrate already carries, and the difference is supplied by a holonomy rather than by an assumption.*

The residue pairing on functions over the root triple—diagonal, entries $1/f'(r_i)$, signature $(2, 1)$—has a non-trivial holonomy about the Nariai points [1], the Klein four-group $V_4$ of even sign changes, whose origin is the per-root resolution of $\sqrt{\Delta}$ [4]. Adjoining it to the monodromy $S_3$ closes a group of order twenty-four; adjoining the orientation parity as well closes one of order forty-eight, the hyperoctahedral group $W(B_3)$ of signed permutations, of which the order-twelve $D_6$ and the order-twenty-four group are both proper subgroups[P12R5]. *Neither is an abstract coincidence of order.* Computing the element profile of the order-twenty-four group: the six order-four elements are all *improper*, none a proper rotation, which is the signature of the full tetrahedral group $T_d$ and not of the chiral octahedral group; the transpositions appear as reflections, the $V_4$ as the three proper two-fold rotations, the three-cycles as three-fold rotations[P12R4]. *So the order-twenty-four group is $W(A_3)$ in its Weyl embedding, not merely a group isomorphic to $S_4$*; and since the orientation parity acts as the central inversion, which lies outside it, the order-forty-eight group is $W(A_3) \times \mathbb{Z}_2$—the same extension by the orientation parity that carries $W(A_2) = S_3$ to $\mathrm{Aut}(A_2) = D_6$.

*And $A_3$ is not a new structure.* The substrate's isometry algebra is $\mathfrak{so}(5, 1)$, a real form of $\mathfrak{so}(6, \mathbb{C})$, whose root system is $D_3 \cong A_3$; and $A_2$ sits inside $A_3$ by deleting one node. *So the sector's discrete group is the Weyl group of the substrate's own complexified isometry algebra, extended by the orientation parity*, and the $A_2$ the construction reads off the horizon cubic is its sub-root-system, one node deleted. The enlargement is therefore not an addition to the construction but a recognition of what the construction already contains, reached by transporting a form the substrate itself supplies.

*We mark the scope.* This concerns the discrete structure alone. It says nothing about a continuous $\mathfrak{su}(3)$, which the boundary paper's obstruction continues to address [21]; a finite group, however enlarged, is not a Lie algebra.

# 8 Scope and what is open

The verification above is, throughout, on the *symmetry-reducible sector*. We state plainly what that means and what it leaves.

- *Computed:* the symmetric-space split and closure at the symmetric cut; the grading match

to the Dirac algebra; $\mathfrak{so}(5,1)$ a genuine Lie algebra at the symmetric cut; the stratification dimensions; the inner (Nariai) metric-singular coincidence and the outer (wall) divergence; the Nariai root-collision; the non-transitivity of the $\mathfrak{so}(5,1)$-action on $\mathcal{C}$ (the mass a transverse modulus); and the per-stratum grading—the symmetric-space relation surviving at Type O and Nariai only, with the structure-function variation, the algebroid connection, at every other stratum; and, since the normal–normal structure function is the inverse leaf metric $h^{ab}$—a momentum-independent tensor field, hence already fixed by the finite-mode identification—the smeared closure for arbitrary lapses on this sector, the bracket closing on the full momentum constraint with $h^{ab}$ the de Sitter coset metric at the symmetric cut, its angular part invariant and its radial part carrying the connection off it, so that the finite-mode homomorphism holds at the smeared, infinite-dimensional level on this sector as a corollary.

- *Beyond the finite pattern (the handoff, not an open closure on this sector):* the smeared, infinite-dimensional homomorphism *on the symmetry-reducible sector* follows as the corollary above—the structure function being the inverse metric, the finite-mode identification fixes it for arbitrary lapses.

  What lies genuinely beyond the finite-$\mathfrak{so}(5,1)$ pattern is not a residual bracket-closure here but the free transverse degrees of freedom past the wall—the propagating gravitational sector—whose nonlinear $\Lambda > 0$ dynamics and future stability are the subject of the companion dynamics paper [11], and are grounded there. The algebroid hands off to them at the wall.

- *The sector itself:* $\mathfrak{so}(5,1)$ is fifteen-dimensional; the full hypersurface-deformation algebra is infinite-dimensional. The closure is the finite, symmetry-reducible reduction—the cuts reachable by substrate isometries. The wall (isotropy zero) is the boundary of the action algebroid; beyond it the free transverse degrees of freedom take over, and the algebroid does not claim them.

Within that scope the result stands as a recognition: general relativity's constraint algebra is the symmetric-space structure of a de Sitter substrate, an action Lie algebroid whose base is the space of cuts, whose structure function is the substrate's own metric, and whose problem-of-time obstruction is that metric's base-dependence. This symmetric-space root is, in the geometric core [12], read as one rung of the substrate's maximal symmetry: the same exhaustion of $SO(5,1)$ that there locks the cosmological constants and walls a continuous colour symmetry is what closes the constraint algebra as the coset grading and dissolves the problem of time. That the rungs are one fact is advanced there as a conjecture; here the algebroid rung stands on its own, on the symmetry-reducible sector.

# References


[1] W. Ambrose and I. M. Singer, *A theorem on holonomy*, Trans. Amer. Math. Soc. **75** (1953) 428–443.

[2] D. Janzen, *The event horizon is a metric singularity: a missing definition in general relativity, and the black-hole problems it dissolves*, companion paper (P1).

[3] D. Janzen, *The de Sitter substrate and its slicing curve: horizons as turning points, and de Sitter and Schwarzschild as two readings of one slicing*, companion paper (P3).

[4] D. Janzen, *The Schwarzschild–de Sitter description groupoid: generators, relations, and Schwarzschild as the asymmetric realisation*, companion paper (P5).

[5] D. Janzen, *Covariance of geometries over the de Sitter substrate: the slicing operator, the vacuum kernel, and matter as the bend of the cut*, companion paper (P8).

[6] D. Janzen, *The range of the de Sitter slicing operator: surjectivity onto the symmetry-reducible sector of general relativity, the Kerr–NUT–(A)dS vacuum kernel, and the wall of inhomogeneity*, companion paper (P9).

[7] D. Janzen, *Collapsed matter must become a universe: the necessary and sufficient augmentation of general relativity into a description of structural existence, proven for gravitational collapse of any symmetry*, companion paper (P7).

[8] D. Janzen, *The canonical problem of time as a category error: an empirically forced cosmic time, deparametrization, the dissolution of frozen dynamics, and a graviton quantization the de Sitter horizon closes without a free parameter—the seam where ħ enters gravity—in Cosmological Relativity*, companion paper (P10).

[9] D. Janzen, *The modern parallax: the redshift-isotropy floor, the empirical forcing of cosmic time and uniform expansion, and the measured resolution of the relativity of simultaneity*, companion paper (P4).

[10] D. Janzen, *The shadow of existence: scientific theory-choice as an empirically grounded discipline, calibrated on the historical record and on a live programme*, companion paper (P6).

[11] D. Janzen, *Why the cut bends: the dynamics of the de Sitter cut, the confined gravitational wave, the generative boundary of the slicing operator, and chirality as the turning of the polarization plane*, companion paper (P11).

[12] D. Janzen, *Reached through the imaginary, real by construction: the maximally symmetric substrate as the geometric–ontological core of Cosmological Relativity*, companion paper (P17).

[13] R. Arnowitt, S. Deser, C. W. Misner, *The dynamics of general relativity*, in *Gravitation: An Introduction to Current Research* (Wiley, 1962).

[14] P. A. M. Dirac, *Lectures on Quantum Mechanics* (Yeshiva University, 1964).

[15] C. Teitelboim, *How commutators of constraints reflect the spacetime structure*, Ann. Phys. **79** (1973) 542.

[16] S. A. Hojman, K. Kuchař and C. Teitelboim, *Geometrodynamics regained*, Ann. Phys. **96** (1976) 88.

[17] C. Teitelboim and J. Zanelli, *Dimensionally continued topological gravitation theory in Hamiltonian form*, Class. Quantum Grav. **4** (1987) L125.

[18] K. V. Kuchař, *Time and interpretations of quantum gravity*, in *Proc. 4th Canadian Conf. on General Relativity* (1992).

[19] C. J. Isham, *Canonical quantum gravity and the problem of time*, in *Integrable Systems, Quantum Groups, and Quantum Field Theories* (1993).

[20] M. Bojowald, *Canonical Gravity and Applications* (Cambridge University Press, 2011).

[21] D. Janzen, *The de Sitter substrate and the Standard Model: four converging routes to a geometric boundary on what one maximally-symmetric Lorentzian substrate's isometry does and does not force, and the framework and gauge on its two real forms*, companion paper (P13).

[22] D. Janzen, *The fermion sector of Cosmological Relativity: three chiral generations from the maximally-symmetric slicing structure*, companion paper (P14).

[23] D. Janzen, *Cosmogenesis: the Big Bang as a synthesis of Cosmological Relativity's deductively forced consequences, and the primordial light-element abundances it produces*, companion paper (P16).

[24] K. C. H. Mackenzie, *General Theory of Lie Groupoids and Lie Algebroids*, London Mathematical Society Lecture Note Series **213** (Cambridge University Press, 2005).

[25] S. Helgason, *Differential Geometry, Lie Groups, and Symmetric Spaces* (Academic Press, New York, 1978).

[26] J. E. Humphreys, *Introduction to Lie Algebras and Representation Theory*, Graduate Texts in Mathematics **9** (Springer-Verlag, New York, 1972).

[27] H. B. Lawson and M.-L. Michelsohn, *Spin Geometry*, Princeton Mathematical Series **38** (Princeton University Press, Princeton, 1989).

# Appendix R Computational Receipts

Each computation marked $^{R}$ in the text is verified by a runnable receipt in the `receipts/` directory that ships with this work; status OK = verified (traced, run, output matches the claim). This appendix is generated from the receipt index, not maintained by hand.

**P12R1** `P12_bracket_closure` [OK]
*prop:closure* (symmetric-space grading so(5,1)=h+m (h=so(4,1)): [h,h]¡h, [h,m]¡m, [m,m]¡h; m not a subalgebra ([M_05,M_15]=-M_01); = Dirac/hypersurface-deformation algebra). *Computes:* so(5,1) generators built; grading checked by basis decomposition; specific bracket; m-not-closed control *Bound:* normal x normal -¿ tangential *Run:* `python3 receipts/P12_algebroid_paper/P12_bracket_clos`

**P12R2** `P12_coset_metric` [OK]
*structure function* (the hypersurface-deformation structure function hˆ{ab} = the coset metric of SO(5,1)/SO(4,1): Killing form on m is prop to diag(-1,1,1,1,1), signature (1,4) LORENTZIAN (the problem-of-time 'wrong sign')). *Computes:* Killing form tr(ad ad) from structure constants; B|m diagonal ˜ -8 eta_ab; signature (1,4); opposite-sign control *Bound:* Lorentzian obstruction from the substrate *Run:* `python3 receipts/P12_algebroid_paper/P12_coset_metric.py`

**P12R3** `E1_static_gauge` [OK]
— (E1 — WHY DOES A PROGRAMME BUILT ON CUTS CARRY NO EXTRINSIC CURVATURE? BASELINE (checked against r1838, and one hit was my OWN r1908 insertion, excluded): HAS: foliation x233 · leaf/leaves x325 · lapse x118 · shift x90 · hypersurface x59 · embedding x53 · ADM x25 · induced metric x6 · momentum constraint x5 · totally geodesic x2 HAS NOT: second fundamental form x0 · extrinsic curvature x0 · K_{ab} x0 · Gauss-Codazzi x...). *Computes:* runs clean; registered from its own docstring and a live run *Bound:* description is the receipt's own wording, condensed; not independently re-derived here *Run:* `python3 receipts/P12_algebroid_paper/E1_static_gauge.py`

**P12R4** `EMBEDDING_is_Td_equals_WA3` [OK]
*sec:weyl-a3* (Which embedding of S_4 in O(3) is our group? Distinguish by invariants: - rotational cube group (chiral octahedral, O): all det +1, contains 6 four-fold rotations (order 4, det +1) - full tetrahedral group T_d: det +-1, order-4 elements are IMPROPER (S_4 rotoreflections, det -1) W(A_3) acting on the A_3 root space is T_d. W(B_3) is the FULL octahedral group O_h, order 48.). *Computes:* runs clean; registered from its own docstring and a live run *Bound:* description is the receipt's own wording, condensed; not independently re-derived here *Run:* `python3 receipts/P12_algebroid_paper/EMBEDDING_is_Td_equals_WA3.py`

**P12R5** `GROUP_full_order48` [OK]
*sec:weyl-a3* (The corpus records the sector's discrete group as D_6 = S_3 x Z_2 (family x chirality), order 12, where the Z_2 is the GLOBAL chirality flip. The holonomy adds V_4 = PAIRWISE flips. Is the global flip in V_4? What do they generate together?). *Computes:* runs clean; registered from its own docstring and a live run *Bound:* description is the receipt's own wording, condensed; not independently re-derived here *Run:* `python3 receipts/P12_algebroid_paper/GROUP_full_order48.py`

**P12R6** `K8_orbit_type_filtration` [OK]
*sec:strata* (K8 — THE STRATIFIED GROUPOID'S INVARIANTS. CONFIRMATION 4: the object is the SO(5,1)-action on the space of cuts C, stratified by orbit type. The standard invariants of such an action are: the isotropy at each stratum, the orbit dimension (orbit-stabiliser), and which stratum is PRINCIPAL (smallest isotropy, open and dense). P12 supplies isotropies; the rest follows and is computed here.). *Computes:* runs clean; registered from its own docstring and a live run *Bound:* description is the receipt's own wording, condensed; not independently re-derived here *Run:* `python3 receipts/P12_algebroid_paper/K8_orbit_type_filtration.py`

**P12R7** `K8b_dim_seven_empty` [OK]
*sec:strata* (K8b — SETTLING THE DIMENSION-SEVEN STRATUM, rather than leaving it dangling. P9's necessary bound is the constraint, and it is SHARPER than 'a subgroup of so(5,1)': 'a geometry swept by H ¡= SO(4,1) INHERITS H' – THE SWEEP SUBGROUP LIES IN SO(4,1), not in the whole of SO(5,1). dim so(4,1) = 10.). *Computes:* runs clean; registered from its own docstring and a live run *Bound:* description is the receipt's own wording, condensed; not independently re-derived here *Run:* `python3 receipts/P12_algebroid_paper/K8b_dim_seven_empty.py`

**P12R8** `I13_the_stratification_is_a_ledger_of_first_integrals` [OK]
*sec:strata* (I13 — THE STRATIFICATION IS A LEDGER OF FIRST INTEGRALS. Integrable-systems field bake, probe I13. A Killing vector gives one linear first integral and the algebra's Casimir a quadratic one built from those same vectors. Against the four integrals in involution a four-dimensional geodesic flow needs: dS_5 is maximally superintegrable (15 ¿= 2*5-1); Type D SdS supplies norm, E, L^2, L_z and is integrable ON KILLING VECTORS ALONE; Kerr-de Sitter supplies norm, E, L_z and is SHORT BY EXACTLY ONE, which is what a single Killing tensor supplies; the wall has the norm alone. Asserts the non-complementarity explicitly so it cannot be inferred: 15-¿4 in integrals against 0-¿1 in moduli.). *Computes:* runs clean; twelve verdicts plus an adversarial deficit test *Bound:* derived here by dimension count against stated bounds; no parameter pinned *Run:* `python3 receipts/P12_algebroid_paper/I13_the_stratification_is_a_ledger_of_first_int`

**P12R9** `P12_polar_dimension` [OK]
*sec:substrate* (what fixes the substrate's dimension and what does not: least-arbitrariness is SILENT on D (dS_D is moduli-free for every D, so it selects the manifold at fixed dimension); the generation argument ('slicing dS_4 only re-coordinatizes') is a LOWER BOUND D¿=5, not an equality; what pins D=5 is polarity + observed 4D spacetime – the polar of a spacelike substrate point has signature (1,D-1), so the cut is dS_(D-1) in every D, computed here for D=4..8). *Computes:* signature computation exact in every D tested; reproduces p0's (1,4)/SO(4,1)/dS_4 at D=5 *Bound:* the negatives (least-arbitrariness silent; multi-step descent not excluded) are logical, stated not computed; 4D spacetime is empirical and nowhere derived in the corpus *Run:* `python3 receipts/P12_algebroid_paper/P12_polar_dimension.py`

**P12R10** `P12_the_separator_must_carry_the_mass` [OK]
*sec:strata* (the stratification separator must carry the mass: SdS is Einstein, so R_ab R^ab cannot). *Computes:* derives R_ab R^ab = 36/alpha^4 and Kretschmann = 48M^2/r^6+24/alpha^4 from the metric; 8 checks with a control *Bound:* NOT-A-PAPER-CLAIM — the paper now cites it; found by node 23, verified here *Run:* `python3 receipts/P12_algebroid_paper/P12_the_separator_must_carry_the_mass`

`M3_station_G_supplies_the_sequence_and_the_three_are_one_knot` [OK]
*sec:algebroid* (station (G) walked: the missing object is the Atiyah sequence, which relates the algebroid, the anchor and a connection P12 holds separately — and all three remaining stations are one knot). *Computes:* counts P12s algebroid/anchor/connection vocabulary against zero Atiyah sequence, and ties (C), (G), (H) to one unresolved group question (13 checks) *Bound:* NOT-A-PAPER-CLAIM — a reach-station result; no defect asserted *Run:* `python3 receipts/L203_reach_stations/M3_s`

`N1_the_cut_being_four_is_what_makes_the_dynamics_forced` [OK]
*sec:intro* (a LEAD: the corpus holds P11s Bianchi statement and P12s algebroid identification and has never joined them — and the join lands on PO-9, since the Dirac algebra forces GR only in four dimensions). *Computes:* asserts both halves at source, MEASURES the absence (zero Lovelock across 35 tex files, zero uniquely/embeddab in P12), and marks the outside literature as outside (13 checks) *Bound:* NOT-A-PAPER-CLAIM — a lead stated as a question; nothing derived *Run:* `python3 receipts/L175_dimensional_descent/N1_the_cut_being_four_is_what_makes_the_dynamics_forced.`

`V1_the_variational_ledgers_premise_is_false` [OK]
*sec:intro* (the variational ledgers premise is FALSE — the Einstein–Hilbert action appears four times including a second-order expansion reduced mode by mode, while Lagrangian and action principle sit at zero). *Computes:* asserts the ledgers own title and adjudication, five zero-counts, and all four Einstein–Hilbert uses verbatim at source (14 checks) *Bound:* NOT-A-PAPER-CLAIM — corrects a ledger; no variational derivation proposed *Run:* `python3 receipts/L175_dimensional_descent/V1_t`

`S1_seven_necessary_conditions_on_the_measure` [OK]
*sec:intro* (A8s deliverable: SEVEN necessary conditions the measure on the space of cuts must satisfy, every one already forced by something the corpus states for another purpose). *Computes:* asserts each condition at its source in the papers — the conformal-factor exclusion, the fixed substrate scale, the true Hamiltonian, Brown–Kuchar, deficiency indices, the per-fibre closure and the algebras closure (10 checks) *Bound:* NOT-A-PAPER-CLAIM — necessary conditions only; no measure and no existence claim *Run:* `python3 receipts/L165_defining_the_sum/S1_seven_necessary_conditions_on_t`

`E50_a_second_step_is_emptied_by_rule_two_and_not_forbidden_by_it` [OK]
*sec:intro* (**'PO-9'/'A1': RULE 2 EMPTIES A SECOND SLICING STEP RATHER THAN FORBIDDING OR FORCING IT** — every rung above the last must be maximally symmetric,

hence a plane section, hence scale-only, so the tower enters the cut through $\{}alpha$ alone and nothing below can see it. Lead ‘L-533‘; VEIN ‘L-175‘). *Computes:* computes the hyperplane split at $D=5,6,7,8$ giving radius $\{}sqrt{\{}alpha^2-c^2}$; pins the scale map at RANK 1 over two choices; recovers $(\{}alpha,r_0)$ from $(\{}Lambda,M)$ up to the three vantages; nine premise checks in four papers; and two NEGATIVE checks that no ceiling is asserted *Bound:* BOUND STAYS BELOW-ONLY — no value of $D$ is claimed and the finding is that none can be; the routed test needed P6’s three-sense guard attached before it could be run *Run:* `python3 receipts/L175_dimensional_descent/E50_a_second_step_is_emptied_by_rule_two_and_not_forbidden_by_it.`

`C3_the_isotropy_citation_runs_in_a_loop` [OK]

*sec:strata* (item 26s residue: P12 and P9 cite EACH OTHER for the isotropy dimensions, and the triple {6,7,10} appears in neither derivation — F12s six-of-nine characterisation does not exist). *Computes:* three zero-counts against F12s wording, both citation sentences asserted verbatim, and the triples absence from P9 confirmed (11 checks) *Bound:* NOT-A-PAPER-CLAIM — the triple is not disputed; the citation is *Run:* `python3 receipts/L204_physics_reach/C3_the_isotropy_citation_runs_in_`

**P12R11** `A1_the_triple_is_an_algebra_fact` [OK]

*sec:isotropy* (FOR_54 item 26 discharged: {6,7,10} are so(5,1)s SYMMETRIC-PAIR dimensions (so(5) and so(4,1) at ten, so(1,1)+so(4) at seven, so(2,1)+so(3) at six) — an algebra fact P12 owns, while P9s stratum isotropies are {10,6,4}). *Computes:* asserts both papers passages verbatim, computes the symmetric-decomposition dimensions and the stratum dimensions, and confirms 6,7,10 appears nowhere in P9 (9 checks) *Bound:* PAPER-CLAIM — P12 now states the decompositions in its own voice; the citation no longer carries the fact *Run:* `python3 receipts/P12_algebroid/A1_the_triple_is_an_algebra_fact.py`

**P12R16** `A3_the_convergence_audit` [OK]

*the convergence question* (THE CONVERGENCE AUDIT — Daryl r2685: ”has the unknown space actually narrowed? Is the remaining work finite?” **The count says no and the count is right about what it counts**: across r2615–r2684, one row struck and two marked ANSWERED. **Registered c54.225 (‘L-559‘): the file existed and had NO INDEX row.**). *Computes:* audits the register’s own movement over a pinned revision range and separates rows struck from rows answered *Bound:* NOT-A-PAPER-CLAIM — a programme audit answering a direct question. **Registered, not written, at c54.225.** *Run:* `python3 receipts/P12_algebroid/A3_the_convergence_audit.py`

`A1_the_atiyah_sequence_is_not_missing_from_P12_it_is_P12s_object_unnamed` [OK]

*R-M station (G) / Lie algebroids* (**THE ATIYAH SEQUENCE IS NOT MISSING FROM P12 — IT IS P12’S OBJECT, UNNAMED, AND ALL FOUR OF ITS TERMS ARE ALREADY IN THE PAPER UNDER FOUR OTHER WORDS.** The station carried the caveat ”P12’s algebroid is the constraint algebra’s and not a bundle’s”, which is right in general and wrong here: P12’s object is an **action** algebroid ‘so(5,1) $\ltimes$ $\mathcal{C}$‘, and **the action algebroid of $G$ on $G/H$ is the Atiyah algebroid of the principal $H$-bundle $G\{}to G/H$**. ‘ker(anchor)‘ = $\{}mathfrak h$ = $\{}so(4,1)$, which P12 calls **”the cut-fixing isotropy”** — and the word ‘kernel‘ occurs **zero** times in P12. ‘im(anchor)‘ $\cong$ $\{}mathfrak m$, the ”cut-deforming coset”. And P12’s ”section of the bundle that would select a definite flow” **is the splitting**: the paper supplies it and does not say what it splits. **And P12’s closure test is the splitting’s curvature computation:** $[\{}mathfrak m,\{}mathfrak m]\{}subset\{}mathfrak h$ says the curvature is valued in $\{}ker\{}rho$, it is nonzero, and it equals the substrate’s Riemann tensor. **The structure relating them is in ‘Mackenzie2005‘, which P12 already cites** — for one sentence.). *Computes:* COMPUTES: on explicit $6\{}times6$ $\{}so(5,1)$ matrices — the symmetric-space grading with all three inclusions over **every** basis pair (100, 50, 25), and that $[\{}mathfrak m,\{}mathfrak m]$ has 20 nonvanishing pairs; the kernel of the anchor by annihilating the cut direction, ten generators, exactly $\{}mathfrak h$; the rank arithmetic $10+5=15$ and the anchor’s surjectivity on the orbit, so the algebroid is transitive there; the symmetric-space curvature $-[[X,Y],Z]$ against the constant-curvature form on **all 125 triples** of $\{}mathfrak m$, all matching with $\{}lvert K\{}rvert=1$; and the Jacobi identity over **all 3375** basis triples, 0 violations — which is why ‘Jacobi‘$\times$0 in seventeen papers is a consequence for an action algebroid rather than a gap. Plus the baseline: ‘Atiyah sequence‘, ‘adjoint bundle‘, ‘principal bundle‘, ‘exact sequence‘ and ‘Chevalley‘ all $\times$0, against ‘algebroid‘ $\times$25 and ‘isotropy‘ $\times$19 in P12 (14 checks). Nothing is pinned or fitted. *Bound:* NOT-A-PAPER-CLAIM — the reading is recorded here and no ‘.tex‘ is edited. **NOT claimed:** that P12 is wrong anywhere — every ingredient is the paper’s, and its identification of

the structure function with the coset **metric** is a different statement and is untouched; that the sequence SPLITS as Lie algebroids — that needs a flat connection, the canonical one is not flat, and the bundle's topology is not settled here; that the algebroid over the whole space of cuts is the Atiyah algebroid — the identification is on the ORBIT, which is the symmetry-reducible sector P12 states as its scope; that 'kernel'×0 in P12 is an error — the object is named correctly as the isotropy, and what is absent is the sequence that makes the four names one structure. *Run:* `python3 receipts/L265_station_G_the_sequence_is_the_object/A1_the_atiyah_sequence_is_not_missing_from_P12_it`

**P12R18** `I55_the_atiyah_sequence_is_exact_and_a_characteristic_class_is_not_available` [OK]
*sec:anchor (L186, L190)* (P12 writes the Atiyah sequence of SO(5,1)-¿dS_5 explicitly with 10+5=15 and the symmetric-space relation [m,m] in h, and reaches the problem-of-time obstruction through AMBROSE-SINGER holonomy rather than a characteristic class. This verifies all three assertions and shows the class route is not merely unnamed but UNAVAILABLE — the bundle sits over the space of cuts C and the paper never fixes C's homotopy type). *Computes:* builds so(5,1) in signature (-,+,+,+,+,+) on explicit matrices; dim h = 10, dim m = 5, sum 15; [m,m] in h to 2.2e-16; identical for all five choices of fixed axis; and an arbitrary 10/5 split BREAKS the relation (residual 1.0), so it measures the symmetric-space structure and not the counting. Class vocabulary and base topology both measured x0 *Bound:* SUPPORTS P12 — and REFUTES the locator's reason: a characteristic class gives only a necessary condition for flatness (Chern-Weil) while holonomy decides it, so the paper's route is better than the one it was predicted to be missing *Run:* `python3 receipts/P12_algebroid_paper/I55_the_atiyah_sequence_is_exact_and_a_characteristic_class_is_not_ava`

`S22_the_sentence_over_reached_and_the_receipt_cited_on_it_under_reached_so_the_rcpt_convention_was_viol` [OK]
*'P12' read END TO END — '435' lines, masthead comment block, abstract, all six sections, scope list and bibliography, in a turn separate from the editing turn; plus 'P12''s own Atiyah receipt read at the trunk BY PARSING, for whether its string literals can reach the claim it is cited on; plus the orbit dimensions computed from '15 - \{}lvert\{}mathfrak{h}\{}rvert' at every stratum; plus this revision's own pushed 'PREDICTION.md', parsed for its four bands* ( **'M17''s TWO HALVES ARE ONE DEFECT AT THREE GRAINS, AND THE GRAIN THAT MAKES IT VISIBLE IS THE RECEIPT.** *The first half is sharper than the order says: the sentence writes 'For a homogeneous space the action algebroid of G on G/H IS the Atiyah algebroid', and then writes the sequence over the WHOLE space of cuts and calls it exact at every term — while the same paper's next section says that action is NON-TRANSITIVE.* ⇒ ***So the hypothesis is NAMED and then not honoured, which is worse than an unstated scope: the sentence is itself the evidence that the author knew which hypothesis the theorem needs.*** **And the omitted stratum is contradicted by the NEXT PARAGRAPH of its own section**, which already names Nariai as one of exactly two strata where the grading survives and prints the isotropy ordering with the six in it. ***AND 'r7263''s LENS LANDS ON THE RECEIPT ATTACHED TO THAT VERY SENTENCE: it checks three algebraic identities AT THE SYMMETRIC CUT, declares in its own 'COMPUTES' header that it claims nothing about the base, and carries no string literal naming the stratification — so a FALSE wider claim would have left every one of its gates green.*** ⇒ ***The '\{}rcpt{}' convention bound at 'r2376+c54.166' — 'X would FAIL if the claim were false' — was violated at a site where nothing could fail, and the repair is the NARROWING rather than an extension of the receipt, because the wider claim is the false one.***). *Computes:* '28' gates. (1) the historical read shown to WORK before anything is read through it — both files back from the trunk and both differing from the working tree — which is 'r7262''s own defect carried forward as a habit. (2) the over-reach asserted as a BEFORE-AND-AFTER on the equation itself rather than on prose about it. (3) the thing that made the wider statement wrong shown to be the PAPER's own and unmoved by this revision. (4) **the receipt's blindness read BY PARSING its source at the trunk** — no literal among seven stratification words, its assertions over matrices and a word census alone. (5) the receipt's own 'COMPUTES' declaration quoted, so this is a check sound and weaker than its citation rather than a gate blind to a defect. (6) the repaired receipt RUN here and its new section's three lines read, rather than cited. (7) the new defect COMPUTED — '15 - \{}lvert\{}mathfrak{h}\{}rvert' giving five and nine at the two symmetric strata and eleven, twelve and thirteen at the generic ones, so 'a generic eleven' named one of three. (8) the abstract asserted to carry the same sentence WITHOUT a dimension list, because 'the repair is one site' is a claim and not a convenience. (9) the four bands parsed out of the pushed pre-registration. (10) the restraint measured against THIS REVISION's own first commit after the first cut diffed

the merge-base and would have reported two papers this revision never opened *Bound:* ***THE REPAIR IS A READING OF THREE PASSAGES AND NO GATE CHECKS A READING*** — *the gates check the before-and-after, the receipt's reach, the arithmetic, the bands and the diff; what no gate can check is whether the orbit restriction is the right restriction, which is why the repaired sentence is quoted whole in the channel for reversal.* **Two pre-registered centres missed DOWNWARD and neither reachable negative fires**: the sentence carried no base qualifier at all, so the repair is an addition and not the move allowed for; and a receipt of this paper does show the ‘I20‘ shape, where zero would have been the more interesting answer. *The ‘\{}rcpt{}‘ finding is reported at ONE site and NOT generalised: nothing here measures how many other citations in the corpus sit on claims wider than their receipts, and that census is routed rather than taken.* *The one new defect is recorded at loose grain — the sentence's own point, that the most symmetric cut has the smallest orbit, is untouched by it.* *‘I55‘ is this seat's own receipt, written by this line at ‘r3674‘, so no restraint was crossed to repair it; that is stated rather than assumed.* *Run:* `python3 receipts/L_probability/S22_the_sentence_over_reached_and_the_receipt_cited_on_it_under_reached_so_t`

# Appendix L The Knowledge Ledgers

Each claim marked ⌞ in the text rests on a field bake or the figure–theorem bake recorded in the named ledger, which ships with this work and carries the probes, the receipts, and the three registers kept apart — what bit, what bounced, and where the boundary is. A ledger is working apparatus, not a publication, and is cited here rather than in the bibliography. This appendix is generated from the ledger index, not maintained by hand.

**L13** `INDEX_THEORY_LEDGER.md` [field bake]
The differential-topology and index-theory field-bake ledger — what bit, what bounced, and where the boundary is

**L14** `INTEGRABLE_SYSTEMS_LEDGER.md` [field bake]
The integrable-systems field-bake ledger — what bit, what bounced, and where the boundary is