CS 158/159 Lab 03

In this lab session you will complete the following tasks in the specified order. **Do not begin this lab until your lab sessions starts**. Individuals failing to remain on task during the lab will be assigned a zero for the lab, lab quiz, and will be considered absent for the lab. Web browsing, personal e-mail, social networking, and/or text messaging is not permitted during lab.

1. Record Attendance

Log on to your UNIX account on guru on a physical PC in the lab room (not on a wireless device) and enter the command **attend** to officially record your lab attendance. A confirmation e-mail will then be sent to you to verify that your attendance was correctly recorded. If you are late, you should still run the attend command and continue to participate in the remaining portion of the lab, but you will not be eligible to receive credit for the lab programming assignment. If you are present in the lab, but fail to run the attend command as expected, you will be marked as absent and likewise will not be eligible to receive credit for the lab programming assignment.

2. Review Material

The first task is to improve your understanding of the material from the book and the course programming standards (available in the course packet and in Blackboard) by working through a series of problems with the assigned lab partners of your group. You must show your lab instructor that you have successfully completed these tasks BEFORE you leave lab today. You will not receive points for the programming assignment, unless this task has been completed to the satisfaction of your lab instructor.

Solve the following problems related to material found in Chapter 3.

Statement	True or False
All of the compound assignment operators share the same level of operator precedence.	
The result of an expression is undefined when it attempts to modify a single variable more than once.	
A single-type operation will generate a result of that same type.	
When evaluating an operator with mixed-type operands it is the lower ranked data type that is converted to that of the higher ranked data type.	
The use of a precision modifier when displaying a floating-point value will result in truncating all digits beyond the specified precision value.	
An explicit type conversion can be used to temporarily alter the data type in an expression from its declared type.	
Converting a higher ranked data type to that of a lower ranked data type may result in the loss of data.	

Resolve the following compound assignment expressions (what is the resulting value assigned to x) assume x = 4, y = 5, z = 7?

x += z - y	
x -= y + z	
x *= z % y	
x /= z / y	

Answer problem 24 on page 144

a.	
b.	
c.	
d.	
e.	

Resolve the following modulus problems:

25 % 11	
49 % 5	
132 % 2	
133 % 2	
17 % 16	
2 % 1	

Given A and B are integer variables, both are greater than zero, and A is greater than B. What is the result of the expression B % A?

Given A and B are integer variables, both are greater than zero, and A is less than B. What is the range of values possible as a result of the expression B % A?

Evaluate each of the expressions below:

`(float) 4 / 5`	
`4 / (float) 5`	
`(float) (4 / 5)`	
`(int) (17.3 + 0.5)`	
`(int) (17.7 + 0.5)`	

What is the output generated by the code segment below?

```
int x = 3;
int y = 5;
int z = 11;
float a = 3.5;
float b = 3.75;
float c = 3.25;

printf("1: %d\n", z / y);
printf("2: %.2f\n", z / y);
printf("3: %d\n", z / a);
printf("4: %.2f\n", z / a);
printf("5: %d\n", x / c);
printf("6: %.2f\n", x / b);
```

3. Programming Assignment

The second task is to develop a program as a group which solves the given problem. This assignment is worth 15 points and will be **due 30 minutes prior to the start of your next lab session**. All assignment deadlines are firm and the ability to submit your assignment will be disabled after your deadline elapses. No late work will be accepted!

As you develop the program, you should rotate through the following roles approximately every 30 minutes. Do not allow the same person be the driver the entire time. It is not acceptable to designate a single individual to complete the assignment. Every individual group member should have a full understanding of all work submitted. Assignments are an opportunity to develop and demonstrate your understanding of course material.

Role	Description
Driver	The driver is in charge of the computer which includes entering code, saving, testing, and submitting. This individual should be soliciting the other two members for advice.
Navigator	The navigator's role is to look over the shoulder of the driver for syntactical errors, logical errors, and concerns related to course standards. The most common mistakes include failing to pair quotes, misplaced semi-colons, and improper placement of parentheses.
Manager	The manager may not be as close to the driver as the navigator but still plays an important role ensuring that the algorithm to be implemented is correct and can be tested using a variety of input to verify correctness. The manager is responsible for communicating to the teaching assistant who will be making the group's final lab submission.

This programming assignment does not have a single solution, and each group should collaborate together to develop their own unique solution. Submissions may be processed with comparison software and results will be used to detect unacceptable collaboration between groups. The development of your algorithm and the resulting code should only be discussed among your group members and course staff.

Your program must adhere to the course programming standards (available in the course packet and in Blackboard). Please review this document before submitting your assignment, because failure to adhere to it will result in a reduction in points. You program must include the designated program header (~cs15x/student/hdrProg) at the top of the program (which can be inserted in `vi` using the `hp` shortcut while in command mode). The header must include an appropriate description of your program and must contain the official Purdue career account e-mail addresses of each **contributing** group member. Do not include the e-mail address of anyone who did not actively participate in the program development. Failing to participate in the process to the satisfaction of all partners will result in a zero. Also note that course standards prohibit the use of advanced programming concepts not yet introduced in the course, unless otherwise specified.

Each of the example executions provided below represents a single execution of the program. Your program must accept input and produce output **exactly** as demonstrated in the example executions. Your program will be tested with the data seen in the examples below and an unknown number of additional tests making use of reasonable data. Do not include any example outputs with your submission.

A single program file (with the `.c` extension) must be submitted electronically via the `guru` server. An example submission was conducted during the first week in lab00. If you have a concern regarding how to submit work, please visit course staff prior to the assignment deadline.

Problem: You are out to model an ideal irreversible reaction using either a continuously stirred tank reactor or a plug flow reactor (basically a long pipe) and want to know the volume and Damkoehler number for each if you are given: an input flow rate of a first chemical, a conversion factor related to how much you want the reaction to proceed [for a reaction of a first chemical to a second chemical a conversion of 99% (0.99) would mean 99% of the first chemical is consumed to form the second chemical], and a reaction rate constant. The output will include the specified data (volume, Damkoehler number) for each type of reactor but the user will enter a preference for one type (displayed first) over that for the alternate type.

The use of selection, including logical and relational operators, is prohibited and would result in a loss of technique and output points. The techniques necessary to solve this problem will be similar to the selection by calculation examples discussed during lecture.

$$V_{CSTR} = \frac{\dot{V_0}x}{k(1-x)}$$

Volume of continuously-stirred tank reactor.

- V_0 – Volumetric flow rate.
- k – First order reaction rate constant
- x – conversion factor (reaction to proceed)

$$V_{PFR} = \frac{-\dot{V_0}}{k}\log_e(1-x)$$

Volume of plug flow reactor.

- Be sure to use the correct log function from math.h.

$$Da = \frac{kV}{\dot{V_0}}$$

The Damkoehler number is a dimensionless measure of the time scale of the process.

- V – Volume calculated above.

Example Execution #1:
```
Enter volumetric flow rate (volume / time)-> 1
Enter conversion -> 0.66
Enter first order reaction rate constant (1 / time)-> 1

1. (C)ontinuously-stirred tank reactor
2. (P)lug flow reactor

Enter preferred reactor type number -> 1


-------------------------------------------------
Preferred Reactor Type: C
Preferred Type Volume:              1.941
Dahmkohler number of C reactor:     1.9
-------------------------------------------------
Alternative Reactor Type: P
Alternative Type Volume:            1.079
Dahmkohler number of P reactor:     1.1
-------------------------------------------------
```

Example Execution #2:

```
Enter volumetric flow rate (volume / time)-> 2
Enter conversion -> 0.9
Enter first order reaction rate constant (1 / time)-> 0.5


1. (C)ontinuously-stirred tank reactor
2. (P)lug flow reactor

Enter preferred reactor type number -> 2


-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
Preferred Reactor Type: P
Preferred Type Volume:             9.210
Dahmkohler number of P reactor:      2.3
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
Alternative Reactor Type: C
Alternative Type Volume:          36.000
Dahmkohler number of C reactor:      9.0
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
```

Example Execution #3:

```
Enter volumetric flow rate (volume / time)-> 25
Enter conversion -> 0.75
Enter first order reaction rate constant (1 / time)-> 2.65


1. (C)ontinuously-stirred tank reactor
2. (P)lug flow reactor

Enter preferred reactor type number -> 2


-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
Preferred Reactor Type: P
Preferred Type Volume:            13.078
Dahmkohler number of P reactor:      1.4
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
Alternative Reactor Type: C
Alternative Type Volume:          28.302
Dahmkohler number of C reactor:      3.0
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
```

Example Execution #4:

```
Enter volumetric flow rate (volume / time)-> 15.5
Enter conversion -> 0.95
Enter first order reaction rate constant (1 / time)-> 1.375


1. (C)ontinuously-stirred tank reactor
2. (P)lug flow reactor

Enter preferred reactor type number -> 1


-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
Preferred Reactor Type: C
Preferred Type Volume:           214.182
Dahmkohler number of C reactor:     19.0
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
Alternative Reactor Type: P
Alternative Type Volume:          33.770
Dahmkohler number of P reactor:      3.0
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
```

Additional Notes:

- **The use of selection, including logical and relational operators, is prohibited and would result in a loss of technique and output points.** The techniques necessary to solve this problem will be similar to the selection by calculation examples discussed during lecture.
- All floating-point variables must be of the `double` type.
- Course standards prohibit the use of programming concepts not yet introduced in lecture. For this assignment, you can only consider material in the first 3 chapters of the book, notes, and lectures. Use of advanced programming constructs beyond this material would result in a loss of points.

4. Group Coordination

The next task is to collaborate as a group to determine who will submit your program assignment for grading. **Only one person per group will make submissions for the entire group**. Lab instructors are not required to grade submissions from multiple members of the same group to determine which submission you actually want graded. Also, the group member should not always be making the submission each week. Record the names and official Purdue career account e-mail addresses of all three lab partners here and put a checkmark in the Submitter column for the person responsible for making the submission. Your group should turn in this page of information to their lab instructor before you leave lab today.

Name	Purdue career account e-mail address	Submitter

If possible, it is a good idea to submit your work for grading prior to leaving lab today, even if it is not completely finished. This will allow each lab partner to **verify their contact information in the assignment header is correct** as each would then receive an e-mail verifying the submission. You may make multiple submissions before the deadline, but only the last attempt is retained and graded. Any previous submissions will be over-written and cannot be recovered. The submission script will reject the submission of any file that does not compile. A program must compile to be considered for partial credit.

If your group is unable to complete your assignment during the lab session, then it is expected that your group will meet outside of class to finish and submit the programming assignment. That is why you should exchange contact information during lab today! Before you leave, you should discuss when and where the group will meet next and when you plan for final submission to be made. If a group member you have entrusted to do the submission cannot be contacted and he/she is the only one who has a copy of the program, then the rest of the group would have to essentially start over in order to complete the programming assignment. Thus, it is a good idea for each person to have a copy of the program.

Consider the members of your group to be resources to assist you as you learn the material in this course. As a group, you may want to arrange a time to visit the TA office hours together or attend a particular Supplemental Instruction session together.

5. Lab Quiz

The final task will be to take the lab quiz which be made available in Blackboard during the last part of your lab today. **Lab quizzes are individual efforts and you may not use any resources while completing the quiz.** The quiz is worth 5 points and you must be present in lab session in order to credit for the quiz. All problems on lab quizzes will be multiple-choice or true-false. The quiz will emphasize material from book and the appropriate course programming standards. You will be given 10 minutes to complete the quiz and questions will be presented one at a time and cannot be revisited. Be sure to save your answers to each question and to finish your quiz to ensure it is submitted for grading. Any quiz that is taken when it is not being proctored by the lab instructor will receive zero points.