Homework 3

DATA 202 - Alexander - Fall 2023

Please submit Homework 3 responses as a .pdf file on Canvas here.


Exercise 1.1

Is the relationship between the x and y variables in the below model significant? If so, explain. If not, explain why.

```
model <- lm(y ~ x)
  summary(model)
Call:
lm(formula = y \sim x)
Residuals:
    Min
              1Q
                   Median
                                3Q
                                       Max
-2.19086 -0.70179 -0.07264 0.79898 2.37303
Coefficients:
           Estimate Std. Error t value Pr(>|t|)
             9.1441 0.1231
                                74.28
                                        <2e-16 ***
(Intercept)
            -5.9740
                        0.1277 -46.77
                                        <2e-16 ***
X
Signif. codes: 0 '*** 0.001 '** 0.01 '* 0.05 '.' 0.1 ' 1
Residual standard error: 1.062 on 73 degrees of freedom
Multiple R-squared: 0.9677,
                               Adjusted R-squared: 0.9673
F-statistic: 2187 on 1 and 73 DF, p-value: < 2.2e-16
```

Exercise 1.2


Examine the plot below. Estimate the correlation coefficient for the plot.



Exercise 1.3

Examine the plot below. Estimate the correlation coefficient for the plot.

Based on your estimate, should we move forward with our analysis? If so, why? If no, why not?



Exercise 1.4

In a few sentences, summarize the relationship between the variables based on the output.

Is there a significant relationship?

```
model2 <- lm(funding ~ capacity)
summary(model2)</pre>
```

Call:

lm(formula = funding ~ capacity)

Residuals:

Min 1Q Median 3Q Max -28999 -12361 1602 10632 35789

Coefficients:


Estimate Std. Error t value Pr(>|t|)
(Intercept) 238752.68 124897.76 1.912 0.0589 .
capacity -19.92 16.64 -1.197 0.2342

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 14590 on 98 degrees of freedom Multiple R-squared: 0.01441, Adjusted R-squared: 0.004349

F-statistic: 1.432 on 1 and 98 DF, p-value: 0.2342

```
plot(capacity, funding)
abline(model2, col="blue")
```



Exercise 1.5

Using the model outlined above and the plot shown below, explain the function of a residual plot.

Does the residual plot represent a "healthy" or "problematic" pattern?

```
resids2 <- residuals(model2)
plot(funding, resids2)</pre>
```

