

ICPSR 4248

ACTIVE (Advanced Cognitive Training for Independent and Vital Elderly), 1999-2001 [United States]

Sharon Tennstedt
New England Research Institutes

John Morris
Hebrew Senior Life-Boston

Frederick Unverzagt
Indiana University

George Rebok
Johns Hopkins University

Sherry Willis
Pennsylvania State University

Karlene Ball
University of Alabama-Birmingham

Michael Marsiske
University of Florida

Form 706a AN3 Abbreviated Battery Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:

<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/4248.xml>

ABBREVIATED BATTERY PART 1 (Level I and Level II)

5th YEAR POST-TEST

FORM #706

A1. Study ID#:

Label

A2. Visit #: ABB3, ABB4, ABB5, ABB6 (circle one)

VISIT	Frequency	Percent	Cum Freq	Cum Percent
ABB3	243	100.00	243	100.00

A2a. Level I.....1

Level II.....2

level	Frequency	Percent	Cum Freq	Cum Percent
1	229	94.24	229	94.24
2	14	5.76	243	100.00

A3. Form Version: 06/01/2001 (A)
08/16/2001 (B)

ver_id	Frequency	Percent	Cum Freq	Cum Percent
A	24	9.88	24	9.88
B	219	90.12	243	100.00

A6 RECORD START TIME NOW: _____ : _____ **AM / PM**

GENERAL INTRODUCTION FOR PARTICIPANTS

Thank you for continuing with the ACTIVE study. I know it was (difficult) OR (inconvenient) for you to participate this time but we really appreciate it and it is very important to the study.

As you know, the purpose of this program is to determine whether training in later adulthood can improve concentration, memory, and problem solving. In addition, the study will determine if older adults who have had this type of training remain healthier, more emotionally positive, and function more easily in daily activities, such as managing finances, taking medication, using the telephone, or driving.

For this visit, you are being asked to answer some questions about your health, your mobility and physical activities that you may do on your own or with assistance from others. One of the activities for this visit will be a medication inventory and one will be in the form of a paper and pencil questionnaire. All together, this visit will take about an hour and a half (two hours) to complete. If you (feel up to it) OR (have the time) we can complete it all in one session. Otherwise, we can split it up into a few smaller sessions, or just complete as much as possible.

GENERAL INTRODUCTION FOR PROXY

The purpose of this program is to determine whether training in later adulthood can improve concentration, memory, and problem solving. In addition, the study will determine if older adults who have had this type of training remain healthier, more emotionally positive, and function more easily in daily activities, such as managing finances, taking medication, using the telephone, or driving.

Because you know (participant) well and s/he cannot complete this session, we would like to gather some information from you about her/his daily functioning, health, mobility, and use of health care and medications. You may not know everything that I ask, but we appreciate you taking time to talk with us. This visit (call) should take about 45-60 minutes to complete.

THE FOLLOWING CONFIDENTIALITY STATEMENT MUST BE READ TO ALL PARTICIPANTS

Before we begin, I'd like to remind you of a few things. All of your responses are completely confidential and will only be seen or heard by people directly associated with the study. The information you provide will be grouped together with others in the study and your name will never appear in any report. No information about any specific individual will ever be reported. You may refuse to answer any questions or stop at any time. Do you have any questions before we begin?

SECTION B: PRE-MDS

B1. WAS THIS MEASUREMENT COMPLETED AT THIS FOLLOW-UP VISIT?

NO 1 GO TO SECTION D

YES 2 COMPLETE QUESTIONS BELOW

MEASC	Frequency	Percent	Cum Freq	Cum Percent
1	1	0.41	1	0.41
2	242	99.59	243	100.00

B3. MODE OF INTERVIEW:

IN-PERSON AT TESTING CENTER.....1

IN-PERSON AT PARTICIPANT'S HOME.....2

IN-PERSON AT NURSING HOME.....3

IN-PERSON AT ALTERNATE LOCATION.....4

TELEPHONE.....5

I_MODE	Frequency	Percent	Cum Freq	Cum Percent
-2	1	0.41	1	0.41
1	7	2.88	8	3.29
2	10	4.12	18	7.41
3	7	2.88	25	10.29
4	1	0.41	26	10.70
5	217	89.30	243	100.00

B4. WITH WHOM:

- PARTICIPANT ONLY 1 **(B5)**
- PARTICIPANT & PROXY 2 **(B4a)**
- PROXY ONLY 3 **(B4a)**

W_WHOM	Frequency	Percent	Cum Freq	Cum Percent
-2	1	0.41	1	0.41
1	232	95.47	233	95.88
3	10	4.12	243	100.00

B4a. PROXY CODE:

- SPOUSE..... 1
- CHILD.....2
- OTHER RELATIVE.....3
- NON-RELATIVE.....4
- FORMAL CAREGIVER..... 5

PROXY	Frequency	Percent	Cum Freq	Cum Percent
-2	233	95.88	233	95.88
1	5	2.06	238	97.94
2	2	0.82	240	98.77
3	1	0.41	241	99.18
5	2	0.82	243	100.00

B6. MDS START TIME: _____ : _____ AM / PM

INTRODUCTION: For the first set of questions, I will be asking you about physical activities that you may do on your own or with assistance from others. Please think about your physical activities during the last seven days. What activities occur on a typical day? Start with today and think back over the last week, including weekdays and weekends. Then think of how other people may have assisted you over this period. Do the best you can. Most of us cannot remember everything that happened over a seven-day period.

For each of the physical activities that I read to you, I will ask you two questions.

- First, during the last 7 days, how much of the activity did you do on your own?

and
- Second, how difficult was it for you to do the activity on your own? Or, if someone else did the activity for you, how difficult would it have been for you to do the activity on your own?

Let's begin. The first activity is . . .

MDS cont.

(1) In the last 7 days, how much of the activity did you do on your own?

(2) How difficult was it (or would it have been) to do on your own?

(CIRCLE ONE)

(CIRCLE ONE)

1. SELF PERFORMANCE OF IADLs

	Did all on own	Some help some of time	Help all of time	Fully performed by Others	Activity not performed by you or others	Not difficult	Some help needed or I am slow, or I became tired	Great difficulty
<u>Preparing Meals</u>								
a. Planning meals, reading recipes, assembling ingredients	1	2	3	4	5	1	2	3

IADLA1	Frequency	Percent	Cum Freq	Cum Percent
-2	1	0.41	1	0.41
1	106	43.62	107	44.03
2	83	34.16	190	78.19
3	9	3.70	199	81.89
4	44	18.11	243	100.00

IADLA2	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	1	0.41	2	0.82
1	198	81.48	200	82.30
2	23	9.47	223	91.77
3	20	8.23	243	100.00

b. Setting out food and utensils	1	2	3	4	5	1	2	3
----------------------------------	---	---	---	---	---	---	---	---

IADLB1	Frequency	Percent	Cum Freq	Cum Percent
-2	1	0.41	1	0.41
1	126	51.85	127	52.26
2	77	31.69	204	83.95
3	8	3.29	212	87.24
4	31	12.76	243	100.00

IADLB2	Frequency	Percent	Cum Freq	Cum Percent
-2	1	0.41	1	0.41
1	210	86.42	211	86.83
2	18	7.41	229	94.24
3	14	5.76	243	100.00

c. Cooking	1	2	3	4	5	1	2	3
------------	---	---	---	---	---	---	---	---

IADLC1	Frequency	Percent	Cum Freq	Cum Percent
-2	1	0.41	1	0.41
1	104	42.80	105	43.21
2	89	36.63	194	79.84
3	9	3.70	203	83.54
4	40	16.46	243	100.00

IADLC2	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	1	0.41	2	0.82
1	186	76.54	188	77.37
2	34	13.99	222	91.36
3	21	8.64	243	100.00

<u>Housework</u>								
-------------------------	--	--	--	--	--	--	--	--

d. Doing dishes, dusting, making beds, tidying up	1	2	3	4	5	1	2	3
---	---	---	---	---	---	---	---	---

IADLD1	Frequency	Percent	Cum Freq	Cum Percent
-2	1	0.41	1	0.41
1	135	55.56	136	55.97
2	57	23.46	193	79.42
3	14	5.76	207	85.19
4	36	14.81	243	100.00

IADLD2	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	1	0.41	2	0.82
1	160	65.84	162	66.67
2	53	21.81	215	88.48
3	28	11.52	243	100.00

e. Laundry	1	2	3	4	5	1	2	3
------------	---	---	---	---	---	---	---	---

IADLE1	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	1	0.41	2	0.82
1	154	63.37	156	64.20
2	13	5.35	169	69.55
3	10	4.12	179	73.66
4	57	23.46	236	97.12
5	7	2.88	243	100.00

IADLE2	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	1	0.41	2	0.82
1	185	76.13	187	76.95
2	25	10.29	212	87.24
3	31	12.76	243	100.00

<i>Managing Finances</i>								
---------------------------------	--	--	--	--	--	--	--	--

f. Handling money, writing checks	1	2	3	4	5	1	2	3
--------------------------------------	---	---	---	---	---	---	---	---

IADLF1	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	192	79.01	195	80.25
2	17	7.00	212	87.24
3	6	2.47	218	89.71
4	20	8.23	238	97.94
5	5	2.06	243	100.00

IADLF2	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	1	0.41	2	0.82
1	203	83.54	205	84.36
2	24	9.88	229	94.24
3	14	5.76	243	100.00

g. Ensuring that all bills are paid on time	1	2	3	4	5	1	2	3
--	---	---	---	---	---	---	---	---

IADLG1	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	178	73.25	181	74.49
2	7	2.88	188	77.37
3	8	3.29	196	80.66
4	30	12.35	226	93.00
5	17	7.00	243	100.00

IADLG2	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	206	84.77	209	86.01
2	20	8.23	229	94.24
3	14	5.76	243	100.00

h. Balancing checkbooks	1	2	3	4	5	1	2	3
-------------------------	---	---	---	---	---	---	---	---

IADLH1	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	1	0.41	5	2.06
1	144	59.26	149	61.32
2	3	1.23	152	62.55
3	2	0.82	154	63.37
4	33	13.58	187	76.95
5	56	23.05	243	100.00

IADLH2	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	188	77.37	191	78.60
2	25	10.29	216	88.89
3	27	11.11	243	100.00

i. Keeping household expenses balanced	1	2	3	4	5	1	2	3
--	---	---	---	---	---	---	---	---

IADLI1	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	1	0.41	4	1.65
1	170	69.96	174	71.60
2	19	7.82	193	79.42
3	7	2.88	200	82.30
4	21	8.64	221	90.95
5	22	9.05	243	100.00

IADLI2	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	1	0.41	5	2.06
1	212	87.24	217	89.30
2	15	6.17	232	95.47
3	11	4.53	243	100.00

Managing Health Care

j. Keeping track of doctor appointments	1	2	3	4	5	1	2	3
---	---	---	---	---	---	---	---	---

IADLJ1	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	1	0.41	2	0.82
1	141	58.02	143	58.85
2	9	3.70	152	62.55
3	3	1.23	155	63.79
4	13	5.35	168	69.14
5	75	30.86	243	100.00

IADLJ2	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	1	0.41	2	0.82
1	218	89.71	220	90.53
2	12	4.94	232	95.47
3	11	4.53	243	100.00

(1) In the last 7 days, how much of the activity did you do on your own?

(2) How difficult was it (or would it have been) to do on your own?

(CIRCLE ONE)

(CIRCLE ONE)

	Did all On own	Some help some of time	Help all of time	Fully performed by others	Activity not performed by you or others	Not difficult	Some help needed or I am slow, or I became tired	Great difficulty
k. Remembering to take medications on time and as prescribed by doctor	1	2	3	4	5	1	2	3

IADLK1	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	1	0.41	2	0.82
1	199	81.89	201	82.72
2	10	4.12	211	86.83
3	7	2.88	218	89.71
4	15	6.17	233	95.88
5	10	4.12	243	100.00

IADLK2	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	1	0.41	2	0.82
1	209	86.01	211	86.83
2	20	8.23	231	95.06
3	12	4.94	243	100.00

l. Opening medicine bottles, taking own medications	1	2	3	4	5	1	2	3
---	---	---	---	---	---	---	---	---

IADLL1	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	1	0.41	2	0.82
1	201	82.72	203	83.54
2	10	4.12	213	87.65
3	9	3.70	222	91.36
4	13	5.35	235	96.71
5	8	3.29	243	100.00

IADLL2	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	1	0.41	2	0.82
1	204	83.95	206	84.77
2	26	10.70	232	95.47
3	11	4.53	243	100.00

m. Giving self injections, applying ointments, changing bandages	1	2	3	4	5	1	2	3
--	---	---	---	---	---	---	---	---

IADLM1	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	55	22.63	58	23.87
2	5	2.06	63	25.93
3	1	0.41	64	26.34
4	6	2.47	70	28.81
5	173	71.19	243	100.00

IADLM2	Frequency	Percent	Cum Freq	Cum Percent
-9	5	2.06	5	2.06
-2	1	0.41	6	2.47
1	174	71.60	180	74.07
2	41	16.87	221	90.95
3	22	9.05	243	100.00

<u>Phone Use</u>								
-------------------------	--	--	--	--	--	--	--	--

n. Looking up phone numbers - either in phone books or by calling "information"	1	2	3	4	5	1	2	3
--	---	---	---	---	---	---	---	---

IADLN1	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	1	0.41	5	2.06
1	177	72.84	182	74.90
2	4	1.65	186	76.54
3	1	0.41	187	76.95
4	3	1.23	190	78.19
5	53	21.81	243	100.00

IADLN2	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	1	0.41	4	1.65
1	206	84.77	210	86.42
2	22	9.05	232	95.47
3	11	4.53	243	100.00

o. Remembering often called numbers without having to look them up	1	2	3	4	5	1	2	3
--	---	---	---	---	---	---	---	---

IADLO1	Frequency	Percent	Cum Freq	Cum Percent
-9	6	2.47	6	2.47
-2	1	0.41	7	2.88
1	183	75.31	190	78.19
2	12	4.94	202	83.13
3	3	1.23	205	84.36
4	5	2.06	210	86.42
5	33	13.58	243	100.00

IADLO2	Frequency	Percent	Cum Freq	Cum Percent
-9	6	2.47	6	2.47
-2	1	0.41	7	2.88
1	180	74.07	187	76.95
2	34	13.99	221	90.95
3	22	9.05	243	100.00

p. Answering phone when someone calls	1	2	3	4	5	1	2	3
---------------------------------------	---	---	---	---	---	---	---	---

IADLP1	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	202	83.13	205	84.36
2	30	12.35	235	96.71
3	1	0.41	236	97.12
4	5	2.06	241	99.18
5	2	0.82	243	100.00

IADLP2	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	1	0.41	4	1.65
1	228	93.83	232	95.47
2	7	2.88	239	98.35
3	4	1.65	243	100.00

q. Hanging up at end of call	1	2	3	4	5	1	2	3
------------------------------	---	---	---	---	---	---	---	---

IADLQ1	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	226	93.00	229	94.24
2	9	3.70	238	97.94
4	3	1.23	241	99.18
5	2	0.82	243	100.00

IADLQ2	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	1	0.41	4	1.65
1	231	95.06	235	96.71
2	5	2.06	240	98.77
3	3	1.23	243	100.00

<u>Shopping</u>								
------------------------	--	--	--	--	--	--	--	--

r. Shopping for food and household items	1	2	3	4	5	1	2	3
--	---	---	---	---	---	---	---	---

IADLR1	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	131	53.91	134	55.14
2	17	7.00	151	62.14
3	26	10.70	177	72.84
4	50	20.58	227	93.42
5	16	6.58	243	100.00

IADLR2	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	1	0.41	5	2.06
1	162	66.67	167	68.72
2	34	13.99	201	82.72
3	42	17.28	243	100.00

<u>Travel</u>								
s. Travel by vehicle to go to places beyond walking distances	1	2	3	4	5	1	2	3

IADLS1	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	1	0.41	4	1.65
1	175	72.02	179	73.66
2	7	2.88	186	76.54
3	11	4.53	197	81.07
4	32	13.17	229	94.24
5	14	5.76	243	100.00

IADLS2	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	188	77.37	191	78.60
2	18	7.41	209	86.01
3	34	13.99	243	100.00

ADL SELF-PERFORMANCE CODING RULES FOR DRESSING AND PERSONAL HYGIENE:
THE ADL SELF-PERFORMANCE SCALE MEASURES WHAT A SUBJECT ACTUALLY DID (NOT WHAT S/HE MIGHT BE CAPABLE OF DOING) WITHIN EACH ADL CATEGORY OVER THE LAST 7 DAYS ACCORDING TO A PERFORMANCE-BASED SCALE.

FOR EACH ADL CATEGORY, CODE THE APPROPRIATE RESPONSE FOR THE SUBJECT'S ACTUAL PERFORMANCE DURING THE LAST 7 DAYS. CIRCLE THE CODE IN THE APPROPRIATE COLUMN. CONSIDER THE SUBJECT'S PERFORMANCE DURING THE LAST WEEK.

CODE	DESCRIPTION	DEFINITION
1	INDEPENDENT	NO HELP OR CAREGIVER OVERSIGHT -OR- CAREGIVER HELP/OVERSIGHT PROVIDED ONLY ONE OR TWO TIMES DURING THE LAST SEVEN DAYS
2	SUPERVISION	OVERSIGHT, ENCOURAGEMENT, OR CUEING PROVIDED THREE OR MORE TIMES DURING LAST SEVEN DAYS -OR- SUPERVISION (3 OR MORE TIMES) PLUS PHYSICAL ASSISTANCE PROVIDED ONLY ONE OR TWO TIMES DURING LAST SEVEN DAYS.
3	LIMITED ASSISTANCE	SUBJECT HIGHLY INVOLVED IN ACTIVITY, RECEIVED PHYSICAL HELP IN GUIDED MANEUVERING OF LIMBS OR OTHER NON-WEIGHT-BEARING ASSISTANCE ON THREE OR MORE OCCASIONS -OR- LIMITED ASSISTANCE (3 OR MORE TIMES) PLUS MORE HELP PROVIDED ONLY ONE OR TWO TIMES DURING LAST SEVEN DAYS
4	EXTENSIVE ASSISTANCE	WHILE THE SUBJECT PERFORMED PART OF ACTIVITY OVER LAST SEVEN DAYS, HELP OF FOLLOWING TYPE(S) WAS PROVIDED THREE OR MORE TIMES: <ul style="list-style-type: none"> • WEIGHT-BEARING SUPPORT PROVIDED THREE OR MORE TIMES • FULL CARE GIVER PERFORMANCE OF ACTIVITY (3 OR MORE TIMES) DURING PART (BUT NOT ALL) OF LAST SEVEN DAYS
5	TOTAL DEPENDENCE	FULL CAREGIVER PERFORMANCE OF THE ACTIVITY DURING ENTIRE SEVEN-DAY PERIOD. COMPLETE NON-PARTICIPATION BY THE SUBJECT IN ALL ASPECTS OF THE ADL DEFINITION.
8	ACTIVITY DIDN'T OCCUR DURING THE ENTIRE 7-DAY PERIOD	OVER THE LAST SEVEN DAYS, THE ADL ACTIVITY WAS NOT PERFORMED BY THE SUBJECT OR CAREGIVER. E.G., <u>THE PARTICULAR ACTIVITY DID NOT OCCUR AT ALL.</u>

2. INTRODUCE THE SELF PERFORMANCE OF ADLS:

In this next section, I will continue to ask you questions about your physical activities during the last seven (7) days. These questions will have to do with dressing, personal hygiene and bathing. Some of these questions are personal in nature, but we are required to ask them of all participants. As before, we are interested in knowing what activities occur on a typical day.

Start with today and think back over the last week, including weekdays and weekends. Then think of how others people may have assisted you over this period. Do the best you can. Most of us cannot remember everything that happened over a seven day period. For each of the physical activities that I read to you, I will only be asking you one question:

In the last 7 days, how much of the activity did you do on your own?

	INDEPENDENT	SUPERVISION	LIMITED ASSISTANCE	EXTENSIVE ASSISTANCE	TOTAL DEPENDENCE	ACTIVITY DIDN'T OCCUR
<i>DRESSING</i>						
a. Picking out and gathering clothes	1	2	3	4	5	8

ADLSA	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	1	0.41	5	2.06
1	223	91.77	228	93.83
2	4	1.65	232	95.47
3	2	0.82	234	96.30
4	3	1.23	237	97.53
5	6	2.47	243	100.00

b. Dressing or undressing lower part of body: pants, socks, shoes, pantyhose, underwear (not including fastening, tying or buttoning)	1	2	3	4	5	8
---	---	---	---	---	---	---

ADLSB	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	221	90.95	224	92.18
2	1	0.41	225	92.59
3	6	2.47	231	95.06
4	7	2.88	238	97.94
5	5	2.06	243	100.00

c. Tying/untying shoes, fastening/unfastening pants	1	2	3	4	5	8
---	---	---	---	---	---	---

ADLSC	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	1	0.41	4	1.65
1	216	88.89	220	90.53
2	1	0.41	221	90.95
3	3	1.23	224	92.18
4	3	1.23	227	93.42
5	7	2.88	234	96.30
8	9	3.70	243	100.00

d. Putting on or taking off shirt/blouse, dress, bra (not including fastening, tying or buttoning)	1	2	3	4	5	8
--	---	---	---	---	---	---

ADLSD	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	224	92.18	227	93.42
2	4	1.65	231	95.06
3	4	1.65	235	96.71
4	5	2.06	240	98.77
5	3	1.23	243	100.00

e. Fastening/unfastening bra, buttoning or unbuttoning, zipping or unzipping	1	2	3	4	5	8
--	---	---	---	---	---	---

ADLSE	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	218	89.71	221	90.95
2	1	0.41	222	91.36
3	10	4.12	232	95.47
4	2	0.82	234	96.30
5	7	2.88	241	99.18
8	2	0.82	243	100.00

PERSONAL HYGIENE						
f. Gathering wash cloth, soap, shaving kit, makeup, toothbrush, etc.	1	2	3	4	5	8

ADLSF	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	226	93.00	229	94.24
2	4	1.65	233	95.88
3	2	0.82	235	96.71
4	1	0.41	236	97.12
5	7	2.88	243	100.00

g. Washing and drying perineum (private parts, groin)	1	2	3	4	5	8
---	---	---	---	---	---	---

ADLSG	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	1	0.41	5	2.06
1	226	93.00	231	95.06
2	4	1.65	235	96.71
3	1	0.41	236	97.12
4	4	1.65	240	98.77
5	3	1.23	243	100.00

h. Washing and drying face	1	2	3	4	5	8
----------------------------	---	---	---	---	---	---

ADLSH	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	1	0.41	4	1.65
1	233	95.88	237	97.53
2	2	0.82	239	98.35
3	1	0.41	240	98.77
4	1	0.41	241	99.18
5	2	0.82	243	100.00

i. Brushing teeth, Shaving face, Make up application	1	2	3	4	5	8
---	---	---	---	---	---	---

ADLSI	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	233	95.88	236	97.12
2	1	0.41	237	97.53
3	1	0.41	238	97.94
4	2	0.82	240	98.77
5	1	0.41	241	99.18
8	2	0.82	243	100.00

j. Combing/brushing hair	1	2	3	4	5	8
--------------------------	---	---	---	---	---	---

ADLSJ	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	227	93.42	230	94.65
2	3	1.23	233	95.88
3	5	2.06	238	97.94
4	2	0.82	240	98.77
5	3	1.23	243	100.00

**PROCEED TO BATHING ACTIVITIES ON NEXT PAGE,
USING THE CODING RULES AT THE TOP OF THE NEXT PAGE.**

ADL SELF-PERFORMANCE CODING RULES FOR BATHING

CODE	DESCRIPTION	DEFINITION
1	INDEPENDENT	DID ON OWN
2	SUPERVISION	OVERSIGHT HELP ONLY
3	LIMITED ASSISTANCE ...	RECEIVED ASSISTANCE IN TRANSFER ONLY
4	ASSISTANCE	RECEIVED ASSISTANCE IN PART OF BATHING SELF
5	TOTAL DEPENDENCE.....	TOTAL DEPENDENCE
8	ACTIVITY DIDN'T OCCUR...	ACTIVITY DID NOT OCCUR AT ALL

In the last 7 days, how much of the activity did you do on your own?

	INDEPENDENT	SUPERVISION	LIMITED ASSISTANCE	ASSISTANCE	TOTAL DEPENDENCE	ACTIVITY DIDN'T OCCUR
BATHING						
k. Gathering soap, towels, shampoo	1	2	3	4	5	8

ADLSK	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	216	88.89	219	90.12
2	5	2.06	224	92.18
3	2	0.82	226	93.00
4	3	1.23	229	94.24
5	14	5.76	243	100.00

l. Getting in and out of tub/bath	1	2	3	4	5	8
-----------------------------------	---	---	---	---	---	---

ADLSL	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	207	85.19	210	86.42
2	5	2.06	215	88.48
3	9	3.70	224	92.18
4	2	0.82	226	93.00
5	8	3.29	234	96.30
8	9	3.70	243	100.00

m. Washing/drying: lower extremities excluding perineum (private parts, groin)	1	2	3	4	5	8
--	---	---	---	---	---	---

ADLSM	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	216	88.89	219	90.12
2	5	2.06	224	92.18
4	9	3.70	233	95.88
5	10	4.12	243	100.00

n. Washing/drying hair	1	2	3	4	5	8
------------------------	---	---	---	---	---	---

ADLSN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	168	69.14	171	70.37
2	1	0.41	172	70.78
3	1	0.41	173	71.19
4	9	3.70	182	74.90
5	47	19.34	229	94.24
8	14	5.76	243	100.00

o. Washing/drying upper extremities	1	2	3	4	5	8
-------------------------------------	---	---	---	---	---	---

ADLSO	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	1	0.41	3	1.23
1	215	88.48	218	89.71
2	6	2.47	224	92.18
3	2	0.82	226	93.00
4	10	4.12	236	97.12
5	7	2.88	243	100.00

C1. MDS END TIME: _____ : _____ AM / PM

Analysis Variable : mds_t					
N	Mean	SD	Minimum	Median	Maximum
241	10.1	6.4	1.0	9.0	71.0

mds_t	Frequency	Percent	Cum Freq	Cum Percent
.	2	100.00	2	100.00

SECTION D: PRE-MOBILITY: LIFE SPACE/FALLS/DRIVING

D1. WERE THESE MEASUREMENTS COMPLETED AT THIS FOLLOW-UP VISIT?

NO 1 GO TO SECTION I

YES 2 COMPLETE QUESTIONS BELOW

measc_d	Frequency	Percent	Cum Freq	Cum Percent
1	2	0.82	2	0.82
2	241	99.18	243	100.00

D3. MODE OF INTERVIEW:

IN-PERSON AT TESTING CENTER.....1

IN-PERSON AT PARTICIPANT'S HOME.....2

IN-PERSON AT NURSING HOME.....3

IN-PERSON AT ALTERNATE LOCATION.....4

TELEPHONE.....5

i_mode_d	Frequency	Percent	Cum Freq	Cum Percent
-2	2	0.82	2	0.82
1	7	2.88	9	3.70
2	11	4.53	20	8.23
3	7	2.88	27	11.11
4	1	0.41	28	11.52
5	215	88.48	243	100.00

D4. WITH WHOM:

- PARTICIPANT ONLY 1 (D5)
- PARTICIPANT & PROXY 2 (D4a)
- PROXY ONLY 3 (D4a)

w_whom_d	Frequency	Percent	Cum Freq	Cum Percent
-2	2	0.82	2	0.82
1	231	95.06	233	95.88
3	10	4.12	243	100.00

D4a. PROXY CODE:

- SPOUSE..... 1
- CHILD.....2
- OTHER RELATIVE.....3
- NON-RELATIVE.....4
- FORMAL CAREGIVER..... 5

d_proxy	Frequency	Percent	Cum Freq	Cum Percent
-2	233	95.88	233	95.88
1	5	2.06	238	97.94
2	2	0.82	240	98.77
3	1	0.41	241	99.18
5	2	0.82	243	100.00

D6. MOBILITY: LIFE SPACE / FALLS / DRIVING QUESTIONS START TIME:

_____ : _____ AM / PM

SECTION E:**MOBILITY LIFE SPACE*****PROXY ALLOWED***

The next few sections ask questions about mobility. There is a section on general mobility, a brief section on falls, and a section on your driving habits. As we go through the sections, please feel free to ask me any questions about a particular item that may not be clear to you. I will read the questions and you should just select the answer most appropriate to you. Remember, if you have a question about how to interpret the question, just ask me about it.

VERSION A (06/01/2001)

E1. First, please tell me if you live alone or with others?

1. LIVES ALONE.....1 **(E2)** 2. LIVES WITH OTHERS.....2 **(E1a)**

LIVEALON (versio A)	Frequency	Percent	Cum Freq	Cum Percent
1	14	58.33	14	58.33
2	10	41.67	24	100.00

VERSION B (08/16/2001)

E1. First, please tell me if you live alone or with others?

1. LIVES ALONE IN HOUSE/APT 1 **(E2)**
 2. LIVES WITH OTHERS IN HOUSE/APT..... 2 **(E1a)**
 3. LIVES IN ASSISTED LIVING/CONGREGATE HSG..... 3 **(E2)**
 4. LIVES IN NURSING HOME 4 **(GO TO SECTION F)**

LIVEALON (version B)	Frequency	Percent	Cum Freq	Cum Percent
-2	2	0.91	2	0.91
1	106	48.40	108	49.32
2	95	43.38	203	92.69
3	7	3.20	210	95.89
4	9	4.11	219	100.00

E1a. __ How many people live with you? Please include all people living in your home even if they are not blood relatives or only expect to live there temporarily.

RECORD NUMBER: _____

NUMBLIVE	Frequency	Percent	Cum Freq	Cum Percent
-2	138	56.79	138	56.79
1	82	33.74	220	90.53
2	16	6.58	236	97.12
3	4	1.65	240	98.77
4	2	0.82	242	99.59

NUMBLIVE	Frequency	Percent	Cum Freq	Cum Percent
5	1	0.41	243	100.00

E1b. IF ONE: How is s/he related to you?

IF > 1: How are they related to you?

PROBE AT END: Anyone else?

RECORD NUMBER ON EACH LINE:

SPOUSE/PARTNER

SPOUSELV	Frequency	Percent	Cum Freq	Cum Percent
-2	138	56.79	138	56.79
0	35	14.40	173	71.19
1	70	28.81	243	100.00

PARENTS/IN-LAW

PARENTLV	Frequency	Percent	Cum Freq	Cum Percent
-2	138	56.79	138	56.79
0	104	42.80	242	99.59
1	1	0.41	243	100.00

CHILDREN/IN-LAW

CHILDRLV	Frequency	Percent	Cum Freq	Cum Percent
-2	138	56.79	138	56.79
0	78	32.10	216	88.89
1	23	9.47	239	98.35
2	4	1.65	243	100.00

OTHER RELATIVES

OTHERLV	Frequency	Percent	Cum Freq	Cum Percent
-2	138	56.79	138	56.79
0	89	36.63	227	93.42
1	9	3.70	236	97.12
2	6	2.47	242	99.59
3	1	0.41	243	100.00

NON-RELATIVES

NONRELLV	Frequency	Percent	Cum Freq	Cum Percent
-2	138	56.79	138	56.79
0	94	38.68	232	95.47
1	9	3.70	241	99.18
2	2	0.82	243	100.00

- E2. Now I am interested in finding out about the places you have been recently, not counting today. The next six questions ask about your activities in the last 7 days. Today is _____ so we are interested in the period of time beginning with last _____ up to, and including, yesterday. Do you understand the time period I am asking about?

During the last seven days, but not counting today, have you been to other rooms of your house besides the room where you sleep?

YES 1

NO 2

LBEDRM7D	Frequency	Percent	Cum Freq	Cum Percent
-2	11	4.53	11	4.53
1	231	95.06	242	99.59
2	1	0.41	243	100.00

- E3. During the last seven days, but not counting today, have you been to an area immediately outside your home such as your porch, deck or patio, garage, or hallway of your apartment building? This includes going through these places on your way to somewhere else.

YES 1

NO 2

IMOUTS7D	Frequency	Percent	Cum Freq	Cum Percent
-2	11	4.53	11	4.53
1	228	93.83	239	98.35
2	4	1.65	243	100.00

- E4. During the last seven days, but not counting today, have you been to an area outside your home such as your yard, driveway, courtyard, or parking lot? Again, if you went through these places, you would answer 'Yes.'

YES 1

NO 2

OTSYSR7D	Frequency	Percent	Cum Freq	Cum Percent
-2	11	4.53	11	4.53
1	225	92.59	236	97.12
2	7	2.88	243	100.00

- E5. During the last seven days, but not counting today, have you been to places in your immediate neighborhood beyond your own property or apartment building? It doesn't matter how you got there, whether you walked or got a ride.

FOR HOMEOWNERS, THIS REFERS TO PLACES BEYOND THE PROPERTY LINE. FOR CITY APARTMENT DWELLERS, THIS REFERS TO PLACES BEYOND THE IMMEDIATE BLOCK. FOR RURAL AREAS, THIS INCLUDES LEAVING THE PROPERTY LINES.

YES 1

NO 2 **(E6)**

BEYPRP7D	Frequency	Percent	Cum Freq	Cum Percent
-2	11	4.53	11	4.53
1	217	89.30	228	93.83
2	15	6.17	243	100.00

- E5a. Did you personally drive there? If you actually drove there yourself then you should answer "Yes." If you were just a passenger in a car, then you should answer "No." [BEING A PASSENGER IN A CAR, TAXI, OR PUBLIC TRANSPORTATION DOESN'T QUALIFY FOR A 'YES' ANSWER.]

YES 1

NO 2

DRBEYP7D	Frequency	Percent	Cum Freq	Cum Percent
-2	26	10.70	26	10.70
1	120	49.38	146	60.08
2	97	39.92	243	100.00

- E6. During the last seven days, but not counting today, have you been to places outside your immediate neighborhood but within your town or community?

IN A CITY, THIS WOULD BE PLACES BEYOND THE SURROUNDING 5 BLOCKS. IN A SUBURBAN AREA THIS REFERS TO PLACES ABOUT 3 STREETS FROM THE HOME. FOR SPARSELY POPULATED RURAL AREAS, THIS INCLUDES GOING TO PLACES ON THE OTHER SIDE OF THE CLOSEST NEIGHBORS.

YES 1

NO 2 **(E7)**

OUTSNB7D	Frequency	Percent	Cum Freq	Cum Percent
-2	11	4.53	11	4.53
1	210	86.42	221	90.95
2	22	9.05	243	100.00

E6a. Did you personally drive there? Again, we are asking whether you drove there yourself.

YES 1

NO 2

DROUTN7D	Frequency	Percent	Cum Freq	Cum Percent
-2	34	13.99	34	13.99
1	119	48.97	153	62.96
2	90	37.04	243	100.00

E7. During the last seven days, but not counting today, have you been to places outside your immediate town or community?

Remember, that for this part of the question it doesn't matter how you got there.

THIS REFERS TO PLACES OUTSIDE A PARTICULAR SUB-REGION OF THE CITY. THIS COULD BE AREAS WITH A DISTINCT NAME, OR CITY AREAS SUCH AS EAST, WEST, NORTH, OR SOUTH. FOR RURAL AREAS, THIS INCLUDES GOING TO PLACES ON THE OTHER SIDE OF THE NEAREST TOWN.

YES 1

NO 2 (E8)

OUTSTN7D	Frequency	Percent	Cum Freq	Cum Percent
-2	11	4.53	11	4.53
1	153	62.96	164	67.49
2	79	32.51	243	100.00

E7a. Did you personally drive there?

YES 1

NO 2

DROUTT7D	Frequency	Percent	Cum Freq	Cum Percent
-2	90	37.04	90	37.04
1	85	34.98	175	72.02
2	68	27.98	243	100.00

- E8. Please note the change in time frame for the next 3 questions. The next three questions ask about activities over the last two months. Today is _____ so we are asking about the period of time from _____ up to, and including, yesterday.

During the last two months, but not counting today, have you been to places outside of your county (or city)?

THIS INCLUDES GOING TO, OR THROUGH, PLACES ON THE OTHER SIDE THE COUNTY LINE (WHERE SUBSTANTIAL TRAVEL IS INVOLVED) OR TO PLACES ON THE OTHER SIDE OF A LARGE CITY. SUBJECTS LIVING NEAR A COUNTY LINE WHERE CROSSING INTO ANOTHER COUNTY DOES NOT CONSTITUTE A SIGNIFICANT DISTANCE SHOULD NOT RESPOND "YES" HERE. IN RURAL AREAS ONE COULD USE A 20-MILE RADIUS AS A GUIDELINE TO ANSWERING QUESTIONS OF CLARIFICATION.

YES 1

NO 2 **(E9)**

OUTSCT2M	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	11	4.53	12	4.94
1	162	66.67	174	71.60
2	69	28.40	243	100.00

- E8a. Did you personally drive there?

YES 1

NO 2

DR0UTC2M	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	80	32.92	81	33.33
1	74	30.45	155	63.79
2	88	36.21	243	100.00

E9. During the last two months, have you been to places outside your state?

YES 1

NO 2 **(E10)**

OUTSST2M	Frequency	Percent	Cum Freq	Cum Percent
-2	11	4.53	11	4.53
1	77	31.69	88	36.21
2	155	63.79	243	100.00

E9a. Did you personally drive there?

YES 1

NO 2

DROUTS2M	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	166	68.31	167	68.72
1	23	9.47	190	78.19
2	53	21.81	243	100.00

E10. During the last two months, have you been to places outside this region of the United States?

By this region, I mean the states of _____. (SEE QxQ's.)

YES 1

NO 2 **(GO TO SECTION F)**

OUTSRG2M	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	11	4.53	14	5.76
1	35	14.40	49	20.16
2	194	79.84	243	100.00

E10a. Did you personally drive there?

YES 1

NO 2

DR0UTR2M	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	205	84.36	208	85.60
1	5	2.06	213	87.65
2	30	12.35	243	100.00

SECTION F:**MOBILITY / FALLS*****PROXY ALLOWED***

In the next few questions I am interested in finding out about any falls you might have had in the last 2 months. Let me explain to you what I mean by falling. Falling includes accidentally losing your balance and falling on the ground or falling against something such as furniture.

VERSION A (06/01/2001)

F1. Have you had any falls in the last two months? Today is _____ so we are asking about the period of time from _____ up to, and including, yesterday.

YES 1

NO 2 **(GO TO SECTION G)**

F1. Have you had any falls in the last two months? Today is _____ so we are asking about the period of time from _____ up to, and including, yesterday.

YES 1

NO 2 **(F7)**

ANYFALLS	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	2	0.82	3	1.23
1	59	24.28	62	25.51
2	181	74.49	243	100.00

F2. How many times have you fallen in the last 2 months?

So, since _____ how many falls have you had?

RECORD: ____

NUMBER OF TIMES

TIMESFAL	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	183	75.31	185	76.13
1	31	12.76	216	88.89
2	13	5.35	229	94.24
3	10	4.12	239	98.35
4	2	0.82	241	99.18
6	1	0.41	242	99.59
10	1	0.41	243	100.00

HAVE THE SUBJECT MAKE THE BEST GUESS THEY CAN. PROMPT IF NECESSARY.

F3. Did any of your falls in the last two months

YES NO

1) Result in an injury?

1 2

INJFAL	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	183	75.31	184	75.72
1	21	8.64	205	84.36
2	38	15.64	243	100.00

2) Require medical attention?

1 2

MEDFAL	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	183	75.31	184	75.72
1	16	6.58	200	82.30
2	43	17.70	243	100.00

3) Result in hospitalization?

1 2

HOSPFAL	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	183	75.31	184	75.72
1	8	3.29	192	79.01
2	51	20.99	243	100.00

4) Involve a loss of consciousness?

1 2

LOSSFAL	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	183	75.31	184	75.72
1	4	1.65	188	77.37
2	55	22.63	243	100.00

Now the next three questions are about your most recent fall. Try to remember your most recent fall in the last two months.

F4. Did something such as a rug, stairs, curb, or a wet or icy surface contribute to your most recent fall?

YES

1

NO

2

CONTRFAL	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	183	75.31	184	75.72
1	12	4.94	196	80.66
2	47	19.34	243	100.00

F5. Did anything else contribute to your most recent fall?

YES 1

NO..... 2 **(F7)**

ELSCONFL	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	183	75.31	184	75.72
1	39	16.05	223	91.77
2	20	8.23	243	100.00

VERSION A (06/01/2001)

F7. N/A – not available in this version

F7. IS THIS A PROXY ADMINISTERED INTERVIEW?

YES.....1 **(H9)**

NO..... 2 **(GO TO SECTION G)**

PROXY_B	Frequency	Percent	Cum Freq	Cum Percent
.	24	9.88	24	9.88
-2	12	4.94	36	14.81
1	10	4.12	46	18.93
2	197	81.07	243	100.00

SECTION G: MOBILITY / DRIVING HABITS***PROXY NOT ALLOWED***

In the following sections we are interested in finding out about your driving habits.

- G1. For the purposes of our project, by current driver we mean someone who has driven a car within the last 12 months and someone who would drive a car today if they needed to. Using that definition, do you consider yourself a current driver?

YES 1

NO 2 (GO TO SECTION H)

curdrive	Frequency	Percent	Cum Freq	Cum Percent
-2	12	4.94	12	4.94
1	151	62.14	163	67.08
2	80	32.92	243	100.00

SECTION G *cont.*: MOBILITY/DRIVING HABITS FOR CURRENT DRIVERS
PROXY NOT ALLOWED

- G2. Let me check this again. Do you currently drive?
(THIS IS A VERIFICATION QUESTION.)

YES 1

NO 2 (GO TO SECTION H)

curdriv1	Frequency	Percent	Cum Freq	Cum Percent
-2	92	37.86	92	37.86
1	151	62.14	243	100.00

G3. Which way do you prefer to get around? Do you prefer to.....

Drive by yourself..... 1

Have someone drive you 2

Use public transportation3

PREFWAY	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	92	37.86	93	38.27
1	120	49.38	213	87.65
2	29	11.93	242	99.59
3	1	0.41	243	100.00

G4. How fast do you usually drive compared to the general flow of traffic? Would you say . . .

Much faster..... 1

Somewhat faster 2

About the same..... 3

Somewhat slower 4

Much slower..... 5

fastdriv	Frequency	Percent	Cum Freq	Cum Percent
-2	92	37.86	92	37.86
1	2	0.82	94	38.68
2	10	4.12	104	42.80
3	111	45.68	215	88.48
4	27	11.11	242	99.59
5	1	0.41	243	100.00

G5. How would you rate the quality of your own driving? Would you say it is . . .

Excellent..... 1

Good..... 2

Average 3

Fair 4

Poor 5

qualdriv	Frequency	Percent	Cum Freq	Cum Percent
-2	92	37.86	92	37.86
1	38	15.64	130	53.50
2	87	35.80	217	89.30
3	23	9.47	240	98.77
4	3	1.23	243	100.00

G6. In an average week, how many days out of seven do you normally drive?

≤ 1 2 3 4 5 6 7

daysdriv	Frequency	Percent	Cum Freq	Cum Percent
-2	92	37.86	92	37.86
1	12	4.94	104	42.80
2	17	7.00	121	49.79
3	15	6.17	136	55.97
4	16	6.58	152	62.55
5	19	7.82	171	70.37
6	16	6.58	187	76.95
7	56	23.05	243	100.00

G7. How many miles do you drive in an average seven-day week?

RECORD NUMBER: ____ _

Analysis Variable : MILEDRIV					
N	Mean	SD	Minimum	Median	Maximum
149	75.7	76.9	0.0	50.0	500.0

MILEDRIV	Frequency	Percent	Cum Freq	Cum Percent
-9	2	2.13	2	2.13
-2	92	97.87	94	100.00

MAY NEED TO PROMPT WITH RANGES, E.G., "LESS THAN 50?; MORE THAN 100? LESS THAN 500?," ETC.

Please note that the next series of questions asks about your driving during the last two months. Today is _____. The next set of questions ask about the period of time from _____ up to, and including, yesterday. I will be asking you some questions for which there are several alternative answers. To make it easy for you to pick the best response, you can use this card.

GIVE THE SUBJECT THE RESPONSE CARD.

G8. During the last two months, have you driven when it is raining?

YES 1

NO 2 (G8b)

RAINDRIV	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	92	37.86	93	38.27
1	117	48.15	210	86.42
2	33	13.58	243	100.00

G8a. Would you say that you drive in the rain with . . .

No difficulty at all 1 (G9)

A little difficulty..... 2 (G9)

Moderate difficulty..... 3 (G9)

Extreme difficulty 4 (G9)

RAINDRA	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	125	51.44	126	51.85
1	80	32.92	206	84.77
2	29	11.93	235	96.71
3	8	3.29	243	100.00

G8b. Have you not driven in the rain because you avoid driving in the rain?

YES 1

NO 2

RAINDRB	Frequency	Percent	Cum Freq	Cum Percent
-2	210	86.42	210	86.42
1	17	7.00	227	93.42
2	16	6.58	243	100.00

G9. During the last two months, have you driven alone?

YES 1

NO 2 (G9b)

ALONDRIV	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	92	37.86	93	38.27
1	137	56.38	230	94.65
2	13	5.35	243	100.00

G9a. Would you say that you drive alone with . . .

No difficulty at all.....1 (G10)

A little difficulty.....2 (G10)

Moderate difficulty.....3 (G10)

Extreme difficulty.....4 (G10)

ALONDRA	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	105	43.21	106	43.62
1	131	53.91	237	97.53
2	4	1.65	241	99.18
3	2	0.82	243	100.00

G9b. Have you not driven alone because you avoid driving alone?

YES 1

NO 2

ALONDRB	Frequency	Percent	Cum Freq	Cum Percent
-2	230	94.65	230	94.65
1	7	2.88	237	97.53
2	6	2.47	243	100.00

G10. During the last two months, have you made left-hand turns across oncoming traffic? This is where you are waiting for traffic to clear before making a left-hand turn.

YES 1

NO 2 (G10b)

LHTURN	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	92	37.86	93	38.27
1	138	56.79	231	95.06
2	12	4.94	243	100.00

G10a. Would you say that you make left-handed turns across oncoming traffic with . . .

No difficulty at all 1 (G11)

A little difficulty.....2 (G11)

Moderate difficulty.....3 (G11)

Extreme difficulty 4 (G11)

LHTURNA	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	104	42.80	105	43.21
1	130	53.50	235	96.71
2	6	2.47	241	99.18
3	2	0.82	243	100.00

G10b. Have you not made left-hand turns across oncoming traffic because you avoid doing that?

YES 1

NO 2

LHTURNB	Frequency	Percent	Cum Freq	Cum Percent
-2	231	95.06	231	95.06
1	4	1.65	235	96.71
2	8	3.29	243	100.00

G11. During the last two months, have you merged into traffic while entering a highway or expressway?

YES 1

NO 2 **(G11b)**

mergtraf	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	92	37.86	93	38.27
1	111	45.68	204	83.95
2	39	16.05	243	100.00

G11a. Would you say that you merge into traffic while entering a highway or expressway with...

No difficulty at all.....1 **(G12)**

A little difficulty.....2 **(G12)**

Moderate difficulty.....3 **(G12)**

Extreme difficulty.....4 **(G12)**

MERGTRA	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	131	53.91	132	54.32
1	97	39.92	229	94.24
2	10	4.12	239	98.35
3	4	1.65	243	100.00

G11b. Have you not merged into traffic while entering a highway or expressway because you avoid doing that?

YES 1

NO 2

MERGTR	Frequency	Percent	Cum Freq	Cum Percent
B				
-2	204	83.95	204	83.95
1	21	8.64	225	92.59
2	18	7.41	243	100.00

G12. During the last two months, have you driven on high-traffic roads?

YES 1

NO 2 **(G12b)**

hightraf	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	92	37.86	93	38.27
1	124	51.03	217	89.30
2	26	10.70	243	100.00

G12a. Would you say that you drive on high-traffic roads with . . .

No difficulty at all.....1 **(G13)**

A little difficulty.....2 **(G13)**

Moderate difficulty.....3 **(G13)**

Extreme difficulty 4 **(G13)**

HIGHTRA	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	118	48.56	119	48.97
1	109	44.86	228	93.83
2	13	5.35	241	99.18
3	2	0.82	243	100.00

G12b. Have you not driven on high traffic roads because you avoid doing that?

YES 1

NO 2

HIGHTRB	Frequency	Percent	Cum Freq	Cum Percent
-2	217	89.30	217	89.30
1	18	7.41	235	96.71
2	8	3.29	243	100.00

G13. During the last two months, have you driven in rush-hour traffic?

YES 1

NO 2 **(G13b)**

RUSHHOUR	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	92	37.86	93	38.27
1	99	40.74	192	79.01
2	51	20.99	243	100.00

G13a. Would you say that you drive in rush-hour traffic with. . .

No difficulty at all.....1 **(G14)**

A little difficulty.....2 **(G14)**

Moderate difficulty.....3 **(G14)**

Extreme Difficulty 4 **(G14)**

RUSHOA	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	143	58.85	144	59.26
1	80	32.92	224	92.18
2	16	6.58	240	98.77
3	3	1.23	243	100.00

G13b. Have you not driven in rush-hour traffic because you avoid it?

YES 1

NO 2

RUSHO B	Frequency	Percent	Cum Freq	Cum Percent
-2	192	79.01	192	79.01
1	38	15.64	230	94.65
2	13	5.35	243	100.00

G14. During the last two months, have you driven at night?

YES 1

NO 2 **(G14b)**

nighdrv	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	92	37.86	93	38.27
1	95	39.09	188	77.37
2	55	22.63	243	100.00

G14a. Would you say that you drive at night with...

No difficulty at all.....1 **(G15)**

A little difficulty.....2 **(G15)**

Moderate difficulty.....3 **(G15)**

Extreme difficulty4 **(G15)**

NIGHTDR A	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	147	60.49	148	60.91
1	56	23.05	204	83.95
2	33	13.58	237	97.53
3	3	1.23	240	98.77
4	3	1.23	243	100.00

G14b. Have you not driven at night because you avoid doing that?

YES 1

NO 2

NIGHTDRB	Frequency	Percent	Cum Freq	Cum Percent
-2	188	77.37	188	77.37
1	38	15.64	226	93.00
2	17	7.00	243	100.00

G15. During the last two months, have you made lane changes while driving?

YES 1

NO 2 **(G15b)**

LANECHAN	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	92	37.86	93	38.27
1	136	55.97	229	94.24
2	14	5.76	243	100.00

G15a. Would you say that you make lane changes while driving with . . .

No difficulty at all.....1 **(G16)**

A little difficulty.....2 **(G16)**

Moderate difficulty.....3 **(G16)**

Extreme difficulty.....4 **(G16)**

LANECHA	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	106	43.62	107	44.03
1	128	52.67	235	96.71
2	5	2.06	240	98.77
3	3	1.23	243	100.00

G15b. Have you not made lane changes because you avoid doing that?

YES 1

NO 2

LANECHB	Frequency	Percent	Cum Freq	Cum Percent
-2	229	94.24	229	94.24
1	5	2.06	234	96.30
2	9	3.70	243	100.00

VERSION A and B

The remaining questions ask about things that might have happened since your last visit on, (DATE TAKEN FROM VCS). Since today is _____ (MONTH) _____, _____ (YEAR) _____, the following questions are asking about the period of time from _____ (MONTH) _____, _____ (YEAR) _____, up to and including yesterday.

G16. Has anyone suggested since your last visit on, (DATE TAKEN FROM VCS) that you limit your driving or suggested that you stop driving? (PROMPT: Has anyone like your spouse, children, doctor, or a friend suggested that you not drive anymore or drive less?)

YES 1

NO 2 (G17)

The remaining questions ask about things that might have happened to you in the last twelve months. I want to ask about the time period between ONE YEAR PREVIOUS (month/year), up to and including yesterday (month/year).

G16. Has anyone suggested to you in the last twelve months that you limit your driving or suggested that you stop driving? (PROMPT: Has anyone like your spouse, children, doctor, or a friend suggested that you not drive anymore or drive less?)

YES 1

NO 2 (G17)

limitdrv	Frequency	Percent	Cum Freq	Cum Percent
-2	92	37.86	92	37.86
1	21	8.64	113	46.50
2	130	53.50	243	100.00

G16a. Who made the suggestion to limit or stop your driving?

	YES	NO
1) SPOUSE.....	1	2

LIMITDR1	Frequency	Percent	Cum Freq	Cum Percent
-2	222	91.36	222	91.36
1	2	0.82	224	92.18
2	19	7.82	243	100.00

2) SON OR DAUGHTER	1	2
--------------------------	---	---

LIMITDR2	Frequency	Percent	Cum Freq	Cum Percent
-2	222	91.36	222	91.36
1	5	2.06	227	93.42
2	16	6.58	243	100.00

3) FRIEND 1 2

LIMITDR3	Frequency	Percent	Cum Freq	Cum Percent
-2	222	91.36	222	91.36
1	1	0.41	223	91.77
2	20	8.23	243	100.00

4) YOUR DOCTOR, OR OTHER MEDICAL
PERSON 1 2

LIMITDR4	Frequency	Percent	Cum Freq	Cum Percent
-2	222	91.36	222	91.36
1	12	4.94	234	96.30
2	9	3.70	243	100.00

5) EYE DOCTOR (OPTOMETRIST OR
OPHTHALMOLOGIST) 1 2

LIMITDR5	Frequency	Percent	Cum Freq	Cum Percent
-2	222	91.36	222	91.36
2	21	8.64	243	100.00

6) OTHER 1 2

LIMITDR6	Frequency	Percent	Cum Freq	Cum Percent
-2	222	91.36	222	91.36
1	1	0.41	223	91.77
2	20	8.23	243	100.00

- G17. How many accidents have you been involved in since your last visit on, **(DATE TAKEN FROM VCS)** when you were the driver? Please indicate the number of accidents, whether or not you were at fault.

INCLUDE ALL MINOR OR MAJOR ACCIDENTS REGARDLESS OF FAULT.
SUBJECT MUST HAVE BEEN THE DRIVER.

RECORD NUMBER: ____ ____ ____

IF NONE, GO TO G18.

NUMBAC DN	Frequency	Percent	Cum Freq	Cum Percent
-2	92	37.86	92	37.86
0	140	57.61	232	95.47
1	10	4.12	242	99.59
2	1	0.41	243	100.00

IF NONE, GO TO G18.

- G17a. To how many of these were the police called to the scene?

RECORD NUMBER: ____ ____ ____

POLICAC D	Frequency	Percent	Cum Freq	Cum Percent
-2	232	95.47	232	95.47
0	6	2.47	238	97.94
1	5	2.06	243	100.00

G18. How many times since, **(DATE TAKEN FROM VCS)** have you been pulled over by the police, regardless of whether you received a ticket? (PROMPT: Stopped for speeding or some other violation?)

RECORD NUMBER: ____ _

IF NONE, GO TO SECTION H

NUMBPOL	Frequency	Percent	Cum Freq	Cum Percent
-2	92	37.86	92	37.86
0	138	56.79	230	94.65
1	12	4.94	242	99.59
2	1	0.41	243	100.00

G18a. On how many of these occasions have you received a traffic ticket (other than a parking ticket), whether you think you were at fault?

RECORD NUMBER: ____ _

NUMBTICK	Frequency	Percent	Cum Freq	Cum Percent
-2	230	94.65	230	94.65
0	9	3.70	239	98.35
1	4	1.65	243	100.00

GO TO G19.

G19. MOBILITY: LIFE SPACE / FALLS / DRIVING QUESTIONS END TIME:

____ _ : ____ _ AM / PM

Analysis Variable : mobil1_t					
N	Mean	SD	Minimum	Median	Maximum
150	9.5	4.3	2.0	9.0	27.0

mobil1_t	Frequency	Percent	Cum Freq	Cum Percent
.	93	100.00	93	100.00

SECTION H: MOBILITY/DRIVING HABITS FOR NON-DRIVERS <div style="text-align: right;"><i>PROXY NOT ALLOWED</i></div>

H1. Let me check this again. Do you currently drive?
 (THIS IS A VERIFICATION QUESTION.)

YES 1 **(GO BACK TO G3.)**

NO 2

curdriv2	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	163	67.08	164	67.49
2	79	32.51	243	100.00

H2. Which way do you prefer to get around? Do you prefer to . . .

Drive yourself..... 1

Have someone drive you 2

Use public transportation or taxi cab 3

DRIVPREF	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	163	67.08	166	68.31
1	12	4.94	178	73.25
2	55	22.63	233	95.88
3	10	4.12	243	100.00

H3. Have you ever driven a car?

YES 1

NO 2 **(GO TO H9)**

EVERDRI V	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	163	67.08	164	67.49
1	63	25.93	227	93.42
2	16	6.58	243	100.00

H5. How long has it been since you last drove? (PROMPTING MAY BE NECESSARY.)

RECORD:

YEARS

MONTHS

Analysis Variable : ldrivvrs					
N	Mean	SD	Minimum	Median	Maximum
61	6.5	9.4	0.3	3.0	56.0

ldrivvrs	Frequency	Percent	Cum Freq	Cum Percent
.	182	100.00	182	100.00

IF > 2 YEARS, GO TO H9.

H6. Has anyone suggested since your last visit on, **(DATE TAKEN FROM VCS)** that you limit your driving or suggested that you stop driving? (PROMPT: Has anyone like your spouse, children, doctor, or a friend suggested that you not drive anymore or drive less?)

YES 1

NO 2 **(H7)**

LIMDRIV	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	224	92.18	227	93.42
1	5	2.06	232	95.47
2	11	4.53	243	100.00

H6a. Who made the suggestion to limit or stop your driving?

YES NO

1) SPOUSE..... 1 2

LIMDR1	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	235	96.71	238	97.94
2	5	2.06	243	100.00

2) SON OR DAUGHTER 1 2

LIMDR2	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	235	96.71	238	97.94
1	2	0.82	240	98.77
2	3	1.23	243	100.00

3) FRIEND 1 2

LIMDR3	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	235	96.71	238	97.94
2	5	2.06	243	100.00

4) YOUR DOCTOR, OR OTHER MEDICAL
PERSON..... 1 2

LIMDR4	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	235	96.71	238	97.94
1	3	1.23	241	99.18
2	2	0.82	243	100.00

5) EYE DOCTOR (OPTOMETRIST OR
OPHTHALMOLOGIST)..... 1 2

LIMDR5	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	235	96.71	238	97.94
2	5	2.06	243	100.00

6) OTHER 1 2

LIMDR6	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	235	96.71	238	97.94
2	5	2.06	243	100.00

- H7. How many accidents have you been involved in since your last visit on, **(DATE TAKEN FROM VCS)** when you were the driver? Please indicate the number of accidents, whether or not you were at fault.

INCLUDE ALL MINOR OR MAJOR ACCIDENTS REGARDLESS OF FAULT. SUBJECT MUST HAVE BEEN THE DRIVER.

RECORD NUMBER: ____ ____ ____

IF NONE, GO TO H8.

NUMBACD2	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	224	92.18	227	93.42
0	15	6.17	242	99.59
1	1	0.41	243	100.00

- H7a. To how many of these were the police called to the scene?

RECORD NUMBER: ____ ____ ____

policac2	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	239	98.35	242	99.59
1	1	0.41	243	100.00

- H8. How many times since your last visit on, **(DATE TAKEN FROM VCS)** have you been pulled over by the police, regardless of whether you received a ticket?

STOPPED FOR SPEEDING OR SOME OTHER VIOLATION.

RECORD NUMBER: ____ ____ ____

IF NONE, GO TO H9.

NUMBPOL2	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	224	92.18	227	93.42
0	16	6.58	243	100.00

- H8a. On how many of these occasions have you received a traffic ticket (other than a parking ticket) regardless of whether or not you think you were at fault?

RECORD NUMBER: ____ ____ ____

numbtic2	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	240	98.77	243	100.00

That completes the section on mobility and driving.

H9. MOBILITY: LIFE SPACE / FALLS / DRIVING QUESTIONS END TIME:

_____ : _____ AM / PM

Analysis Variable : mobil2_t					
N	Mean	SD	Minimum	Median	Maximum
87	7.7	5.1	1.0	6.0	36.0

mobil2_t	Frequency	Percent	Cum Freq	Cum Percent
.	156	100.00	156	100.00

- MAY OFFER BREAK HERE -

SECTION I: PRE - HEALTH AND HEALTH SERVICES UTILIZATION

I1. WERE THESE MEASUREMENTS COMPLETED AT THIS FOLLOW-UP VISIT?

NO 1 GO TO SECTION L

YES 2 COMPLETE QUESTIONS BELOW

measc_i	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
1	2	0.82	3	1.23
2	240	98.77	243	100.00

I3. MODE OF INTERVIEW:

IN-PERSON AT TESTING CENTER.....1

IN-PERSON AT PARTICIPANT'S HOME.....2

IN-PERSON AT NURSING HOME.....3

IN-PERSON AT ALTERNATE LOCATION.....4

TELEPHONE.....5

i_mode_i	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	2	0.82	3	1.23
1	7	2.88	10	4.12
2	11	4.53	21	8.64
3	5	2.06	26	10.70
4	1	0.41	27	11.11
5	216	88.89	243	100.00

I4. WITH WHOM:

- PARTICIPANT ONLY 1 (I5)
- PARTICIPANT & PROXY 2 (I4a)
- PROXY ONLY.....3 (I4a)

w_whom_i	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	2	0.82	3	1.23
1	228	93.83	231	95.06
2	2	0.82	233	95.88
3	10	4.12	243	100.00

I4a. PROXY CODE:

- SPOUSE..... 1
- CHILD.....2
- OTHER RELATIVE.....3
- NON-RELATIVE.....4
- FORMAL CAREGIVER..... 5

i_proxy	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	230	94.65	231	95.06
1	6	2.47	237	97.53
2	2	0.82	239	98.35
3	2	0.82	241	99.18
5	2	0.82	243	100.00

I6. HEALTH AND HEALTH SERVICES UTILIZATION QUESTIONS START TIME:

_____ : _____ AM / PM

SECTION J: HEALTH QUESTIONS***PROXY ALLOWED***

The next two sections ask questions about your general health, your health habits, your health insurance and doctor and hospital visits. We know that a person may have more than one health condition at a time. I am now going to ask you some questions about your health. For this series of questions, I am interested in health conditions that have been diagnosed since we **last** interviewed you in **(MONTH/YEAR OF 2ND ANNUAL FROM THE VCS)**.

J1. Since your last visit in **(MONTH/YEAR OF 2ND Annual)**, has a doctor or nurse told you that you have . . . (CIRCLE ONE ANSWER FOR EACH QUESTION.)

	CONDITION	YES	NO	DON'T KNOW																														
a.	Osteoporosis, sometimes called thin or brittle bones? <table border="1"> <thead> <tr> <th>HEALTH1</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-9</td> <td>1</td> <td>0.41</td> <td>1</td> <td>0.41</td> </tr> <tr> <td>-2</td> <td>2</td> <td>0.82</td> <td>3</td> <td>1.23</td> </tr> <tr> <td>1</td> <td>24</td> <td>9.88</td> <td>27</td> <td>11.11</td> </tr> <tr> <td>2</td> <td>211</td> <td>86.83</td> <td>238</td> <td>97.94</td> </tr> <tr> <td>8</td> <td>5</td> <td>2.06</td> <td>243</td> <td>100.00</td> </tr> </tbody> </table>	HEALTH1	Frequency	Percent	Cum Freq	Cum Percent	-9	1	0.41	1	0.41	-2	2	0.82	3	1.23	1	24	9.88	27	11.11	2	211	86.83	238	97.94	8	5	2.06	243	100.00	1	2	8
HEALTH1	Frequency	Percent	Cum Freq	Cum Percent																														
-9	1	0.41	1	0.41																														
-2	2	0.82	3	1.23																														
1	24	9.88	27	11.11																														
2	211	86.83	238	97.94																														
8	5	2.06	243	100.00																														
b.	Asthma or chronic bronchitis or emphysema? <table border="1"> <thead> <tr> <th>HEALTH2</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-9</td> <td>1</td> <td>0.41</td> <td>1</td> <td>0.41</td> </tr> <tr> <td>-2</td> <td>2</td> <td>0.82</td> <td>3</td> <td>1.23</td> </tr> <tr> <td>1</td> <td>13</td> <td>5.35</td> <td>16</td> <td>6.58</td> </tr> <tr> <td>2</td> <td>227</td> <td>93.42</td> <td>243</td> <td>100.00</td> </tr> </tbody> </table>	HEALTH2	Frequency	Percent	Cum Freq	Cum Percent	-9	1	0.41	1	0.41	-2	2	0.82	3	1.23	1	13	5.35	16	6.58	2	227	93.42	243	100.00	1	2	8					
HEALTH2	Frequency	Percent	Cum Freq	Cum Percent																														
-9	1	0.41	1	0.41																														
-2	2	0.82	3	1.23																														
1	13	5.35	16	6.58																														
2	227	93.42	243	100.00																														
c.	Cataracts? <table border="1"> <thead> <tr> <th>HEALTH3</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-9</td> <td>1</td> <td>0.41</td> <td>1</td> <td>0.41</td> </tr> <tr> <td>-2</td> <td>2</td> <td>0.82</td> <td>3</td> <td>1.23</td> </tr> <tr> <td>1</td> <td>52</td> <td>21.40</td> <td>55</td> <td>22.63</td> </tr> <tr> <td>2</td> <td>186</td> <td>76.54</td> <td>241</td> <td>99.18</td> </tr> <tr> <td>8</td> <td>2</td> <td>0.82</td> <td>243</td> <td>100.00</td> </tr> </tbody> </table>	HEALTH3	Frequency	Percent	Cum Freq	Cum Percent	-9	1	0.41	1	0.41	-2	2	0.82	3	1.23	1	52	21.40	55	22.63	2	186	76.54	241	99.18	8	2	0.82	243	100.00	1	2	8
HEALTH3	Frequency	Percent	Cum Freq	Cum Percent																														
-9	1	0.41	1	0.41																														
-2	2	0.82	3	1.23																														
1	52	21.40	55	22.63																														
2	186	76.54	241	99.18																														
8	2	0.82	243	100.00																														
d.	Glaucoma? <table border="1"> <thead> <tr> <th>HEALTH4</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-9</td> <td>1</td> <td>0.41</td> <td>1</td> <td>0.41</td> </tr> <tr> <td>-2</td> <td>2</td> <td>0.82</td> <td>3</td> <td>1.23</td> </tr> <tr> <td>1</td> <td>19</td> <td>7.82</td> <td>22</td> <td>9.05</td> </tr> <tr> <td>2</td> <td>217</td> <td>89.30</td> <td>239</td> <td>98.35</td> </tr> <tr> <td>8</td> <td>4</td> <td>1.65</td> <td>243</td> <td>100.00</td> </tr> </tbody> </table>	HEALTH4	Frequency	Percent	Cum Freq	Cum Percent	-9	1	0.41	1	0.41	-2	2	0.82	3	1.23	1	19	7.82	22	9.05	2	217	89.30	239	98.35	8	4	1.65	243	100.00	1	2	8
HEALTH4	Frequency	Percent	Cum Freq	Cum Percent																														
-9	1	0.41	1	0.41																														
-2	2	0.82	3	1.23																														
1	19	7.82	22	9.05																														
2	217	89.30	239	98.35																														
8	4	1.65	243	100.00																														

E.	Macular degeneration?	1	2	8																														
	<table> <tr> <th>HEALTH5</th><th>Frequency</th><th>Percent</th><th>Cum Freq</th><th>Cum Percent</th></tr> <tr> <td>-9</td><td>1</td><td>0.41</td><td>1</td><td>0.41</td></tr> <tr> <td>-2</td><td>2</td><td>0.82</td><td>3</td><td>1.23</td></tr> <tr> <td>1</td><td>9</td><td>3.70</td><td>12</td><td>4.94</td></tr> <tr> <td>2</td><td>225</td><td>92.59</td><td>237</td><td>97.53</td></tr> <tr> <td>8</td><td>6</td><td>2.47</td><td>243</td><td>100.00</td></tr> </table>	HEALTH5	Frequency	Percent	Cum Freq	Cum Percent	-9	1	0.41	1	0.41	-2	2	0.82	3	1.23	1	9	3.70	12	4.94	2	225	92.59	237	97.53	8	6	2.47	243	100.00			
HEALTH5	Frequency	Percent	Cum Freq	Cum Percent																														
-9	1	0.41	1	0.41																														
-2	2	0.82	3	1.23																														
1	9	3.70	12	4.94																														
2	225	92.59	237	97.53																														
8	6	2.47	243	100.00																														
f.	Diabetic retinopathy or diabetic eye disease?	1	2	8																														
	<table> <tr> <th>HEALTH6</th><th>Frequency</th><th>Percent</th><th>Cum Freq</th><th>Cum Percent</th></tr> <tr> <td>-9</td><td>2</td><td>0.82</td><td>2</td><td>0.82</td></tr> <tr> <td>-2</td><td>2</td><td>0.82</td><td>4</td><td>1.65</td></tr> <tr> <td>1</td><td>6</td><td>2.47</td><td>10</td><td>4.12</td></tr> <tr> <td>2</td><td>231</td><td>95.06</td><td>241</td><td>99.18</td></tr> <tr> <td>8</td><td>2</td><td>0.82</td><td>243</td><td>100.00</td></tr> </table>	HEALTH6	Frequency	Percent	Cum Freq	Cum Percent	-9	2	0.82	2	0.82	-2	2	0.82	4	1.65	1	6	2.47	10	4.12	2	231	95.06	241	99.18	8	2	0.82	243	100.00			
HEALTH6	Frequency	Percent	Cum Freq	Cum Percent																														
-9	2	0.82	2	0.82																														
-2	2	0.82	4	1.65																														
1	6	2.47	10	4.12																														
2	231	95.06	241	99.18																														
8	2	0.82	243	100.00																														
g.	Angina or chest pain due to heart disease?	1	2	8																														
	<table> <tr> <th>HEALTH7</th><th>Frequency</th><th>Percent</th><th>Cum Freq</th><th>Cum Percent</th></tr> <tr> <td>-9</td><td>2</td><td>0.82</td><td>2</td><td>0.82</td></tr> <tr> <td>-2</td><td>2</td><td>0.82</td><td>4</td><td>1.65</td></tr> <tr> <td>1</td><td>22</td><td>9.05</td><td>26</td><td>10.70</td></tr> <tr> <td>2</td><td>209</td><td>86.01</td><td>235</td><td>96.71</td></tr> <tr> <td>8</td><td>8</td><td>3.29</td><td>243</td><td>100.00</td></tr> </table>	HEALTH7	Frequency	Percent	Cum Freq	Cum Percent	-9	2	0.82	2	0.82	-2	2	0.82	4	1.65	1	22	9.05	26	10.70	2	209	86.01	235	96.71	8	8	3.29	243	100.00			
HEALTH7	Frequency	Percent	Cum Freq	Cum Percent																														
-9	2	0.82	2	0.82																														
-2	2	0.82	4	1.65																														
1	22	9.05	26	10.70																														
2	209	86.01	235	96.71																														
8	8	3.29	243	100.00																														
h.	Congestive heart failure?	1	2	8																														
	<table> <tr> <th>HEALTH8</th><th>Frequency</th><th>Percent</th><th>Cum Freq</th><th>Cum Percent</th></tr> <tr> <td>-9</td><td>2</td><td>0.82</td><td>2</td><td>0.82</td></tr> <tr> <td>-2</td><td>2</td><td>0.82</td><td>4</td><td>1.65</td></tr> <tr> <td>1</td><td>7</td><td>2.88</td><td>11</td><td>4.53</td></tr> <tr> <td>2</td><td>226</td><td>93.00</td><td>237</td><td>97.53</td></tr> <tr> <td>8</td><td>6</td><td>2.47</td><td>243</td><td>100.00</td></tr> </table>	HEALTH8	Frequency	Percent	Cum Freq	Cum Percent	-9	2	0.82	2	0.82	-2	2	0.82	4	1.65	1	7	2.88	11	4.53	2	226	93.00	237	97.53	8	6	2.47	243	100.00			
HEALTH8	Frequency	Percent	Cum Freq	Cum Percent																														
-9	2	0.82	2	0.82																														
-2	2	0.82	4	1.65																														
1	7	2.88	11	4.53																														
2	226	93.00	237	97.53																														
8	6	2.47	243	100.00																														
i.	Stroke, mini-stroke or TIA?	1	2	8																														
	<table> <tr> <th>HEALTH9</th><th>Frequency</th><th>Percent</th><th>Cum Freq</th><th>Cum Percent</th></tr> <tr> <td>-9</td><td>2</td><td>0.82</td><td>2</td><td>0.82</td></tr> <tr> <td>-2</td><td>2</td><td>0.82</td><td>4</td><td>1.65</td></tr> <tr> <td>1</td><td>12</td><td>4.94</td><td>16</td><td>6.58</td></tr> <tr> <td>2</td><td>224</td><td>92.18</td><td>240</td><td>98.77</td></tr> <tr> <td>8</td><td>3</td><td>1.23</td><td>243</td><td>100.00</td></tr> </table>	HEALTH9	Frequency	Percent	Cum Freq	Cum Percent	-9	2	0.82	2	0.82	-2	2	0.82	4	1.65	1	12	4.94	16	6.58	2	224	92.18	240	98.77	8	3	1.23	243	100.00			
HEALTH9	Frequency	Percent	Cum Freq	Cum Percent																														
-9	2	0.82	2	0.82																														
-2	2	0.82	4	1.65																														
1	12	4.94	16	6.58																														
2	224	92.18	240	98.77																														
8	3	1.23	243	100.00																														
j.	Hypertension or high blood pressure?	1	2	8																														
	<table> <tr> <th>HEALTH10</th><th>Frequency</th><th>Percent</th><th>Cum Freq</th><th>Cum Percent</th></tr> <tr> <td>-9</td><td>2</td><td>0.82</td><td>2</td><td>0.82</td></tr> <tr> <td>-2</td><td>2</td><td>0.82</td><td>4</td><td>1.65</td></tr> <tr> <td>1</td><td>50</td><td>20.58</td><td>54</td><td>22.22</td></tr> <tr> <td>2</td><td>185</td><td>76.13</td><td>239</td><td>98.35</td></tr> <tr> <td>8</td><td>4</td><td>1.65</td><td>243</td><td>100.00</td></tr> </table>	HEALTH10	Frequency	Percent	Cum Freq	Cum Percent	-9	2	0.82	2	0.82	-2	2	0.82	4	1.65	1	50	20.58	54	22.22	2	185	76.13	239	98.35	8	4	1.65	243	100.00			
HEALTH10	Frequency	Percent	Cum Freq	Cum Percent																														
-9	2	0.82	2	0.82																														
-2	2	0.82	4	1.65																														
1	50	20.58	54	22.22																														
2	185	76.13	239	98.35																														
8	4	1.65	243	100.00																														

k.	High cholesterol?	1	2	8																														
	<table> <tr> <th>HEALTH11</th><th>Frequency</th><th>Percent</th><th>Cum Freq</th><th>Cum Percent</th></tr> <tr> <td>-9</td><td>3</td><td>1.23</td><td>3</td><td>1.23</td></tr> <tr> <td>-2</td><td>2</td><td>0.82</td><td>5</td><td>2.06</td></tr> <tr> <td>1</td><td>53</td><td>21.81</td><td>58</td><td>23.87</td></tr> <tr> <td>2</td><td>173</td><td>71.19</td><td>231</td><td>95.06</td></tr> <tr> <td>8</td><td>12</td><td>4.94</td><td>243</td><td>100.00</td></tr> </table>	HEALTH11	Frequency	Percent	Cum Freq	Cum Percent	-9	3	1.23	3	1.23	-2	2	0.82	5	2.06	1	53	21.81	58	23.87	2	173	71.19	231	95.06	8	12	4.94	243	100.00			
HEALTH11	Frequency	Percent	Cum Freq	Cum Percent																														
-9	3	1.23	3	1.23																														
-2	2	0.82	5	2.06																														
1	53	21.81	58	23.87																														
2	173	71.19	231	95.06																														
8	12	4.94	243	100.00																														
l.	Arthritis?	1	2	8																														
	<table> <tr> <th>HEALTH12</th><th>Frequency</th><th>Percent</th><th>Cum Freq</th><th>Cum Percent</th></tr> <tr> <td>-9</td><td>2</td><td>0.82</td><td>2</td><td>0.82</td></tr> <tr> <td>-2</td><td>2</td><td>0.82</td><td>4</td><td>1.65</td></tr> <tr> <td>1</td><td>67</td><td>27.57</td><td>71</td><td>29.22</td></tr> <tr> <td>2</td><td>166</td><td>68.31</td><td>237</td><td>97.53</td></tr> <tr> <td>8</td><td>6</td><td>2.47</td><td>243</td><td>100.00</td></tr> </table>	HEALTH12	Frequency	Percent	Cum Freq	Cum Percent	-9	2	0.82	2	0.82	-2	2	0.82	4	1.65	1	67	27.57	71	29.22	2	166	68.31	237	97.53	8	6	2.47	243	100.00			
HEALTH12	Frequency	Percent	Cum Freq	Cum Percent																														
-9	2	0.82	2	0.82																														
-2	2	0.82	4	1.65																														
1	67	27.57	71	29.22																														
2	166	68.31	237	97.53																														
8	6	2.47	243	100.00																														
m.	Diabetes?	1	2	8																														
	<table> <tr> <th>HEALTH13</th><th>Frequency</th><th>Percent</th><th>Cum Freq</th><th>Cum Percent</th></tr> <tr> <td>-9</td><td>2</td><td>0.82</td><td>2</td><td>0.82</td></tr> <tr> <td>-2</td><td>2</td><td>0.82</td><td>4</td><td>1.65</td></tr> <tr> <td>1</td><td>11</td><td>4.53</td><td>15</td><td>6.17</td></tr> <tr> <td>2</td><td>227</td><td>93.42</td><td>242</td><td>99.59</td></tr> <tr> <td>8</td><td>1</td><td>0.41</td><td>243</td><td>100.00</td></tr> </table>	HEALTH13	Frequency	Percent	Cum Freq	Cum Percent	-9	2	0.82	2	0.82	-2	2	0.82	4	1.65	1	11	4.53	15	6.17	2	227	93.42	242	99.59	8	1	0.41	243	100.00			
HEALTH13	Frequency	Percent	Cum Freq	Cum Percent																														
-9	2	0.82	2	0.82																														
-2	2	0.82	4	1.65																														
1	11	4.53	15	6.17																														
2	227	93.42	242	99.59																														
8	1	0.41	243	100.00																														
n.	Heart Attack or Myocardial Infarction?	1	2	8																														
	<table> <tr> <th>HEALTH14</th><th>Frequency</th><th>Percent</th><th>Cum Freq</th><th>Cum Percent</th></tr> <tr> <td>-9</td><td>2</td><td>0.82</td><td>2</td><td>0.82</td></tr> <tr> <td>-2</td><td>2</td><td>0.82</td><td>4</td><td>1.65</td></tr> <tr> <td>1</td><td>11</td><td>4.53</td><td>15</td><td>6.17</td></tr> <tr> <td>2</td><td>224</td><td>92.18</td><td>239</td><td>98.35</td></tr> <tr> <td>8</td><td>4</td><td>1.65</td><td>243</td><td>100.00</td></tr> </table>	HEALTH14	Frequency	Percent	Cum Freq	Cum Percent	-9	2	0.82	2	0.82	-2	2	0.82	4	1.65	1	11	4.53	15	6.17	2	224	92.18	239	98.35	8	4	1.65	243	100.00			
HEALTH14	Frequency	Percent	Cum Freq	Cum Percent																														
-9	2	0.82	2	0.82																														
-2	2	0.82	4	1.65																														
1	11	4.53	15	6.17																														
2	224	92.18	239	98.35																														
8	4	1.65	243	100.00																														
o.	Alzheimer's disease?	1	2	8																														
	<table> <tr> <th>HEALTH15</th><th>Frequency</th><th>Percent</th><th>Cum Freq</th><th>Cum Percent</th></tr> <tr> <td>-9</td><td>2</td><td>0.82</td><td>2</td><td>0.82</td></tr> <tr> <td>-2</td><td>2</td><td>0.82</td><td>4</td><td>1.65</td></tr> <tr> <td>1</td><td>5</td><td>2.06</td><td>9</td><td>3.70</td></tr> <tr> <td>2</td><td>233</td><td>95.88</td><td>242</td><td>99.59</td></tr> <tr> <td>8</td><td>1</td><td>0.41</td><td>243</td><td>100.00</td></tr> </table>	HEALTH15	Frequency	Percent	Cum Freq	Cum Percent	-9	2	0.82	2	0.82	-2	2	0.82	4	1.65	1	5	2.06	9	3.70	2	233	95.88	242	99.59	8	1	0.41	243	100.00			
HEALTH15	Frequency	Percent	Cum Freq	Cum Percent																														
-9	2	0.82	2	0.82																														
-2	2	0.82	4	1.65																														
1	5	2.06	9	3.70																														
2	233	95.88	242	99.59																														
8	1	0.41	243	100.00																														
p.	Pneumonia?	1	2	8																														
	<table> <tr> <th>HEALTH17</th><th>Frequency</th><th>Percent</th><th>Cum Freq</th><th>Cum Percent</th></tr> <tr> <td>-9</td><td>2</td><td>0.82</td><td>2</td><td>0.82</td></tr> <tr> <td>-2</td><td>2</td><td>0.82</td><td>4</td><td>1.65</td></tr> <tr> <td>1</td><td>13</td><td>5.35</td><td>17</td><td>7.00</td></tr> <tr> <td>2</td><td>224</td><td>92.18</td><td>241</td><td>99.18</td></tr> <tr> <td>8</td><td>2</td><td>0.82</td><td>243</td><td>100.00</td></tr> </table>	HEALTH17	Frequency	Percent	Cum Freq	Cum Percent	-9	2	0.82	2	0.82	-2	2	0.82	4	1.65	1	13	5.35	17	7.00	2	224	92.18	241	99.18	8	2	0.82	243	100.00			
HEALTH17	Frequency	Percent	Cum Freq	Cum Percent																														
-9	2	0.82	2	0.82																														
-2	2	0.82	4	1.65																														
1	13	5.35	17	7.00																														
2	224	92.18	241	99.18																														
8	2	0.82	243	100.00																														

q.	Cancer(s), other than skin cancer?				1 (J1r)	2 (J2)	8 (J2)
	HEALTH16	Frequency	Percent	Cum Freq			
	-9	2	0.82	2			
	-2	2	0.82	4			
	1	8	3.29	12			
	2	231	95.06	243			

Another important influence on health are personal habits. The following questions ask about personal habits that may or may not apply to you.

VERSION A (06/01/2001)

J2. Do you smoke now?

YES 1 (J2d)

NO 2 (J2e)

DON'T KNOW 3

SMOKENOW	Frequency	Percent	Cum Freq	Cum Percent
-9	1	4.17	1	4.17
1	1	4.17	2	8.33
2	22	91.67	24	100.00

VERSION B (08/16/2001)

J2. Do you smoke now?

YES.....1 (J2a)

NO2 (J2b)

NEVER SMOKED3 (J3)

SMOKENOW	Frequency	Percent	Cum Freq	Cum Percent
-2	2	0.91	2	0.91
1	16	7.31	18	8.22
2	98	44.75	116	52.97
3	103	47.03	219	100.00

J2a. On the average, about how many cigarettes per day do you now smoke?

RECORD: **(J3)**
CIGARETTES PER DAY

CIGARDAY	Frequency	Percent	Cum Freq	Cum Percent
-2	226	93.00	226	93.00
3	1	0.41	227	93.42
4	3	1.23	230	94.65
5	1	0.41	231	95.06
6	1	0.41	232	95.47
7	1	0.41	233	95.88
10	1	0.41	234	96.30
13	1	0.41	235	96.71
20	5	2.06	240	98.77
30	2	0.82	242	99.59
35	1	0.41	243	100.00

J2b. How old were you when you quit?

RECORD:
YEARS OLD

Analysis Variable : SMOKQUIT					
N	Mean	SD	Minimum	Median	Maximum
97	50.6	15.1	18.0	50.0	80.0

SMOKQUIT	Frequency	Percent	Cum Freq	Cum Percent
-9	24	16.44	24	16.44
-2	122	83.56	146	100.00

J3. Now I'm going to ask you some questions about your exposure to alcohol. How often do you have a drink containing alcohol? Would you say . . .

Never 0 **(J4)**

Monthly or less..... 1

Two to four times a month 2

Two to three times a week 3

Four to seven times a week 4

DRINKOFT	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	2	0.82	5	2.06
0	137	56.38	142	58.44
1	57	23.46	199	81.89
2	19	7.82	218	89.71
3	8	3.29	226	93.00
4	17	7.00	243	100.00

J3a. How many drinks containing alcohol do you have on a typical day when you are drinking?
Would you say...

One to two 1
Three to four 2
Five to six 3
Seven to nine 4
Ten or more 5

DRINKNUM	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	139	57.20	143	58.85
1	99	40.74	242	99.59
2	1	0.41	243	100.00

J4. The next questions ask about health-related events that may have happened to you since your last visit on, (DATE TAKEN FROM VCS). Have you limited your activities because of pain?

YES 1 (J4a)

NO 2 (J5)

DON'T KNOW 8 (J5)

LIMAPAIN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	2	0.82	4	1.65
1	104	42.80	108	44.44
2	134	55.14	242	99.59
8	1	0.41	243	100.00

J4a. Where is the pain that caused you to limit your activity?
(CIRCLE ALL THAT APPLY.)

Neck..... 1

NECKPAI N	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	137	56.38	139	57.20
0	99	40.74	238	97.94
1	5	2.06	243	100.00

Elbows 2

ELBOPAIN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	137	56.38	139	57.20
0	103	42.39	242	99.59
2	1	0.41	243	100.00

Hips 3

HIPSPAIN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	137	56.38	139	57.20
0	87	35.80	226	93.00
3	17	7.00	243	100.00

Feet/Toes 4

FEETPAIN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	137	56.38	139	57.20
0	94	38.68	233	95.88
4	10	4.12	243	100.00

Back 5

BACKPAIN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	137	56.38	139	57.20
0	64	26.34	203	83.54
5	40	16.46	243	100.00

Wrists..... 6

WRISPAIN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	137	56.38	139	57.20
0	101	41.56	240	98.77
6	3	1.23	243	100.00

Knees 7

KNEEPAIN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	137	56.38	139	57.20
0	70	28.81	209	86.01
7	34	13.99	243	100.00

Shoulders 8

SHOUPAIN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	137	56.38	139	57.20
0	90	37.04	229	94.24
8	14	5.76	243	100.00

Hand/Fingers 9

HANDPAIN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	137	56.38	139	57.20
0	92	37.86	231	95.06
9	12	4.94	243	100.00

Ankles..... 10

ANKLPAIN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	137	56.38	139	57.20
0	96	39.51	235	96.71
10	8	3.29	243	100.00

Other 11

OTHEPAIN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	137	56.38	139	57.20
0	53	21.81	192	79.01
11	51	20.99	243	100.00

J5. Since your last visit on, **(DATE TAKEN FROM VCS)**, have you been treated for pneumonia?

YES 1

NO 2

DON'T KNOW 8

TREATPN	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	2	0.82	4	1.65
1	13	5.35	17	7.00
2	224	92.18	241	99.18
8	2	0.82	243	100.00

J6. The following are questions about your health insurance. Are you currently covered by any government health insurance programs, such as Medicare, Medicaid, or other government programs?

YES 1 **(J6a)**

NO 2 **(J7)**

DON'T KNOW 8 **(J7)**

GOVERINS	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	2	0.82	4	1.65
1	236	97.12	240	98.77
2	1	0.41	241	99.18
8	2	0.82	243	100.00

J6a. Which program is that? (CIRCLE ALL THAT APPLY.)
(PROBE: Any other program?)

MEDICARE 1 **(J6b)**

MDCARINS	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	5	2.06	7	2.88
0	1	0.41	8	3.29
1	235	96.71	243	100.00

MEDICAID 2

MDCAIINS	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	5	2.06	8	3.29
0	217	89.30	225	92.59
2	18	7.41	243	100.00

VA/CHAMPUS 3

VACHAMP	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	5	2.06	7	2.88
0	234	96.30	241	99.18
3	2	0.82	243	100.00

OTHER 4

OTHERINS	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	5	2.06	7	2.88
0	228	93.83	235	96.71
4	8	3.29	243	100.00

J6b. Do you have standard Medicare or are you in a Medicare HMO (health maintenance organization) such as [NAME(S) OF LOCAL HMOs]?

STANDARD MEDICARE 1

MEDICARE HMO 2

DON'T KNOW 8

MCARETYP	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	7	2.88	8	3.29
1	182	74.90	190	78.19
2	36	14.81	226	93.00
8	17	7.00	243	100.00

J7. Do you have any health insurance obtained through your (or your spouse's) employer or former employer?

YES 1 **(J7a)**

NO 2 **(J8)**

DON'T KNOW 8 **(J8)**

HINSEPL	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	2	0.82	4	1.65
1	88	36.21	92	37.86
2	146	60.08	238	97.94
8	5	2.06	243	100.00

J7a. Is it from a current or former employer?

CURRENT 1

FORMER 2

DON'T KNOW 8

CUREMPL	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	153	62.96	155	63.79
1	1	0.41	156	64.20
2	87	35.80	243	100.00

J8. Do you have any type of health insurance coverage, Medigap or other supplemental coverage, or long-term care insurance that is purchased directly from an insurance company or through a membership organization such as AARP (American Association of Retired Persons)?

YES 1 **(J8a)**

NO 2 **(GO TO SECTION K)**

DON'T KNOW 8 **(GO TO SECTION K)**

HINSDIR	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	2	0.82	4	1.65
1	92	37.86	96	39.51
2	138	56.79	234	96.30
8	9	3.70	243	100.00

J8a. What kind of coverage is that?

LONG TERM CARE.....1
(INCLUDING NURSING HOME CARE)

OTHER 2

DON'T KNOW 8

KHINSDIR	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	149	61.32	151	62.14
1	17	7.00	168	69.14
2	74	30.45	242	99.59
8	1	0.41	243	100.00

SECTION K: HEALTH SERVICES UTILIZATION***PROXY ALLOWED***

I am now going to ask some questions about where you receive health care.

K1. When you need health care such as seeing a doctor, is there a place where you usually go?

YES..... 1 (K2)

NO 2 (K3)

DON'T KNOW 8 (K3)

HEALTHS1	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	2	0.82	4	1.65
1	235	96.71	239	98.35
2	1	0.41	240	98.77
8	3	1.23	243	100.00

K2. What is that place? Is it . . .

a private (or single) doctor's office 1

a clinic or group practice with several
doctors' offices 2

an emergency room 3

someplace else 4

DON'T KNOW 8

HEALTHS2	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	6	2.47	8	3.29
1	89	36.63	97	39.92
2	119	48.97	216	88.89
4	27	11.11	243	100.00

K3. Do you have a physician whom you see regularly?

YES..... 1 (K4)

NO 2 (K5)

DON'T KNOW 8 (K5)

HEALTHS3	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	2	0.82	4	1.65
1	225	92.59	229	94.24
2	10	4.12	239	98.35
8	4	1.65	243	100.00

K4. What kind of a physician is that? Is it . . .

- a geriatrician or a specialist in older persons1
- a family or general practitioner.....2
- an internist.....3
- a cardiologist or heart doctor4
- some other type5
- DON'T KNOW8

HEALTHS4	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	16	6.58	18	7.41
1	14	5.76	32	13.17
2	96	39.51	128	52.67
3	67	27.57	195	80.25
4	10	4.12	205	84.36
5	20	8.23	225	92.59
8	18	7.41	243	100.00

IF SUBJECT REPORTS MULTIPLE PHYSICIANS:

Which doctor do you see most frequently?

Which doctor do you see for routine care or minor problems?

VERSION A (06/01/2001)

K5. Since your last visit on, ***(DATE TAKEN FROM VCS)***, how many times have you been seen by or talked to a physician about your health?
(CODE DK FOR DON'T KNOW RESPONSE.)

RECORD:
 TIMES

VERSION B

K5. Since your last visit on, ***(DATE TAKEN FROM VCS)***, how many times have you been seen by or talked to a physician about your health?
(CODE DK FOR DON'T KNOW RESPONSE.)

RECORD:
 TIMES (IF ZERO, GO TO K8)

HEALTHS5	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-8	8	3.29	11	4.53
-2	2	0.82	13	5.35
0	3	1.23	16	6.58
1	14	5.76	30	12.35
2	23	9.47	53	21.81
3	33	13.58	86	35.39
4	36	14.81	122	50.21
5	11	4.53	133	54.73
6	28	11.52	161	66.26
7	7	2.88	168	69.14
8	13	5.35	181	74.49
9	6	2.47	187	76.95
10	11	4.53	198	81.48
11	1	0.41	199	81.89
12	14	5.76	213	87.65
13	3	1.23	216	88.89
14	2	0.82	218	89.71
15	5	2.06	223	91.77
16	1	0.41	224	92.18
18	2	0.82	226	93.00
20	4	1.65	230	94.65
24	3	1.23	233	95.88
25	2	0.82	235	96.71
27	1	0.41	236	97.12
29	1	0.41	237	97.53
30	2	0.82	239	98.35
31	1	0.41	240	98.77
50	2	0.82	242	99.59
99	1	0.41	243	100.00

- K7. Thinking about the last time that you were seen by or talked to a physician, for what conditions or reasons were you there?
(DO NOT READ RESPONSE OPTIONS, CODE BASED ON PARTICIPANT'S RESPONSES)

A COLD, COUGH, RESPIRATORY PROBLEM, OR THE FLU.....1
 ROUTINE FOLLOWUP FOR CHRONIC CONDITIONS SUCH
 AS HYPERTENSION, DIABETES, OR HEART PROBLEMS.....2
 A FOLLOW-UP AFTER A PREVIOUS VISIT FOR AN ILLNESS
 OR SURGERY.....3
 A ROUTINE OR REGULAR CHECK-UP, SUCH AS AN ANNUAL
 OR SEMI-ANNUAL PHYSICAL.....4
 SOME OTHER REASON.....5

HEALTHS7	Frequency	Percent	Cum Freq	Cum Percent
-9	5	2.06	5	2.06
-2	5	2.06	10	4.12
1	4	1.65	14	5.76
2	37	15.23	51	20.99
3	26	10.70	77	31.69
4	106	43.62	183	75.31
5	60	24.69	243	100.00

VERSION A (06/01/2001)

K8. Since your last visit on, **(DATE TAKEN FROM VCS)**, how many times have you been seen by or talked to a dentist about your oral health?
(CODE DK FOR DON'T KNOW RESPONSE.)

RECORD:
 TIMES

VERSION B (08/16/2001)

K8. Since your last visit on, **(DATE TAKEN FROM VCS)**, how many times have you been seen by or talked to a dentist about your oral health?
(CODE DK FOR DON'T KNOW RESPONSE.)

RECORD:
 TIMES (IF ZERO, GO TO K10)

HEALTHS8	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-8	3	1.23	5	2.06
-2	2	0.82	7	2.88
0	93	38.27	100	41.15
1	38	15.64	138	56.79
2	55	22.63	193	79.42
3	15	6.17	208	85.60
4	10	4.12	218	89.71
5	4	1.65	222	91.36
6	12	4.94	234	96.30
7	2	0.82	236	97.12
8	5	2.06	241	99.18
10	2	0.82	243	100.00

VERSION A (06/01/2001)

K10. Since your last visit on, (DATE TAKEN FROM VCS), how many times have you been a patient in the hospital overnight?
(CODE DK FOR DON'T KNOW RESPONSE.)

RECORD:
 TIMES (IF ZERO, GO TO K14.)

VERSION B (08/16/2001)

K10. Since your last visit on, (DATE TAKEN FROM VCS), how many times have you been a patient in the hospital overnight?
(CODE DK FOR DON'T KNOW RESPONSE.)

RECORD:
 TIMES (IF ZERO, GO TO K13)

hlths10	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-8	3	1.23	5	2.06
-2	2	0.82	7	2.88
0	156	64.20	163	67.08
1	50	20.58	213	87.65
2	17	7.00	230	94.65
3	6	2.47	236	97.12
4	1	0.41	237	97.53
5	3	1.23	240	98.77
6	1	0.41	241	99.18
10	2	0.82	243	100.00

K11. About how many nights did you spend in the hospital since, (DATE TAKEN FROM VCS)?
(CODE DK FOR DON'T KNOW RESPONSE.)

RECORD:
 # NIGHTS

hlths11	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-8	2	0.82	6	2.47
-2	158	65.02	164	67.49
1	12	4.94	176	72.43
2	6	2.47	182	74.90
3	7	2.88	189	77.78
4	10	4.12	199	81.89
5	3	1.23	202	83.13
6	4	1.65	206	84.77
7	9	3.70	215	88.48
8	5	2.06	220	90.53
9	1	0.41	221	90.95
10	2	0.82	223	91.77
11	4	1.65	227	93.42
12	1	0.41	228	93.83
13	1	0.41	229	94.24
14	2	0.82	231	95.06
15	1	0.41	232	95.47
17	1	0.41	233	95.88
20	1	0.41	234	96.30
21	3	1.23	237	97.53
22	1	0.41	238	97.94
26	1	0.41	239	98.35
60	1	0.41	240	98.77
75	1	0.41	241	99.18
90	1	0.41	242	99.59
99	1	0.41	243	100.00

K13. Since your last visit on, (DATE TAKEN FROM VCS), how many times have you been a resident in a nursing home?
(CODE DK FOR DON'T KNOW RESPONSE.)

RECORD:
 TIMES (IF ZERO, GO TO K15)

hlths13	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	2	0.82	4	1.65
0	213	87.65	217	89.30
1	23	9.47	240	98.77
2	3	1.23	243	100.00

(IF PARTICIPANT A FULL TIME NURSING HOME RESIDENT, CODE '99' AND MAKE A COMMENT IN THE MARGIN TO THAT EFFECT)

K14. About how many days did you spend in the nursing home since your last visit on
(DATE TAKEN FROM VCS)? (CODE DK FOR DON'T KNOW RESPONSE.)

RECORD:

DAYS

Analysis Variable : hlths14					
N	Mean	SD	Minimum	Median	Maximum
25	147.4	174.1	4.0	90.0	730.0

hlths14	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.92	2	0.92
-8	1	0.46	3	1.38
-2	215	98.62	218	100.00

hlths14	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-8	1	0.41	3	1.23
-2	215	88.48	218	89.71
4	1	0.41	219	90.12
10	1	0.41	220	90.53
12	1	0.41	221	90.95
17	2	0.82	223	91.77
18	1	0.41	224	92.18
21	2	0.82	226	93.00
23	1	0.41	227	93.42
40	1	0.41	228	93.83
50	1	0.41	229	94.24
90	2	0.82	231	95.06
99	2	0.82	233	95.88
120	1	0.41	234	96.30
141	1	0.41	235	96.71
167	1	0.41	236	97.12
210	1	0.41	237	97.53
270	1	0.41	238	97.94
330	1	0.41	239	98.35
365	2	0.82	241	99.18
375	1	0.41	242	99.59
730	1	0.41	243	100.00

(IF PARTICIPANT A FULL TIME NURSING HOME RESIDENT, CODE '365' AND MAKE A COMMENT IN THE MARGIN TO THAT EFFECT)

K15. Since your last visit on, ***(DATE TAKEN FROM VCS)***, how many times have you received medical treatment in an emergency room?
(CODE DK FOR DON'T KNOW RESPONSE.)

RECORD:
 TIMES

Analysis Variable : hlths15					
N	Mean	SD	Minimum	Median	Maximum
237	0.6	1.2	0.0	0.0	12.0

hlths15	Frequency	Percent	Cum Freq	Cum Percent
-9	2	33.33	2	33.33
-8	2	33.33	4	66.67
-2	2	33.33	6	100.00

hlths15	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-8	2	0.82	4	1.65
-2	2	0.82	6	2.47
0	153	62.96	159	65.43
1	53	21.81	212	87.24
2	17	7.00	229	94.24
3	10	4.12	239	98.35
4	1	0.41	240	98.77
5	2	0.82	242	99.59
12	1	0.41	243	100.00

K16. Since your last visit on, **(DATE TAKEN FROM VCS)**, about how many different times have you used the services of:

CODE DK FOR DON'T KNOW RESPONSE.

a. a physical therapist _____ TIMES

Analysis Variable : hlths16a					
N	Mean	SD	Minimum	Median	Maximum
235	5.3	12.5	0.0	0.0	84.0

hlths16a	Frequency	Percent	Cum Freq	Cum Percent
-9	2	25.00	2	25.00
-8	4	50.00	6	75.00
-2	2	25.00	8	100.00

hlths16a	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-8	4	1.65	6	2.47
-2	2	0.82	8	3.29
0	162	66.67	170	69.96
1	9	3.70	179	73.66
2	2	0.82	181	74.49
3	2	0.82	183	75.31
4	3	1.23	186	76.54
5	3	1.23	189	77.78
6	4	1.65	193	79.42
7	1	0.41	194	79.84
8	3	1.23	197	81.07
9	6	2.47	203	83.54
10	2	0.82	205	84.36
12	8	3.29	213	87.65
15	3	1.23	216	88.89
18	3	1.23	219	90.12
19	2	0.82	221	90.95
20	2	0.82	223	91.77
21	1	0.41	224	92.18
23	1	0.41	225	92.59
9	6	2.47	203	83.54
10	2	0.82	205	84.36
12	8	3.29	213	87.65
15	3	1.23	216	88.89
18	3	1.23	219	90.12
24	2	0.82	227	93.42
25	1	0.41	228	93.83
30	3	1.23	231	95.06
32	1	0.41	232	95.47
36	2	0.82	234	96.30
38	1	0.41	235	96.71
40	2	0.82	237	97.53
42	1	0.41	238	97.94
44	1	0.41	239	98.35
48	1	0.41	240	98.77
69	1	0.41	241	99.18
77	1	0.41	242	99.59
84	1	0.41	243	100.00

b. an audiologist (hearing therapist)

___ __ _ TIMES

Analysis Variable : hlths16b					
N	Mean	SD	Minimum	Median	Maximum
237	0.3	1.1	0.0	0.0	10.0

hlths16b	Frequency	Percent	Cum Freq	Cum Percent
-9	2	33.33	2	33.33
-8	2	33.33	4	66.67
-2	2	33.33	6	100.00

hlths16b	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-8	2	0.82	4	1.65
-2	2	0.82	6	2.47
0	209	86.01	215	88.48
1	17	7.00	232	95.47
2	3	1.23	235	96.71
3	1	0.41	236	97.12
4	3	1.23	239	98.35
5	1	0.41	240	98.77
6	2	0.82	242	99.59
10	1	0.41	243	100.00

c. a visiting nurse

___ __ _ TIMES

Analysis Variable : hlths16c					
N	Mean	SD	Minimum	Median	Maximum
237	2.7	13.7	0.0	0.0	170.0

hlths16c	Frequency	Percent	Cum Freq	Cum Percent
-9	2	33.33	2	33.33
-8	2	33.33	4	66.67
-2	2	33.33	6	100.00

hlths16c	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-8	2	0.82	4	1.65
-2	2	0.82	6	2.47
0	196	80.66	202	83.13
1	3	1.23	205	84.36
2	2	0.82	207	85.19
3	6	2.47	213	87.65
4	2	0.82	215	88.48
5	4	1.65	219	90.12
6	5	2.06	224	92.18
7	1	0.41	225	92.59
8	2	0.82	227	93.42
9	1	0.41	228	93.83
10	3	1.23	231	95.06
12	4	1.65	235	96.71
14	1	0.41	236	97.12
22	1	0.41	237	97.53
24	1	0.41	238	97.94
32	2	0.82	240	98.77
42	1	0.41	241	99.18
104	1	0.41	242	99.59
170	1	0.41	243	100.00

d. a home health aide

_____ TIMES

Analysis Variable : hlths16d					
N	Mean	SD	Minimum	Median	Maximum
237	4.1	24.9	0.0	0.0	260.0

hlths16d	Frequency	Percent	Cum Freq	Cum Percent
-9	2	33.33	2	33.33
-8	2	33.33	4	66.67
-2	2	33.33	6	100.00

hlths16d	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-8	2	0.82	4	1.65
-2	2	0.82	6	2.47
0	215	88.48	221	90.95
2	1	0.41	222	91.36
3	2	0.82	224	92.18
4	1	0.41	225	92.59
6	4	1.65	229	94.24
8	3	1.23	232	95.47
12	1	0.41	233	95.88
16	1	0.41	234	96.30
18	1	0.41	235	96.71
24	2	0.82	237	97.53
36	1	0.41	238	97.94
50	1	0.41	239	98.35
107	1	0.41	240	98.77
170	1	0.41	241	99.18
190	1	0.41	242	99.59
260	1	0.41	243	100.00

e. a personal care attendant _____ TIMES

Analysis Variable : hlths16e					
N	Mean	SD	Minimum	Median	Maximum
237	5.2	50.1	0.0	0.0	730.0

hlths16e	Frequency	Percent	Cum Freq	Cum Percent
-9	2	33.33	2	33.33
-8	2	33.33	4	66.67
-2	2	33.33	6	100.00

hlths16e	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-8	2	0.82	4	1.65
-2	2	0.82	6	2.47
0	227	93.42	233	95.88
3	1	0.41	234	96.30
4	1	0.41	235	96.71
6	1	0.41	236	97.12
24	1	0.41	237	97.53
30	1	0.41	238	97.94
36	1	0.41	239	98.35
96	1	0.41	240	98.77
99	1	0.41	241	99.18
210	1	0.41	242	99.59
730	1	0.41	243	100.00

f. an adult day care center _____ TIMES

Analysis Variable : hlths16f					
N	Mean	SD	Minimum	Median	Maximum
237	1.0	9.5	0.0	0.0	104.0

hlths16f	Frequency	Percent	Cum Freq	Cum Percent
-9	2	33.33	2	33.33
-8	2	33.33	4	66.67
-2	2	33.33	6	100.00

hlths16f	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-8	2	0.82	4	1.65
-2	2	0.82	6	2.47
0	233	95.88	239	98.35
8	1	0.41	240	98.77
30	1	0.41	241	99.18
99	1	0.41	242	99.59
104	1	0.41	243	100.00

g. a psychologist or mental health worker _____ TIMES

Analysis Variable : hlths16g					
N	Mean	SD	Minimum	Median	Maximum
235	0.7	4.9	0.0	0.0	52.0

hlths16g	Frequency	Percent	Cum Freq	Cum Percent
-9	3	37.50	3	37.50
-8	3	37.50	6	75.00
-2	2	25.00	8	100.00

hlths16g	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-8	3	1.23	6	2.47
-2	2	0.82	8	3.29
0	220	90.53	228	93.83
1	2	0.82	230	94.65
2	3	1.23	233	95.88
3	2	0.82	235	96.71
4	2	0.82	237	97.53
5	2	0.82	239	98.35
9	1	0.41	240	98.77
10	1	0.41	241	99.18
52	2	0.82	243	100.00

(DO NOT INCLUDE THESE SERVICES, IF RECEIVED IN A NURSING HOME)

K15. RECORD END TIME: ____:____ AM / PM

Analysis Variable : health_t					
N	Mean	SD	Minimum	Median	Maximum
237	13.3	39.6	1.0	10.0	614.0

health_t	Frequency	Percent	Cum Freq	Cum Percent
.	6	100.00	6	100.00

- MAY OFFER BREAK HERE -

SECTION L:**PRE - SF-36**

L1. WAS THIS MEASUREMENT COMPLETED AT THIS FOLLOW-UP VISIT?

NO 1 GO TO SECTION N

YES 2 COMPLETE QUESTIONS BELOW

measc_1	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
1	12	4.94	13	5.35
2	230	94.65	243	100.00

L3. MODE OF INTERVIEW:

IN-PERSON AT TESTING CENTER.....1

IN-PERSON AT PARTICIPANT'S HOME.....2

IN-PERSON AT NURSING HOME.....3

IN-PERSON AT ALTERNATE LOCATION.....4

TELEPHONE.....5

i_mode_1	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.82	2	0.82
-2	12	4.94	14	5.76
1	7	2.88	21	8.64
2	12	4.94	33	13.58
3	6	2.47	39	16.05
5	204	83.95	243	100.00

L4. WITH WHOM:

PARTICIPANT ONLY 1 (L5)

w_whom_1	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	12	4.94	15	6.17
1	228	93.83	243	100.00

L6. SF-36 START TIME: _____ : _____ AM / PM

INSTRUCTIONS: This section asks for your views about your health. This information will help keep track of how you feel and how well you are able to do your usual activities.

Answer every question by marking the answer as indicated. If you are unsure about how to answer a question, please give the best answer you can.

M1. In general, would you say your health is:

(circle one)

Excellent.....1
 Very good.....2
 Good.....3
 Fair.....4
 Poor.....5

health_g	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	12	4.94	15	6.17
1	13	5.35	28	11.52
2	59	24.28	87	35.80
3	93	38.27	180	74.07
4	47	19.34	227	93.42
5	16	6.58	243	100.00

M2. Compared to one year ago, how would you rate your health in general now?

(circle one)

Much better now than one year ago.....1

Somewhat better now than one year ago.....2

About the same.....3

Somewhat worse now than one year ago.....4

Much worse now than one year ago.....5

heal_1y	Frequency	Percent	Cum Freq	Cum Percent
-9	5	2.06	5	2.06
-8	1	0.41	6	2.47
-2	12	4.94	18	7.41
1	13	5.35	31	12.76
2	16	6.58	47	19.34
3	114	46.91	161	66.26
4	70	28.81	231	95.06
5	12	4.94	243	100.00

M3. The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much?

(circle one number on each line)

- | <u>ACTIVITIES</u> | Yes,
limited a
lot | Yes,
limited a
little | No, not
limited at
all |
|--|-----------------------------------|--------------------------------------|---------------------------------------|
| a. Vigorous activities , such as running, lifting heavy objects, participating in strenuous sports? | 1 | 2 | 3 |

D3A	Frequency	Percent	Cum Freq	Cum Percent
-9	6	2.47	6	2.47
-2	12	4.94	18	7.41
1	153	62.96	171	70.37
2	44	18.11	215	88.48
3	28	11.52	243	100.00

- | | | | |
|--|---|---|---|
| b. Moderate activities , such as moving a table, pushing a vacuum cleaner, bowling or playing golf? | 1 | 2 | 3 |
|--|---|---|---|

D3B	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	12	4.94	16	6.58
1	76	31.28	92	37.86
2	53	21.81	145	59.67
3	98	40.33	243	100.00

- | | | | |
|-----------------------------------|---|---|---|
| c. Lifting or carrying groceries? | 1 | 2 | 3 |
|-----------------------------------|---|---|---|

D3C	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	12	4.94	15	6.17
1	44	18.11	59	24.28
2	72	29.63	131	53.91
3	112	46.09	243	100.00

- | | | | |
|---|---|---|---|
| d. Climbing several flights of stairs? | 1 | 2 | 3 |
|---|---|---|---|

D3D	Frequency	Percent	Cum Freq	Cum Percent
-9	5	2.06	5	2.06
-2	12	4.94	17	7.00
1	82	33.74	99	40.74
2	60	24.69	159	65.43
3	84	34.57	243	100.00

- e. Climbing **one** flight of stairs? 1 2 3

D3E	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	12	4.94	16	6.58
1	52	21.40	68	27.98
2	48	19.75	116	47.74
3	127	52.26	243	100.00

- f. Bending, kneeling, or stooping? 1 2 3

D3F	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	12	4.94	15	6.17
1	59	24.28	74	30.45
2	73	30.04	147	60.49
3	96	39.51	243	100.00

- g. Walking **more than a mile**? 1 2 3

D3G	Frequency	Percent	Cum Freq	Cum Percent
-9	6	2.47	6	2.47
-2	12	4.94	18	7.41
1	102	41.98	120	49.38
2	40	16.46	160	65.84
3	83	34.16	243	100.00

- h. Walking **several blocks**? 1 2 3

D3H	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	12	4.94	16	6.58
1	71	29.22	87	35.80
2	45	18.52	132	54.32
3	111	45.68	243	100.00

- i. Walking **one block**? 1 2 3

D3I	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	12	4.94	15	6.17
1	40	16.46	55	22.63
2	41	16.87	96	39.51
3	147	60.49	243	100.00

j. Bathing or dressing yourself?

1

2

3

D3J	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	12	4.94	15	6.17
1	6	2.47	21	8.64
2	21	8.64	42	17.28
3	201	82.72	243	100.00

M4. During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health?

(circle one number on each line)

YES

NO

a. Cut down the **amount of time** you spent on work or other activities?

1

2

D4A	Frequency	Percent	Cum Freq	Cum Percent
-9	6	2.47	6	2.47
-2	12	4.94	18	7.41
1	84	34.57	102	41.98
2	141	58.02	243	100.00

b. **Accomplished less** than you would like?

1

2

D4B	Frequency	Percent	Cum Freq	Cum Percent
-9	6	2.47	6	2.47
-2	12	4.94	18	7.41
1	113	46.50	131	53.91
2	112	46.09	243	100.00

c. Were limited in the **kind** of work or other activities?

1

2

D4C	Frequency	Percent	Cum Freq	Cum Percent
-9	6	2.47	6	2.47
-2	12	4.94	18	7.41
1	119	48.97	137	56.38
2	106	43.62	243	100.00

- d. Had **difficulty** performing the work or other activities (for example, it took extra effort)? 1 2

D4D	Frequency	Percent	Cum Freq	Cum Percent
-9	6	2.47	6	2.47
-2	12	4.94	18	7.41
1	107	44.03	125	51.44
2	118	48.56	243	100.00

M5. During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)?

(circle one number on each line)

YES NO

- a. Cut down the **amount of time** you spent on work or other activities? 1 2

D5A	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	12	4.94	15	6.17
1	27	11.11	42	17.28
2	201	82.72	243	100.00

- b. **Accomplished less** than you would like? 1 2

D5B	Frequency	Percent	Cum Freq	Cum Percent
-9	3	1.23	3	1.23
-2	12	4.94	15	6.17
1	46	18.93	61	25.10
2	182	74.90	243	100.00

- c. Didn't do work or other activities as **carefully** as usual? 1 2

D5C	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	12	4.94	16	6.58
1	27	11.11	43	17.70
2	200	82.30	243	100.00

M6. During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?

(circle one)

- Not at all.....1
- Slightly.....2
- Moderately.....3
- Quite a bit.....4
- Extremely.....5

D6	Frequency	Percent	Cum Freq	Cum Percent
-9	5	2.06	5	2.06
-2	12	4.94	17	7.00
1	137	56.38	154	63.37
2	43	17.70	197	81.07
3	17	7.00	214	88.07
4	22	9.05	236	97.12
5	7	2.88	243	100.00

M7. How much bodily pain have you had during the past 4 weeks?

(circle one)

- None.....1
- Very Mild.....2
- Mild.....3
- Moderate.....4
- Severe.....5
- Very Severe6

D7	Frequency	Percent	Cum Freq	Cum Percent
-9	5	2.06	5	2.06
-2	12	4.94	17	7.00
1	50	20.58	67	27.57
2	55	22.63	122	50.21
3	54	22.22	176	72.43
4	42	17.28	218	89.71
5	24	9.88	242	99.59
6	1	0.41	243	100.00

M8. During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?

(circle one)

- Not at all.....1
- A little bit.....2
- Moderately.....3
- Quite a bit.....4
- Extremely.....5

D8	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	12	4.94	16	6.58
1	103	42.39	119	48.97
2	70	28.81	189	77.78
3	29	11.93	218	89.71
4	17	7.00	235	96.71
5	8	3.29	243	100.00

M9. These questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling. How much of the time during the past 4 weeks

(circle one number on each line)

**All of
the time** **Most of
the time** **A good
bit of
the time** **Some of
the time** **A little
of the
time** **None of
the time**

- a. Did you feel full of 1 2 3 4 5 6
 pep?

D9A	Frequency	Percent	Cum Freq	Cum Percent
-9	5	2.06	5	2.06
-2	12	4.94	17	7.00
1	7	2.88	24	9.88
2	68	27.98	92	37.86
3	26	10.70	118	48.56
4	64	26.34	182	74.90
5	39	16.05	221	90.95
6	22	9.05	243	100.00

- b. Have you been a very nervous person? 1 2 3 4 5 6

D9B	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	12	4.94	16	6.58
1	2	0.82	18	7.41
2	4	1.65	22	9.05
3	8	3.29	30	12.35
4	31	12.76	61	25.10
5	54	22.22	115	47.33
6	128	52.67	243	100.00

- c. Have you felt so down in the dumps that nothing could cheer you up? 1 2 3 4 5 6

D9C	Frequency	Percent	Cum Freq	Cum Percent
-9	6	2.47	6	2.47
-2	12	4.94	18	7.41
2	4	1.65	22	9.05
3	5	2.06	27	11.11
4	18	7.41	45	18.52
5	43	17.70	88	36.21
6	155	63.79	243	100.00

- d. Have you felt calm and peaceful? 1 2 3 4 5 6

D9D	Frequency	Percent	Cum Freq	Cum Percent
-9	5	2.06	5	2.06
-2	12	4.94	17	7.00
1	22	9.05	39	16.05
2	112	46.09	151	62.14
3	24	9.88	175	72.02
4	44	18.11	219	90.12
5	17	7.00	236	97.12
6	7	2.88	243	100.00

- e. Did you have a lot of energy? 1 2 3 4 5 6

D9E	Frequency	Percent	Cum Freq	Cum Percent
-9	6	2.47	6	2.47
-2	12	4.94	18	7.41
1	12	4.94	30	12.35
2	70	28.81	100	41.15
3	27	11.11	127	52.26
4	58	23.87	185	76.13
5	35	14.40	220	90.53
6	23	9.47	243	100.00

- f. Have you felt downhearted and blue? 1 2 3 4 5 6

D9F	Frequency	Percent	Cum Freq	Cum Percent
-9	5	2.06	5	2.06
-2	12	4.94	17	7.00
1	3	1.23	20	8.23
2	4	1.65	24	9.88
3	6	2.47	30	12.35
4	31	12.76	61	25.10
5	75	30.86	136	55.97
6	107	44.03	243	100.00

- g. Did you feel worn out? 1 2 3 4 5 6

D9G	Frequency	Percent	Cum Freq	Cum Percent
-9	5	2.06	5	2.06
-2	12	4.94	17	7.00
1	8	3.29	25	10.29
2	12	4.94	37	15.23
3	16	6.58	53	21.81
4	60	24.69	113	46.50
5	75	30.86	188	77.37
6	55	22.63	243	100.00

- h. Have you been a happy person? 1 2 3 4 5 6

D9H	Frequency	Percent	Cum Freq	Cum Percent
-9	6	2.47	6	2.47
-2	12	4.94	18	7.41
1	32	13.17	50	20.58
2	122	50.21	172	70.78
3	22	9.05	194	79.84
4	36	14.81	230	94.65
5	9	3.70	239	98.35
6	4	1.65	243	100.00

- i. Did you feel tired? 1 2 3 4 5 6

D9I	Frequency	Percent	Cum Freq	Cum Percent
-9	5	2.06	5	2.06
-2	12	4.94	17	7.00
1	10	4.12	27	11.11
2	19	7.82	46	18.93
3	24	9.88	70	28.81
4	79	32.51	149	61.32
5	76	31.28	225	92.59
6	18	7.41	243	100.00

M10. During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends, relatives, etc.)?

(circle one)

All of the time.....1

Most of the time.....2

Some of the time.....3

A little of the time.....4

None of the time.....5

D10	Frequency	Percent	Cum Freq	Cum Percent
-9	6	2.47	6	2.47
-2	12	4.94	18	7.41
1	6	2.47	24	9.88
2	20	8.23	44	18.11
3	33	13.58	77	31.69
4	44	18.11	121	49.79
5	122	50.21	243	100.00

M11. How TRUE or FALSE is each of the following statements for you? Use the 5 point scale provided.

(circle one number on each line)

	Definitely true	Mostly true	Don't know	Mostly false	Definitely false
a. I seem to get sick a little easier than other people.	1	2	3	4	5

D11A	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	12	4.94	16	6.58
1	5	2.06	21	8.64
2	15	6.17	36	14.81
3	18	7.41	54	22.22
4	80	32.92	134	55.14
5	109	44.86	243	100.00

- b. I am as healthy as anybody I know. 1 2 3 4 5

D11B	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	12	4.94	16	6.58
1	59	24.28	75	30.86
2	82	33.74	157	64.61
3	26	10.70	183	75.31
4	40	16.46	223	91.77
5	20	8.23	243	100.00

- c. I expect my health to get worse. 1 2 3 4 5

D11C	Frequency	Percent	Cum Freq	Cum Percent
-9	5	2.06	5	2.06
-2	12	4.94	17	7.00
1	23	9.47	40	16.46
2	32	13.17	72	29.63
3	84	34.57	156	64.20
4	56	23.05	212	87.24
5	31	12.76	243	100.00

- d. My health is excellent. 1 2 3 4 5

D11D	Frequency	Percent	Cum Freq	Cum Percent
-9	4	1.65	4	1.65
-2	12	4.94	16	6.58
1	29	11.93	45	18.52
2	96	39.51	141	58.02
3	11	4.53	152	62.55
4	53	21.81	205	84.36
5	38	15.64	243	100.00

M12. SF-36 END TIME: _____ : _____ AM / PM

Analysis Variable : sf_t					
N	Mean	SD	Minimum	Median	Maximum
227	9.7	4.2	2.0	9.0	24.0

sf_t	Frequency	Percent	Cum Freq	Cum Percent
.	16	100.00	16	100.00

- MAY OFFER BREAK HERE -

SECTION N:	PRE - MEDICATION AUDIT
-------------------	-------------------------------

N1. WAS THIS MEASUREMENT COMPLETED AT THIS FOLLOW-UP VISIT?

NO 1 GO TO SECTION P

YES 2 COMPLETE QUESTIONS BELOW

measc_n	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
1	7	2.88	8	3.29
2	235	96.71	243	100.00

N3. MODE OF INTERVIEW:

IN-PERSON AT TESTING CENTER.....1

IN-PERSON AT PARTICIPANT'S HOME.....2

IN-PERSON AT NURSING HOME.....3

IN-PERSON AT ALTERNATE LOCATION.....4

TELEPHONE.....5

i_mode_n	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	7	2.88	8	3.29
1	8	3.29	16	6.58
2	11	4.53	27	11.11
3	7	2.88	34	13.99
4	1	0.41	35	14.40
5	208	85.60	243	100.00

N4. WITH WHOM:

PARTICIPANT ONLY 1 (N5)

PARTICIPANT & PROXY 2 (N4a)

PROXY ONLY.....3 (N4a)

w_whom_n	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	7	2.88	8	3.29
1	214	88.07	222	91.36
2	2	0.82	224	92.18
3	19	7.82	243	100.00

N4a. PROXY CODE:

SPOUSE..... 1

CHILD.....2

OTHER RELATIVE.....3

NON-RELATIVE.....4

FORMAL CAREGIVER..... 5

n_proxy	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	221	90.95	222	91.36
1	5	2.06	227	93.42
2	2	0.82	229	94.24
3	2	0.82	231	95.06
5	12	4.94	243	100.00

SECTION O:	MEDICATION AUDIT	<i>PROXY ALLOWED</i>
-------------------	-------------------------	-----------------------------

USE THE STANDARDIZED PROCEDURES AND FORM # 618 WHEN COMPLETING THE MEDICATION AUDIT.

SECTION P:	PRE - EPT
-------------------	------------------

P1. WAS THIS MEASUREMENT COMPLETED AT THIS FOLLOW-UP VISIT?

NO 1 GO TO SECTION R

YES 2 COMPLETE QUESTIONS BELOW

measc_p	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
1	58	23.87	59	24.28
2	184	75.72	243	100.00

P3. MODE OF INTERVIEW:

- IN-PERSON AT TESTING CENTER (Form 617).....1
- IN-PERSON AT PARTICIPANT'S HOME (Form 617).....2
- IN-PERSON AT NURSING HOME (Form 617).....3
- IN-PERSON AT ALTERNATE LOCATION (Form 617).....4
- AS A TAKE-HOME (Form 717).....6

i_mode p	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.41	1	0.41
-2	58	23.87	59	24.28
1	1	0.41	60	24.69
3	2	0.82	62	25.51
6	181	74.49	243	100.00

SECTION Q:	EPT	<i>PROXY NOT ALLOWED</i>
-------------------	------------	---------------------------------

USE THE STANDARDIZED SCRIPT WHEN COMPLETING THE EPT.

USE FORM #617 FOR IN-PERSON ADMINISTRATION.

USE FORM #717 FOR ANY EPT SENT HOME OR MAILED TO PARTICIPANT.

Q1. EPT START TIME: ____ : ____ AM / PM

Q2. EPT END TIME: ____ : ____ AM / PM

Analysis Variable : ept_t					
N	Mean	SD	Minimum	Median	Maximum
153	58.2	48.7	13.0	45.0	360.0

ept_t	Frequency	Percent	Cum Freq	Cum Percent
.	90	100.00	90	100.00