

The Paleozoic diet: Why animals eat what they eat

Date: August 23, 2019

Source: University of Arizona

Summary: In what likely is the first study on the evolution of dietary preferences across the animal kingdom, researchers report several unexpected discoveries, including that the first animal likely was a carnivore and that humans, along with other omnivores, belong to a rare breed.

FULL STORY

What an animal eats is a fundamental aspect of its biology, but surprisingly, the evolution of diet had not been studied across the animal kingdom until now. Scientists at the University of Arizona report several unexpected findings from taking a deep dive into the evolutionary history of more than one million animal species and going back 800 million years, when the first animals appeared on our planet.

The study, published in the journal *Evolution Letters*, revealed several surprising key insights:

Many species living today that are carnivorous, meaning they eat other animals, can trace this diet back to a common ancestor more than 800 million years ago.

A plant-based, or herbivorous, diet is not the evolutionary driver for new species that it was believed to be. Closely related animals tend to share the same dietary category -- plant-eating, meat-eating, or both. This finding implies that switching between dietary lifestyles is not something that happens easily and often over the course of evolution.

Cristian Román-Palacios, Joshua Scholl and John Wiens, all with the Department of Ecology and Evolutionary Biology at the UA, scoured the literature for data on the dietary habits of more than a million animal species, from sponges to insects and spiders to housecats. A species was classified as carnivorous if it feeds on other animals, fungi or protists (single-celled eukaryotic organisms, many of which live on bacteria). Species were classified as herbivorous if they depend on land plants, algae or cyanobacteria for food, and omnivorous if they eat a mixture of carnivorous and herbivorous diets.

The scientists then mapped the vast dataset of animal species and their dietary preferences onto an evolutionary tree built from DNA-sequence data to untangle the evolutionary relationships between them.

"Ours is the largest study conducted so far that examines the evolution of diet across the whole animal tree of life," said doctoral student Román-Palacios, lead author of the paper. "We addressed three highly-debated and fundamental questions in evolutionary biology by analyzing a large-scale dataset using state-of-the-art methods."

All species can be classified according to their evolutionary relationships, a concept that is known as phylogeny. Organisms are grouped into taxa, which define their interrelationships across several levels. For example, cats and dogs are different species but belong to the same order (carnivores). Similarly, horses and camels belong to a different order (ungulates.) Both orders, however, are part of the same class (mammals). On the highest level, animals are classified in phyla. Examples of animal phyla are arthropods (insects, crustaceans, spiders, scorpions and the like), mollusks (snails, clams and squid fall into this phylum), and chordates, which include all animals with a backbone, including humans.

The survey suggests that across animals, carnivory is most common, including 63% of species. Another 32% are herbivorous, while humans belong to a small minority, just 3%, of omnivorous animals.

The researchers were surprised to find that many of today's carnivorous species trace this diet back all the way to the base of the animal evolutionary tree, more than 800 million years, predating the oldest known fossils that paleontologists have been able to assign to animal origins with certainty.

"We don't see that with herbivory," said Wiens, professor of ecology and evolutionary biology and corresponding author of the study. "Herbivory seems to be much more recent, so in our evolutionary tree, it appears more frequently closer to the tips of the tree."

So if the first animal was a carnivore, what did it prey on?

The authors suggest the answer might lie with protists, including choanoflagellates: tiny, single-celled organisms considered to be the closest living relatives of the animals. Living as plankton in marine and freshwater, choanoflagellates are vaguely reminiscent of miniature versions of the shuttlecock batted back and forth during a game of badminton. A funnel-shaped collar of "hairs" surrounds a whip-like appendage called a flagellum whose rhythmic beating sucks a steady stream of water through the collar, filtering out bacteria and detritus that is then absorbed and digested. It is possible that the common ancestor of today's animals was a creature very similar to a choanoflagellate.

"The ancient creature that is most closely related to all animals living today might have eaten bacteria and other protists rather than plants," Wiens said.

Turning to a plant-based diet, on the other hand, happened much more frequently over the course of animal evolution.

Herbivory has traditionally been seen as a powerful catalyst for the origin of new species -- an often-cited example is the insects, with an estimated 1.5 million described species the most diverse group among the arthropods. Many new species of flowering plants appeared during the Cretaceous period, about 130 million years ago, and the unprecedented diversity of flowers is widely thought to have coincided with an increase in insect species taking advantage of the newly available floral bounty.

"This tells us that what we see in insects doesn't necessarily apply to other groups within the animal kingdom," Wiens said. "Herbivory may go hand in hand with new species appearing in certain taxa, but it clearly is not a universal driver of new species."

The study also revealed that omnivorous ("eating everything") diets popped up rarely over the course of 800 million years of animal evolution, hinting at the possible explanation that evolution prefers specialists over generalists.

"You can be better at doing what you do if that is all you do," Wiens said. "In terrestrial vertebrates, for example, eating a diet of leaves often requires highly modified teeth and a highly modified gut. The same goes for carnivory. Nature generally seems to avoid the dilemma of being a jack-of-all-trades and master of none, at least for diets."

This need for specialization might explain why omnivores, such as humans, are rare, according to the authors. It might also explain why diets have often gone unchanged for so long.

"There is a big difference between eating leaves all the time and eating fruits every now and then," Wiens said. "The specializations required to be an efficient herbivore or carnivore might explain why the two diets have been so conserved over hundreds of millions of years."

Story Source:

Materials provided by **University of Arizona**. Original written by Daniel Stolte. *Note: Content may be edited for style and length.*

Journal Reference:

1. Cristian Román-Palacios, Joshua P. Scholl, John J. Wiens. **Evolution of diet across the animal tree of life**. *Evolution Letters*, 2019; 3 (4): 339 DOI: [10.1002/evl3.127](https://doi.org/10.1002/evl3.127)

Cite This Page:

MLA	APA	Chicago
-----	-----	---------

University of Arizona. "The Paleozoic diet: Why animals eat what they eat." ScienceDaily. ScienceDaily, 23 August 2019. <www.sciencedaily.com/releases/2019/08/190822165028.htm>.

Explore More

from ScienceDaily

RELATED STORIES

Sweet Tooth Ethiopian Wolves Seen Feeding on Nectar

Nov. 20, 2024 For the first time, Ethiopian wolves have been documented feeding on the nectar of Ethiopian red hot poker flowers. This is the first large carnivore species ever to be documented feeding on nectar. ...

Dietary Nitrate -- Found in Beetroot Juice -- Significantly Increases Muscle Force During Exercise

Jan. 23, 2023 A new study has found that consuming dietary nitrate -- the active molecule in beetroot juice -- significantly increased muscle force while exercising. While it is known that dietary nitrate enhances ...

Increasing Evidence That Bears Are Not Carnivores

Oct. 3, 2022 Bears are not cats or dogs, and feeding them like they are likely shortens their lives. A new study on the diets of giant pandas and sloth bears adds more evidence that bears are omnivores like ...

Ecological Tradeoff? Utility-Scale Solar Energy Impedes Endangered Florida Panthers

Jan. 12, 2022 Reducing the energy industry's carbon footprint in the sunshine state is impeding a large carnivore's paw-print. A study is the first to document the effect of utility-scale solar energy ...

A Beetle Chemical Defense Gland Offers Clues About How Complex Organs Evolve

Dec. 9, 2021 Rove beetles are among the chemists of the insect world, concocting noxious compounds within their bodies that are weaponized to ward off predators, enabling the beetles to survive in leaf litter and ...

Humans Were Apex Predators for Two Million Years, Study Finds

Apr. 5, 2021 In a new study, researchers were able to reconstruct the nutrition of stone-age humans. The study's authors collected about 25 lines of evidence from about 400 scientific papers from different ...

TRENDING AT SCITECHDAILY.com

Ancient Chinese Herb Shows Promise as a Powerful New Treatment for Common Hair Loss

Wild Blueberries May Benefit the Heart, Metabolism, and Microbiome

Staying Up Late Could Quietly Damage Your Heart

This Simple 48-Hour Diet Cut Harmful Cholesterol by 10%, Study Finds