Properties of the Integral Operator

Let C and k be constants.

Properties:



Table of Integrals

Let f and g be integrable functions: C and k real constants and a > 0, $a \ne 1 \in \mathbb{R}$.

1.
$$\int k \, dx = kx + C$$
2.
$$\int f' f^n \, dx = \frac{f^{n+1}}{n+1} + C, \, n \neq -1$$

$$3. \qquad \int \frac{f'}{f} \, \mathrm{d} x = \ln |f| + C$$

4.
$$\int f' a^f dx = \frac{a^f}{\ln(a)} + C$$
5.
$$\int f' \cos(f) dx = \sin(f) + C$$

6.
$$\int_{-1}^{1} f' \sin(f) dx = -\cos(f) + C$$

7.
$$\int f' \operatorname{tg}(f) dx = \ln |\operatorname{sec}(f)| + C$$

8.
$$\int_{-T}^{T} f' \cot(f) dx = \ln|\csc(f)| + C$$
 16.
$$\int_{-T}^{T} \frac{f'}{\sqrt{1-f^2}} dx = \arcsin(f) + C$$

9.
$$\int f' \sec^2(f) dx = \operatorname{tg}(f) + C$$

10.
$$\int f' \operatorname{cosec}^{2}(f) dx = -\operatorname{cotg}(f) + C$$

2.
$$\int f' f^n dx = \frac{f^{n+1}}{n+1} + C, \ n \neq -1$$
 11.
$$\int f' \sec(f) dx = \ln|\sec(f) + \lg(f)| + C, \ \sec(f) + \lg(f) \neq 0$$

12.
$$\int f' \operatorname{cosec}(f) \, dx = \ln |\operatorname{cosec}(f) - \operatorname{cotg}(f)| + C,$$
$$\operatorname{cosec}(f) - \operatorname{cotg}(f) \neq 0$$

13.
$$\int f' \sec(f) \operatorname{tg}(f) dx = \sec(f) + C$$

5.
$$\int f' \cos(f) dx = \sin(f) + C$$
 14.
$$\int f' \csc(f) \cot(f) dx = -\csc(f) + C$$

6.
$$\int f' \sin(f) dx = -\cos(f) + C$$
 15.
$$\int \frac{f'}{a^2 + f^2} dx = \frac{1}{a} \operatorname{arctg}\left(\frac{f}{a}\right) + C$$

$$16. \qquad \int \frac{f'}{\sqrt{1-f^2}} \, \mathrm{d} x = \arcsin(f) +$$