Project 1

Jianqiao Wang

2019-10-07

Project 1

- Introduction
- Purpose of Analysis
- Data Cleaning
- Analysis
- Conclusion

Introduction

- Urban Ministries of Durham (UMD) is a program that helps homeless people by providing neighbors with emergency shelter and case management to help them overcome barriers such as unemployment, medical and mental health problems.
- Data provided by UMD recorded different kinds of support that UMD provided for homeless people from 1931.
- Data has more than ten variables. Our analysis is mainly based on three variables:
 - Date: Time
 - Food.Pounds: Food Pounds UMD provided one time
 - Food.Provided.for: Number of People Receiving Food one time

Purpose of Analysis

We want to answer the following three questions:

- Does the total number of people receiving food every day increase?
- Does the total food pounds UMD provided every day increase?
- What is the average food pounds per person? Is there a difference among different families and people?

Data Cleaning




Figure 1: Number of People Every Day over Time

Figure 2: Total Food Figure 3: Food Pounds Pounds Every Day over by Number of People Time

Question 1&2




Figure 4: Number of People Receiving Food Every Day over Time

Figure 5: Total Food Pounds UMD provided Every Day over Time

Question 1&2

- Total food pounds provided every day and number of people receiving food every day have the same trend over time.
- UMD is helping more and more people!
 - Both of them increase during 2005 and 2017.
- UMD is ending homelessness!
 - Growth slowed down during 2012 and 2013.
 - Both of them start to decrease after 2017.




Figure 6: Food Pounds by Number of People Receiving Food

- Clearly, there are two groups of data points in this plot: one with big derivative and the other with small derivative.
- Derivative can be seen as estimated Average Food Pounds per person.
- We could use EM clustering method to justify which group that these data points belong to.
- EM algorithm finds the cluster of data points by iteratively maximizing marginal log likelihood of observed data.

- Formally, let X be observed data, Z be the latent variable, which is the estimated cluster in our problem, and θ be unknown parameters along with a likelihood function $L(\theta; X, Z) = p(X, Z|\theta)$.
- EM algorithm finds clusters for each data points by iteratively applying Expectation step and Maximization step.
- Expectation step:
 - $Q(\theta|\theta^{(t)}) = \mathbb{E}_{Z^{(t)}|X,\theta^{(t)}}[\log(L(\theta;X,Z^{(t)}))]$
- Maximization step:
 - $\theta^{(t+1)} = \arg \max_{\theta} Q(\theta | \theta^{(t)})$
 - $Z^{(t+1)}|X = \arg\max_{Z} \log(\hat{L}(\theta^{(t+1)}; X, Z))$




Figure 7: Food Pounds by Number of People Receiving Food

- EM algorithm appropriately divides the data into two groups as expected.
- Intuitively, data points in each group seems to be fitted well by simple linear regression.
- Since UMD does not need to provide food if there is no people, intercepts should be zero.
- Food.Pounds = $\beta \cdot \text{Food.Provided.for} + \epsilon$

- The coefficient of Food.Provided.for (Number of People Receiving Food) β is the estimated Average Food Pounds per person.
- For group 1, UMD provides 0.62 pounds of food for each person.
- For group 2, UMD provided 8.45 pounds of food for each person.
- A big difference in average food pounds per person exists between these two groups!

Conclusion

- Total Food Pounds provided every day and Number of People Receiving Food every day increase before 2017 and start to decrease after during 2017 and 2019.
- UMD is ending homelessness!
- People that UMD provided food for can be divided into two groups by Average Food Pounds per person.
- There is a huge difference in Average Food Pounds per person between two groups.

Future Analysis

 Future analysis may focus on the reason why differences exist between two groups. More variables should be added into analysis such as financial support, clothing items and identity numbers.