

## RS002 Week 3 — English Worksheet

**Topic:** Lists + Indexing — A Menu of Pokémon · **Course:** Pokédex App · **Time:** about 45 minutes

This week you think about how to store **many Pokémon in one list** instead of many separate variables, and how to pull values back out with an **index** ( `[0]` , `[1]` , `[2]` ). You will read code, find bugs on paper, and explain the code you wrote in your live lesson — remember the first item lives at index `0` , not `1` .

Words to know: **list**, **index**, **zero**, **parallel list**, **menu**

### 1 · Recall

From memory:

**Write the line that asks the trainer's name and stores it (cleaned) in `trainer_name` .**

|  |
|--|
|  |
|  |
|  |
|  |

## 2 · Predict 🧠

Read each block. Write what you think will happen.

```
starters = ["피카츄", "이상해씨", "파이리"]  
print(starters[0])
```

What gets printed? Which Pokémon is at index 0 ?

|  |
|--|
|  |
|  |
|  |
|  |

```
starters = ["피카츄", "이상해씨", "파이리"]  
print(starters[1])  
print(starters[3])
```

The first **print** is fine. What happens on the second one? Why?

|  |
|--|
|  |
|  |
|  |
|  |

```
names = ["피카츄", "이상해씨", "파이리"]  
types = ["전기", "풀", "불"]  
hp = [35, 45, 39]  
  
print(f"이름: {names[1]}")  
print(f"타입: {types[1]}")  
print(f"체력: {hp[1]}")
```

These three lists line up by position. Which Pokémon's info is printed? Write out the three lines it prints.

|  |
|--|
|  |
|  |
|  |
|  |

### 3 · Spot the Bug 🐛

Read what each block is **supposed** to do, then fix it on paper and explain the fix.

**Bug A** — This should print the **first** Pokémon, **피카츄**. Right now it prints the second one.

```
starters = ["피카츄", "이상해씨", "파이리"]  
print(starters[1])
```

**Hint:** the first item is not at index **1**.

**Write the fixed code:**

|  |
|--|
|  |
|  |
|  |
|  |

**Why was it wrong? Why does your fix work?**

|  |
|--|
|  |
|  |
|  |
|  |

**Bug B** — This should print all three starters as a numbered menu. Right now line 3 reaches for an item that does not exist and crashes.

```
starters = ["피카츄", "이상해씨", "파이리"]  
print(f"1. {starters[0]}")  
print(f"2. {starters[1]}")  
print(f"3. {starters[3]}")
```

**Write the fixed code:**

|  |
|--|
|  |
|  |
|  |
|  |

**Why was it wrong? Why does your fix work?**

|  |
|--|
|  |
|  |
|  |
|  |

**Bug C** — These parallel lists should show 피카츄's matching type. Right now name and type do not line up.

```
names = ["피카츄", "이상해씨", "파이리"]
types = ["전기", "풀", "불"]

print(f"이름: {names[0]}")
print(f"타입: {types[2]}")
```

**Hint:** to keep one Pokémon together, use the **same index** in every list.

**Write the fixed code:**

|  |
|--|
|  |
|  |
|  |
|  |

**Why was it wrong? Why does your fix work?**

|  |
|--|
|  |
|  |
|  |
|  |

## 4 · Explain the Code

Read this working starter menu carefully.

```
starters = ["피카츄", "이상해씨", "파이리"]
types = ["전기", "풀", "불"]

print("=== 시작 포켓몬을 골라주세요 ===")
print(f"1. {starters[0]} - {types[0]} 타입")
print(f"2. {starters[1]} - {types[1]} 타입")
print(f"3. {starters[2]} - {types[2]} 타입")
```

What does the first line do, and why is `starters` better than three separate name variables?

|  |
|--|
|  |
|  |
|  |
|  |

`starters[0]` and `types[0]` both use index `0`. Which Pokémon and which type do they give, and why do they match?

|  |
|--|
|  |
|  |
|  |
|  |

Line 2 of the menu uses `[1]`. Which Pokémon is that — the first or the second? Explain.

|  |
|--|
|  |
|  |
|  |
|  |

If you wrote `starters[3]`, what would happen and why?

|  |
|--|
|  |
|  |
|  |
|  |

Why is using the same index in **starters** and **types** important for keeping each Pokémon's info correct?

|  |
|--|
|  |
|  |
|  |
|  |

## 5 · Explain Your Lesson Code 🎥

Explain the code **you** wrote in today's live lesson. Record a short video on your phone (you may show it running) and teach it like the viewer is new. Try to use these words: **list**, **index**, **zero**, **parallel list**, **menu**.

1. Show the starter menu code you wrote in the lesson and read your list out loud.
2. Explain why `starters[0]` is the first Pokémon, not the second.
3. Show how the name and type stay matched by using the same index.
4. Say why a list is better than three separate variables.

**Write what you will say in your video. Plan it here before you record.**

|  |
|--|
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |

---

**Submit** ☒

Send this worksheet + a video explaining your lesson code to teacher on KakaoTalk.