

## RS002 Week 11 — English Worksheet

**Topic:** Functions — Reusing Code · **Course:** Pokédex App · **Time:** about 45 minutes

This week you think about `def`. A **function** is a named block of code you can run again and again. You pass it **parameters** (the values it works on) and you get back a result with `return`. This worksheet is about reading function code and explaining the code you wrote in your live lesson — no typing in the app.

Words to know: **function**, **def**, **parameter**, **return**, **None**

### 1 · Recall

From memory:

**Write a helper that takes a dictionary `p` and prints `p['name']` and `p['type']`.**

|  |
|--|
|  |
|  |
|  |
|  |

## 2 · Predict 🧠

Read each block. Write what you think will happen.

```
def greet_trainer(name):  
    print(f"안녕하세요, {name} 트레이너님!")  
  
greet_trainer("지우")  
greet_trainer("이슬")
```

What two lines print?

|  |
|--|
|  |
|  |
|  |
|  |

```
def add_stats(p):  
    return p["hp"] + p["attack"]  
  
pikachu = {"hp": 35, "attack": 55}  
total = add_stats(pikachu)  
print(total)
```

**return** hands a value back. What number does **print(total)** show?

|  |
|--|
|  |
|  |
|  |
|  |

```
def find(pokedex, target):  
    for p in pokedex:  
        if p["name"] == target:  
            return p  
    return None  
  
dex = [{"name": "피카츄"}, {"name": "파이리"}]  
print(find(dex, "리자몽"))
```

**리자몽** is not in the dex. What does the function return, and what prints?

|  |
|--|
|  |
|  |
|  |
|  |

### 3 · Spot the Bug 🐛

Read what each block is **supposed** to do, fix it on paper, then explain the fix.

**Bug A** — This function should be **called** so the greeting prints. Right now it is only defined, so nothing happens.

```
def greet_trainer(name):  
    print(f"안녕하세요, {name} 트레이너님!")
```

**Hint:** define is not the same as call — add a line that runs it.

**Write the fixed code:**

|  |
|--|
|  |
|  |
|  |
|  |

**Why was it wrong? Why does your fix work?**

|  |
|--|
|  |
|  |
|  |
|  |

**Bug B** — This should **return** the total so the caller can use it. Right now it prints inside and returns nothing, so `total` is `None`.

```
def add_stats(p):  
    print(p["hp"] + p["attack"])  
  
pikachu = {"hp": 35, "attack": 55}  
total = add_stats(pikachu)  
print(f"총합: {total}")
```

**Hint:** use `return` instead of `print` inside the function.

**Write the fixed code:**

|  |
|--|
|  |
|  |
|  |
|  |

**Why was it wrong? Why does your fix work?**

|  |
|--|
|  |
|  |
|  |
|  |

**Bug C** — `find` should give back `None` when nothing matches, so the caller can react. Right now it returns nothing after the loop and the `if result` check breaks.

```
def find(pokedex, target):
    for p in pokedex:
        if p["name"] == target:
            return p

dex = [{"name": "피카츄"}]
result = find(dex, "리자몽")
if result != None:
    print("찾음")
else:
    print("못 찾음")
```

**Hint:** add `return None` after the loop.

**Write the fixed code:**

|  |
|--|
|  |
|  |
|  |
|  |

**Why was it wrong? Why does your fix work?**

|  |
|--|
|  |
|  |
|  |
|  |

## 4 · Explain the Code

Read these working functions carefully.

```
def show_pokemon(pokemon):
    print(f"\n=== {pokemon['name']} ===")
    print(f"타입: {pokemon['type']}")
    print(f"체력: {pokemon['hp']}")
    print(f"공격력: {pokemon['attack']}")

def find_pokemon(pokedex, search_name):
    for pokemon in pokedex:
        if pokemon["name"] == search_name:
            return pokemon
    return None

pokedex = [
    {"name": "피카츄", "type": "전기", "hp": 35, "attack": 55},
    {"name": "이상해씨", "type": "풀", "hp": 45, "attack": 49},
]

result = find_pokemon(pokedex, "피카츄")
if result != None:
    show_pokemon(result)
else:
    print("도감에 없습니다.")
```

What parameter does `show_pokemon` take, and what does it print?

|  |
|--|
|  |
|  |
|  |
|  |

Inside `find_pokemon`, what does the line `return pokemon` do, and when does it run?

|  |
|--|
|  |
|  |
|  |
|  |

When does `find_pokemon` reach `return None` ?

|  |
|--|
|  |
|  |
|  |
|  |

The last block checks `if result != None` . Why does it need to check this before calling `show_pokemon` ?

|  |
|--|
|  |
|  |
|  |
|  |

Why is it useful that `find_pokemon` returns a value instead of just printing one?

|  |
|--|
|  |
|  |
|  |
|  |



## 5 · Explain Your Lesson Code 🎥

Explain the code **you wrote in today's lesson** in a short phone video. You may show it running. Teach it like the viewer is new, and try to use: **function, def, parameter, return, None**.

1. Show your `find_pokemon` and read it out loud, pointing to the `return` .
2. Run a search that finds a Pokémon, then one that does not.
3. Explain the difference between a function that returns and one that just prints.
4. Show how calling a function twice saves you from copying code.

**Write what you will say in your video. Plan it here before you record.**

|  |
|--|
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |

**Submit** 

Send this worksheet + a video explaining your lesson code to teacher on KakaoTalk.