



se A CH g20230530/ampHiFailNoise A CH 2023-05-31T05-12-27 1a 50 ib amp hdwe ref ib diff ref 40 ib_diff_f_ref ib_noa_hdwe_ref 25 ib sel ref ib diff thr ref 20 ib charge_ref 0 0 20 40 20 40 0.1 5 ib quiet ref ib rate ref ib quiet thr ref ib quiet ref 0.0 0 dscn fa ref-0.02 ib quiet thr ref -5 -0.140 20 40 cc_diff_ref e_wrap_ref e_wrap_filt_ref 0.0001 0.5 0.0000 -0.00010.0 20 40 20 40



0.50 dv_dyn_ref 13.0 voc stat ref dv dyn test voc stat test 0.25 12.5 0.00 50 100 50 75 100 75 0.0 voc ref y ekf ref 13.00 y_ekf_test voc test 12.75 voc ekf ref -0.5 voc ekf test 12.50 50 75 100 25 50 75 100 dv hys ref temp_c_ref 40 0.1 dv hys test temp_c_test 0.0 dv_hys_s_test+0.1 mon mod ref 20 sim mod ref dv hys req s test+0.1 -0.1dv hys s-0.1 ref dv hys req s-051 ref.00 25 50 75 100



vb ref soc ref vb ref 0.5020 vb_hdwe_ref vb hdwe ref soc test 12 12 soc s test vb test vb test soc ref vb s test vb s test 10 10 soc ekf test 0.5015 8 8 0.5010 6 6

