

Modeling with Linear Equations Worksheet

Accompanies Section ??? in ODEP

Dave Rosoff

Department of Mathematics and Physical Sciences

The College of Idaho

Spring 2018

1 Modeling with linear equations

Some of these tasks should feel familiar, but this time you are asked to do more. As before, pay special attention to the setup: formulation of the initial value problems involved. Feel free to use whatever electronic help you like: calculator, phone, tablet, laptop, Robocop, Skynet, etc. Include an appropriate amount of calculation work.

Activity 1.1 (They see me rollin'). Quincy, a recent college graduate, borrows \$8000 to buy a car. The lender, Nurl's Wacky Car Loans, charges interest, compounded continuously at an annual rate of 10%.

- (a) Assuming that interest is compounded continuously and that the borrower makes payments continuously at a constant monthly rate of k dollars, determine the payment rate k that is required to pay off the loan in 3 years.
- (b) Unlike most lenders, Nurl's Wacky Car Loans allows buyers to choose their own payment rate. Quincy wants to pay only \$50 each month. How long will it be before Quincy pays off his loan? Round *upward* to a whole number of months.

Activity 1.2 (Life after debt). Lanthley can afford to spend no more than \$800 on her monthly mortgage payments. Suppose that the annual interest rate is 9% and that the term of the mortgage is 20 yr. Assume that interest is compounded continuously and that payments are also made continuously.

- (a) Determine the maximum amount that Lanthley can afford to borrow to finance her home purchase.

Activity 1.3 (Clean energy). A nuclear reactor sits at the bottom of a pool with volume 75 000 L. The water in the pool is not processed or filtered, so algae naturally grow in it (far enough from the reactor unit, anyway). Operators must keep this growth within reasonable and safe limits, or facility operations will be adversely affected.

- (a) Suppose that, in the absence of other factors, algae reproduce in the pool at such a rate that their mass doubles every 7.7 d.

Formulate and solve an initial value problem that will give you the growth constant r . This growth constant depends only on the algae's reproductive characteristics and the conditions in the ambient environment

(which, given the proximity of the reactor, are not uniformly friendly). Make the usual assumption: that the change in population is directly proportional to the current population.

Hint. You will need two parameters, just like the first time you saw this problem. Even though one parameter won't appear in the solution.

- (b) Reactor operators use a combination of filtering and poison techniques to remove algae at a constant rate (so that the same mass of algae is removed each day). Suppose that a new regulation is going into effect right now (at $t = 0$) that requires zero algae measured 20 d from this moment. If the mass of algae that can be removed from the pool is $400 \frac{\text{g}}{\text{h}}$, find the greatest mass of algae that can be present at $t = 0$ such that the facility will still be in compliance when the regulation takes effect. You will need to formulate and solve an appropriate initial value problem using the growth constant you found above. Pay attention to the setup and resist the urge to jump right to the equation for the algae mass.