

# EXPONENTIAL TECHNOLOGY IMPACT REPORT

*DRAFT*

version 0.foobar

Sunday 1<sup>st</sup> August, 2010 23:20



Singularity  
University

SPACE

# Contents

<b>1</b>	<b>Scope of this Report</b>	<b>3</b>
1.1	Structure of this Report . . . . .	3
1.1.1	Digraph . . . . .	3
<b>2</b>	<b>Aspects of the Problem Space</b>	<b>5</b>
2.1	Getting There . . . . .	5
2.2	Staying There . . . . .	6
2.3	Human Exploration . . . . .	8
2.4	Robotic Exploration . . . . .	13
2.5	Space Resources . . . . .	14
2.6	Space Science . . . . .	16
2.7	Space Education/Evangelism . . . . .	17
2.8	Insuring Humanity . . . . .	17
<b>3</b>	<b>Exponential Technology Areas</b>	<b>17</b>
3.1	AI and Robotics . . . . .	17
3.2	Biotechnology . . . . .	18
3.3	Nanotechnology and Materials Science . . . . .	19
3.4	Information Technology and Networking . . . . .	19
3.5	Neurotechnology and Medicine . . . . .	21
3.6	Policy, Law, and Ethics . . . . .	22
<b>4</b>	<b>Exponential Technology Opportunities</b>	<b>24</b>
	<b>References</b>	<b>25</b>
	<b>Glossary</b>	<b>32</b>
	<b>Index</b>	<b>33</b>

# 1 Scope of this Report

*The surface of the Earth  
is the shore of the cosmic ocean  
Recently we've waded a little way up  
and the water seems inviting*

– Carl Sagan, “A Glorious Dawn”

Humanity is presently a one-planet species. Although we have sent humans into space, and even to the moon, they have only visited and then returned home to Earth. There are two ways in which this fundamentally limits us: First, it limits the resources available to us, in terms of both matter and energy. Second, it makes us vulnerable to total destruction as a species, should a catastrophe of planetary scale occur.

This report focuses on applications of exponential technologies that may facilitate the eventual establishment of a permanent human presence in space. These steps include the development of technologies to reduce the barriers to entry into space, technologies that may be needed to remain in space indefinitely (while also being useful on Earth), practical strategies to use resources which are off Earth, transformative changes in the business of space science and exploration, and means to educate, excite, and inspire the general public about the possibilities and importance of human space exploration.

## 1.1 Structure of this Report


«TODO: Graphical diagram explaining structure of final report»

«This part of the document is under heavy construction. This is the temporary home of the digraph.»

### 1.1.1 Digraph

«This is incomplete, represents scope»

«Example about how to parse this graph—narrative threads run bottom-to-top»



## 2 Aspects of the Problem Space

Doing business in space should be easy, but it isn't. It's hard to get into space, even sending robots rather than humans. It's hard to stay in space for very long—again, even if you send robots. It's hard to make use of the resources available in space. And it's hard to convince many people that going to space is even a good idea.

We have chosen to focus on the following aspects of the problem space:

### 2.1 Getting There


The key problem driving the cost of space access today is fundamental inefficiency of chemical rockets. In the year 2010 payloads are delivered into orbit the same way they were launched in 1960s: by exploding large amounts of chemicals in a semi-controlled way. Conventional multistage rockets are limited to [payload fractions](#) of less than 4%. Using the [ideal rocket equation](#), it is easy to see that this inefficiency is caused partly by the structural limits of existing materials, and partly by the limited [specific impulse](#) ( $I_{sp}$ ) of chemical propellants, which have reached a practical limit of 453 seconds.

Inefficiency of chemical propulsion results in unreasonable complexity of present day launch vehicles, which operate on the very limits of structural margins. This requires a large number of people to work on the maintenance, operation and pre-flight checks. It also prevents reusability of rockets, leading to unacceptably high risks associated with launch and extremely high costs of payload insurance. Launch of a chemical rocket is a violent process and a structure operating near its design tolerance is more susceptible to fatigue and failure. The Space Shuttle, as a reusable vehicle, requires extensive refurbishment and safety checks between launches, to the extent that the launcher is disassembled, inspected, refurbished and rebuilt before every launch. For example, a hydrogen tank used for the on-board fuel cell is manufactured to burst at 1.5 times its usual operating pressure in order to save mass, but this safety factor of 1.5 means the tank may last only 100 cycles. Such a failure-prone component must have a more regular inspection regime, so operational costs go up. In contrast, the fuselage of a pressurized civil aircraft has a safety factor of two, and for that relatively little extra mass will last tens of thousands of pressurization cycles.

The high cost of space launch arises not only from technical challenges but also from the absence of economic incentives and the lack of a well defined market. Although, we would argue, those economical challenges will be eliminated as soon as the technical challenges of building cheap and reliable launch vehicles are resolved. On the economic side, various market models predict an essentially flat elasticity of demand for space access until the cost of launch is reduced below \$1000 per kilogram[38]. (See [Figure 1](#).) This implies that the primary economic benefits of space cannot be realized without an order of magnitude reduction in launch costs and hence, without a paradigm shift in the means of space launch systems.

An additional problem that is deeply rooted in the inefficiency of chemical rockets and the absence of mature space exploration market is lack of mass produced cheap components for space launch systems. All critical components are custom produced and tested by large teams over long periods of time. This leads into yet another problem: the time lags between the payload production and launch are unacceptably long and can hardly fit into business models of small- and medium-sized businesses which demand expediency as they are driven by the demand of rapid growth. Moreover, the current way of space transportation often requires high level of integration between the launch vehicle and the payload, which means that the customer is forced to choose the supplier long in advance and coordinate the development of payload with the launch provider.

In summary, launch is currently almost prohibitively expensive, infrequent, and inconvenient. Any transformative change in the landscape of space activity will require more effective launch systems.



2. In a thriving space environment the fundamental life support systems should be recreated and operated in a reliable way, indefinitely in time. Through photosynthesis, or other processes achieving a similar result, the space life-support systems should be able to regenerate order and structure for human use, starting from higher levels of disorder, using external energy sources.
3. In space settlements people should not subject to conditions that systematically compromise their capacity to satisfy their fundamental human needs. Human needs can be classified in nine categories, in four domains—Being (qualities), Having (things), Doing (actions), Interacting (settings)—and all should be satisfied for a healthy and thriving life:

FUNDAMENTAL HUMAN NEEDS	Being	Having	Doing	Interacting
<b>subsistence</b>	physical and mental health	food, shelter, work	feed, clothe, rest, work	living environment, social setting
<b>protection</b>	care, adaptability, autonomy	social security, health systems, work	co-operate, plan, take care of, help	social environment, dwelling
<b>affection</b>	respect, sense of humour, generosity, sensuality	friendships, family, relationships with nature	share, take care of, make love, express emotions	privacy, intimate spaces of togetherness
<b>understanding</b>	critical capacity, curiosity, intuition	literature, teachers, policies, educational	analyse, study, meditate, investigate	schools, families, universities, communities
<b>participation</b>	receptiveness, dedication, sense of humour	responsibilities, duties, work, rights	cooperate, dissent, express opinions	associations, parties, churches, neighborhoods
<b>leisure</b>	imagination, tranquillity, spontaneity	games, parties, peace of mind	day-dream, remember, relax, have fun	landscapes, intimate spaces, places to be alone
<b>creation</b>	imagination, boldness, inventiveness, curiosity	abilities, skills, work, techniques	invent, build, design, work, compose, interpret	spaces for expression, workshops, audiences
<b>identity</b>	sense of belonging, self-esteem, consistency	language, religions, work, customs, values, norms	get to know oneself, grow, commit oneself	places one belongs to, everyday settings
<b>freedom</b>	autonomy, passion, self-esteem, open-mindedness	equal rights	dissent, choose, run risks, develop awareness	anywhere

If humans in space should be deprived of the capacity to satisfy any of the needs above, in a sufficiently abrupt manner or for a sufficiently long time duration, they would face a mental and/or physical poverty at first, and eventually, if the deprivation persists, they could be led to death. Any relational or governance system established in a space environment, especially with the goal of “staying there,” should consider all the fundamental human needs above. It should be noticed that while the satisfiers of the needs change across cultures, or time, the needs themselves remain constant. For this reason, a space environment and space activities should be designed to maximize the satisfaction of the human needs without violating the previous principles. This result can often be conveniently achieved through dematerialization, which becomes more and more effective with the advancement of exponential technologies such as augmented virtual reality. The fundamental design principles for human interaction in space could be the “Golden Rule”: “Would I like to be subject to such conditions I am creating?”

Once the design principles above have been considered, the challenge remains how to implement them in the extreme space environment.

## 2.3 Human Exploration

Human exploration beyond Earth's atmosphere presents many threats and promises to meeting basic human needs: The conditions are inhospitable to human life. There is no known air source. The temperatures are extreme. Radiation is intense. Meteor showers, solar flares, debris and dust are ever-present threats. Human-rated infrastructures and outposts do not exist. Other forms of life have yet to be found. The challenges associated with understanding and preparing for optimum general human wellbeing in space is multitudinous. The recommendation, risk assessment and mitigation (be it technology, countermeasure development or advanced life supports and protocols) for the enhanced well being, performance, operation and happiness of the crews is imperative.

### Closed Loop Life Support Systems (CLLSS)

The CLLSS components, resources and technologies needed to provide a basic foundation for a live-able, controllable and recoverable environment for human space flight and habitability must include the following space-rated systems:

- Atmospheric Revitalization
- Water Recovery
- Waste Management
- Habitation System
- Environmental Monitoring
- Pressure Control
- Fire Protection
- Thermal Control

NASA's ECLASS can only achieve a 65% closed loop effectiveness with current systems technology (Figure 2). This is acceptable for short duration human space flight and life onboard the [International Space Station \(ISS\)](#), but it does not suffice for further human exploration.

**Food:** Need for a way to generate a complete, well rounded diet with minimal input and output, 100% closed loop if possible. Bonus: enjoyable to eat.

**Water:** Need: Sophisticated waste and grey water systems to allow for closed loop water systems.

**Waste:** Design waste out of the system. Design and engineer systems able to operate completely in loops closed for matter and open for energy.

**Air:** Assure fully recyclable air systems able to work indefinitely at 100% reliability.

Reliable fully closed loop life support systems for humans (Figure 3) need to be demonstrated in ground test facilities and in space with increased performance efficiencies such that little-to-no-maintenance, re-supply and the capacity for bio-regeneration is incorporated into the design metrics towards future autonomous space system adaptation and in situ resource utilization. We must advance, demonstrate, and integrate current space rated hardware with new technologies and strategies to also reduce the mass, power and re-supply requirements when measured against the current state of the art space flight qualified hardware and work towards both the issues of human survivability and longevity whilst in space.



## Human Factors

Extreme environment architectures and habitat design greatly impact human performance, behaviors and limits in everyday life as equally as instances of great stress. As we know it, life in the space environment presents many challenging factors for the crew including: conditions of prolonged confinement, isolation, information saturation, performance pressure, constant monitoring, time delays, unnatural lighting, limited color palette and seasonal change, limited personal space, restricted access, thermal difference, the reliance on reconstituted air, water, tactile starvation and increasing physical acclimation as a result of radiation and microgravity. Reliability and diversity are equal yet opposite needs for optimum human habitat design in extreme environments.

## Extreme Design

Human-rated structures and habitable architectures for use in extreme environments such as space must satisfy very unique requirements. Temperature extremes, gravity, shielding from solar and cosmic radiation and micro-meteoroid impacts, vacuum / internal pressurization, abrasive and toxic materials such as planetary dust must be factored into design requirements. These issues pose great challenges to the structural adequacy, materials science and maintenance, compatibility, functionality, access and cost of suitable architectures and structures.





Figure 2. ECLSS Loop Closure: ISS 2010 + CH<sub>4</sub> Post-Process (kg pp/py) = 65% effectiveness [74]

## Physiological Health

Physiological acclimation in space flight is complex and diverse involving multiple systems (Figure 4). Past, present and future countermeasures in space flight require ongoing and additional review. Evidence of  $\mu$ gravity-induced physiological acclimation is known. Evaluations on crews in space analogue environments, space flight and ISS flights are ongoing yet the long term effects yet to be fully known and mitigated. Medical risks variable and the delivery of medical interventions, preventions and care needs to be refined. The effects of microgravity and radiation are the most problematic to human exploration in space. For instance, reliable and suitable materials technology, design and mitigation for radiation are needed. Acceptable radiation exposure limits need to be established. Alert/warning and communications infrastructure from pre-screening, to initial construction through to settlement phases need to be formalized to analyze the long-term health risks. Microgravity (from muscle atrophy, vestibular and ocular disturbance, venous pooling to sleep disturbance and sanitation issues) have been evidenced and greatly impact crew performance, health and well being, thus impacting on the entire mission.

Other problems include

1. Bone demineralization leading to space-related osteoporosis and vitamin loss



**Figure 3.** ECLSS Loop Closure: ISS + Bosch (or equivalent) + Brine Recovery + Waste Drying + Waste Recovery + Food Production (kg pp/yr) = 95% effectiveness [74]

Physiologic effects	Launch	Duration of flight				Landing	Postflight period		
		24 h	48 h	2 wk	> 1 mo		24–48 h	1–2 mo	> 1 yr
Fluid redistribution	<ul style="list-style-type: none"><li>• Redistribution of fluid to the torso and head</li><li>• 10% decreased fluid volume in the legs</li></ul>	<ul style="list-style-type: none"><li>• 17% reduction in plasma volume</li></ul>	<ul style="list-style-type: none"><li>• Gradual decrease in erythropoietin secretion, leading to a 10% decrease in total blood volume</li></ul>			<ul style="list-style-type: none"><li>• Orthostatic hypotension from pooling of fluids in the legs</li></ul>	<ul style="list-style-type: none"><li>• Return of normal fluid distribution</li></ul>		
Neurovestibular effects	<ul style="list-style-type: none"><li>• Space motion sickness</li></ul>					<ul style="list-style-type: none"><li>• Space motion sickness</li></ul>			
Muscle changes		<ul style="list-style-type: none"><li>• Gradual decrease in muscle mass by 20%</li></ul>	<ul style="list-style-type: none"><li>• Gradual decrease in muscle mass by 30%</li></ul>		<ul style="list-style-type: none"><li>• Muscle soreness and tightness</li></ul>		<ul style="list-style-type: none"><li>• Full recovery of muscle mass and strength</li></ul>		
		<ul style="list-style-type: none"><li>• Gradual decrease in muscle strength (up to 50% loss observed)</li></ul>							
Bone demineralization		<ul style="list-style-type: none"><li>• 60%–70% increase in calcium loss (urinary, fecal). Reduced parathyroid hormone and vitamin D production.</li><li>• Gradual loss of bone density (1%–2% per month)</li></ul>							<ul style="list-style-type: none"><li>• Complete or almost complete restoration of bone density</li></ul>
Psychosocial effects	<ul style="list-style-type: none"><li>• Fatigue, sleep debt, isolation, emotional effects, stress to the astronaut's family, multicultural crew environment</li></ul>								
Immune dysregulation		<ul style="list-style-type: none"><li>• Possible reactivation of latent herpes viruses and impairment of cell-mediated immunity</li></ul>				<ul style="list-style-type: none"><li>• Numerous cellular and other changes leading to impaired immunity</li></ul>		<ul style="list-style-type: none"><li>• Gradual improvement in immunity (days to weeks)</li></ul>	

**Figure 4.** Timeline of physiologic acclimation and acclimatization experienced by astronauts from launch to after return to earth<sup>[96]</sup>

2. Temperature extremes
3. Circadian dysynchrony and sleep disturbance
4. High vacuum (decompression illness)
5. Space debris
6. Ionospheric plasma and
7. Acoustic noise

## Countermeasure

One strategy for mitigating risks, stressors and ensuring supports for crews in space is through the development of countermeasures in addition to careful consideration of crew selection, appropriate training, extreme habitat design, human factors, social governance supports and societal infrastructures for long duration spaceflight. (See for instance [Figure 5](#).) Future human exploration leading to “staying there” ([subsection 2.2](#)) will need to design protocols and policies for consent and justice for one-way missions and strategies for permanent colonisation with ethical micro and meso-social structures.

Today astronaut crews actively contribute and refine existing technologies and protocols to ensure best practices and environments for living and working based on their first-hand experience during space flight or mission; however the prevalent thought and practice today is essentially terrestrial. Countermeasures by their very nature, seek to provide



Physiologic effects; duration of flight	Before flight	During flight	After flight
<b>Shift in body fluids (cardiovascular effects)</b> Long and short duration	<ul style="list-style-type: none"> <li>• None</li> </ul>	<ul style="list-style-type: none"> <li>• Exercise</li> <li>• Negative pressure suits for the lower body (to mechanically induce an earth-equivalent body fluid distribution while in space)</li> <li>• On re-entry: isotonic fluid taken orally,<sup>2</sup> use of a pressurized anti-gravity suit to minimize fluid pooling in the legs, use of a liquid cooling garment, recumbent position for astronauts on long-duration missions<sup>3</sup></li> </ul>	<ul style="list-style-type: none"> <li>• The use of midodrine (to counter postflight orthostatic intolerance) is being considered</li> </ul>
<b>Space motion sickness (neurovestibular effects)</b> Long and short duration	<ul style="list-style-type: none"> <li>• Neurovestibular conditioning (virtual reality, parabolic or aerobatic flights)</li> <li>• Antinauseant medications</li> </ul>	<ul style="list-style-type: none"> <li>• Antinauseant medications<sup>4</sup> (promethazine, scopolamine<sup>5</sup>) often given with dextroamphetamine to counter sedation</li> </ul>	<ul style="list-style-type: none"> <li>• Intravenous antinauseant and fluid administration for severe postlanding syndrome</li> </ul>
<b>Muscle atrophy</b> Long and short duration	<ul style="list-style-type: none"> <li>• Resistance exercise program</li> <li>• Aerobic exercise program</li> </ul>	<ul style="list-style-type: none"> <li>• Exercise (aerobic and strength) monitored and modified by on-ground medical support team<sup>6,7,8</sup></li> <li>• Others measures under consideration: electrical muscle stimulation, dietary supplementation with amino acids, artificial gravity (e.g., rotating spaceship)<sup>6,7,8,9</sup></li> </ul>	<ul style="list-style-type: none"> <li>• Muscle conditioning and rehabilitation program, including a combination of adapted exercises, massages, icing and nonsteroidal anti-inflammatory agents</li> </ul>
<b>Bone demineralization</b> Long and short duration	<ul style="list-style-type: none"> <li>• 3 DXA scans per year</li> </ul>		
Long duration	<ul style="list-style-type: none"> <li>• 2 DXA scans within 6 months after flight</li> </ul>	<ul style="list-style-type: none"> <li>• Resistance exercises<sup>10,11,12</sup></li> <li>• Diet supplemented with calcium and vitamins D and K<sup>10,13</sup></li> <li>• Others measures under consideration: bisphosphonates; potassium citrate; parathyroid hormone; low magnitude, high frequency vibrations<sup>10,11,14</sup></li> </ul>	<ul style="list-style-type: none"> <li>• 4 DXA scans over 3 years</li> <li>• Temporary restriction of some activities (e.g., flying high-performance jets)<sup>14,15</sup></li> </ul>
<b>Psychosocial effects</b> Long and short duration	<ul style="list-style-type: none"> <li>• Specific criteria for recruitment<sup>16,17</sup> and specific behavioural competencies for assignment to missions</li> <li>• Didactic training, including teamwork in multicultural settings, and field-based training in leadership and followership skills</li> </ul>	<ul style="list-style-type: none"> <li>• Individualized work schedules monitored by ground support crew, with 8 hours rest per day</li> <li>• Short-acting hypnotics (to prevent sleep loss and cumulative sleep deficit) and modafanil (to enhance performance after periods of reduced sleep)</li> </ul>	
Long duration			<ul style="list-style-type: none"> <li>• Psychological debriefing sessions</li> </ul>
<b>Immune dysregulation</b> Long and short duration	<ul style="list-style-type: none"> <li>• Quarantine program</li> <li>• Restricted contact with general public for 1 week before flight</li> </ul>	<ul style="list-style-type: none"> <li>• Daily exposure to artificial gravity<sup>18</sup> and nutritional supplementation with nucleotides<sup>19</sup> are being considered</li> </ul>	<ul style="list-style-type: none"> <li>• Collection of biological samples to assess immune function</li> </ul>

Note: DXA = dual energy x-ray absorptiometry.

**Figure 5.** Countermeasures to minimize risks to astronauts before, during and after spaceflight[96]

supports consistent with the human need on Earth and thus have an inherent pedestrian and gravity-centric logic. Mitigating the optical disturbance of zero-gravity for instance by creating a false orientation with ‘Up’ signs and consistently angled writing provides crews with short-term adaptation solutions. The need for Lunar, Martian and general Astro-centric specific counter-measures and harness-measures will be required in the future if we are to ensure optimum performance and evolve as an adaptive and empowered space-faring and future space-dwelling species.

## Psychological wellness

The psychological and related physical impacts of long duration space flight and extended human exploration into space on human performance, social interactions, group and community interactions, space-Earth relationships and crew-specific behaviours are critical to operations and overall mission success. Further research on the sources and impact of long duration space flight on crew health and incremental risk identification is needed in order to reclassify behavioural health risks and thus best-plan for eventual human colonisation of space. The need for autonomous medical care, self-care, remote care and communications strategies should be considered essential design requirements for Human Factors and Extreme Design architecture, Crew selection, pre-flight training, In-flight Procedure, and space-protocols.

## 2.4 Robotic Exploration

By default, much of space exploration today is highly dependent on robotic systems as well as on support by means of artificial intelligence. From the early days of space exploration on, humans sent robotic devices and satellites into space to sense, image and explore the space frontier. However, much of the robotic exploration systems provide only crude degrees of “intelligence.” More often than not, systems in space lag 15 years or more behind technology available on earth, which is mostly due to safety requirements as well as extensive research and development cycles within the space industry.

Another phenomenon which goes along with this is a fundamental dispute over human vs. robotic space exploration of space. The underlying logic states that robots will facilitate the groundwork of exploration for humans to follow. At this stage, the human dream to explore and possibly colonize space is normally dominated by the premise to move our life support systems into space and onto other planets.

However, non-augmented human bodies need an earthlike environment almost to exact earth specifications. Earthlike atmospheres, which are changed by the very metabolism of the body being in it, water and hundreds of other needs from complex nutrients, molecules, to exercise, social and spatial requirements. Ironically, the body that gives us the primary medium for experiencing our surroundings is also the single largest barrier to traveling and experiencing space.

A long-term plan to visit space in human bodies is basically committing to the idea of bottling up earth and exploring space inside of an “earth-bottle,” which entirely separates us from the extraordinary experiences the interplanetary universe offers us.

We argue that a new conceptual model to evolve space exploration should be based on the development of a new kind of humanoid robotics, super-human artificial intelligence as well as virtual representation of space exploration. In addition, the development of an inter/intrastellar smart network to connect all information-based agents, robots, vehicles, nodes and life-support systems is suggested to provide a collective intelligence approach within space.

Humanoid robots—robots with human-like bodies such as Asimo or Robonaut—will quickly increase in their sensory capacity, eventually exceeding perception capabilities of the human body. In limited ways we already see today how robots equipped with night vision capability, thermal imaging capability, radar, seismographs, EMI receivers, and so forth augment human sensing. However, we suggest that such humanoid robots are only the very beginning of this “body” evolution. As described later, exponential advances in neuroscience, nanotechnology and synthetic biology will allow for a super-human kind of robots, with many human-like characteristics. However, such robots can be

augmented with sensing and actuation capabilities beyond human limitations and can be specifically customized for conditions in space. In addition, the development of a specific “super-human intelligence” for such robots provides significantly higher information processing, problem solving capabilities, as well as communication characteristics with other intelligences such as robots, networks, satellites and humans by means of a space-wide operating system (e.g. ETIR idea “Intelligent Space Operating System”). Human intellect can then be uploaded remotely, augmented by means of enhanced perception/sensing, and experienced individually as well as collectively. Super Human Intelligent robots for space exploration provide the benefit to be resistant to adverse conditions within space such as extreme temperatures, radiation and toxins. By default, they don’t require oxygen, food, sleep, or sunlight and can be designed to be of higher emotional/psychological robustness compared to humans. Psychological, social and bodily characteristics can be dynamically shaped to be optimal for individual space missions and can be adapted over time. This new kind of robotic super-human space exploration is meant to open up channels of exploration and experience with a currently unimaginable level of perceptive richness and extended realism by means of augmented sensing. In addition, new kinds of virtual environments, brain-machine interfaces and multimodal feedback systems will allow us to navigate such experience at in virtual fashion at increasingly higher resolution and vividness. This can be shared by everyone on earth rather than by a few astronauts. We believe the future of mankind in space can, and will be more interesting, exciting, and inspiring than the current vision of exploration with a human earth-bound body – both can and should happen in a parallel initially. We believe we can explore the planets not just from the confines of a space suit or tin can on the surface, but from a spectrum of physical embodiments, beginning decades ago with space robots that sent back images for us to experience. We will then know exactly on earth what it feels like to stick a foot in the sand of Mars, to go for a space-walk, or to observe our planet as a swarm of satellites.

## 2.5 Space Resources

Human resource consumption increases as the population of the Earth increases and as each member of the population uses more resources, but the amount of resources available on the Earth remains fixed. Fortunately, we as a species are not limited to gathering these resources terrestrially. While we are facing a shortage of both raw materials[48] and energy[83] here on the planet, both of these resources are bountiful in our solar system and beyond.

This observation is by no means novel. Right now, though, at the dawn of this new decade, we find ourselves sitting on the brink of an inflection point with respect to the harvesting of space-based resources and bringing them back to Earth. For the first time, as a result of the convergence of several pivotal and game-changing exponentially accelerating technologies, it will not only be economically viable to supply and power Earth from space, it will be a necessity.

### Terrestrial Shortage of Valuable Materials

There are currently not enough raw materials present on planet Earth for the world’s current population to live with the quality of life of the modern developed world[48]. This shortage clearly poses a large problem for the sustained growth of humanity in the upcoming decades, for not only is it desirable for every human being to have access to the same level of technology as those living in the developed world, but those in the developed world strive to advance their technological. Among others, some of the most important of these scarce materials are platinum group metals[47].

As these scarce materials are mined and extracted from the Earth, they become more and more scarce, and as they become more scarce the cost of mining them and extracting them increases. Fortunately, virtually all of these terrestrially scarce materials are available in space and can be found in near-earth asteroids. In the past, the cost of mining these asteroids and returning their materials to the earth has been prohibitively expensive. However, in the upcoming five to twenty years, the convergence of a number of exponentially accelerating technologies will result in the cost of mining these asteroids decreasing exponentially. With the cost of mining these materials from the earth increasing with every passing year, and the cost of mining them from space decreasing every year, there will be a point in the near future

where it is not only economically viable but economically imperative to mine asteroids and return their contents to Earth[47].

There are many advantages of mining near-earth objects for resources over obtaining the resources from Earth, even aside from terrestrial shortage. First of all, it is likely that a high percentage prospecting missions will successfully find highly valuable asteroids, due to already well-established science for analyzing the composition of asteroidal bodies from Earth. The high-grade ore found in asteroids will make processing (extractive metallurgy) quite easy. No negotiations will be needed with existing landowners. Additionally, there are no environmental laws to be dealt with, and mining and waste disposal will not have any potentially destructive effect on the terrestrial ecosystem. Asteroid mining systems will be highly scalable, flexible, and reusable[84].

Additionally, even if there were not a terrestrial shortage of materials like platinum group metals, there is no doubt that if we had more of them, it would usher in a new era of abundance on our planet. Imagine the advances in technology and quality of life that could be made if engineers could always use the ideal material for the job without having to worry about price or availability.

Finally, the successful mining of asteroids will be essential to the ultimate expansion of our species into the solar system and beyond. Launching heavy objects from the ground in to space makes much less sense than constructing those objects in space from available resources. These resources are all available in near-Earth bodies.

Thus, the value of mining asteroids for resources is clear. There are a number of sub-problems that must be solved in order to successfully accomplish such a mission[47]. Each of these problems can be solved elegantly with a combination of exponentially advancing technologies.

**Remotely mining asteroids without the need for humans.** Advances in AI and robotics will make this task cheaper and more efficient, and cheaper as robotics and microprocessors become cheaper.

**Data Collection.** Improved microprocessors, storage technology, and sensors will drop the price and enable more and better data to be collected.

**Mass and performance of spacecraft.** New materials such as carbon nanofibers and advanced composites will enable lighter structures to be as strong or stronger than steel.

**Launch and Propulsion.** Advances in launch (particularly beam-powered launch), solar technology, and energy storage will greatly increase the efficiency while decreasing the cost, dramatically cutting the costs of an asteroid mining mission.

**Design.** Advances in software modeling and design will dramatically increase the chance of success and decrease the cost of each mission.

**Miniaturization.** The smaller a mining vehicle is, the more can be launched per payload and the more fault-tolerant the entire overall mission can be. Many technologies are getting smaller every year, and this will dramatically affect the industry.

In sum, it is absolutely essential for humans to mine asteroids for materials, since Earth is running out of resources, it will be essential for building space-exploration machinery in place, it will usher in a new era of abundance on Earth, and the cost of mining space-based materials will soon be cheaper than mining those same materials terrestrially. By leveraging a key set of exponentially advancing technologies, it will for the first time be possible very shortly to mine asteroids effectively, efficiently, and profitably.



## Space Based Solar Power

An underlying motive for all of human expansion has been the quest for energy. To early humans this meant the search for food, as food was the only form of energy they could take advantage of. Later on, our species created ways to harness other forms of energy through mechanical means—water power, wind power, coal, oil, uranium. These steady developments led to the expansion of the human race across the oceans to settle on nearly every habitual space on Earth.

Today, with a global power consumption of 12TW[83], we are reaching the end of the energy supplies we have come to use so commonly. It is expected that by the year 2020, the global power consumption will be nearly 20TW. It is becoming more expensive and more risky to search for fossil fuels to power our cities, and the combustion of these fuels is becoming highly damaging to the environment. Over 85% of the power used today comes from fossil fuels[83]. It is generally accepted that the time has come to focus on powering our world from completely renewable resources, and there are many resources that can be harnessed; tidal currents, wind, geothermal, and of course solar. Solar power is unquestionably the ultimate solution to our energy demands. In fact we have always relied on solar energy, we are just prefer to use it in it's stored form of a battery called fossil fuels.

When we begin to explore the possibility of harvesting energy in space, rather than terrestrially, we will create a world of energy beyond what we can imagine today. The amount of energy in space is far greater than that needed to sustain the population of the planet for decades to come. For instance, the kinetic energy in the solar wind is  $10^{14}$  MW, or over a million times the current global power consumption. Collecting solar energy and transporting it to Earth will not only solve the energy problem, taking everyone out of the “dark age,” but will also open the space frontier economically. As soon as the break-even point is passed, a viable business case for space energy production will swiftly drive down the costs of launch, as more and more capital comes in from the energy sector.

## 2.6 Space Science

*“Somewhere, something incredible is waiting to be known”*

– Carl Sagan

Before the 19th century, when the term “scientist” was first coined, people investigating Nature called themselves “Natural Philosophers” because they observed the workings of Nature and tried to extrapolate universal rules that would enable them to understand the surrounding World. What is the unit of life? What is the unit of matter? Is the Earth flat? These questions put forward by natural philosophers, found an answer as technology started making its first steps into the era of modern science, thus empowering mankind to look deep into the structure of matter and far out beyond the atmosphere. As technology kept progressing exponentially, it allowed scientists to wander into new and unexplored territories. New questions thus arose: does life exist on other planets? Can intelligent life be found beyond our Solar System? Can there be different forms of intelligence? How did the Universe form? How did humankind evolve from prokaryotes? New fields—astrobiology, exobiology, planetary science, space-based astronomy—were born to answer these questions, while existing ones—biotechnology, medicine, neuroscience, synthetic biology—started just now extending their reach into outer space. Altogether, these disciplines fall under the umbrella of a new scientific era, that of Space Science.

The comparatively nascent field of Space Science is at the cusp of major growth, given the technologies available in the next decade. The same curiosity that has driven technology advancement and continuity over the past centuries on Earth, has lead scientists just beyond the atmosphere over the past decades and will, in the comparatively near future, bring humanity to explore and colonize outer space. Space Science will provide a parallel or a whole new domain of possibilities beyond our imaginations today. Importantly, it will bring about new paradigms for the Science that is done on Earth, out of the box thinking that could feed back into the living system with the potential of tackling many of the still unsolved or unsolvable problems. These underlying features inevitably set apart Space science from the rest of the modern sciences. One could say that today is the beginning of a new era in Science, an era in its own right, which will see its climax in the human colonization of other Earth-like planets and the exploration of other solar systems.



## 2.7 Space Education/Evangelism

A key underlying problem to the limit of humanity's progress in space is that the majority of the human species is uninterested in space. Activities in space today do not inspire the awe that they once did: instead of watching astronauts walk upon the surface of a celestial body for the first time, today, if we're lucky, we get to watch them repair the toilet on the International Space Station. Educational outreach is a good start, but we need to connect humanity to space in a more natural way. Global warming is now perceived as a threat so compelling that most people believe we need to do something about it. But this threat is dwarfed by that of remaining on this planet indefinitely.

NASA's education program attempts to make space and the STEM (Science Technology Engineering and Math) curriculum exciting for students, but they do it without an understanding of the progress exponential technologies will have on the space industry. Students today rarely realize that when they grow older they will have a completely different tool set with which to tackle space. We should teach them what the world will be like in a decade or two and excite them on the possibilities they can create.

In all instances of educating the public on the importance of space, from youth to the elderly, opening the space frontier is never presented as an explicit need—which it is. Space is often considered to be primarily beneficial as an engine for creating technological spin-offs, but even if space exploration paid no technological dividends, it would still be crucially important. People don't appreciate the voyage of Christopher Columbus to the Americas primarily because of the new sextant developed for the journey that was eventually spun off to the private sector and used in merchant shipping.

It is human nature that we need to "see it to believe it," and maybe this is what is holding back humanity from understanding why space exploration is a necessity for survival. Until ordinary people can experience space through their own eyes, the possibilities that it holds will not be fully understood. What will happen when the first child can see our home from space, or when the first ballet dancer experiences weightlessness, or when a paraplegic is given mobility again? Let's not just tell humanity about space, let's give them access to space.

## 2.8 Insuring Humanity

# 3 Exponential Technology Areas

In this report, we will illustrate a number of opportunities to address the above problems with exponential technologies. This section serves as a brief overview to each of the exponential technology areas.

## 3.1 AI and Robotics

In the broadest sense, the fields of AI and robotics strive to make non-human systems able to perform human tasks, or other difficult tasks that are helpful to humans. Robotics focuses on the necessary physical capabilities, while AI focuses on the necessary mental capabilities. At present, AI systems are capable of solving a plethora of individual problems, each of them far more swiftly and accurately than a human could; but no robot is capable of loading a dishwasher yet. This phenomenon is represented by the term "narrow AI": each AI system today is typically helpless outside the situation it was designed for. These systems solve problems such as searching the Internet, routing FedEx packages, military logistics, or playing chess. However, it has been predicted that in the future, we will develop what is known as "strong AI": an AI system that nears human levels of tolerating uncertainty, and can generate original solutions to problems hitherto unseen and unanticipated by the designers of the AI.

## 3.2 Biotechnology

We currently live in the Renaissance era of Biology. Molecular biology along with computer science is the fastest growing science of the past four decades. This rapid development is due to a consecutive line of major milestones that include: Solving structure of the DNA, Deciphering the genetic code, Genetic engineering via restriction enzymes, The PCR machine, Microarray technology, The completion of the human genome project, microfluidics technology and more. The vast array of tools and knowledge gave rise to a growing branching of sub-fields of Molecular Biology that include Genetic engineering, Biophysics, Protein design, Protein fold prediction, Bioinformatics, Computational biology, Systems Biology and most recently, Synthetic Biology.

In the following paragraphs we shall outline the most notable exponentially growing molecular biology fields and methods:

Genomics is the extension of genetics to the scope of full organisms' genomes. Genomics is rapidly developing in the reading capabilities of DNA which is regarded as "DNA Sequencing," the artificial generation of DNA polymers which is regarded as "DNA synthesis" and the comprehension of the genetic information.

DNA Sequencing capability is exponentially improving ever since the human genome project was launched. The first significant technological leap is owed to the contribution of Dr. Craig Venters that introduced the "Shotgun" method through his company Celera. An active and highly innovative industry competes by introducing diverse technologies for sequencing which may be very different in method. Although there still is no one technological golden standard, the speed of sequencing and amount of DNA material that can be processed in parallel is exponentially growing whereas the price is rapidly dropping. This could be exemplified by the amount of DNA sequences submitted to Genbank, a NIH funded DNA repository (see figure).

The vast amount of genetically available material paved the way for the Bioinformatics fields that was essential for the assembly, interpretation and pattern recognition of the accumulated data. Bioinformatics in turn grow rapidly and branched into several sub fields that specializes in genes ("coding regions"), regulatory elements ("intergenic regions"), gene expression analysis, systems biology and computational biology. Systems biology that aims to achieve the co-functioning comprehension of a large set of genes and proteins is rapidly growing as can be seen by the amount of grant funds the field receives (see figure).

Upon the completion of the human genome project in 2000 by both by the international consortium and the Celera private venture the tipping point and rise of the post-genomic era began. The draft to our genetic software was accessible to study for the first time in human history, and genes were being studied in large sets of thousands rather than one at a time. A similar era is about to embark soon, as full genome sequencing prices will fall sufficiently to enable a multi-genome era where humanity will hold a large set a genomes by different individuals, enabling comparative genomics, the exhaustive comparison of entire genomes.

DNA synthesis capability, albeit lagging behind the DNA sequencing technology, is also advancing by a verity of methods, and synthetic DNA grows longer and cheaper rapidly. As in the DNA sequencing arena, Dr. Craig Venters contributed greatly to this field to and currently holds the record for the largest sequences of artificially generated DNA. Long synthesized DNA is driving the emerging field of synthetic biology that aims to fabricate novel life forms. The current state of the art is a partial generation of a bacterial organism.

Proteomics is the extension of Biochemistry to the scope of full organisms' proteins. Proteomics is rapidly developing in the reading capabilities to solve the 3D structure of proteins by means of X-ray crystallization and NMR studies as can be seen by the exponentially accumulation of protein structures in PDB, the protein data bank (see figure). Although the 3D structure of most proteins is known to be directed by the amino acid sequence of the proteins, the question of inferring the structure from the sequence which is also known as "the protein folding problem" is still largely unsolved and is one of Biology's holy grails. However, the computational prediction of the structures are growing increasingly better due to superior heuristics, vast amount of biological raw data and extended computation capabilities, and it is widely believed this challenge will be eventually solved. The ability to comprehend the correlation

of protein structure and function will enable the rational protein design and will open a virtually limitless space of synthetic proteins with properties that to date do not exist in nature. A mature protein design field could correct for most genetic defects along with the transplantation of genes via Gene therapy methods, create new genes and produce new bio materials and biological drugs such as hormones and antibodies. To date, protein design is limited to semi-random in vitro evolution methods, partially driven by rational thought and by chimerical approaches of modular construction of proteins based on naturally existing scaffolds.

The microarray technology and its subset DNA-chips is yet another disruptive trend in biology that enables a vast readout of all the expressed genes within a cell by assessing the presence of mRNA transcripts. This technology, along with the exponential advances in DNA sequencing, greatly contributed to the generation of the Bioinformatics field, and to its sub branches, gene expression regulation and Systems biology. The microarrays that were at first extremely expensive, unreliable and with a relatively small number of biomarkers, are now commonly used, as can be seen in the elevated number of publications that address microarray data, and they are rapidly growing cheaper, larger and robust. To date there is still no gold standard to the optimal mathematical correction algorithm for their analysis, and the field of microarray analysis quite active.

Another disruptive and rather new technology is Microfluidics that enables micro manipulation and experimentation on single cells via liquidous apparatus with miniature compartments. Microfluidics enables experimentations that have previously not been feasible.

In the near future, we will be readily reading, generating, transplanting, manipulating and creating genetic and protein material, capability that will enable us to reshape life forms including humans.

### **3.3 Nanotechnology and Materials Science**

The first tools that humans used were simple sticks and stones, native “bulk” materials from the environment. Certain rocks were chosen for their hardness, or for their sharpness when cleaved, while certain sticks were used for their light weight and as tools requiring aspect ratios that are unattainable using rocks. Later these bulk materials were combined into things that enabled functions that were more than the sum of the parts, such as stone axes, animal traps, and wheeled vehicles.


In a similar way, we are barely beginning our technological evolution in space and are using many bulk materials, for example the planned Mars Curiosity rover is made mostly of aluminum and uses two-dimensional monolithic computation elements. The next step, and the goal of nanotechnology and materials science, is to discover the structural, electronic, thermal, and other physical properties of nanoscale materials and learn to harness these properties to create new or improved functionality, both structurally and on the scale of sensing and computation elements. These properties that may be inferior in bulk materials or perhaps not even exist on the macro-scale.

The enabling factors for continued improvement and innovation at the nanoscale reside in both funding new research and in an applications-centered, business-driven approach. They may reside in a shift from old ways of thinking and an agility to absorb new technologies as they become available.

### **3.4 Information Technology and Networking**

The exponential nature of Information Technologies and Networking is a well established phenomenon. In 1965, Intel’s co-founder Gordon Moore noted that the number of components in integrated circuits had been doubling roughly every two years since their invention in 1958, and predicted that the doubling trend would continue for at least another decade. Since then, and more than forty years later, Moore’s “law” continues to signal the evolution of processing speed, memory capacity, hard-disk storage, power consumption, transistor cost, and many other applicable metrics that seem to lay, roughly, on exponentially increasing (or decreasing) curves. (See [Figure 6.](#))

## CPU Transistor Counts 1971-2008 & Moore's Law



**Figure 6.** Transistor count and Moore's Law

It is remarkable that these exponential trends have survived many technology changes, and some technological paradigm shifts, without relenting even through global crisis or other political and economical turmoils. An industry-wide belief in the nature of these exponentials has led companies to invest billions of dollars in the process of finding the next doubling factor before the competition, and drove many to describe Moore's law as the "self-fulfilling prophecy" of the electronics industry. However, and even though every few years new technical bottlenecks seem to suggest that Moore's Law might be getting to an end, our current understanding of the fundamental limits of computation shows that there is no fundamental reason why computational density should not keep increasing at its exponential pace for the foreseeable future.

Over the last five decades, the exponential evolution of electronics has played a fundamental role in many of the scientific and technological achievements of humanity, and has been a fundamental enabler of global trade, the increased efficiency of value chains and the onset of what is called the knowledge economy. The Internet itself, still in its infancy, has revolutionized the way we do business, collaborate and interact with each other, and the same technology, in the hands of billions through mobile phones and its descendants, is predicted to play a fundamental role in integrating the next four billion people in the base of the pyramid to the global economy and to a global society. The astronomical increase in our capacity to generate, store and process information is leading fundamental changes in the way we think about and do science. Many other scientific disciplines, including, most notably, biology, are now increasingly becoming information sciences, and the exponential trends of information technologies spread to these disciplines and help put them in their own exponential paths.

We expect these trends to continue and evolve in the short term, and over the next few decades, to show an increasing parallelization of today's architectures, increasing interconnectedness, increasing miniaturization, new human-machine interfaces, new machine-to-machine interfaces, sensor and actuator networks; embedded computational systems in everyday objects; distributed, decentralized platforms for data acquisition, storage and processing; ubiquitous, high-bandwidth networks; high-quality augmented/virtual reality with haptic interfaces; implantable bio-electronics; new computational paradigms for high-performance, massively parallel computation; new computational paradigms for energy-efficient and low heat computation.

At the same time, we expect Information Technologies, Computing Systems and Networks to impregnate, merge-into and drive the convergence of Biotechnology, Nanotechnology and Neurotechnology, to a new integrated technology realm at the nano-scale.

### 3.5 Neurotechnology and Medicine

The human beings through research and technology have begun to understand the nature and mysteries of the Universe. However, Space is a harsh environment, and technological advancements in material science, robotics, power generation, and medical equipment will be required to ensure that astronauts survive interplanetary journeys and settlements. In addition, operational challenges, such as the management of life-support systems, food and nutrition, medical care, and psychosocial health due to long-term confinement, will have an impact on human health during long-term space missions and more even if we think to settle and to stay on other planets or regions in our Solar System.

Since the human is considered to be a critical system of space flight in the same way the propulsion, thermal, and power are critical systems to space flight, the searching of opportunities where accelerating technologies could be possible solutions in these issues in the coming future, is warranted.

Why go into space when we have so many problems here on Earth? It is a legitimate question as unfortunately not enough people have been made aware of the vast benefits the space program provides that increase the quality of our daily lives. Applications on Earth of technology needed for space flight have produced thousands of "spinoffs" that contribute to improving several fields including medicine, biotechnology, and neurosciences[91]. One small example is the Hubble Space Telescope technology which was used in the Charge Coupled Device (CCD) chips for digital imaging breast biopsies. The resulting device images breast tissue more clearly and efficiently than other existing technologies.


The CCD chips are so advanced that they can detect the minute differences between a malignant or benign tumor without the need for a surgical biopsy. With over 500,000 women needing biopsies, this technology saves time and money for this procedure versus surgical biopsy.

At the same time, accelerating technologies in medicine and neuroscience should help to solve huge problems in human space exploration and “staying there,” including better methods and techniques in the basic and clinical research, which are the basis for new knowledge and the source for new technologies.

Medicine tools that could help solving grand challenges are immersing in biotechnology, nanomedicine and nanomaterials, robotic, artificial intelligence, bio-engineering, and bio-informatics. More specifically, the broad spectrum of sensors and biotech for prevention, and early diagnosis of the health problems, new materials for radiation protection, autonomous medical care (AI, robotics, bioinformatics) for diagnosis and treatment, and tissue engineering for recovery, are some interesting examples where exponential technologies should be involved.


Neuroscience research helps us to describe and understand how the brain controls behavior. One of the critical tools is the recording equipment which helps us to study the neural signals during behavior. While noninvasive neural signal recording techniques, such as electroencephalography (EEG) and functional magnetic resonance imaging (fMRI), are getting more precise and easier to operate, their costs are also dropping [33]. As these equipments are more affordable for the public, more neural recordings from individuals are available to study a wide range of problems. The exponential increase in hardware and software tools and the available data help the development of statistical models for different medical applications, such as personal health diagnostics.

Another trend observed is the decrease in computational time for non-invasive medical diagnosis through computer tomography (CT), MRI and positron emission tomography (PET) as the computational power exponentially increases through techniques like parallelization. Meanwhile, for instance, PET detectors are getting smaller at an even faster rate, offering higher resolution data [63]. Figure 7 shows that improvements in run time alone are not sufficient to meet the computing demands for future PET scanners.



**Figure 7.** Illustration of the approximate order of computational complexity for 2D and 3D clinical and small animal scanners shown in comparisons to “Moore’s law”, the observation that single-processor computing power doubles roughly every 18 months [63]. The lower curve for the ECAT systems represents 2D complexity, the upper curve represents 3D complexity.

Significant improvements can be also found in neural prosthetic devices. Using implanted electrodes to deliver electrical stimulation to the sensory nervous system, cochlear implants have been well developed for the deaf to hear and retinal implants are under FDA trials for the blind to see. Figure 8 from [102] demonstrated the improvement of sentence recognition of cochlear-implant users with more recent models. Custom motor prosthetics like robotic arms with high dexterity are developed for patients who lost their limbs. Paralyzed patients can now interact with the world with brain computer interface (BCI). The exponential increase in computational power also allows researchers to simulate large neuronal network and the resulting knowledge benefits the development of better neural prosthetic devices.



**Figure 8.** Sentence recognition of cochlear-implant users [102]. The x-axis labels show the type of device, the processor model, the place where the study was conducted, and the year the study was published. The y-axis shows percent correct scores for sentence recognition in quiet. The scores in cochlear implants developed before 1994 were averaged from investigated studies published in peer-reviewed journals. The score in devices developed thereafter were obtained from company-sponsored clinical trials that had also been published in peer-reviewed journals. Besides “single-electrode” for the 3M/House device, the text on top of the bars represent speech processing strategies including SPEAK (Spectral PEAK extraction), ACE (Advanced Combination Encoder), CA (Compressed Analog), CIS (Continuous Interleaved Sampler), and SAS (Simultaneous Analog Stimulation).

### 3.6 Policy, Law, and Ethics

We are not in a position to fully analyze the far-reaching consequences of near-term steps by space agencies and private space entrepreneurs, however we can set about to establish a context for critical evaluation of our motivations and hesitations at the Singularity University during the 2010 GSP. This is a time to develop a culture of intense questioning and reflexivity, weighing up the pros and cons of social and education value, economic and political drivers, scientific benefits, risks, the battle for sovereignty between nation states; time readiness, and the lessons learnt from past human endeavors at each stage of mission planning and undertaking. Particular attention must be paid to our obligations and restrictions, the differences of moral standing and the agents behind them; the intrinsic and instrumental values of global peoples and the core truths of our calling, in order to plan effectively and to garner new insights and knowledge for wider reaching solutions to terrestrial concerns so that we can leverage exponentially advancing technologies for the benefit of humanity, the planet and the future of our activities in space. We have a responsibility to boldly stay to serve legitimate interests as a peaceful, well-meaning people and the opportunity to explore new ways of seeing life, and space, from a whole new perspective.

It is posited that if we are to actually improve standards of living on Earth through space by generating economic opportunity; providing access to new resources (material, intellectual and so on) then we need to bring about the prospect of rapid technological development, the cross-fertilization of ideas, new visions and shared dreams for the benefit of all human-kind and this begins with the power of the questions we ask ourselves, and the declarations we make for our future generations.

## **4 Exponential Technology Opportunities**

...For each of the sections below, we discuss the current state of the art, related exponential technologies, potential benefits, convergences with other technologies, and potential barriers to adoption.



## References

- [1] *Autonomous Robots: From Biological Inspiration to Implementation and Control*. The MIT Press, June 2005. (Not cited.)
- [2] Spinoff. *Transportation*, 2006. (Not cited.)
- [3] Gyrotrons, 2010. URL <http://www.cpii.com/product.cfm/1/18>. (Not cited.)
- [4] Synchronized Position Hold Engage and Reorient Experimental Satellites, 2010. URL <http://ssl.mit.edu/spheres/>. (Not cited.)
- [5] Techsat 21 Project Pages, 2010. URL [http://ssl.mit.edu/overview/OpenHouse2001/DSS/OpenHouse2001\\_DSS.pdf](http://ssl.mit.edu/overview/OpenHouse2001/DSS/OpenHouse2001_DSS.pdf). (Not cited.)
- [6] Long Duration Psychology, 2010. URL <http://history.nasa.gov/SP-4225/long-duration/long.htm>. (Not cited.)
- [7] NASA's Science Mission Directorate (SMD) Education and Public Outreach program, 2010. URL <http://teachspacescience.org/cgi-bin/ssrtop.plex>. (Not cited.)
- [8] Outreach to Space, 2010. URL <http://www.outreachtospace.org/>. (Not cited.)
- [9] SEi Announcements, 2010. URL <http://www.spaceed.org/>. (Not cited.)
- [10] New Nanotech Discovery Could Lead To Breakthrough In Infrared Satellite Imaging, 2010. URL [http://www.spacemart.com/reports/New\\_Nanotech\\_Discovery\\_Could\\_Lead%\\_To\\_Breakthrough\\_In\\_Infrared\\_Satellite\\_Imaging\\_999.html](http://www.spacemart.com/reports/New_Nanotech_Discovery_Could_Lead%_To_Breakthrough_In_Infrared_Satellite_Imaging_999.html). (Not cited.)
- [11] Mit mind machine project, 2010. URL <http://mmp.mit.edu/>. (Not cited.)
- [12] M. Avnet. The space elevator in the context of current space exploration policy. *Space Policy*, 22(2):133–139, May 2006. ISSN 02659646. doi: 10.1016/j.spacepol.2006.02.005. URL <http://linkinghub.elsevier.com/retrieve/pii/S026596460600021X>. (Not cited.)
- [13] S. D. Baum. Cost-benefit analysis of space exploration: Some ethical considerations. *Space Policy*, 25(2):75–80, May 2009. ISSN 02659646. doi: 10.1016/j.spacepol.2009.02.008. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964609000198>. (Not cited.)
- [14] I. Bekey. Extremely Large Swarm Array of Picosats for Microwave/RF Earth Sensing, Radiometry and Mapping, 2005. (Not cited.)
- [15] Benguría A, Grande E, de Juan E, Ugalde C, Miquel J, Garesse R, and Marco R. Microgravity effects on *Drosophila melanogaster* behavior and aging: Implications of the IML-2 experiment. *Journal of Biotechnology*, 47(2-3):191–201, 1996. URL <http://www.ncbi.nlm.nih.gov/pubmed/8987567>. (Not cited.)
- [16] L. Billings. Exploration for the masses? Or joyrides for the ultra-rich? Prospects for space tourism. *Space Policy*, 22(3):162–164, Aug. 2006. ISSN 02659646. doi: 10.1016/j.spacepol.2006.05.001. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964606000440>. (Not cited.)
- [17] R. Birk. Government programs for research and operational uses of commercial remote sensing data. *Remote Sensing of Environment*, 88(1-2):3–16, Nov. 2003. ISSN 00344257. doi: 10.1016/j.rse.2003.07.007. URL <http://linkinghub.elsevier.com/retrieve/pii/S003442570300227X>. (Not cited.)
- [18] J. Blamont. International space exploration: Cooperative or competitive? *Space Policy*, 21(2):89–92, May 2005. ISSN 02659646. doi: 10.1016/j.spacepol.2005.03.003. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964605000238>. (Not cited.)
- [19] B. Boertzel. Personal webpage. URL <http://www.goertzel.org/>. (Not cited.)

- [20] D. Broniatowski and A. Weigel. Articulating the space exploration policy–technology feedback cycle. *Acta Astronautica*, 63(5-6):649–656, Sept. 2008. ISSN 00945765. doi: 10.1016/j.actaastro.2008.04.006. URL <http://linkinghub.elsevier.com/retrieve/pii/S0094576508001495>. (Not cited.)
- [21] W. Carter. Significant results from using earth observation satellites for mineral and energy resource exploration. *Advances in Space Research*, 1(10):261–269, 1981. ISSN 02731177. doi: 10.1016/0273-1177(81)90402-6. URL <http://linkinghub.elsevier.com/retrieve/pii/0273117781904026>. (Not cited.)
- [22] C.-C. Chang, Y. D. Sharma, Y.-S. Kim, J. A. Bur, R. V. Shenoi, S. Krishna, D. Huang, and S.-Y. Lin. A Surface Plasmon Enhanced Infrared Photodetector Based on InAs Quantum Dots. *Nano Letters*, 10(5):1704–1709, 2010. URL <http://pubs.acs.org/doi/abs/10.1021/nl100081j>. (Not cited.)
- [23] S. Chirikjian. Toward self-replicating robots. URL <http://custer.lcsr.jhu.edu/wiki/images/f/ff/Chirikjian02.pdf>. (Not cited.)
- [24] S. Chung, P. Ehrenfreund, J. Rummel, and N. Peter. Synergies of Earth science and space exploration. *Advances in Space Research*, 45(1):155–168, Jan. 2010. ISSN 02731177. doi: 10.1016/j.asr.2009.10.025. URL <http://linkinghub.elsevier.com/retrieve/pii/S0273117709006887>. (Not cited.)
- [25] C. Cockell. Fostering links between environmental and space exploration: the Earth and Space Foundation. *Space Policy*, 18(4):301–306, Nov. 2002. ISSN 02659646. doi: 10.1016/S0265-9646(02)00043-7. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964602000437>. (Not cited.)
- [26] D. Cohen. Earth’s natural wealth: an audit, 2007. URL <http://environment.newscientist.com/channel/earth/mg19426051.200-earths-natural-wealth-an-audit.html>. (Not cited.)
- [27] D. Cohen. Four-legged robot printed on fab@home, October 2009. URL <http://fabathomebeta.mae.cornell.edu/?q=node/77>. (Not cited.)
- [28] L. Cooper. Encouraging space exploration through a new application of space property rights. *Space Policy*, 19(2):111–118, May 2003. ISSN 02659646. doi: 10.1016/S0265-9646(03)00016-X. URL <http://linkinghub.elsevier.com/retrieve/pii/S026596460300016X>. (Not cited.)
- [29] I. Crawford. The scientific case for human space exploration. *Space Policy*, 17(3):155–159, Aug. 2001. ISSN 02659646. doi: 10.1016/S0265-9646(01)00020-0. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964601000200>. (Not cited.)
- [30] F. A. Cucinotta. Space radiation cancer risk projections for exploration missions: uncertainty reduction and mitigation, 2001. URL <http://spaceflight.nasa.gov/shuttle/support/researching/radiation/marsrisk.pdf>. (Not cited.)
- [31] J. Curtis, L. Harra, J. Zarnecki, and M. Grady. Reviewing UK space exploration. *Space Policy*, 26(2):113–116, May 2010. ISSN 02659646. doi: 10.1016/j.spacepol.2010.03.007. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964610000366>. (Not cited.)
- [32] R. C. DeCharms. Applications of real-time fMRI . *Nature Reviews Neuroscience*, 9:720–729, 2008. (Not cited.)
- [33] DiagnosticImaging.com. Mri prices fall sharply in markets outside u.s., Jan. 1991. URL <http://www.diagnosticimaging.com/display/article/113619/1219412>. (Cited on page 22.)
- [34] S. J. Dick and R. D. Launius, editors. *Societal Impact of Spaceflight*. NASA, Washington, D.C., 2007. (Not cited.)
- [35] A. Dupas and J. Logsdon. Creating a productive international partnership in the Vision for Space Exploration. *Space Policy*, 23(1):24–28, Feb. 2007. ISSN 02659646. doi: 10.1016/j.spacepol.2006.11.003. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964606001056>. (Not cited.)
- [36] P. Ehrenfreund, N. Peter, and L. Billings. Building long-term constituencies for space exploration: The challenge of raising public awareness and engagement in the United States and in Europe. *Acta Astronautica*, 67(3-4):502–

- 512, Aug. 2010. ISSN 00945765. doi: 10.1016/j.actaastro.2010.03.002. URL <http://linkinghub.elsevier.com/retrieve/pii/S0094576510000822>. (Not cited.)
- [37] A. Ellery. Humans versus robots for space exploration and development. *Space Policy*, 19(2):87–91, May 2003. ISSN 02659646. doi: 10.1016/S0265-9646(03)00014-6. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964603000146>. (Not cited.)
- [38] FAA. Commercial space transportation study, 1997. URL <http://www.hq.nasa.gov/webaccess/CommSpaceTrans/>. (Cited on page 5.)
- [39] P. Ferguson and J. P. How. Formation Flying Experiments on the Orion-Emerald Mission. In *Proceedings of AIAA Space 2001 Conference*, 2001. (Not cited.)
- [40] P. Finarelli and I. Pryke. Implementing international co-operation in space exploration. *Space Policy*, 22(1):23–28, Feb. 2006. ISSN 02659646. doi: 10.1016/j.spacepol.2005.11.012. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964605001153>. (Not cited.)
- [41] P. Finarelli and I. Pryke. Building and maintaining the constituency for long-term space exploration. *Space Policy*, 23(1):13–19, Feb. 2007. ISSN 02659646. doi: 10.1016/j.spacepol.2006.11.001. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964606001111>. (Not cited.)
- [42] R. Fisackerly, C. Reimers, and a. Pradier. Exploration system technology aspects in the exploration programme of the European Space Agency. *Acta Astronautica*, 59(1-5):3–12, July 2006. ISSN 00945765. doi: 10.1016/j.actaastro.2006.02.017. URL <http://linkinghub.elsevier.com/retrieve/pii/S0094576506001196>. (Not cited.)
- [43] B. Foing and P. Ehrenfreund. Journey to the Moon: Recent results, science, future robotic and human exploration. *Advances in Space Research*, 42(2):235–237, July 2008. ISSN 02731177. doi: 10.1016/j.asr.2008.03.011. URL <http://linkinghub.elsevier.com/retrieve/pii/S0273117708001646>. (Not cited.)
- [44] A. Forrest, B. Laval, D. Lim, D. Williams, A. Trembanis, M. Marinova, R. Shepard, A. Brady, G. Slater, and M. Gernhardt. Performance evaluation of underwater platforms in the context of space exploration. *Planetary and Space Science*, 58(4):706–716, Mar. 2010. ISSN 00320633. doi: 10.1016/j.pss.2009.08.007. URL <http://linkinghub.elsevier.com/retrieve/pii/S0032063309002475>. (Not cited.)
- [45] W. Garage. Willow garage - website. 2010. URL <http://www.willowgarage.com/pages/about-us>. (Not cited.)
- [46] G. E. Gauger<sup>b</sup>, C. A. Tobias<sup>b</sup>, T. Yang<sup>b</sup>, and M. Whitney<sup>b</sup>. The effect of space radiation on the nervous system. *Advances in Space Research*, 6(11):243–249, 1986. URL [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6V3S-472BJ54-3F&\\_user=141903&\\_coverDate=12/31/1986&\\_rdoc=1&\\_fmt=high&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_searchStrId=1410022796&\\_rerunOrigin=google&\\_acct=C000011778&\\_version=1&\\_urlVersion=0&\\_userid=141903&md5=5829460965049b158942dad85c3382d](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6V3S-472BJ54-3F&_user=141903&_coverDate=12/31/1986&_rdoc=1&_fmt=high&_orig=search&_sort=d&_docanchor=&view=c&_searchStrId=1410022796&_rerunOrigin=google&_acct=C000011778&_version=1&_urlVersion=0&_userid=141903&md5=5829460965049b158942dad85c3382d). (Not cited.)
- [47] C. L. Gerlach. Profitably exploiting near-earth object resources. *International Space Development Conference*, 2005. (Cited on pages 14 and 15.)
- [48] R. Gordon. Metal stocks and sustainability, January 2006. URL <http://www.pnas.org/content/103/5/1209.long>. (Cited on page 14.)
- [49] R. B. Gordon, M. Bertram, and T. E. Graedel. Metal stocks and sustainability. *Proceedings of the National Academy of Sciences of the United States of America*, 103(5):1209–1214, 2006. URL <http://www.ncbi.nlm.nih.gov/pubmed/16432205>. (Not cited.)
- [50] M. Gruntman. Instrumentation for interstellar exploration. *Advances in Space Research*, 34(1):204–212, 2004.

ISSN 02731177. doi: 10.1016/j.asr.2003.04.064. URL <http://linkinghub.elsevier.com/retrieve/pii/S0273117704002716>. (Not cited.)

- [51] T. Hammond, F. Lewis, T. Goodwin, R. Linnehan, D. Wolf, K. Hire, W. Campbell, E. Benes, K. O'Reilly, R. Globus, and J. Kaysen. Gene expression in space. *Nature*, 5(359), 1999. (Not cited.)
- [52] G. Horneck, A. Coradini, G. Haerendel, M.-B. Kallenrode, P. Kamoun, J. P. Swings, A. Tobias, and J.-J. Tortora. Towards a European vision for space exploration: Recommendations of the Space Advisory Group of the European Commission. *Space Policy*, 26(2):109–112, May 2010. ISSN 02659646. doi: 10.1016/j.spacepol.2010.02.007. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964610000238>. (Not cited.)
- [53] J. How. Orion Flight Model Hardware, 2010. URL <http://www.mit.edu/people/jhow/orion/>. (Not cited.)
- [54] J. P. How. GPS Sensing for Formation Flying, 2010. URL [http://www.mit.edu/people/jhow/ff\\_leo.html](http://www.mit.edu/people/jhow/ff_leo.html). (Not cited.)
- [55] J. P. How. Relative Navigation for Formation Flying Spacecraft Using Carrier-Phase Differential GPS, 2010. URL <http://www.mit.edu/people/jhow/gps1.htm>. (Not cited.)
- [56] J. Huntington. Improving Satellite Protection with Nanotechnology, 2007. URL <http://www.dtic.mil/cgi-bin/GetTRDoc?AD=ADA474825&Location=U2&doc=GetTRDoc.pdf>. (Not cited.)
- [57] S. Jähnichen, K. Brieß, and R. Burmeister. Flying Sensors - Swarms in Space. In B. Mahr and H. Sheng, editors, *Autonomous Systems - Self-Organization, Management, and Control*, pages 71–77, Shanghai, 2008. Springer. (Not cited.)
- [58] H. Jones, K. Yeoman, and C. Cockell. A pilot survey of attitudes to space sciences and exploration among British school children. *Space Policy*, 23(1):20–23, Feb. 2007. ISSN 02659646. doi: 10.1016/j.spacepol.2006.11.013. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964606001093>. (Not cited.)
- [59] A. Y. Kalery, I. V. Sorokin, and M. V. Tyurin. Human space exploration beyond the international space station: Role of relations of human, machine and the Earth. *Acta Astronautica*, June 2010. ISSN 00945765. doi: 10.1016/j.actaastro.2010.06.009. URL <http://linkinghub.elsevier.com/retrieve/pii/S0094576510002006>. (Not cited.)
- [60] R. Kapfer, M. Krumme, and M. Davis. SBR sparse array performance with subarray orientation and timing errors. In *Proceedings of IEEE Radar Conference*, page 8 pp. IEEE Press, 2006. URL <http://dx.doi.org/10.1109/RADAR.2006.1631838>. (Not cited.)
- [61] J. T. Kare and K. L. G. Parkin. A Comparison of Laser and Microwave Approaches to CW Beamed Energy Launch. In *AIP Proceedings on the Fourth International Symposium on Beamed Energy Propulsion*, pages 388–399, 2006. (Not cited.)
- [62] L. B. King, G. G. Parker, S. Deshmukh, and J.-H. Chong. Spacecraft Formation-flying using Inter-vehicle Coulomb Forces, 2002. URL [http://www.niac.usra.edu/files/studies/final\\_report/601King.pdf](http://www.niac.usra.edu/files/studies/final_report/601King.pdf). (Not cited.)
- [63] U. B. I. R. Lab. Positron emission tomograph: Computational issues, 2004. URL <http://neuroimage.usc.edu/ResearchPETComput.html>. (Cited on pages 22 and 23.)
- [64] J. M. Lafleur and J. H. Saleh. Survey of intra- and inter-mission flexibility in space exploration systems. *Acta Astronautica*, 67(1-2):97–107, July 2010. ISSN 00945765. doi: 10.1016/j.actaastro.2009.12.004. URL <http://linkinghub.elsevier.com/retrieve/pii/S0094576509005761>. (Not cited.)
- [65] R. D. Launius. The historical dimension of space exploration: reflections and possibilities. *Space Policy*, 16(1):23–



- 38, Feb. 2000. ISSN 02659646. doi: 10.1016/S0265-9646(99)00055-7. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964699000557>. (Not cited.)
- [66] D. F. Lester and M. Robinson. Visions of exploration. *Space Policy*, 25(4):236–243, Nov. 2009. ISSN 02659646. doi: 10.1016/j.spacepol.2009.07.001. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964609000691>. (Not cited.)
- [67] G. Lockwood and F. Foster. Design of sparse array imaging systems. In *Proceedings on IEEE Ultrasound Symposium*, pages 1237–1243, 1995. (Not cited.)
- [68] J. Logsdon. Why space exploration should be a global project. *Space Policy*, 24(1):3–5, Feb. 2008. ISSN 02659646. doi: 10.1016/j.spacepol.2007.11.007. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964607001178>. (Not cited.)
- [69] M. Y. MacLeish and W. A. Thomson. Global visions for space exploration education. *Acta Astronautica*, 66(7-8):1285–1290, Apr. 2010. ISSN 00945765. doi: 10.1016/j.actaastro.2009.09.030. URL <http://linkinghub.elsevier.com/retrieve/pii/S0094576509004822>. (Not cited.)
- [70] Marco R, González-Jurado J, Calleja M, Garesse R, Maroto M, Ramírez E, Holgado MC, de Juan E, and Miquel J. Microgravity effects on *Drosophila melanogaster* development and aging: Comparative analysis of the results of the fly experiment in the Biokosmos 9 biosatellite flight. *Advances in Space Research*, 12(1):157–166, 1992. URL <http://www.ncbi.nlm.nih.gov/pubmed/11536953>. (Not cited.)
- [71] P. Messina and D. Vennemann. The European space exploration programme: Current status of ESA’s plans for Moon and Mars exploration. *Acta Astronautica*, 57(2-8):156–160, July 2005. ISSN 00945765. doi: 10.1016/j.actaastro.2005.03.020. URL <http://linkinghub.elsevier.com/retrieve/pii/S0094576505001116>. (Not cited.)
- [72] M. S. Miller and T. S. Keller. *Drosophila melanogaster* (fruit fly) locomotion during a sounding rocket flight. *Acta Astronautica*, 62(10-11):605–616, 2008. (Not cited.)
- [73] J. L. Mohammed. Mission Planning for a Formation-Flying Satellite Cluster. In I. Russell and J. F. Kolen, editors, *Proceedings of the Fourteenth International Florida Artificial Intelligence Research Society Conference*, pages 58–62. AAAI Press, 2001. URL <http://portal.acm.org/citation.cfm?id=646814.708008>. (Not cited.)
- [74] D. Neumeyer. NASA Flagship Technology Demonstrator (FTD) Environment Control Life Support (ECLS) Enterprise Workshop, 2010. URL [http://www.nasa.gov/pdf/458815main\\_FTD\\_EnvironmentControlAndLifeSupport.pdf](http://www.nasa.gov/pdf/458815main_FTD_EnvironmentControlAndLifeSupport.pdf). (Cited on pages 9 and 10.)
- [75] C. Oliver. The virtual space exploration education portal. *Acta Astronautica*, 61(1-6):548–552, June 2007. ISSN 00945765. doi: 10.1016/j.actaastro.2007.01.062. URL <http://linkinghub.elsevier.com/retrieve/pii/S0094576507000768>. (Not cited.)
- [76] N. Peter and K. Stoffl. Global space exploration 2025: Europe’s perspectives for partnerships. *Space Policy*, 25(1): 29–36, Feb. 2009. ISSN 02659646. doi: 10.1016/j.spacepol.2008.12.009. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964608001033>. (Not cited.)
- [77] J. B. Pollack. The golem project, 2000. URL <http://www.demo.cs.brandeis.edu/golem/fabrication.html>. (Not cited.)
- [78] S. Pyne. The extraterrestrial Earth: Antarctica as analogue for space exploration. *Space Policy*, 23(3):147–149, Aug. 2007. ISSN 02659646. doi: 10.1016/j.spacepol.2007.06.006. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964607000550>. (Not cited.)
- [79] N. Reshko, Mason. Rapid prototyping of small robots. 2000. URL <http://www.cs.cmu.edu/~reshko/Publications/prototyping.pdf>. (Not cited.)

- [80] M. C. Ridding and J. C. Rothwell. Is there a future for therapeutic use of transcranial magnetic stimulation? . *Nature Reviews Neuroscience*, 8:559–567, 2007. (Not cited.)
- [81] M. Ries-Kautt. Crystallogenesi studies in microgravity with the Advanced Protein Crystallization Facility on SpaceHab-01. *Journal of Crystal Growth*, 181(1):22, 1997. (Not cited.)
- [82] L. Salerno. Cryogenics and the human exploration of Mars. *Cryogenics*, 39(4):381–388, Apr. 1999. ISSN 00112275. doi: 10.1016/S0011-2275(99)00043-0. URL <http://linkinghub.elsevier.com/retrieve/pii/S0011227599000430>. (Not cited.)
- [83] W. Seboldt. Space- and earth-based solar power for the growing energy needs of future generations. *Acta Astronautica*, 55(3-9):389 – 399, 2004. ISSN 0094-5765. doi: 10.1016/j.actaastro.2004.05.032. URL <http://www.sciencedirect.com/science/article/B6V1N-4CVV63B-3/2/566ee4365ebfd5ed35cee5fcfec45917>. New Opportunities for Space. Selected Proceedings of the 54th International Astronautical Federation Congress. (Cited on pages 14 and 16.)
- [84] M. Sonter. Near earth objects as resources for space industrialization. *Solar System Development Journal*, 1(1): 1–31, 2001. (Cited on page 15.)
- [85] I. S. U. Ssp. MiNI : From Tiny to Infinity. 2006. (Not cited.)
- [86] C. Stadd and J. Bingham. The US civil space sector: alternate futures. *Space Policy*, 20(4):241–252, Nov. 2004. ISSN 02659646. doi: 10.1016/j.spacepol.2004.08.001. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964604000542>. (Not cited.)
- [87] P. Suppes, Z.-L. Lu, and B. Han. Brain wave recognition of words. *Proceedings of the National Academy of Sciences of the United States of America*, 94(26):14965–14969, 1997. (Not cited.)
- [88] C. Suthakorn, Zhou. Self-replicating robots for space utilization. URL [http://custer.lcsr.jhu.edu/wiki/images/c/cf/Suthakorn02\\_b.pdf](http://custer.lcsr.jhu.edu/wiki/images/c/cf/Suthakorn02_b.pdf). (Not cited.)
- [89] M. A. Tamamoto. Active Antennas and UHF Antennas for Cubesat applications. (Not cited.)
- [90] K. M. Taminger and R. A. Hafley. Electron Beam Freeform Fabrication for Cost Effective Near-Net Shape Manufacturing, 2006. URL <http://ntrs.nasa.gov/search.jsp?R=540654&id=4&as=false&or=false&q=Ns%3DHarvestDate%257c1%26N%3D4294697965>. (Not cited.)
- [91] The Space Place. NASA Spinoffs, Bringing Space down to Earth, 2004. URL <http://www.thespaceplace.com/nasa/spinoffs.html>. (Cited on page 22.)
- [92] D. Tralli, R. Blom, V. Zlotnicki, A. Donnellan, and D. Evans. Satellite remote sensing of earthquake, volcano, flood, landslide and coastal inundation hazards. *ISPRS Journal of Photogrammetry and Remote Sensing*, 59(4):185–198, June 2005. ISSN 09242716. doi: 10.1016/j.isprsjprs.2005.02.002. URL <http://linkinghub.elsevier.com/retrieve/pii/S0924271605000043>. (Not cited.)
- [93] M. Vazquez, T. Broglio, B. Worgul, and E. Benton. Neuritogenesis: A model for space radiation effects on the central nervous system. *Advances in Space Research*, 14:467–474, 1994. (Not cited.)
- [94] A. Vergara, B. Lorber, C. Sauter, R. Giegé, and A. Zagari. Lessons from crystals grown in the Advanced Protein Crystallisation Facility for conventional crystallisation applied to structural biology. *Biophysical Chemistry*, 118 (2-3):1590–1595, 2005. (Not cited.)
- [95] M. C. Vigan, G. Toso, P. Angeletti, I. E. Lager, A. Yarovoy, and D. Caratelli. Sparse Antenna Array for Earth-coverage Satellite Applications. In *4th European Conference on Antennas and Propagation (EuCAP 2010)*, Barcelona, 2010. (Not cited.)
- [96] D. Williams, A. Kuipers, C. Mukai, and R. Thirsk. Acclimation during space flight: effects on human physiology. *CMAJ*, 180(13), June 2009. doi: 10.1503/cmaj.090628. (Cited on pages 11 and 12.)

- [97] A. M. Womack, B. J. M. Bohannan, and J. L. Green. Biogeography of the air. Presented by Green at the British Academy in July 2010. (Not cited.)
- [98] M. Won, DeLaurentis. Rapid prototyping of robotic systems, April 2000. URL <http://www.cs.cmu.edu/~reshko/Publications/prototyping.pdf>. (Not cited.)
- [99] M. Woodell. Power from space: the policy challenge. *Space Policy*, 16(2):93–97, May 2000. ISSN 02659646. doi: 10.1016/S0265-9646(00)00009-6. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964600000096>. (Not cited.)
- [100] D. Yang, Y. Zhou, and Y. Wang. Remote Sensing with Reflected Signals: GNSS-R Data Processing Software and Test Analysis, 2009. URL <http://www.insidegnss.com/auto/sep0ct09-Yang.pdf>. (Not cited.)
- [101] S. Yatabe and A. Fabbri. The application of remote sensing to canadian petroleum exploration: promising and yet unexploited. *Computers & Geosciences*, 12(4):597–609, 1986. ISSN 00983004. doi: 10.1016/0098-3004(86)90070-1. URL <http://linkinghub.elsevier.com/retrieve/pii/0098300486900701>. (Not cited.)
- [102] F.-G. Zeng. Trends in cochlear implants. *Trends in Amplification*, 8(1):1–34, Mar. 2004. doi: 10.1177/108471380400800102. (Cited on pages 22 and 23.)
- [103] Y. Zhou. Perspectives on Sino-US cooperation in civil space programs. *Space Policy*, 24(3):132–139, Aug. 2008. ISSN 02659646. doi: 10.1016/j.spacepol.2008.06.002. URL <http://linkinghub.elsevier.com/retrieve/pii/S0265964608000404>. (Not cited.)

## Glossary

**ideal rocket equation** an equation which relates the maximum change of speed of a rocket with the  $I_{sp}$  and the initial and final mass of the rocket.

$$\Delta v = I_{sp} g_0 \ln \frac{m_0}{m_1}$$

where  $m_0$  is the initial total mass, including propellant;  $m_1$  is the final total mass,  $I_{sp}$  is the specific impulse of the engine,  $g_0$  is the initial acceleration due to gravity, and  $\Delta v$  is the change of speed of the rocket over the entire period. [5](#)

**payload fraction** the fraction of a launch vehicle's mass on the launchpad which is allocated to the object(s) being launched (payload), rather than structural materials, fuel, etc. [5](#)

**specific impulse ( $I_{sp}$ )** is a metric of rocket (or jet) efficiency; the change in momentum per unit amount of propellant used. (This works out to an SI unit of seconds.) The higher the specific impulse, the less propellant is needed to gain a given amount of momentum. For example, the Space Shuttle Main Engine has an  $I_{sp}$  of 453s. [5](#)

## Acronyms

ISS International Space Station. [8](#), [10](#)



## Index

Sagan, Carl, [3](#), [16](#)

