# MLops

Make life easy

## Common problems with scaling ML

### Getting started

Mundane steps with lots of boilerplate

### <u>Iterating quickly</u>


Slow redundant iterative development

Hard to experiment and compare different models/algorithms

### **Productionizing**


Incorporating ML models into production backend and handing off to engineers is very manual and bottlenecked

## Gitops CI/CD for any software product




### Argo workflows for CI/CD

- Team makes change to MERN stack application and makes a Github PR
- 2. Github sends a webhook POST request to Argo event source
- 3. The CICD workflow trigger source is started
- 4. Docker image is built for frontend and backend and pushed to docker registry
- 5. New image tags are updated in Kustomization.yaml file
- 6. ArgoCD picks this up and updates the deployment
- 7. Integration tests can be carried out in the staging environment to test that APIs endpoints can be reached and they return the expected results.
- 8. If all goes well, then we can update manifests in the production cluster




## CI/CD for ML pipelines

## Machine learning as composable units




## CI/CD for ML training pipeline



## CI/CD for Machine Learning

- Once a model has been experimented and it has found to outperform the model in production, it is then modularized into ML pipeline steps, which are later containerized. Each pipeline step should be unit tested.
- 2. The next steps would be:
  - a. Build docker image with build-kit
  - b. Update image tags in staging Kustomize files for argo training workflow
- This ensures that the argo training workflow will use the most up-to-date image for the training pipeline steps




# CI/CD for Machine Learning

We can observe the docker logs from the promote to staging step of the DAG.

This shows what the image tag read in the kustomization.yaml before and after the following command was run:

```
kustomize edit set image
{{inputs.parameters.image}}=
{{inputs.parameters.image}}:
{{inputs.parameters.tag}}
```

Argo CD will see that the kustomize file has changed and apply our updated CronWorkflow training pipeline to the cluster.



## CICD of the inference pipeline

