```
1
 2 package acme.features.manager.userStory;
4 import org.springframework.beans.factory.annotation.Autowired;
 5 import org.springframework.stereotype.Service;
 7 import acme.client.data.models.Dataset;
8 import acme.client.services.AbstractService;
9import acme.client.views.SelectChoices;
10 import acme.entities.project.UserStory;
11 import acme.entities.project.UserStory.Priority;
12 import acme.features.manager.project.ManagerProjectRepository;
13 import acme.roles.Manager;
14
15@Service
16 public class ManagerUserStoryCreateService extends AbstractService<Manager, UserStory> {
17
18
      @Autowired
19
      private ManagerUserStoryRepository uSRepository;
20
21
      @Autowired
22
      private ManagerProjectRepository
                                           projectRepository;
23
24
25
      @Override
26
      public void authorise() {
27
28
          super.getResponse().setAuthorised(super.getRequest().getPrincipal().hasRole
  (Manager.class));
29
30
31
32
      @Override
33
      public void load() {
34
          Manager manager;
35
          manager = this.projectRepository.findManagerByManagerId(super.getRequest
36
  ().getPrincipal().getActiveRoleId());
37
          UserStory userStory = new UserStory();
38
39
          userStory.setDraft(true);
40
          userStory.setManager(manager);
41
42
          super.getBuffer().addData(userStory);
43
      }
44
45
      @Override
      public void bind(final UserStory userStory) {
46
47
          assert userStory != null;
48
          super.bind(userStory, "title", "description", "estimatedCost", "priority",
49
  "acceptanceCriteria", "link", "isDraft");
50
51
      @Override
52
53
      public void validate(final UserStory userStory) {
54
          assert userStory != null;
55
56
57
58
      @Override
59
      public void perform(final UserStory userStory) {
```

```
60
           assert userStory != null;
61
62
           this.uSRepository.save(userStory);
63
64
65
      @Override
       public void unbind(final UserStory userStory) {
66
67
           assert userStory != null;
           SelectChoices priorities = SelectChoices.from(Priority.class, userStory.getPriority
68
  ());
69
70
           Dataset dataset;
71
   dataset = super.unbind(userStory, "title", "description", "estimatedCost",
"priority", "acceptanceCriteria", "link", "isDraft");
73
           dataset.put("priorities", priorities);
74
           dataset.put("isDraft", userStory.isDraft());
75
76
           super.getResponse().addData(dataset);
77
       }
78
79 }
80
```