

Take Test: Quiz 3. Support vector classification

Test Information

- Description
- Instructions
- Multiple Attempts This test allows multiple attempts.
- Force Completion This test can be saved and resumed later.

Question Completion Status:

QUESTION 1

0.014 pointsSaved

The SVM criterion takes into account the structural risk and the empirical risk. The optimization is intended to minimize both at the same time.

- ☒ True
- ☐ False

QUESTION 2

0.014 pointsSaved

The SVM optimization is performed through a Lagrange analysis. It leads to

- ☐ a dual functional that depends on the corresponding Lagrange multipliers. The solution is always guaranteed but it is not unique.
- ☒ The solution of the dual is always guaranteed because the matrix of the functional is non negative definite.
- ☐ The solution is guaranteed because the functional is the sum of a convex and a concave functions.
- ☐ The solution is never guaranteed.

QUESTION 3

0.014 pointsSaved

In a SVM classifier, the weight vector is a linear combination of the training data

- ☒ True
- ☐ False

QUESTION 4

0.014 pointsSaved

In a Support Vector Machine, the solution depends on a subset of the training data.

- ☒ True
- ☐ False

QUESTION 5

0.015 pointsSaved

The KKT conditions

- ☒ are obtained from nulling the gradient of the lagrange functional with respect to the primal variables (except the complementary ones).
- ☐ The KKT conditions are obtained by nulling the gradient of the Lagrange functional wrt the primal and dual variables (except the complementary ones).
- ☒ The complementary KKT conditions say that either the constraints or the corresponding Lagrange multiplier is zero.
- ☒ The KKT assure that the constraints vanish from the Lagrangian at the optimal point.

QUESTION 6

0.015 pointsSaved

The dual variables or Lagrange multipliers

- ☒ of the samples that are properly classified and outside the origin are zero.
- ☐ of the samples that are properly classified and inside the margin have a value strictly less than C.
- ☒ of the samples that are inside the margin have a value equal to C.
- ☒ of the samples that are misclassified and outside the margin are C

QUESTION 7

0.014 pointsSaved

All the dual variables are either 0 or C

- ☐ True
- ☒ False

Click Save and Submit to save and submit. Click Save All Answers to save all answers.

Save All Answers

Save and Submit